Generated: 08/27/2012 14:04
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 1.mdb

Timber Tables

This report is for the stand 'stand 1' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species unidentified species was found in the overstory observations, but is not included in this report because it does not have a growth form of 'Tree'. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Basal Area (square feet)	97.5	19.2	18.3	12.5	9.2
Percentage of stand basal area (%)	100.0	19.7	18.8	12.8	9.4
Stems Per Unit Area (stems per acre)	633.3	59.5	86.0	11.6	56.1

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Basal Area (square feet)	7.5	6.7	5.8	4.2	3.3
Percentage of stand basal area (%)	7.7	6.8	6.0	4.3	3.4
Stems Per Unit Area (stems per acre)	70.1	15.3	47.9	7.1	3.4

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Basal Area (square feet)	3.3	1.7	1.7	0.8	0.8
Percentage of stand basal area (%)	3.4	1.7	1.7	0.9	0.9
Stems Per Unit Area (stems per acre)	74.3	0.4	2.8	4.2	38.2

Overstory only (cont)

	black oak	shagbark hickory
Basal Area (square feet)	0.8	0.8
Percentage of stand basal area (%)	0.9	0.9
Stems Per Unit Area (stems per acre)	0.5	3.1

Understory only

	All species	sweet birch	American witchhazel	pignut hickory	northern red oak
Basal Area (square feet)	4.5	1.8	0.8	0.6	0.5
Percentage of stand basal area (%)	100.0	38.7	16.7	13.3	12.0
Stems Per Unit Area (stems per acre)	2,344.4	155.6	194.4	11.1	188.9

Understory only (cont)

	hophornbeam	serviceberry	sugar maple	red maple	chestnut oak
Basal Area (square feet)	0.3	0.2	0.2	0.1	0.1
Percentage of stand basal area (%)	7.3	4.0	4.0	2.7	1.3
Stems Per Unit Area (stems per acre)	172.2	94.4	294.4	44.4	283.3

Understory only (cont)

	white oak	unidentified non-comm hardwood
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0
Stems Per Unit Area (stems per acre)	16.7	44.4

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Basal Area (square feet)	102.0	19.7	18.5	12.6	10.9
Percentage of stand basal area (%)	100.0	19.3	18.1	12.3	10.7
Stems Per Unit Area (stems per acre)	2,977.7	248.4	380.4	294.9	211.7

Combined overstory and understory (cont)

	red maple	mockernut hickory	pignut hickory	white ash	hophornbeam
Basal Area (square feet)	7.6	6.7	6.4	4.2	3.7
Percentage of stand basal area (%)	7.5	6.5	6.3	4.1	3.6
Stems Per Unit Area (stems per acre)	114.5	15.3	59.0	7.1	246.5

Combined overstory and understory (cont)

	white oak	tuliptree	yellow birch	American hornbeam	sassafras
Basal Area (square feet)	3.3	1.7	1.7	0.8	0.8
Percentage of stand basal area (%)	3.3	1.6	1.6	0.8	0.8
Stems Per Unit Area (stems per acre)	20.1	0.4	2.8	4.2	38.2

Combined overstory and understory (cont)

	black oak	shagbark hickory	American witchhazel	serviceberry	unidentified non-comm hardwood
Basal Area (square feet)	0.8	0.8	0.8	0.2	0.0
Percentage of stand basal area (%)	0.8	0.8	0.7	0.2	0.0
Stems Per Unit Area (stems per acre)	0.5	3.1	194.4	94.4	44.4

Diameters

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Medial DBH (inches)	12.8	14.6	12.4	15.4	10.5
Merchantable Medial DBH (inches)	14.9	16.3	15.0	15.4	12.0
Quadratic Mean DBH (inches)	5.3	7.7	6.3	14.1	5.5
Merchantable Quadratic DBH (inches)	12.3	13.8	12.8	14.1	10.8
Average DBH (inches)	3.6	5.9	4.9	13.7	4.1

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Medial DBH (inches)	11.9	14.0	12.9	11.2	14.8
Merchantable Medial DBH (inches)	16.3	15.4	14.7	11.2	14.8
Quadratic Mean DBH (inches)	4.4	8.9	4.7	10.4	13.3
Merchantable Quadratic DBH (inches)	13.1	13.7	9.7	10.4	13.3
Average DBH (inches)	3.3	7.4	3.4	10.2	12.9

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Medial DBH (inches)	3.2	26.5	11.0	6.0	2.0
Merchantable Medial DBH (inches)	0.0	26.5	11.0	6.0	0.0
Quadratic Mean DBH (inches)	2.9	26.1	10.5	6.0	2.0
Merchantable Quadratic DBH (inches)	0.0	26.1	10.5	6.0	0.0
Average DBH (inches)	2.7	26.0	10.3	6.0	2.0

Overstory only (cont)

	black oak	shagbark hickory
Medial DBH (inches)	18.0	7.0
Merchantable Medial DBH (inches)	18.0	7.0
Quadratic Mean DBH (inches)	18.0	7.0
Merchantable Quadratic DBH (inches)	18.0	7.0
Average DBH (inches)	18.0	7.0

Understory only

	All species	sweet birch	American witchhazel	pignut hickory	northern red oak
Medial DBH (inches)	2.8	3.9	1.5	3.6	2.4
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.8	2.7	1.3	3.2	2.1
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	2.3	1.2	3.0	2.0

Understory only (cont)

	hophornbeam	serviceberry	sugar maple	red maple	chestnut oak
Medial DBH (inches)	1.7	1.0	1.7	2.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.5	1.0	1.4	2.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	1.0	1.3	2.0	1.0

Understory only (cont)

	white oak	unidentified non-comm hardwood
Medial DBH (inches)	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Medial DBH (inches)	12.4	14.2	12.3	15.3	9.4
Merchantable Medial DBH (inches)	14.9	16.3	15.0	15.4	12.0
Quadratic Mean DBH (inches)	4.6	6.6	5.8	10.1	4.5
Merchantable Quadratic DBH (inches)	12.3	13.8	12.8	14.1	10.8
Average DBH (inches)	3.0	4.8	4.3	7.5	3.3

Combined overstory and understory (cont)

	red maple	mockernut hickory	pignut hickory	white ash	hophornbeam
Medial DBH (inches)	11.7	14.0	12.0	11.2	3.1
Merchantable Medial DBH (inches)	16.3	15.4	14.7	11.2	0.0
Quadratic Mean DBH (inches)	4.3	8.9	4.5	10.4	2.6
Merchantable Quadratic DBH (inches)	13.1	13.7	9.7	10.4	0.0
Average DBH (inches)	3.2	7.4	3.3	10.2	2.4

Combined overstory and understory (cont)

	white oak	tuliptree	yellow birch	American hornbeam	sassafras
Medial DBH (inches)	14.8	26.5	11.0	6.0	2.0
Merchantable Medial DBH (inches)	14.8	26.5	11.0	6.0	0.0
Quadratic Mean DBH (inches)	13.3	26.1	10.5	6.0	2.0
Merchantable Quadratic DBH (inches)	13.3	26.1	10.5	6.0	0.0
Average DBH (inches)	12.9	26.0	10.3	6.0	2.0

Combined overstory and understory (cont)

	black oak	shagbark hickory	American witchhazel	serviceberry	unidentified non-comm hardwood
Medial DBH (inches)	18.0	7.0	1.5	1.0	0.0
Merchantable Medial DBH (inches)	18.0	7.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	18.0	7.0	1.3	1.0	0.0
Merchantable Quadratic DBH (inches)	18.0	7.0	0.0	0.0	0.0
Average DBH (inches)	18.0	7.0	1.2	1.0	0.0

Structure

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Q Factor	1.25	1.23	1.23	1.17	1.25

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Q Factor	1.25	1.19	1.20	1.23	1.15

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Q Factor	1.49	1.08	1.20	0.00	0.00

Overstory only (cont)

	black oak	shagbark hickory
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Relative Density (percent)	82.87	17.44	16.24	10.04	6.80
percentage of stand	100.00	21.04	19.59	12.11	8.20

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Relative Density (percent)	6.03	5.72	5.83	1.98	2.70
percentage of stand	7.28	6.90	7.04	2.39	3.26

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Relative Density (percent)	4.08	0.46	1.38	0.73	1.21
percentage of stand	4.92	0.55	1.66	0.88	1.46

Overstory only (cont)

	black oak	shagbark hickory
Relative Density (percent)	0.64	0.81
percentage of stand	0.78	0.98

Understory only

	All species	sweet birch	American witchhazel	pignut hickory	northern red oak
Relative Density (percent)	5.64	1.89	0.90	0.82	0.64
percentage of stand	100.00	33.58	15.97	14.55	11.36

Understory only (cont)

	hophornbeam	serviceberry	sugar maple	red maple	chestnut oak
Relative Density (percent)	0.44	0.17	0.40	0.18	0.20
percentage of stand	7.77	3.05	7.01	3.12	3.59

Understory only (cont)

	white oak	unidentified non-comm hardwood
Relative Density (percent)	0.00	0.00
percentage of stand	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Relative Density (percent)	88.51	18.08	16.63	10.24	8.69
percentage of stand	100.00	20.43	18.79	11.57	9.82

Combined overstory and understory (cont)

	red maple	mockernut hickory	pignut hickory	white ash	hophornbeam
Relative Density (percent)	6.21	5.72	6.65	1.98	4.51
percentage of stand	7.01	6.46	7.52	2.23	5.10

Combined overstory and understory (cont)

	white oak	tuliptree	yellow birch	American hornbeam	sassafras
Relative Density (percent)	2.70	0.46	1.38	0.73	1.21
percentage of stand	3.05	0.52	1.56	0.83	1.37

Combined overstory and understory (cont)

	black oak	shagbark hickory	American witchhazel	serviceberry	unidentified non-comm hardwood
Relative Density (percent)	0.64	0.81	0.90	0.17	0.00
percentage of stand	0.73	0.91	1.02	0.19	0.00

Volumes

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Sawtimber gross total (board feet/acre)	3,902	1,058	584	831	188
Sawtimber net total (board feet/acre)	3,632	961	520	783	168

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Pulpwood gross total (cubic feet/acre)	1,294	257	238	195	131
Pulpwood net total (cubic feet/acre)	1,035	206	190	156	104
Gross total (cubic feet/acre)	1,968	438	343	328	162
Net total (cubic feet/acre)	1,537	339	265	256	127

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Sawtimber gross total (board feet/acre)	317	320	223	97	213
Sawtimber net total (board feet/acre)	296	298	223	97	213
Pulpwood gross total (cubic feet/acre)	76	80	69	81	51
Pulpwood net total (cubic feet/acre)	61	64	55	65	40
Gross total (cubic feet/acre)	130	144	109	97	86
Net total (cubic feet/acre)	101	112	88	78	69

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Sawtimber gross total (board feet/acre)	0	0	0	0	0
Sawtimber net total (board feet/acre)	0	0	0	0	0
Pulpwood gross total (cubic feet/acre)	0	49	35	11	0
Pulpwood net total (cubic feet/acre)	0	39	28	8	0
Gross total (cubic feet/acre)	0	49	35	11	0

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Net total (cubic feet/acre)	0	39	28	8	0

Overstory only (cont)

	black oak	shagbark hickory
Sawtimber gross total (board feet/acre)	72	0
Sawtimber net total (board feet/acre)	72	0
Pulpwood gross total (cubic feet/acre)	9	13
Pulpwood net total (cubic feet/acre)	7	11
Gross total (cubic feet/acre)	22	13
Net total (cubic feet/acre)	17	11

Values

The following species are missing all pulpwood prices: northern red oak, sugar maple, chestnut oak, sweet birch, white ash, mockernut hickory, red maple, pignut hickory, white oak, tuliptree, yellow birch, shagbark hickory, American hornbeam, black oak, sassafras and hophornbeam.
The following species are missing all sawlog prices: northern red oak, sugar maple, chestnut oak, sweet birch, white ash, mockernut hickory, red maple, pignut hickory, white oak, tuliptree, yellow birch, shagbark hickory, American hornbeam, black oak, sassafras and hophornbeam.

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Pulpwood Value (dollars)	0.00	0.00	0.00	0.00	0.00
Board-foot Value (dollars)	0.00	0.00	0.00	0.00	0.00
Dollar Value (dollars)	0.00	0.00	0.00	0.00	0.00

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Pulpwood Value (dollars)	0.00	0.00	0.00	0.00	0.00
Board-foot Value (dollars)	0.00	0.00	0.00	0.00	0.00
Dollar Value (dollars)	0.00	0.00	0.00	0.00	0.00

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Pulpwood Value (dollars)	0.00	0.00	0.00	0.00	0.00
Board-foot Value (dollars)	0.00	0.00	0.00	0.00	0.00
Dollar Value (dollars)	0.00	0.00	0.00	0.00	0.00

Overstory only (cont)

	black oak	shagbark hickory
Pulpwood Value (dollars)	0.00	0.00
Board-foot Value (dollars)	0.00	0.00
Dollar Value (dollars)	0.00	0.00

Biomass

Overstory only

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Coarse Root Biomass (tons per acre)	13.35	2.94	2.61	2.00	1.09
Stem Wood Biomass (tons per acre)	42.75	9.68	8.23	6.77	3.32
Stem Bark Biomass (tons per acre)	8.82	1.97	1.71	1.36	0.70
Foliage Biomass (tons per acre)	1.51	0.32	0.30	0.21	0.13
Aboveground Biomass (tons per acre)	70.24	15.53	13.69	10.62	5.69
Total Biomass (tons per acre)	83.60	18.47	16.29	12.62	6.77

Overstory only (cont)

	red maple	mockernut hickory	pignut hickory	white ash	white oak
Coarse Root Biomass (tons per acre)	0.90	1.01	0.83	0.43	0.52
Stem Wood Biomass (tons per acre)	2.72	3.33	2.59	1.38	1.76
Stem Bark Biomass (tons per acre)	0.58	0.68	0.54	0.29	0.35
Foliage Biomass (tons per acre)	0.11	0.11	0.10	0.05	0.06
Aboveground Biomass (tons per acre)	4.70	5.35	4.33	2.28	2.78
Total Biomass (tons per acre)	5.60	6.37	5.16	2.71	3.30

Overstory only (cont)

	hophornbeam	tuliptree	yellow birch	American hornbeam	sassafras
Coarse Root Biomass (tons per acre)	0.20	0.26	0.20	0.07	0.04
Stem Wood Biomass (tons per acre)	0.38	0.94	0.65	0.18	0.05
Stem Bark Biomass (tons per acre)	0.11	0.18	0.14	0.04	0.02
Foliage Biomass (tons per acre)	0.04	0.03	0.02	0.01	0.01
Aboveground Biomass (tons per acre)	1.00	1.39	1.08	0.34	0.20
Total Biomass (tons per acre)	1.21	1.65	1.28	0.41	0.24

Overstory only (cont)

	black oak	shagbark hickory
Coarse Root Biomass (tons per acre)	0.14	0.10
Stem Wood Biomass (tons per acre)	0.50	0.27
Stem Bark Biomass (tons per acre)	0.10	0.06

Overstory only (cont)

	black oak	shagbark hickory
Foliage Biomass (tons per acre)	0.01	0.01
Aboveground Biomass (tons per acre)	0.76	0.51
Total Biomass (tons per acre)	0.91	0.60

Understory only

	All species	sweet birch	American witchhazel	pignut hickory	northern red oak
Coarse Root Biomass (tons per acre)	0.40	0.17	0.00	0.06	0.06
Foliage Biomass (tons per acre)	0.55	0.08	0.00	0.01	0.09
Aboveground Biomass (tons per acre)	1.75	0.80	0.00	0.27	0.25
Total Biomass (tons per acre)	2.16	0.97	0.00	0.33	0.31

Understory only (cont)

	hophornbeam	serviceberry	sugar maple	red maple	chestnut oak
Coarse Root Biomass (tons per acre)	0.02	0.01	0.04	0.01	0.03
Foliage Biomass (tons per acre)	0.05	0.02	0.13	0.02	0.13
Aboveground Biomass (tons per acre)	0.10	0.04	0.13	0.05	0.09
Total Biomass (tons per acre)	0.12	0.05	0.17	0.07	0.12

Understory only (cont)

	white oak	unidentified non-comm hardwood
Coarse Root Biomass (tons per acre)	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.01
Aboveground Biomass (tons per acre)	0.00	0.01

Understory only (cont)

	white oak	unidentified non-comm hardwood
Total Biomass (tons per acre)	0.01	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	sweet birch
Coarse Root Biomass (tons per acre)	13.76	3.00	2.65	2.03	1.26
Stem Wood Biomass (tons per acre)	42.75	9.68	8.23	6.77	3.32
Stem Bark Biomass (tons per acre)	8.82	1.97	1.71	1.36	0.70
Foliage Biomass (tons per acre)	2.06	0.41	0.43	0.34	0.21
Aboveground Biomass (tons per acre)	72.00	15.79	13.82	10.71	6.49
Total Biomass (tons per acre)	85.76	18.79	16.47	12.74	7.75

Combined overstory and understory (cont)

	red maple	mockernut hickory	pignut hickory	white ash	hophornbeam
Coarse Root Biomass (tons per acre)	0.92	1.01	0.88	0.43	0.23
Stem Wood Biomass (tons per acre)	2.72	3.33	2.59	1.38	0.38
Stem Bark Biomass (tons per acre)	0.58	0.68	0.54	0.29	0.11
Foliage Biomass (tons per acre)	0.13	0.11	0.11	0.05	0.08
Aboveground Biomass (tons per acre)	4.75	5.35	4.61	2.28	1.10
Total Biomass (tons per acre)	5.67	6.37	5.49	2.71	1.33

Combined overstory and understory (cont)

	white oak	tuliptree	yellow birch	American hornbeam	sassafras
Coarse Root Biomass (tons per acre)	0.53	0.26	0.20	0.07	0.04
Stem Wood Biomass (tons per acre)	1.76	0.94	0.65	0.18	0.05
Stem Bark Biomass (tons per acre)	0.35	0.18	0.14	0.04	0.02
Foliage Biomass (tons per acre)	0.06	0.03	0.02	0.01	0.01
Aboveground Biomass (tons per acre)	2.78	1.39	1.08	0.34	0.20
Total Biomass (tons per acre)	3.31	1.65	1.28	0.41	0.24

Combined overstory and understory (cont)

	black oak	shagbark hickory	American witchhazel	serviceberry	unidentified non-comm hardwood
Coarse Root Biomass (tons per acre)	0.14	0.10	0.00	0.01	0.00
Stem Wood Biomass (tons per acre)	0.50	0.27	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.10	0.06	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.01	0.00	0.02	0.01
Aboveground Biomass (tons per acre)	0.76	0.51	0.00	0.04	0.01
Total Biomass (tons per acre)	0.91	0.60	0.00	0.05	0.01

Generated: 08/28/2012 11:26
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 2.mdb

Timber Tables

This report is for the stand 'Stand 2' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, pink azalea, huckleberry and gray dogwood where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	mockernut hickory
Basal Area (square feet)	102.4	23.0	14.3	9.6	8.7
Percentage of stand basal area (%)	100.0	22.5	14.0	9.3	8.5
Stems Per Unit Area (stems per acre)	300.5	67.1	20.2	22.6	29.9

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Basal Area (square feet)	7.0	5.4	5.4	4.8	3.9
Percentage of stand basal area (%)	6.8	5.3	5.3	4.7	3.8
Stems Per Unit Area (stems per acre)	20.0	10.7	8.9	11.1	26.9

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Basal Area (square feet)	3.5	3.3	2.2	2.0	1.7
Percentage of stand basal area (%)	3.4	3.2	2.1	1.9	1.7

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Stems Per Unit Area (stems per acre)	14.6	12.4	1.9	4.9	2.0

Overstory only (cont)

	American beech	yellow birch	serviceberry	eastern hemlock	American elm
Basal Area (square feet)	1.7	1.5	1.5	0.4	0.4
Percentage of stand basal area (%)	1.7	1.5	1.5	0.4	0.4
Stems Per Unit Area (stems per acre)	6.9	1.8	26.0	2.2	0.5

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Basal Area (square feet)	0.4	0.4	0.2	0.2	0.2
Percentage of stand basal area (%)	0.4	0.4	0.2	0.2	0.2
Stems Per Unit Area (stems per acre)	1.0	0.1	4.4	0.2	0.2

Overstory only (cont)

	hophornbeam	gray birch
Basal Area (square feet)	0.2	0.2
Percentage of stand basal area (%)	0.2	0.2
Stems Per Unit Area (stems per acre)	1.6	2.5

Understory only

	All species	sugar maple	red maple	American witchhazel	sweet birch
Basal Area (square feet)	15.2	8.6	1.3	0.9	0.6
Percentage of stand basal area (%)	100.0	56.1	8.2	6.0	3.8
Stems Per Unit Area (stems per acre)	3,914.5	153.6	276.8	140.6	214.5

Understory only (cont)

	northern red oak	serviceberry	mountain laurel	pignut hickory	mockernut hickory
Basal Area (square feet)	0.6	0.5	0.4	0.3	0.3
Percentage of stand basal area (%)	3.6	3.5	2.7	2.1	2.1
Stems Per Unit Area (stems per acre)	256.5	100.0	117.4	46.4	27.5

Understory only (cont)

	yellow birch	American beech	northern spicebush	sassafras	hophornbeam
Basal Area (square feet)	0.3	0.3	0.3	0.3	0.1
Percentage of stand basal area (%)	2.1	1.8	1.7	1.7	0.6
Stems Per Unit Area (stems per acre)	11.6	75.4	146.4	15.9	211.6

Understory only (cont)

	white ash	blackgum	black oak	American hornbeam	shagbark hickory
Basal Area (square feet)	0.1	0.1	0.1	0.1	0.0
Percentage of stand basal area (%)	0.6	0.6	0.5	0.5	0.2
Stems Per Unit Area (stems per acre)	39.1	7.2	1.4	23.2	1.4

Understory only (cont)

	gray birch	Norway maple	chestnut oak	American elm	eastern hemlock
Basal Area (square feet)	0.0	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.2	0.2	0.2	0.0	0.0
Stems Per Unit Area (stems per acre)	1.4	1.4	40.6	1.4	1.4

Understory only (cont)

	scarlet oak	black cherry	bigtooth aspen	unidentified non-comm hardwood
Basal Area (square feet)	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	8.7	13.0	8.7	1.4

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	mockernut hickory
Basal Area (square feet)	117.6	23.6	18.1	14.4	9.0
Percentage of stand basal area (%)	100.0	20.1	15.4	12.2	7.7
Stems Per Unit Area (stems per acre)	4,215.0	323.6	176.2	60.8	57.4

Combined overstory and understory (cont)

	red maple	white ash	white oak	pignut hickory	sweet birch
Basal Area (square feet)	8.2	5.5	5.4	5.1	4.5
Percentage of stand basal area (%)	7.0	4.7	4.6	4.3	3.8
Stems Per Unit Area (stems per acre)	296.9	48.0	10.7	57.5	241.4

Combined overstory and understory (cont)

	Norway maple	blackgum	black oak	serviceberry	American beech
Basal Area (square feet)	3.5	3.4	2.2	2.1	2.0
Percentage of stand basal area (%)	3.0	2.9	1.9	1.7	1.7
Stems Per Unit Area (stems per acre)	16.0	19.7	3.3	126.0	82.3

Combined overstory and understory (cont)

	shagbark hickory	yellow birch	scarlet oak	American witchhazel	eastern hemlock
Basal Area (square feet)	2.0	1.8	1.7	0.9	0.4
Percentage of stand basal area (%)	1.7	1.6	1.5	0.8	0.4
Stems Per Unit Area (stems per acre)	6.3	13.4	10.7	140.6	3.7

Combined overstory and understory (cont)

	American elm	black cherry	tuliptree	mountain laurel	hophornbeam
Basal Area (square feet)	0.4	0.4	0.4	0.4	0.3
Percentage of stand basal area (%)	0.4	0.4	0.4	0.3	0.3
Stems Per Unit Area (stems per acre)	2.0	14.1	0.1	117.4	213.2

Combined overstory and understory (cont)

	American hornbeam	northern spicebush	sassafras	gray birch	pin oak
Basal Area (square feet)	0.3	0.3	0.3	0.2	0.2
Percentage of stand basal area (%)	0.2	0.2	0.2	0.2	0.2
Stems Per Unit Area (stems per acre)	27.6	146.4	15.9	3.9	0.2

Combined overstory and understory (cont)

	bigtooth aspen	unidentified non-comm hardwood
Basal Area (square feet)	0.2	0.0
Percentage of stand basal area (%)	0.2	0.0
Stems Per Unit Area (stems per acre)	8.9	1.4

Diameters

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	mockernut hickory
Medial DBH (inches)	12.3	14.3	13.8	12.8	9.7
Merchantable Medial DBH (inches)	13.4	15.7	13.9	13.9	10.8
Quadratic Mean DBH (inches)	7.9	7.9	11.4	8.8	7.3
Merchantable Quadratic DBH (inches)	11.1	13.0	12.1	11.4	9.6
Average DBH (inches)	6.6	6.1	10.6	7.6	6.6

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Medial DBH (inches)	11.1	13.1	12.7	10.6	8.4
Merchantable Medial DBH (inches)	12.2	13.5	12.7	10.9	9.5
Quadratic Mean DBH (inches)	8.0	9.7	10.6	8.9	5.2

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Merchantable Quadratic DBH (inches)	9.4	12.4	10.6	9.4	8.6
Average DBH (inches)	7.3	8.3	9.9	8.4	4.2

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Medial DBH (inches)	9.4	9.7	15.1	13.2	14.1
Merchantable Medial DBH (inches)	11.2	10.6	15.1	14.4	14.1
Quadratic Mean DBH (inches)	6.6	6.9	14.7	8.6	12.7
Merchantable Quadratic DBH (inches)	9.3	9.7	14.7	11.5	12.7
Average DBH (inches)	5.9	6.0	14.5	7.2	12.2

Overstory only (cont)

	American beech	yellow birch	serviceberry	eastern hemlock	American elm
Medial DBH (inches)	11.1	13.9	3.7	6.0	12.5
Merchantable Medial DBH (inches)	13.5	13.9	0.0	6.0	12.5
Quadratic Mean DBH (inches)	6.8	12.4	3.3	6.0	12.2
Merchantable Quadratic DBH (inches)	11.1	12.4	0.0	6.0	12.2
Average DBH (inches)	5.8	11.9	3.1	6.0	12.1

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Medial DBH (inches)	9.0	31.0	3.0	16.0	15.0

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Merchantable Medial DBH (inches)	9.0	31.0	0.0	16.0	15.0
Quadratic Mean DBH (inches)	8.8	27.3	3.0	16.0	15.0
Merchantable Quadratic DBH (inches)	8.8	27.3	0.0	16.0	15.0
Average DBH (inches)	8.8	26.2	3.0	16.0	15.0

Overstory only (cont)

	hophornbeam	gray birch
Medial DBH (inches)	5.0	4.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	5.0	4.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	5.0	4.0

Understory only

	All species	sugar maple	red maple	American witchhazel	sweet birch
Medial DBH (inches)	6.2	9.4	2.5	1.7	2.0
Merchantable Medial DBH (inches)	10.0	10.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.4	5.3	1.9	1.4	1.6
Merchantable Quadratic DBH (inches)	10.0	10.0	0.0	0.0	0.0
Average DBH (inches)	1.8	3.8	1.7	1.3	1.5

Understory only (cont)

	northern red oak	serviceberry	mountain laurel	pignut hickory	mockernut hickory

Understory only (cont)

	northern red oak	serviceberry	mountain laurel	pignut hickory	mockernut hickory
Medial DBH (inches)	2.5	2.1	1.7	2.9	3.2
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	1.7	1.4	2.1	2.6
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	1.5	1.4	1.9	2.3

Understory only (cont)

	yellow birch	American beech	northern spicebush	sassafras	hophornbeam
Medial DBH (inches)	3.6	2.0	1.6	2.2	1.7
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	3.2	1.6	1.4	1.9	1.4
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	3.0	1.4	1.3	1.8	1.3

Understory only (cont)

	white ash	blackgum	black oak	American hornbeam	shagbark hickory
Medial DBH (inches)	2.5	2.0	3.0	1.4	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	2.0	3.0	1.2	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	2.0	3.0	1.2	2.0

Understory only (cont)

	gray birch	Norway maple	chestnut oak	American elm	eastern hemlock
Medial DBH (inches)	2.0	2.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	2.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	2.0	1.0	0.0	0.0

Understory only (cont)

	scarlet oak	black cherry	bigtooth aspen	unidentified non-comm hardwood
Medial DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	mockernut hickory
Medial DBH (inches)	11.6	14.0	11.2	13.7	9.5
Merchantable Medial DBH (inches)	13.1	15.7	12.0	13.9	10.8
Quadratic Mean DBH (inches)	5.2	6.5	6.5	10.4	6.5
Merchantable Quadratic DBH (inches)	11.0	13.0	10.7	12.1	9.6
Average DBH (inches)	3.6	4.5	4.9	8.9	5.6

Combined overstory and understory (cont)

	red maple	white ash	white oak	pignut hickory	sweet birch
Medial DBH (inches)	9.8	12.5	13.1	10.1	7.6
Merchantable Medial DBH (inches)	12.2	12.7	13.5	10.9	9.5
Quadratic Mean DBH (inches)	4.3	8.3	9.7	6.2	3.5
Merchantable Quadratic DBH (inches)	9.4	10.6	12.4	9.4	8.6
Average DBH (inches)	3.1	6.6	8.3	4.9	2.6

Combined overstory and understory (cont)

	Norway maple	blackgum	black oak	serviceberry	American beech
Medial DBH (inches)	9.4	9.4	14.7	3.3	9.9
Merchantable Medial DBH (inches)	11.2	10.6	15.1	0.0	13.5
Quadratic Mean DBH (inches)	6.3	6.1	11.2	2.5	3.7
Merchantable Quadratic DBH (inches)	9.3	9.7	14.7	0.0	11.1
Average DBH (inches)	5.6	5.0	9.5	2.2	2.5

Combined overstory and understory (cont)

	shagbark hickory	yellow birch	scarlet oak	American witchhazel	eastern hemlock
Medial DBH (inches)	13.0	12.1	14.1	1.7	6.0
Merchantable Medial DBH (inches)	14.4	13.9	14.1	0.0	6.0
Quadratic Mean DBH (inches)	7.6	6.7	12.7	1.4	6.0
Merchantable Quadratic DBH (inches)	11.5	12.4	12.7	0.0	6.0
Average DBH (inches)	6.0	5.1	12.2	1.3	6.0

Combined overstory and understory (cont)

	American elm	black cherry	tuliptree	mountain laurel	hophornbeam
Medial DBH (inches)	12.5	9.0	31.0	1.7	4.0
Merchantable Medial DBH (inches)	12.5	9.0	31.0	0.0	0.0
Quadratic Mean DBH (inches)	12.2	8.8	27.3	1.4	2.4
Merchantable Quadratic DBH (inches)	12.2	8.8	27.3	0.0	0.0
Average DBH (inches)	12.1	8.8	26.2	1.4	1.9

Combined overstory and understory (cont)

	American hornbeam	northern spicebush	sassafras	gray birch	pin oak
Medial DBH (inches)	2.6	1.6	2.2	3.7	16.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	16.0
Quadratic Mean DBH (inches)	2.0	1.4	1.9	3.4	16.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	16.0
Average DBH (inches)	1.8	1.3	1.8	3.3	16.0

Combined overstory and understory (cont)

	bigtooth aspen	unidentified non-comm hardwood
Medial DBH (inches)	15.0	0.0
Merchantable Medial DBH (inches)	15.0	0.0
Quadratic Mean DBH (inches)	15.0	0.0
Merchantable Quadratic DBH (inches)	15.0	0.0
Average DBH (inches)	15.0	0.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	mockernut hickory
Q Factor	1.30	1.21	1.19	1.25	1.30

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Q Factor	1.23	1.21	1.19	1.19	1.39

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Q Factor	1.30	1.28	1.26	1.25	1.16

Overstory only (cont)

	American beech	yellow birch	serviceberry	eastern hemlock	American elm
Q Factor	1.22	1.27	1.82	0.00	1.17

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Q Factor	1.25	1.07	0.05	0.00	0.00

Overstory only (cont)

	hophornbeam	gray birch
Q Factor	0.53	0.76

Relative density

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	mockernut hickory
Relative Density (percent)	84.63	20.90	11.93	8.00	8.07
percentage of stand	100.00	24.70	14.09	9.46	9.54

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Relative Density (percent)	4.96	4.61	2.48	4.25	3.18
percentage of stand	5.86	5.45	2.93	5.02	3.76

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Relative Density (percent)	2.55	2.41	1.74	1.70	1.42
percentage of stand	3.01	2.85	2.05	2.01	1.68

Overstory only (cont)

	American beech	yellow birch	serviceberry	eastern hemlock	American elm
Relative Density (percent)	1.53	1.22	1.75	0.17	0.37
percentage of stand	1.81	1.45	2.06	0.21	0.44

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Relative Density (percent)	0.24	0.12	0.27	0.17	0.13
percentage of stand	0.28	0.14	0.32	0.20	0.15

Overstory only (cont)

	hophornbeam	gray birch
Relative Density (percent)	0.21	0.24
percentage of stand	0.25	0.28

Understory only

	All species	sugar maple	red maple	American witchhazel	sweet birch
Relative Density (percent)	16.69	7.78	1.60	1.17	0.75
percentage of stand	100.00	46.61	9.60	7.02	4.50

Understory only (cont)

	northern red oak	serviceberry	mountain laurel	pignut hickory	mockernut hickory
Relative Density (percent)	0.64	0.69	0.53	0.54	0.47
percentage of stand	3.82	4.13	3.19	3.24	2.82

Understory only (cont)

	yellow birch	American beech	northern spicebush	sassafras	hophornbeam
Relative Density (percent)	0.38	0.53	0.33	0.34	0.12
percentage of stand	2.26	3.16	1.96	2.05	0.73

Understory only (cont)

	white ash	blackgum	black oak	American hornbeam	shagbark hickory
Relative Density (percent)	0.31	0.14	0.10	0.08	0.06
percentage of stand	1.87	0.83	0.61	0.50	0.35

Understory only (cont)

	gray birch	Norway maple	chestnut oak	American elm	eastern hemlock
Relative Density (percent)	0.05	0.00	0.08	0.00	0.00
percentage of stand	0.28	0.00	0.47	0.00	0.00

Understory only (cont)

	scarlet oak	black cherry	bigtooth aspen	unidentified non-comm hardwood
Relative Density (percent)	0.00	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	mockernut hickory
Relative Density (percent)	101.32	21.54	15.78	12.01	8.54
percentage of stand	100.00	21.26	15.58	11.85	8.43

Combined overstory and understory (cont)

	red maple	white ash	white oak	pignut hickory	sweet birch
Relative Density (percent)	6.56	2.79	4.61	4.79	3.94
percentage of stand	6.48	2.75	4.55	4.72	3.88

Combined overstory and understory (cont)

	Norway maple	blackgum	black oak	serviceberry	American beech
Relative Density (percent)	2.55	2.55	1.84	2.44	2.06

Combined overstory and understory (cont)

	Norway maple	blackgum	black oak	serviceberry	American beech
percentage of stand	2.52	2.51	1.82	2.41	2.03

Combined overstory and understory (cont)

	shagbark hickory	yellow birch	scarlet oak	American witchhazel	eastern hemlock
Relative Density (percent)	1.76	1.60	1.42	1.17	0.17
percentage of stand	1.74	1.58	1.40	1.16	0.17

Combined overstory and understory (cont)

	American elm	black cherry	tuliptree	mountain laurel	hophornbeam
Relative Density (percent)	0.37	0.24	0.12	0.53	0.33
percentage of stand	0.37	0.23	0.11	0.53	0.33

Combined overstory and understory (cont)

	American hornbeam	northern spicebush	sassafras	gray birch	pin oak
Relative Density (percent)	0.36	0.33	0.34	0.28	0.17
percentage of stand	0.35	0.32	0.34	0.28	0.17

Combined overstory and understory (cont)

	bigtooth aspen	unidentified non-comm hardwood
Relative Density (percent)	0.13	0.00
percentage of stand	0.13	0.00

Volumes

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	mockernut hickory
Sawtimber gross total (board feet/acre)	3,964	1,352	701	419	131
Sawtimber net total (board feet/acre)	3,750	1,298	677	397	120
Pulpwood gross total (cubic feet/acre)	1,437	287	236	119	127
Pulpwood net total (cubic feet/acre)	1,139	229	186	95	102
Gross total (cubic feet/acre)	2,126	519	353	196	152
Net total (cubic feet/acre)	1,660	408	276	153	120

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Sawtimber gross total (board feet/acre)	173	219	243	99	31
Sawtimber net total (board feet/acre)	151	206	235	99	26
Pulpwood gross total (cubic feet/acre)	103	86	86	72	55
Pulpwood net total (cubic feet/acre)	81	69	69	58	43
Gross total (cubic feet/acre)	131	126	128	91	60
Net total (cubic feet/acre)	101	99	101	73	46

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Sawtimber gross total (board feet/acre)	76	47	164	83	92
Sawtimber net total (board feet/acre)	62	37	158	83	86
Pulpwood gross total (cubic feet/acre)	45	55	26	24	28
Pulpwood net total (cubic feet/acre)	36	44	21	19	23
Gross total (cubic feet/acre)	58	64	54	40	44

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Net total (cubic feet/acre)	44	49	42	32	34

Overstory only (cont)

	American beech	yellow birch	serviceberry	eastern hemlock	American elm
Sawtimber gross total (board feet/acre)	59	32	0	0	0
Sawtimber net total (board feet/acre)	52	27	0	0	0
Pulpwood gross total (cubic feet/acre)	19	29	0	3	10
Pulpwood net total (cubic feet/acre)	15	21	0	2	5
Gross total (cubic feet/acre)	27	35	0	3	10
Net total (cubic feet/acre)	21	24	0	2	5

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Sawtimber gross total (board feet/acre)	0	0	0	18	25
Sawtimber net total (board feet/acre)	0	0	0	12	25
Pulpwood gross total (cubic feet/acre)	9	13	0	3	2
Pulpwood net total (cubic feet/acre)	8	10	0	2	1
Gross total (cubic feet/acre)	9	13	0	6	6
Net total (cubic feet/acre)	8	10	0	4	5

Overstory only (cont)

	hophornbeam	gray birch
Sawtimber gross total (board feet/acre)	0	0
Sawtimber net total (board feet/acre)	0	0
Pulpwood gross total (cubic feet/acre)	0	0
Pulpwood net total (cubic feet/acre)	0	0
Gross total (cubic feet/acre)	0	0
Net total (cubic feet/acre)	0	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	mockernut hickory
Coarse Root Biomass (tons per acre)	13.64	3.52	2.18	1.40	1.14
Stem Wood Biomass (tons per acre)	43.83	11.59	7.23	4.53	3.47
Stem Bark Biomass (tons per acre)	9.04	2.36	1.47	0.93	0.74
Foliage Biomass (tons per acre)	1.52	0.38	0.23	0.15	0.13
Aboveground Biomass (tons per acre)	71.84	18.60	11.56	7.39	5.98
Total Biomass (tons per acre)	85.48	22.12	13.74	8.79	7.12

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Coarse Root Biomass (tons per acre)	0.84	0.81	0.60	0.65	0.43
Stem Wood Biomass (tons per acre)	2.60	2.65	1.94	2.04	1.24
Stem Bark Biomass (tons per acre)	0.55	0.54	0.40	0.43	0.27
Foliage Biomass (tons per acre)	0.10	0.09	0.06	0.07	0.05
Aboveground Biomass (tons per acre)	4.40	4.28	3.14	3.43	2.24

Overstory only (cont)

	red maple	white oak	white ash	pignut hickory	sweet birch
Total Biomass (tons per acre)	5.23	5.09	3.74	4.09	2.68

Overstory only (cont)

	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
Coarse Root Biomass (tons per acre)	0.00	0.31	0.35	0.29	0.27
Stem Wood Biomass (tons per acre)	0.00	0.96	1.17	0.94	0.90
Stem Bark Biomass (tons per acre)	0.00	0.20	0.24	0.19	0.18
Foliage Biomass (tons per acre)	0.00	0.04	0.04	0.03	0.03
Aboveground Biomass (tons per acre)	0.00	1.64	1.84	1.53	1.42
Total Biomass (tons per acre)	0.00	1.96	2.19	1.82	1.69

Overstory only (cont)

	American beech	yellow birch	serviceberry	eastern hemlock	American elm
Coarse Root Biomass (tons per acre)	0.24	0.20	0.10	0.04	0.05
Stem Wood Biomass (tons per acre)	0.73	0.67	0.20	0.10	0.16
Stem Bark Biomass (tons per acre)	0.16	0.14	0.05	0.02	0.03
Foliage Biomass (tons per acre)	0.03	0.02	0.02	0.01	0.01
Aboveground Biomass (tons per acre)	1.25	1.07	0.49	0.17	0.25
Total Biomass (tons per acre)	1.48	1.27	0.59	0.20	0.30

Overstory only (cont)

	black cherry	tuliptree	American hornbeam	pin oak	bigtooth aspen
Coarse Root Biomass (tons per acre)	0.04	0.07	0.01	0.04	0.02
Stem Wood Biomass (tons per acre)	0.12	0.27	0.02	0.12	0.08
Stem Bark Biomass (tons per acre)	0.03	0.05	0.01	0.02	0.02
Foliage Biomass (tons per acre)	0.00	0.01	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.22	0.39	0.06	0.19	0.13
Total Biomass (tons per acre)	0.26	0.46	0.08	0.22	0.15

Overstory only (cont)

	hophornbeam	gray birch
Coarse Root Biomass (tons per acre)	0.02	0.02
Stem Wood Biomass (tons per acre)	0.04	0.04
Stem Bark Biomass (tons per acre)	0.01	0.01
Foliage Biomass (tons per acre)	0.00	0.00
Aboveground Biomass (tons per acre)	0.08	0.10
Total Biomass (tons per acre)	0.10	0.12

Understory only

	All species	sugar maple	red maple	American witchhazel	sweet birch
Coarse Root Biomass (tons per acre)	1.59	1.13	0.12	0.00	0.06
Foliage Biomass (tons per acre)	0.74	0.18	0.13	0.00	0.10
Aboveground Biomass (tons per acre)	7.84	5.87	0.53	0.00	0.25
Total Biomass (tons per acre)	9.43	7.00	0.65	0.00	0.31

Understory only (cont)

	northern red oak	serviceberry	mountain laurel	pignut hickory	mockernut hickory
Coarse Root Biomass (tons per acre)	0.07	0.03	0.00	0.03	0.03
Foliage Biomass (tons per acre)	0.11	0.03	0.00	0.02	0.01
Aboveground Biomass (tons per acre)	0.27	0.14	0.00	0.14	0.14
Total Biomass (tons per acre)	0.33	0.17	0.00	0.17	0.17

Understory only (cont)

	yellow birch	American beech	northern spicebush	sassafras	hophornbeam
Coarse Root Biomass (tons per acre)	0.03	0.03	0.00	0.01	0.02
Foliage Biomass (tons per acre)	0.01	0.03	0.00	0.00	0.06
Aboveground Biomass (tons per acre)	0.14	0.11	0.00	0.06	0.05
Total Biomass (tons per acre)	0.17	0.13	0.00	0.08	0.07

Understory only (cont)

	white ash	blackgum	black oak	American hornbeam	shagbark hickory
Coarse Root Biomass (tons per acre)	0.01	0.01	0.01	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.01	0.00
Aboveground Biomass (tons per acre)	0.03	0.02	0.03	0.02	0.01
Total Biomass (tons per acre)	0.04	0.03	0.04	0.02	0.01

Understory only (cont)

	gray birch	Norway maple	chestnut oak	American elm	eastern hemlock

Understory only (cont)

	gray birch	Norway maple	chestnut oak	American elm	eastern hemlock
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.02	0.00	0.00
Aboveground Biomass (tons per acre)	0.01	0.00	0.02	0.00	0.00
Total Biomass (tons per acre)	0.01	0.00	0.02	0.00	0.00

Understory only (cont)

	scarlet oak	black cherry	bigtooth aspen	unidentified non-comm hardwood
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.00	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	chestnut oak	mockernut hickory
Coarse Root Biomass (tons per acre)	15.23	3.59	2.53	2.19	1.17
Stem Wood Biomass (tons per acre)	43.83	11.59	4.53	7.23	3.47
Stem Bark Biomass (tons per acre)	9.04	2.36	0.93	1.47	0.74
Foliage Biomass (tons per acre)	2.26	0.50	0.33	0.25	0.15
Aboveground Biomass (tons per acre)	79.68	18.87	13.25	11.57	6.12
Total Biomass (tons per acre)	94.91	22.46	15.78	13.76	7.29

Combined overstory and understory (cont)

	red maple	white ash	white oak	pignut hickory	sweet birch
Coarse Root Biomass (tons per acre)	0.96	0.60	0.81	0.68	0.49
Stem Wood Biomass (tons per acre)	2.60	1.94	2.65	2.04	1.24
Stem Bark Biomass (tons per acre)	0.55	0.40	0.54	0.43	0.27
Foliage Biomass (tons per acre)	0.23	0.08	0.09	0.09	0.15
Aboveground Biomass (tons per acre)	4.92	3.17	4.28	3.58	2.49
Total Biomass (tons per acre)	5.88	3.78	5.09	4.26	2.99

Combined overstory and understory (cont)

	Norway maple	blackgum	black oak	serviceberry	American beech
Coarse Root Biomass (tons per acre)	0.00	0.32	0.35	0.13	0.26
Stem Wood Biomass (tons per acre)	0.00	0.96	1.17	0.20	0.73
Stem Bark Biomass (tons per acre)	0.00	0.20	0.24	0.05	0.16
Foliage Biomass (tons per acre)	0.00	0.04	0.04	0.04	0.06
Aboveground Biomass (tons per acre)	0.00	1.67	1.87	0.63	1.35
Total Biomass (tons per acre)	0.00	1.99	2.22	0.76	1.62

Combined overstory and understory (cont)

	shagbark hickory	yellow birch	scarlet oak	American witchhazel	eastern hemlock
Coarse Root Biomass (tons per acre)	0.29	0.23	0.27	0.00	0.04
Stem Wood Biomass (tons per acre)	0.94	0.67	0.90	0.00	0.10
Stem Bark Biomass (tons per acre)	0.19	0.14	0.18	0.00	0.02
Foliage Biomass (tons per acre)	0.03	0.03	0.03	0.00	0.01
Aboveground Biomass (tons per acre)	1.54	1.20	1.43	0.00	0.17

Combined overstory and understory (cont)

	shagbark hickory	yellow birch	scarlet oak	American witchhazel	eastern hemlock
Total Biomass (tons per acre)	1.83	1.43	1.70	0.00	0.20

Combined overstory and understory (cont)

	American elm	black cherry	tuliptree	mountain laurel	hophornbeam
Coarse Root Biomass (tons per acre)	0.05	0.04	0.07	0.00	0.03
Stem Wood Biomass (tons per acre)	0.16	0.12	0.27	0.00	0.04
Stem Bark Biomass (tons per acre)	0.03	0.03	0.05	0.00	0.01
Foliage Biomass (tons per acre)	0.01	0.01	0.01	0.00	0.06
Aboveground Biomass (tons per acre)	0.25	0.22	0.39	0.00	0.14
Total Biomass (tons per acre)	0.30	0.26	0.46	0.00	0.17

Combined overstory and understory (cont)

	American hornbeam	northern spicebush	sassafras	gray birch	pin oak
Coarse Root Biomass (tons per acre)	0.02	0.00	0.01	0.02	0.04
Stem Wood Biomass (tons per acre)	0.02	0.00	0.00	0.04	0.12
Stem Bark Biomass (tons per acre)	0.01	0.00	0.00	0.01	0.02
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.08	0.00	0.06	0.11	0.19
Total Biomass (tons per acre)	0.10	0.00	0.08	0.13	0.22

Combined overstory and understory (cont)

	bigtooth aspen	unidentified non-comm hardwood
Coarse Root Biomass (tons per acre)	0.02	0.00
Stem Wood Biomass (tons per acre)	0.08	0.00
Stem Bark Biomass (tons per acre)	0.02	0.00
Foliage Biomass (tons per acre)	0.01	0.00
Aboveground Biomass (tons per acre)	0.13	0.00
Total Biomass (tons per acre)	0.15	0.00

Generated: 08/28/2012 11:36
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 3.mdb

Timber Tables

This report is for the stand 'Stand 3' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species huckleberry was found in the understory observations, but is not included in this report because it does not have a growth form of 'Tree'.

Composition

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Basal Area (square feet)	48.8	18.8	11.3	7.5	3.8
Percentage of stand basal area (%)	100.0	38.5	23.1	15.4	7.7
Stems Per Unit Area (stems per acre)	225.5	14.0	176.5	3.8	1.0

Overstory only (cont)

	northern red oak	gray birch
Basal Area (square feet)	3.8	3.8
Percentage of stand basal area (%)	7.7	7.7
Stems Per Unit Area (stems per acre)	27.5	2.7

Understory only

	All species	sugar maple	American hornbeam	serviceberry	northern red oak
Basal Area (square feet)	4.2	2.3	1.2	0.5	0.1
Percentage of stand basal area (%)	100.0	54.8	29.0	12.9	3.2
Stems Per Unit Area (stems per acre)	425.0	75.0	75.0	25.0	25.0

Understory only (cont)

	northern spicebush
Basal Area (square feet)	0.0
Percentage of stand basal area (%)	0.0
Stems Per Unit Area (stems per acre)	25.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	white ash	sugar maple	red maple	northern red oak
Basal Area (square feet)	53.0	18.8	13.6	7.5	3.9
Percentage of stand basal area (%)	100.0	35.4	25.6	14.2	7.3
Stems Per Unit Area (stems per acre)	650.5	14.0	251.5	3.8	52.5

Combined overstory and understory (cont)

	tuliptree	gray birch	American hornbeam	serviceberry	northern spicebush
Basal Area (square feet)	3.8	3.8	1.2	0.5	0.0
Percentage of stand basal area (%)	7.1	7.1	2.3	1.0	0.0
Stems Per Unit Area (stems per acre)	1.0	2.7	75.0	25.0	25.0

Diameters

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Medial DBH (inches)	15.6	16.2	12.3	19.0	26.0
Merchantable Medial DBH (inches)	17.8	16.2	17.5	19.0	26.0
Quadratic Mean DBH (inches)	6.3	15.7	3.4	18.9	26.0
Merchantable Quadratic DBH (inches)	17.0	15.7	17.3	18.9	26.0

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Average DBH (inches)	4.1	15.5	2.4	18.9	26.0

Overstory only (cont)

	northern red oak	gray birch
Medial DBH (inches)	5.0	16.0
Merchantable Medial DBH (inches)	0.0	16.0
Quadratic Mean DBH (inches)	5.0	16.0
Merchantable Quadratic DBH (inches)	0.0	16.0
Average DBH (inches)	5.0	16.0

Understory only

	All species	sugar maple	American hornbeam	serviceberry	northern red oak
Medial DBH (inches)	2.2	2.5	1.9	2.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	2.4	1.7	2.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.9	2.3	1.7	2.0	1.0

Understory only (cont)

	northern spicebush
Medial DBH (inches)	0.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	0.0
Merchantable Quadratic DBH (inches)	0.0
Average DBH (inches)	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	white ash	sugar maple	red maple	northern red oak
Medial DBH (inches)	14.5	16.2	10.7	19.0	4.9
Merchantable Medial DBH (inches)	17.8	16.2	17.5	19.0	0.0
Quadratic Mean DBH (inches)	4.8	15.7	3.1	18.9	3.7
Merchantable Quadratic DBH (inches)	17.0	15.7	17.3	18.9	0.0
Average DBH (inches)	3.0	15.5	2.4	18.9	3.1

Combined overstory and understory (cont)

	tuliptree	gray birch	American hornbeam	serviceberry	northern spicebush
Medial DBH (inches)	26.0	16.0	1.9	2.0	0.0
Merchantable Medial DBH (inches)	26.0	16.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	26.0	16.0	1.7	2.0	0.0
Merchantable Quadratic DBH (inches)	26.0	16.0	0.0	0.0	0.0
Average DBH (inches)	26.0	16.0	1.7	2.0	0.0

Structure

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Q Factor	1.20	1.14	1.23	1.11	0.00

Overstory only (cont)

	northern red oak	gray birch
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Relative Density (percent)	29.44	6.74	11.94	3.84	1.04
percentage of stand	100.00	22.88	40.57	13.04	3.52

Overstory only (cont)

	northern red oak	gray birch
Relative Density (percent)	3.84	2.05
percentage of stand	13.04	6.96

Understory only

	All species	sugar maple	American hornbeam	serviceberry	northern red oak
Relative Density (percent)	5.98	3.31	1.71	0.79	0.16
percentage of stand	100.00	55.38	28.70	13.27	2.66

Understory only (cont)

	northern spicebush
Relative Density (percent)	0.00
percentage of stand	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	white ash	sugar maple	red maple	northern red oak
Relative Density (percent)	35.42	6.74	15.25	3.84	4.00
percentage of stand	100.00	19.02	43.07	10.84	11.29

Combined overstory and understory (cont)

	tuliptree	gray birch	American hornbeam	serviceberry	northern spicebush
Relative Density (percent)	1.04	2.05	1.71	0.79	0.00
percentage of stand	2.92	5.78	4.84	2.24	0.00

Volumes

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Sawtimber gross total (board feet/acre)	3,519	1,933	591	711	0
Sawtimber net total (board feet/acre)	3,182	1,789	493	711	0
Pulpwood gross total (cubic feet/acre)	472	147	80	88	111
Pulpwood net total (cubic feet/acre)	378	118	64	71	89
Gross total (cubic feet/acre)	1,123	505	195	210	111
Net total (cubic feet/acre)	848	385	140	168	89

Overstory only (cont)

	northern red oak	gray birch
Sawtimber gross total (board feet/acre)	0	284
Sawtimber net total (board feet/acre)	0	190
Pulpwood gross total (cubic feet/acre)	0	46
Pulpwood net total (cubic feet/acre)	0	37
Gross total (cubic feet/acre)	0	101
Net total (cubic feet/acre)	0	66

Values

All the species are missing prices.

Biomass

Overstory only

	All species	white ash	sugar maple	red maple	tuliptree
Coarse Root Biomass (tons per acre)	6.48	2.32	1.56	1.11	0.58
Stem Wood Biomass (tons per acre)	21.45	7.94	4.75	3.91	2.11
Stem Bark Biomass (tons per acre)	4.34	1.58	1.00	0.77	0.40
Foliage Biomass (tons per acre)	0.72	0.24	0.20	0.11	0.06
Aboveground Biomass (tons per acre)	34.24	12.32	8.10	5.95	3.11
Total Biomass (tons per acre)	40.72	14.64	9.66	7.06	3.68

Overstory only (cont)

	northern red oak	gray birch
Coarse Root Biomass (tons per acre)	0.39	0.53
Stem Wood Biomass (tons per acre)	0.95	1.80
Stem Bark Biomass (tons per acre)	0.23	0.36
Foliage Biomass (tons per acre)	0.05	0.05
Aboveground Biomass (tons per acre)	1.97	2.79
Total Biomass (tons per acre)	2.36	3.32

Understory only

	All species	sugar maple	American hornbeam	serviceberry	northern red oak
Coarse Root Biomass (tons per acre)	0.29	0.19	0.06	0.03	0.01
Foliage Biomass (tons per acre)	0.07	0.04	0.02	0.01	0.01
Aboveground Biomass (tons per acre)	1.35	0.90	0.28	0.13	0.04
Total Biomass (tons per acre)	1.64	1.09	0.35	0.16	0.04

Understory only (cont)

	northern spicebush
Coarse Root Biomass (tons per acre)	0.00
Foliage Biomass (tons per acre)	0.00
Aboveground Biomass (tons per acre)	0.00
Total Biomass (tons per acre)	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	white ash	sugar maple	red maple	northern red oak
Coarse Root Biomass (tons per acre)	6.77	2.32	1.75	1.11	0.40
Stem Wood Biomass (tons per acre)	21.45	7.94	4.75	3.91	0.95
Stem Bark Biomass (tons per acre)	4.34	1.58	1.00	0.77	0.23
Foliage Biomass (tons per acre)	0.79	0.24	0.24	0.11	0.06
Aboveground Biomass (tons per acre)	35.59	12.32	9.01	5.95	2.01
Total Biomass (tons per acre)	42.37	14.64	10.75	7.06	2.40

Combined overstory and understory (cont)

	tuliptree	gray birch	American hornbeam	serviceberry	northern spicebush
Coarse Root Biomass (tons per acre)	0.58	0.53	0.06	0.03	0.00
Stem Wood Biomass (tons per acre)	2.11	1.80	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.40	0.36	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.06	0.05	0.02	0.01	0.00

Combined overstory and understory (cont)

	tuliptree	gray birch	American hornbeam	serviceberry	northern spicebush
Aboveground Biomass (tons per acre)	3.11	2.79	0.28	0.13	0.00
Total Biomass (tons per acre)	3.68	3.32	0.35	0.16	0.00

Generated: 08/28/2012 11:41
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 4.mdb

Timber Tables

This report is for the stand 'Stand 4' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and lowbush blueberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
Basal Area (square feet)	85.0	20.0	15.0	12.5	7.5
Percentage of stand basal area (%)	100.0	23.5	17.6	14.7	8.8
Stems Per Unit Area (stems per acre)	158.3	22.7	10.3	20.3	4.8

Overstory only (cont)

	sweet birch	scarlet oak	hophornbeam	red maple	mockernut hickory
Basal Area (square feet)	7.5	5.0	5.0	5.0	2.5
Percentage of stand basal area (%)	8.8	5.9	5.9	5.9	2.9
Stems Per Unit Area (stems per acre)	15.5	5.0	57.3	7.0	2.7

Overstory only (cont)

	white ash	shagbark hickory
Basal Area (square feet)	2.5	2.5

Overstory only (cont)

	white ash	shagbark hickory
Percentage of stand basal area (%)	2.9	2.9
Stems Per Unit Area (stems per acre)	7.2	5.7

Understory only

	All species	American beech	serviceberry	sweet birch	sugar maple
Basal Area (square feet)	2.1	0.8	0.5	0.2	0.2
Percentage of stand basal area (%)	100.0	39.1	21.7	8.7	8.7
Stems Per Unit Area (stems per acre)	1,316.7	33.3	33.3	233.3	200.0

Understory only (cont)

	American witchhazel	red maple	chestnut oak	hophornbeam	pignut hickory
Basal Area (square feet)	0.1	0.1	0.0	0.0	0.0
Percentage of stand basal area (%)	4.3	4.3	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	66.7	33.3	150.0	283.3	83.3

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	sugar maple	chestnut oak	northern red oak	American beech
Basal Area (square feet)	87.1	20.2	15.0	12.5	8.3
Percentage of stand basal area (%)	100.0	23.2	17.2	14.4	9.6
Stems Per Unit Area (stems per acre)	1,475.0	222.7	160.3	20.3	38.1

Combined overstory and understory (cont)

	sweet birch	red maple	scarlet oak	hophornbeam	mockernut hickory
Basal Area (square feet)	7.7	5.1	5.0	5.0	2.5
Percentage of stand basal area (%)	8.8	5.8	5.7	5.7	2.9
Stems Per Unit Area (stems per acre)	248.8	40.3	5.0	340.6	2.7

Combined overstory and understory (cont)

	white ash	shagbark hickory	serviceberry	American witchhazel	pignut hickory
Basal Area (square feet)	2.5	2.5	0.5	0.1	0.0
Percentage of stand basal area (%)	2.9	2.9	0.5	0.1	0.0
Stems Per Unit Area (stems per acre)	7.2	5.7	33.3	66.7	83.3

Diameters

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
Medial DBH (inches)	13.6	13.7	18.2	14.0	17.3
Merchantable Medial DBH (inches)	14.2	13.7	18.2	14.0	17.3
Quadratic Mean DBH (inches)	9.9	12.7	16.4	10.6	17.0
Merchantable Quadratic DBH (inches)	12.0	12.7	16.4	10.6	17.0
Average DBH (inches)	8.7	12.4	15.8	9.5	16.9

Overstory only (cont)

	sweet birch	scarlet oak	hophornbeam	red maple	mockernut hickory
Medial DBH (inches)	10.7	14.0	4.0	11.5	13.0
Merchantable Medial DBH (inches)	10.7	14.0	0.0	11.5	13.0
Quadratic Mean DBH (inches)	9.4	13.6	4.0	11.5	13.0
Merchantable Quadratic DBH (inches)	9.4	13.6	0.0	11.5	13.0
Average DBH (inches)	9.0	13.4	4.0	11.5	13.0

Overstory only (cont)

	white ash	shagbark hickory
Medial DBH (inches)	8.0	9.0
Merchantable Medial DBH (inches)	8.0	9.0
Quadratic Mean DBH (inches)	8.0	9.0
Merchantable Quadratic DBH (inches)	8.0	9.0
Average DBH (inches)	8.0	9.0

Understory only

	All species	American beech	serviceberry	sweet birch	sugar maple
Medial DBH (inches)	2.0	3.0	1.8	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	3.0	1.6	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	3.0	1.5	1.0	1.0

Understory only (cont)

	American witchhazel	red maple	chestnut oak	hophornbeam	pignut hickory

Understory only (cont)

	American witchhazel	red maple	chestnut oak	hophornbeam	pignut hickory
Medial DBH (inches)	1.0	1.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	sugar maple	chestnut oak	northern red oak	American beech
Medial DBH (inches)	13.3	13.6	18.2	14.0	15.9
Merchantable Medial DBH (inches)	14.2	13.8	18.2	14.0	17.3
Quadratic Mean DBH (inches)	6.7	8.1	16.4	10.6	8.4
Merchantable Quadratic DBH (inches)	12.0	12.7	16.4	10.6	17.0
Average DBH (inches)	4.5	5.6	15.8	9.5	6.1

Combined overstory and understory (cont)

	sweet birch	red maple	scarlet oak	hophornbeam	mockernut hickory
Medial DBH (inches)	10.4	11.3	14.0	4.0	13.0
Merchantable Medial DBH (inches)	10.7	11.5	14.0	0.0	13.0
Quadratic Mean DBH (inches)	5.4	6.3	13.6	4.0	13.0
Merchantable Quadratic DBH (inches)	9.4	11.5	13.6	0.0	13.0
Average DBH (inches)	3.5	4.1	13.4	4.0	13.0

Combined overstory and understory (cont)

	white ash	shagbark hickory	serviceberry	American witchhazel	pignut hickory
Medial DBH (inches)	8.0	9.0	1.8	1.0	0.0
Merchantable Medial DBH (inches)	8.0	9.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	8.0	9.0	1.6	1.0	0.0
Merchantable Quadratic DBH (inches)	8.0	9.0	0.0	0.0	0.0
Average DBH (inches)	8.0	9.0	1.5	1.0	0.0

Structure

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
Q Factor	1.18	1.18	1.12	1.20	1.12

Overstory only (cont)

	sweet birch	scarlet oak	hophornbeam	red maple	mockernut hickory
Q Factor	1.22	1.15	0.00	1.19	0.00

Overstory only (cont)

	white ash	shagbark hickory
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
Relative Density (percent)	68.33	16.05	11.71	11.22	5.83
percentage of stand	100.00	23.49	17.14	16.42	8.54

Overstory only (cont)

	sweet birch	scarlet oak	hophornbeam	red maple	mockernut hickory
Relative Density (percent)	5.07	4.06	5.45	3.15	2.05
percentage of stand	7.42	5.94	7.97	4.62	3.00

Overstory only (cont)

	white ash	shagbark hickory
Relative Density (percent)	1.48	2.25
percentage of stand	2.17	3.29

Understory only

	All species	American beech	serviceberry	sweet birch	sugar maple
Relative Density (percent)	2.57	1.02	0.61	0.17	0.59
percentage of stand	100.00	39.62	23.90	6.69	23.10

Understory only (cont)

	American witchhazel	red maple	chestnut oak	hophornbeam	pignut hickory
Relative Density (percent)	0.09	0.09	0.00	0.00	0.00
percentage of stand	3.34	3.34	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	sugar maple	chestnut oak	northern red oak	American beech
Relative Density (percent)	70.90	16.64	11.71	11.22	6.85
percentage of stand	100.00	23.48	16.51	15.83	9.66

Combined overstory and understory (cont)

	sweet birch	red maple	scarlet oak	hophornbeam	mockernut hickory
Relative Density (percent)	5.24	3.24	4.06	5.45	2.05
percentage of stand	7.40	4.57	5.72	7.69	2.89

Combined overstory and understory (cont)

	white ash	shagbark hickory	serviceberry	American witchhazel	pignut hickory
Relative Density (percent)	1.48	2.25	0.61	0.09	0.00
percentage of stand	2.09	3.17	0.87	0.12	0.00

Volumes

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
Sawtimber gross total (board feet/acre)	4,327	1,037	1,249	796	674
Sawtimber net total (board feet/acre)	3,920	944	1,009	796	600
Pulpwood gross total (cubic feet/acre)	1,215	301	214	157	80
Pulpwood net total (cubic feet/acre)	972	241	171	126	64
Gross total (cubic feet/acre)	1,927	479	409	300	179
Net total (cubic feet/acre)	1,492	372	298	240	134

Overstory only (cont)

	sweet birch	scarlet oak	hophornbeam	red maple	mockernut hickory
Sawtimber gross total (board feet/acre)	180	211	0	0	181
Sawtimber net total (board feet/acre)	180	211	0	0	181
Pulpwood gross total (cubic feet/acre)	121	93	0	122	28
Pulpwood net total (cubic feet/acre)	97	74	0	97	22
Gross total (cubic feet/acre)	150	129	0	122	60
Net total (cubic feet/acre)	120	103	0	97	48

Overstory only (cont)

	white ash	shagbark hickory
Sawtimber gross total (board feet/acre)	0	0
Sawtimber net total (board feet/acre)	0	0
Pulpwood gross total (cubic feet/acre)	49	51
Pulpwood net total (cubic feet/acre)	39	41
Gross total (cubic feet/acre)	49	51
Net total (cubic feet/acre)	39	41

Values

All the species are missing prices.

Biomass

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
Coarse Root Biomass (tons per acre)	12.37	3.06	2.57	1.91	1.27
Stem Wood Biomass (tons per acre)	40.84	10.15	8.92	6.32	4.39
Stem Bark Biomass (tons per	8.30	2.06	1.76	1.28	0.87

Overstory only

	All species	sugar maple	chestnut oak	northern red oak	American beech
acre)					
Foliage Biomass (tons per acre)	1.33	0.33	0.26	0.21	0.13
Aboveground Biomass (tons per acre)	65.42	16.18	13.68	10.10	6.75
Total Biomass (tons per acre)	77.79	19.24	16.25	12.01	8.01

Overstory only (cont)

	sweet birch	scarlet oak	hophornbeam	red maple	mockernut hickory
Coarse Root Biomass (tons per acre)	0.91	0.77	0.33	0.63	0.38
Stem Wood Biomass (tons per acre)	2.85	2.58	0.72	2.02	1.24
Stem Bark Biomass (tons per acre)	0.60	0.52	0.19	0.42	0.25
Foliage Biomass (tons per acre)	0.10	0.08	0.05	0.07	0.04
Aboveground Biomass (tons per acre)	4.78	4.10	1.67	3.30	1.99
Total Biomass (tons per acre)	5.68	4.87	2.01	3.93	2.36

Overstory only (cont)

	white ash	shagbark hickory
Coarse Root Biomass (tons per acre)	0.22	0.32
Stem Wood Biomass (tons per acre)	0.66	0.98
Stem Bark Biomass (tons per acre)	0.14	0.21
Foliage Biomass (tons per acre)	0.03	0.04
Aboveground Biomass (tons per acre)	1.17	1.70
Total Biomass (tons per acre)	1.40	2.02

Understory only

	All species	American beech	serviceberry	sweet birch	sugar maple
Coarse Root Biomass (tons per acre)	0.20	0.07	0.02	0.03	0.03
Foliage Biomass (tons per acre)	0.42	0.02	0.01	0.11	0.08
Aboveground Biomass (tons per acre)	0.79	0.35	0.10	0.11	0.09
Total Biomass (tons per acre)	0.99	0.42	0.13	0.14	0.12

Understory only (cont)

	American witchhazel	red maple	chestnut oak	hophornbeam	pignut hickory
Coarse Root Biomass (tons per acre)	0.00	0.01	0.01	0.02	0.01
Foliage Biomass (tons per acre)	0.00	0.01	0.07	0.08	0.04
Aboveground Biomass (tons per acre)	0.00	0.03	0.04	0.05	0.02
Total Biomass (tons per acre)	0.00	0.04	0.05	0.06	0.03

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	sugar maple	chestnut oak	northern red oak	American beech
Coarse Root Biomass (tons per acre)	12.57	3.08	2.58	1.91	1.34
Stem Wood Biomass (tons per acre)	40.84	10.15	8.92	6.32	4.39
Stem Bark Biomass (tons per acre)	8.30	2.06	1.76	1.28	0.87
Foliage Biomass (tons per acre)	1.75	0.41	0.33	0.21	0.15
Aboveground Biomass (tons per acre)	66.21	16.27	13.72	10.10	7.10
Total Biomass (tons per acre)	78.78	19.35	16.31	12.01	8.44

Combined overstory and understory (cont)

	sweet birch	red maple	scarlet oak	hophornbeam	mockernut hickory
Coarse Root Biomass (tons per acre)	0.94	0.63	0.77	0.35	0.38
Stem Wood Biomass (tons per acre)	2.85	2.02	2.58	0.72	1.24
Stem Bark Biomass (tons per acre)	0.60	0.42	0.52	0.19	0.25
Foliage Biomass (tons per acre)	0.21	0.08	0.08	0.13	0.04
Aboveground Biomass (tons per acre)	4.88	3.33	4.10	1.72	1.99
Total Biomass (tons per acre)	5.82	3.96	4.87	2.07	2.36

Combined overstory and understory (cont)

	white ash	shagbark hickory	serviceberry	American witchhazel	pignut hickory
Coarse Root Biomass (tons per acre)	0.22	0.32	0.02	0.00	0.01
Stem Wood Biomass (tons per acre)	0.66	0.98	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.14	0.21	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.03	0.04	0.01	0.00	0.04
Aboveground Biomass (tons per acre)	1.17	1.70	0.10	0.00	0.02
Total Biomass (tons per acre)	1.40	2.02	0.13	0.00	0.03

Generated: 08/28/2012 11:46
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 5.mdb

Timber Tables

This report is for the stand 'Stand 5' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	yellow birch	sugar maple	apple	white ash
Basal Area (square feet)	97.5	22.5	22.5	15.0	15.0
Percentage of stand basal area (%)	100.0	23.1	23.1	15.4	15.4
Stems Per Unit Area (stems per acre)	740.5	24.9	18.8	171.9	6.8

Overstory only (cont)

	American witchhazel	pignut hickory	serviceberry
Basal Area (square feet)	7.5	7.5	7.5
Percentage of stand basal area (%)	7.7	7.7	7.7
Stems Per Unit Area (stems per acre)	152.8	21.5	343.8

Understory only

	All species	red maple	sugar maple	serviceberry	northern spicebush
Basal Area (square feet)	8.2	2.7	2.2	1.4	0.8
Percentage of stand basal area (%)	100.0	33.3	26.7	16.7	10.0
Stems Per Unit Area (stems per acre)	3,750.0	100.0	100.0	250.0	1,400.0

Understory only (cont)

	chestnut oak	American witchhazel	sweet birch
Basal Area (square feet)	0.5	0.3	0.3
Percentage of stand basal area (%)	6.7	3.3	3.3
Stems Per Unit Area (stems per acre)	500.0	400.0	50.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	sugar maple	yellow birch	apple	white ash
Basal Area (square feet)	105.7	24.7	22.5	15.0	15.0
Percentage of stand basal area (%)	100.0	23.4	21.3	14.2	14.2
Stems Per Unit Area (stems per acre)	4,490.5	118.8	24.9	171.9	6.8

Combined overstory and understory (cont)

	serviceberry	American witchhazel	pignut hickory	red maple	northern spicebush
Basal Area (square feet)	8.9	7.8	7.5	2.7	0.8
Percentage of stand basal area (%)	8.4	7.4	7.1	2.6	0.8
Stems Per Unit Area (stems per acre)	593.8	552.8	21.5	100.0	1,400.0

Combined overstory and understory (cont)

	chestnut oak	sweet birch
Basal Area (square feet)	0.5	0.3
Percentage of stand basal area (%)	0.5	0.3
Stems Per Unit Area (stems per acre)	500.0	50.0

Diameters

Overstory only

	All species	yellow birch	sugar maple	apple	white ash
Medial DBH (inches)	12.4	13.3	19.7	4.0	20.5
Merchantable Medial DBH (inches)	16.4	13.3	19.7	0.0	20.5
Quadratic Mean DBH (inches)	4.9	12.9	14.8	4.0	20.0
Merchantable Quadratic DBH (inches)	13.1	12.9	14.8	0.0	20.0
Average DBH (inches)	3.7	12.7	13.5	4.0	19.9

Overstory only (cont)

	American witchhazel	pignut hickory	serviceberry
Medial DBH (inches)	3.0	8.0	2.0
Merchantable Medial DBH (inches)	0.0	8.0	0.0
Quadratic Mean DBH (inches)	3.0	8.0	2.0
Merchantable Quadratic DBH (inches)	0.0	8.0	0.0
Average DBH (inches)	3.0	8.0	2.0

Understory only

	All species	red maple	sugar maple	serviceberry	northern spicebush
Medial DBH (inches)	1.9	2.8	2.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	2.2	2.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	2.0	2.0	1.0	1.0

Understory only (cont)

	chestnut oak	American witchhazel	sweet birch
Medial DBH (inches)	1.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	1.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	sugar maple	yellow birch	apple	white ash
Medial DBH (inches)	11.6	18.1	13.3	4.0	20.5
Merchantable Medial DBH (inches)	16.4	19.7	13.3	0.0	20.5
Quadratic Mean DBH (inches)	3.5	6.2	12.9	4.0	20.0
Merchantable Quadratic DBH (inches)	13.1	14.8	12.9	0.0	20.0
Average DBH (inches)	2.4	3.8	12.7	4.0	19.9

Combined overstory and understory (cont)

	serviceberry	American witchhazel	pignut hickory	red maple	northern spicebush
Medial DBH (inches)	1.8	2.9	8.0	2.8	1.0
Merchantable Medial DBH (inches)	0.0	0.0	8.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	2.7	8.0	2.2	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	8.0	0.0	0.0
Average DBH (inches)	1.6	2.5	8.0	2.0	1.0

Combined overstory and understory (cont)

	chestnut oak	sweet birch

Combined overstory and understory (cont)

	chestnut oak	sweet birch
Medial DBH (inches)	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.0	1.0

Structure

Overstory only

	All species	yellow birch	sugar maple	apple	white ash
Q Factor	1.25	1.16	1.16	0.00	1.10

Overstory only (cont)

	American witchhazel	pignut hickory	serviceberry
Q Factor	0.00	0.00	0.00

Relative density

Overstory only

	All species	yellow birch	sugar maple	apple	white ash
Relative Density (percent)	84.00	18.05	17.61	16.35	4.69
percentage of stand	100.00	21.49	20.96	19.46	5.58

Overstory only (cont)

	American witchhazel	pignut hickory	serviceberry
Relative Density (percent)	9.43	6.98	10.90
percentage of stand	11.22	8.31	12.98

Understory only

	All species	red maple	sugar maple	serviceberry	northern spicebush
Relative Density (percent)	11.31	3.34	3.56	1.29	0.77
percentage of stand	100.00	29.57	31.50	11.40	6.84

Understory only (cont)

	chestnut oak	American witchhazel	sweet birch
Relative Density (percent)	1.82	0.26	0.26
percentage of stand	16.12	2.28	2.28

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	sugar maple	yellow birch	apple	white ash
Relative Density (percent)	95.31	21.17	18.05	16.35	4.69
percentage of stand	100.00	22.21	18.94	17.15	4.92

Combined overstory and understory (cont)

	serviceberry	American witchhazel	pignut hickory	red maple	northern spicebush
Relative Density (percent)	12.19	9.68	6.98	3.34	0.77
percentage of stand	12.79	10.16	7.32	3.51	0.81

Combined overstory and understory (cont)

	chestnut oak	sweet birch
Relative Density (percent)	1.82	0.26
percentage of stand	1.91	0.27

Volumes

Overstory only

	All species	yellow birch	sugar maple	apple	white ash
Sawtimber gross total (board feet/acre)	3,733	1,072	604	0	2,057
Sawtimber net total (board feet/acre)	3,344	1,072	604	0	1,668
Pulpwood gross total (cubic feet/acre)	1,061	345	456	0	120
Pulpwood net total (cubic feet/acre)	662	276	252	0	96
Gross total (cubic feet/acre)	1,668	522	577	0	427
Net total (cubic feet/acre)	1,106	418	350	0	300

Overstory only (cont)

	American witchhazel	pignut hickory	serviceberry
Sawtimber gross total (board feet/acre)	0	0	0
Sawtimber net total (board feet/acre)	0	0	0
Pulpwood gross total (cubic feet/acre)	0	141	0
Pulpwood net total (cubic feet/acre)	0	38	0
Gross total (cubic feet/acre)	0	141	0
Net total (cubic feet/acre)	0	38	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	yellow birch	sugar maple	apple	white ash
Coarse Root Biomass (tons per acre)	11.28	2.95	3.94	1.00	2.07
Stem Wood Biomass (tons per acre)	36.16	9.79	13.70	2.17	7.32
Stem Bark Biomass (tons per acre)	7.45	1.99	2.70	0.57	1.43
Foliage Biomass (tons per acre)	1.29	0.32	0.40	0.15	0.21
Aboveground Biomass (tons per acre)	59.31	15.64	20.97	5.02	11.05
Total Biomass (tons per acre)	70.59	18.59	24.90	6.03	13.12

Overstory only (cont)

	American witchhazel	pignut hickory	serviceberry
Coarse Root Biomass (tons per acre)	0.00	0.93	0.39
Stem Wood Biomass (tons per acre)	0.00	2.72	0.45
Stem Bark Biomass (tons per acre)	0.00	0.59	0.17
Foliage Biomass (tons per acre)	0.00	0.11	0.10
Aboveground Biomass (tons per acre)	0.00	4.83	1.80
Total Biomass (tons per acre)	0.00	5.76	2.19

Understory only

	All species	red maple	sugar maple	serviceberry	northern spicebush
Coarse Root Biomass (tons per acre)	0.54	0.22	0.17	0.06	0.00
Foliage Biomass (tons per acre)	0.35	0.05	0.04	0.04	0.00
Aboveground Biomass (tons per acre)	2.39	1.07	0.77	0.23	0.00
Total Biomass (tons per acre)	2.93	1.29	0.94	0.29	0.00

Understory only (cont)

	chestnut oak	American witchhazel	sweet birch
Coarse Root Biomass (tons per acre)	0.07	0.00	0.02
Foliage Biomass (tons per acre)	0.21	0.00	0.01
Aboveground Biomass (tons per acre)	0.25	0.00	0.07
Total Biomass (tons per acre)	0.32	0.00	0.09

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	sugar maple	yellow birch	apple	white ash
Coarse Root Biomass (tons per acre)	11.82	4.10	2.95	1.00	2.07
Stem Wood Biomass (tons per acre)	36.16	13.70	9.79	2.17	7.32
Stem Bark Biomass (tons per acre)	7.45	2.70	1.99	0.57	1.43
Foliage Biomass (tons per acre)	1.64	0.45	0.32	0.15	0.21
Aboveground Biomass (tons per acre)	61.71	21.74	15.64	5.02	11.05
Total Biomass (tons per acre)	73.52	25.84	18.59	6.03	13.12

Combined overstory and understory (cont)

	serviceberry	American witchhazel	pignut hickory	red maple	northern spicebush
Coarse Root Biomass (tons per acre)	0.45	0.00	0.93	0.22	0.00
Stem Wood Biomass (tons per acre)	0.45	0.00	2.72	0.00	0.00
Stem Bark Biomass (tons per acre)	0.17	0.00	0.59	0.00	0.00
Foliage Biomass (tons per acre)	0.14	0.00	0.11	0.05	0.00
Aboveground Biomass (tons per acre)	2.03	0.00	4.83	1.07	0.00
Total Biomass (tons per acre)	2.48	0.00	5.76	1.29	0.00

Combined overstory and understory (cont)

	chestnut oak	sweet birch
Coarse Root Biomass (tons per acre)	0.07	0.02
Stem Wood Biomass (tons per acre)	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00
Foliage Biomass (tons per acre)	0.21	0.01
Aboveground Biomass (tons per acre)	0.25	0.07
Total Biomass (tons per acre)	0.32	0.09

Generated: 08/28/2012 11:51
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 6.mdb

Timber Tables

This report is for the stand 'Stand 6' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, lowbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple
Basal Area (square feet)	120.0	30.0	30.0	15.0	15.0
Percentage of stand basal area (%)	100.0	25.0	25.0	12.5	12.5
Stems Per Unit Area (stems per acre)	397.3	33.8	64.3	42.7	63.0

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Basal Area (square feet)	11.3	7.5	7.5	3.8
Percentage of stand basal area (%)	9.4	6.3	6.3	3.1
Stems Per Unit Area (stems per acre)	28.8	152.8	10.9	0.9

Understory only

	All species	sugar maple	white oak	serviceberry	hophornbeam
Basal Area (square feet)	4.5	3.3	0.5	0.5	0.1
Percentage of stand basal area (%)	100.0	72.7	12.1	12.1	3.0

Understory only

	All species	sugar maple	white oak	serviceberry	hophornbeam
Stems Per Unit Area (stems per acre)	1,700.0	425.0	100.0	25.0	250.0

Understory only (cont)

	northern red oak	chestnut oak
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0
Stems Per Unit Area (stems per acre)	225.0	25.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	scarlet oak	sugar maple	pignut hickory
Basal Area (square feet)	124.5	30.0	30.0	18.3	15.0
Percentage of stand basal area (%)	100.0	24.1	24.1	14.7	12.0
Stems Per Unit Area (stems per acre)	2,097.3	258.8	64.3	488.0	42.7

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak	white oak
Basal Area (square feet)	11.3	8.0	7.5	3.8	0.5
Percentage of stand basal area (%)	9.0	6.5	6.0	3.0	0.4
Stems Per Unit Area (stems per acre)	28.8	177.8	10.9	25.9	100.0

Combined overstory and understory (cont)

	hophornbeam
Basal Area (square feet)	0.1
Percentage of stand basal area (%)	0.1
Stems Per Unit Area (stems per acre)	250.0

Diameters

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple
Medial DBH (inches)	11.4	15.2	11.1	10.3	7.0
Merchantable Medial DBH (inches)	12.8	15.2	12.0	12.0	7.7
Quadratic Mean DBH (inches)	7.4	12.8	9.2	8.0	6.6
Merchantable Quadratic DBH (inches)	10.7	12.8	11.4	11.7	7.6
Average DBH (inches)	6.3	12.0	8.6	7.3	6.5

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Medial DBH (inches)	10.0	3.0	11.5	27.0
Merchantable Medial DBH (inches)	10.0	0.0	11.5	27.0
Quadratic Mean DBH (inches)	8.5	3.0	11.2	27.0
Merchantable Quadratic DBH (inches)	8.5	0.0	11.2	27.0
Average DBH (inches)	8.0	3.0	11.1	27.0

Understory only

	All species	sugar maple	white oak	serviceberry	hophornbeam
Medial DBH (inches)	1.8	1.8	2.0	2.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	1.6	2.0	2.0	1.0

Understory only

	All species	sugar maple	white oak	serviceberry	hophornbeam
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	1.6	2.0	2.0	1.0

Understory only (cont)

	northern red oak	chestnut oak
Medial DBH (inches)	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	scarlet oak	sugar maple	pignut hickory
Medial DBH (inches)	11.1	15.2	11.1	6.1	10.3
Merchantable Medial DBH (inches)	12.8	15.2	12.0	7.7	12.0
Quadratic Mean DBH (inches)	5.7	12.8	9.2	3.4	8.0
Merchantable Quadratic DBH (inches)	10.7	12.8	11.4	7.6	11.7
Average DBH (inches)	4.3	12.0	8.6	2.6	7.3

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak	white oak
Medial DBH (inches)	10.0	2.9	11.5	27.0	2.0

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak	white oak
Merchantable Medial DBH (inches)	10.0	0.0	11.5	27.0	0.0
Quadratic Mean DBH (inches)	8.5	2.9	11.2	27.0	2.0
Merchantable Quadratic DBH (inches)	8.5	0.0	11.2	27.0	0.0
Average DBH (inches)	8.0	2.9	11.1	27.0	2.0

Combined overstory and understory (cont)

	hophornbeam
Medial DBH (inches)	1.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	1.0
Merchantable Quadratic DBH (inches)	0.0
Average DBH (inches)	1.0

Structure

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple
Q Factor	1.23	1.12	1.19	1.26	1.39

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Q Factor	1.25	0.16	1.19	0.00

Relative density

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple
Relative Density (percent)	107.08	26.58	26.24	13.59	13.62
percentage of stand	100.00	24.82	24.50	12.69	12.72

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Relative Density (percent)	10.13	9.43	4.76	2.74
percentage of stand	9.46	8.80	4.45	2.56

Understory only

	All species	sugar maple	white oak	serviceberry	hophornbeam
Relative Density (percent)	8.17	6.23	1.02	0.79	0.13
percentage of stand	100.00	76.26	12.46	9.70	1.58

Understory only (cont)

	northern red oak	chestnut oak
Relative Density (percent)	0.00	0.00
percentage of stand	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	scarlet oak	sugar maple	pignut hickory
Relative Density (percent)	115.26	26.58	26.24	19.85	13.59
percentage of stand	100.00	23.06	22.77	17.23	11.79

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak	white oak
Relative Density (percent)	10.13	10.22	4.76	2.74	1.02
percentage of stand	8.79	8.87	4.13	2.38	0.88

Combined overstory and understory (cont)

	hophornbeam
Relative Density (percent)	0.13
percentage of stand	0.11

Volumes

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple
Sawtimber gross total (board feet/acre)	3,993	1,766	929	276	0
Sawtimber net total (board feet/acre)	3,734	1,766	826	276	0
Pulpwood gross total (cubic feet/acre)	1,690	467	482	206	195
Pulpwood net total (cubic feet/acre)	1,329	374	385	142	156
Gross total (cubic feet/acre)	2,347	760	631	257	195
Net total (cubic feet/acre)	1,823	608	491	183	156

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Sawtimber gross total (board feet/acre)	271	0	279	471
Sawtimber net total (board feet/acre)	271	0	279	316
Pulpwood gross total (cubic feet/acre)	167	0	131	42
Pulpwood net total (cubic feet/acre)	134	0	105	33
Gross total (cubic feet/acre)	215	0	179	110

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Net total (cubic feet/acre)	172	0	143	70

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	scarlet oak	pignut hickory	sugar maple
Coarse Root Biomass (tons per acre)	16.38	4.76	4.19	2.02	1.75
Stem Wood Biomass (tons per acre)	51.70	16.02	13.29	6.25	4.91
Stem Bark Biomass (tons per acre)	10.78	3.22	2.77	1.32	1.10
Foliage Biomass (tons per acre)	1.84	0.50	0.47	0.23	0.22
Aboveground Biomass (tons per acre)	86.09	25.24	22.06	10.59	9.08
Total Biomass (tons per acre)	102.47	30.00	26.25	12.61	10.84

Overstory only (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak
Coarse Root Biomass (tons per acre)	1.50	0.45	0.94	0.76
Stem Wood Biomass (tons per acre)	4.64	0.79	3.02	2.79
Stem Bark Biomass (tons per acre)	0.98	0.23	0.62	0.53
Foliage Biomass (tons per acre)	0.17	0.08	0.10	0.08
Aboveground Biomass (tons per acre)	7.89	2.19	4.94	4.10
Total Biomass (tons per acre)	9.39	2.63	5.88	4.86

Understory only

	All species	sugar maple	white oak	serviceberry	hophornbeam
Coarse Root Biomass (tons per acre)	0.38	0.26	0.05	0.03	0.02
Foliage Biomass (tons per acre)	0.40	0.17	0.04	0.01	0.07
Aboveground Biomass (tons per acre)	1.63	1.16	0.21	0.13	0.06
Total Biomass (tons per acre)	2.01	1.42	0.26	0.16	0.08

Understory only (cont)

	northern red oak	chestnut oak
Coarse Root Biomass (tons per acre)	0.02	0.00
Foliage Biomass (tons per acre)	0.10	0.01
Aboveground Biomass (tons per acre)	0.06	0.01
Total Biomass (tons per acre)	0.08	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	scarlet oak	sugar maple	pignut hickory
Coarse Root Biomass (tons per acre)	16.76	4.78	4.19	2.02	2.02
Stem Wood Biomass (tons per acre)	51.70	16.02	13.29	4.91	6.25
Stem Bark Biomass (tons per acre)	10.78	3.22	2.77	1.10	1.32
Foliage Biomass (tons per acre)	2.24	0.60	0.47	0.38	0.23
Aboveground Biomass (tons per acre)	87.71	25.30	22.06	10.24	10.59
Total Biomass (tons per acre)	104.48	30.08	26.25	12.26	12.61

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	red maple	chestnut oak	white oak
Coarse Root Biomass (tons per acre)	1.50	0.48	0.94	0.77	0.05
Stem Wood Biomass (tons per acre)	4.64	0.79	3.02	2.79	0.00
Stem Bark Biomass (tons per acre)	0.98	0.23	0.62	0.53	0.00
Foliage Biomass (tons per acre)	0.17	0.09	0.10	0.09	0.04
Aboveground Biomass (tons per acre)	7.89	2.32	4.94	4.10	0.21
Total Biomass (tons per acre)	9.39	2.79	5.88	4.87	0.26

Combined overstory and understory (cont)

	hophornbeam
Coarse Root Biomass (tons per acre)	0.02
Stem Wood Biomass (tons per acre)	0.00
Stem Bark Biomass (tons per acre)	0.00
Foliage Biomass (tons per acre)	0.07
Aboveground Biomass (tons per acre)	0.06
Total Biomass (tons per acre)	0.08

Generated: 08/28/2012 11:59
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 7.mdb

Timber Tables

This report is for the stand 'Stand 7' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, lowbush blueberry, huckleberry, Siebold burningbush, hawthorn, gray dogwood and American hazelnut where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Basal Area (square feet)	122.5	25.0	15.0	13.5	13.5
Percentage of stand basal area (%)	100.0	20.4	12.2	11.0	11.0
Stems Per Unit Area (stems per acre)	312.3	23.8	51.1	46.7	35.3

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Basal Area (square feet)	12.0	8.0	7.0	5.5	5.0
Percentage of stand basal area (%)	9.8	6.5	5.7	4.5	4.1
Stems Per Unit Area (stems per acre)	19.9	9.4	10.6	8.2	11.4

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
Basal Area (square feet)	4.5	2.5	2.0	1.5	1.5
Percentage of stand basal area	3.7	2.0	1.6	1.2	1.2

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
(%)					
Stems Per Unit Area (stems per acre)	3.0	33.7	1.5	0.8	3.3

Overstory only (cont)

	pignut hickory	hophornbeam	American hornbeam	Norway maple	black cherry
Basal Area (square feet)	1.5	1.0	1.0	0.5	0.5
Percentage of stand basal area (%)	1.2	0.8	0.8	0.4	0.4
Stems Per Unit Area (stems per acre)	1.8	13.9	11.5	0.6	1.9

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry
Basal Area (square feet)	0.5	0.5	0.5
Percentage of stand basal area (%)	0.4	0.4	0.4
Stems Per Unit Area (stems per acre)	0.9	0.2	22.9

Understory only

	All species	American witchhazel	hophornbeam	sugar maple	sweet birch
Basal Area (square feet)	6.6	3.0	0.7	0.5	0.5
Percentage of stand basal area (%)	100.0	45.9	9.9	8.0	7.7
Stems Per Unit Area (stems per acre)	2,993.3	543.3	400.0	143.3	73.3

Understory only (cont)

	serviceberry	American beech	northern spicebush	red maple	bigtooth aspen
Basal Area (square feet)	0.5	0.4	0.4	0.3	0.2
Percentage of stand basal area (%)	7.2	6.1	5.8	4.1	2.5
Stems Per Unit Area (stems per acre)	113.3	90.0	340.0	203.3	10.0

Understory only (cont)

	northern red oak	American hornbeam	yellow birch	chestnut oak	water oak
Basal Area (square feet)	0.1	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	2.2	0.3	0.3	0.0	0.0
Stems Per Unit Area (stems per acre)	120.0	23.3	23.3	280.0	16.7

Understory only (cont)

	black cherry	eastern white pine	mountain laurel	mockernut hickory
Basal Area (square feet)	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	3.3	3.3	13.3	33.3

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	red maple	mockernut hickory
Basal Area (square feet)	129.1	25.1	15.5	13.8	13.5

Combined overstory and understory

	All species	northern red oak	sugar maple	red maple	mockernut hickory
Percentage of stand basal area (%)	100.0	19.5	12.0	10.7	10.5
Stems Per Unit Area (stems per acre)	3,305.7	143.8	194.4	238.6	80.1

Combined overstory and understory (cont)

	chestnut oak	white oak	yellow birch	sweet birch	white ash
Basal Area (square feet)	12.0	8.0	7.0	5.5	5.5
Percentage of stand basal area (%)	9.3	6.2	5.4	4.3	4.3
Stems Per Unit Area (stems per acre)	299.9	9.4	33.9	84.7	8.2

Combined overstory and understory (cont)

	scarlet oak	American witchhazel	American beech	tuliptree	hophornbeam
Basal Area (square feet)	4.5	3.0	2.9	2.0	1.7
Percentage of stand basal area (%)	3.5	2.3	2.2	1.5	1.3
Stems Per Unit Area (stems per acre)	3.0	543.3	123.7	1.5	413.9

Combined overstory and understory (cont)

	black oak	shagbark hickory	pignut hickory	American hornbeam	serviceberry
Basal Area (square feet)	1.5	1.5	1.5	1.0	1.0
Percentage of stand basal area (%)	1.2	1.2	1.2	0.8	0.8
Stems Per Unit Area (stems per acre)	0.8	3.3	1.8	34.8	136.3

Combined overstory and understory (cont)

	Norway maple	black cherry	blackgum	unidentified non-comm hardwood	northern spicebush
Basal Area (square feet)	0.5	0.5	0.5	0.5	0.4
Percentage of stand basal area (%)	0.4	0.4	0.4	0.4	0.3
Stems Per Unit Area (stems per acre)	0.6	5.2	0.9	0.2	340.0

Combined overstory and understory (cont)

	bigtooth aspen	water oak	eastern white pine	mountain laurel
Basal Area (square feet)	0.2	0.0	0.0	0.0
Percentage of stand basal area (%)	0.1	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	10.0	16.7	3.3	13.3

Diameters

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Medial DBH (inches)	12.5	15.1	11.6	9.3	10.5
Merchantable Medial DBH (inches)	13.3	15.1	13.1	10.1	11.2
Quadratic Mean DBH (inches)	8.5	13.9	7.3	7.3	8.4
Merchantable Quadratic DBH (inches)	11.3	13.9	11.4	8.7	10.0
Average DBH (inches)	7.2	13.5	6.1	6.7	7.7

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Medial DBH (inches)	11.5	15.0	12.5	13.4	11.9
Merchantable Medial DBH (inches)	11.5	15.0	12.5	13.4	12.8

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Quadratic Mean DBH (inches)	10.5	12.5	11.0	11.1	9.0
Merchantable Quadratic DBH (inches)	10.5	12.5	11.0	11.1	12.1
Average DBH (inches)	10.2	11.9	10.5	10.5	7.9

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
Medial DBH (inches)	17.7	7.6	18.8	18.7	11.7
Merchantable Medial DBH (inches)	17.7	13.5	18.8	18.7	11.7
Quadratic Mean DBH (inches)	16.5	3.7	15.5	18.4	9.2
Merchantable Quadratic DBH (inches)	16.5	11.4	15.5	18.4	9.2
Average DBH (inches)	16.1	3.0	14.4	18.4	8.6

Overstory only (cont)

	pignut hickory	hophornbeam	American hornbeam	Norway maple	black cherry
Medial DBH (inches)	12.3	4.0	4.0	12.0	7.0
Merchantable Medial DBH (inches)	12.3	0.0	0.0	12.0	7.0
Quadratic Mean DBH (inches)	12.2	3.6	4.0	12.0	7.0
Merchantable Quadratic DBH (inches)	12.2	0.0	0.0	12.0	7.0
Average DBH (inches)	12.2	3.5	4.0	12.0	7.0

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry
Medial DBH (inches)	10.0	21.0	2.0
Merchantable Medial DBH (inches)	10.0	21.0	0.0
Quadratic Mean DBH (inches)	10.0	21.0	2.0
Merchantable Quadratic DBH (inches)	10.0	21.0	0.0
Average DBH (inches)	10.0	21.0	2.0

Understory only

	All species	American witchhazel	hophornbeam	sugar maple	sweet birch
Medial DBH (inches)	1.9	1.9	1.4	2.4	2.1
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.5	1.5	1.2	1.7	1.6
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	1.4	1.2	1.5	1.5

Understory only (cont)

	serviceberry	American beech	northern spicebush	red maple	bigtooth aspen
Medial DBH (inches)	2.2	1.7	1.4	2.5	1.9
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	1.5	1.2	1.9	1.7
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	1.4	1.1	1.7	1.7

Understory only (cont)

	northern red oak	American hornbeam	yellow birch	chestnut oak	water oak
Medial DBH (inches)	2.0	1.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.0	1.0	0.0	0.0

Understory only (cont)

	black cherry	eastern white pine	mountain laurel	mockernut hickory
Medial DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	red maple	mockernut hickory
Medial DBH (inches)	12.0	15.0	11.3	10.3	9.3
Merchantable Medial DBH (inches)	13.3	15.1	13.1	11.2	10.1
Quadratic Mean DBH (inches)	5.3	12.3	5.8	7.2	7.3
Merchantable Quadratic DBH (inches)	11.3	13.9	11.4	10.0	8.7
Average DBH (inches)	3.5	11.0	4.3	6.1	6.7

Combined overstory and understory (cont)

	chestnut oak	white oak	yellow birch	sweet birch	white ash
Medial DBH (inches)	11.5	15.0	12.5	11.0	13.4
Merchantable Medial DBH (inches)	11.5	15.0	12.5	12.8	13.4
Quadratic Mean DBH (inches)	10.5	12.5	9.6	4.6	11.1
Merchantable Quadratic DBH (inches)	10.5	12.5	11.0	12.1	11.1
Average DBH (inches)	10.2	11.9	8.2	3.0	10.5

Combined overstory and understory (cont)

	scarlet oak	American witchhazel	American beech	tuliptree	hophornbeam
Medial DBH (inches)	17.7	1.9	6.8	18.8	3.0
Merchantable Medial DBH (inches)	17.7	0.0	13.5	18.8	0.0
Quadratic Mean DBH (inches)	16.5	1.5	2.8	15.5	1.8
Merchantable Quadratic DBH (inches)	16.5	0.0	11.4	15.5	0.0
Average DBH (inches)	16.1	1.4	2.2	14.4	1.5

Combined overstory and understory (cont)

	black oak	shagbark hickory	pignut hickory	American hornbeam	serviceberry
Medial DBH (inches)	18.7	11.7	12.3	3.9	2.1
Merchantable Medial DBH (inches)	18.7	11.7	12.3	0.0	0.0
Quadratic Mean DBH (inches)	18.4	9.2	12.2	3.6	1.8
Merchantable Quadratic DBH (inches)	18.4	9.2	12.2	0.0	0.0
Average DBH (inches)	18.4	8.6	12.2	3.3	1.7

Combined overstory and understory (cont)

	Norway maple	black cherry	blackgum	unidentified non-comm hardwood	northern spicebush
Medial DBH (inches)	12.0	7.0	10.0	21.0	1.4
Merchantable Medial DBH (inches)	12.0	7.0	10.0	21.0	0.0
Quadratic Mean DBH (inches)	12.0	7.0	10.0	21.0	1.2
Merchantable Quadratic DBH (inches)	12.0	7.0	10.0	21.0	0.0
Average DBH (inches)	12.0	7.0	10.0	21.0	1.1

Combined overstory and understory (cont)

	bigtooth aspen	water oak	eastern white pine	mountain laurel
Medial DBH (inches)	1.9	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.7	0.0	0.0	0.0

Structure

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Q Factor	1.30	1.22	1.23	1.24	1.17

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Q Factor	1.19	1.15	1.18	1.19	1.21

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
Q Factor	1.12	1.30	1.13	1.11	1.17

Overstory only (cont)

	pignut hickory	hophornbeam	American hornbeam	Norway maple	black cherry
Q Factor	0.84	0.87	0.00	0.00	0.00

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry
Q Factor	0.00	0.00	64.88

Relative density

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Relative Density (percent)	100.04	22.05	12.93	12.64	9.43
percentage of stand	100.00	22.04	12.93	12.64	9.42

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Relative Density (percent)	10.27	6.55	5.72	2.43	3.29
percentage of stand	10.27	6.54	5.71	2.43	3.29

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
Relative Density (percent)	3.51	2.66	0.70	1.15	1.32

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
percentage of stand	3.51	2.66	0.70	1.15	1.32

Overstory only (cont)

	pignut hickory	hophornbeam	American hornbeam	Norway maple	black cherry
Relative Density (percent)	1.25	1.11	1.09	0.31	0.33
percentage of stand	1.25	1.11	1.09	0.31	0.33

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry
Relative Density (percent)	0.34	0.23	0.73
percentage of stand	0.34	0.23	0.73

Understory only

	All species	American witchhazel	hophornbeam	sugar maple	sweet birch
Relative Density (percent)	8.98	3.83	0.77	0.94	0.64
percentage of stand	100.00	42.68	8.54	10.49	7.16

Understory only (cont)

	serviceberry	American beech	northern spicebush	red maple	bigtooth aspen
Relative Density (percent)	0.61	0.83	0.43	0.35	0.32
percentage of stand	6.78	9.25	4.84	3.85	3.59

Understory only (cont)

	northern red oak	American hornbeam	yellow birch	chestnut oak	water oak
Relative Density (percent)	0.18	0.02	0.06	0.00	0.00
percentage of stand	1.98	0.19	0.66	0.00	0.00

Understory only (cont)

	black cherry	eastern white pine	mountain laurel	mockernut hickory
Relative Density (percent)	0.00	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	red maple	mockernut hickory
Relative Density (percent)	109.02	22.22	13.87	9.77	12.64
percentage of stand	100.00	20.39	12.73	8.96	11.60

Combined overstory and understory (cont)

	chestnut oak	white oak	yellow birch	sweet birch	white ash
Relative Density (percent)	10.27	6.55	5.78	3.93	2.43
percentage of stand	9.42	6.00	5.30	3.61	2.23

Combined overstory and understory (cont)

	scarlet oak	American witchhazel	American beech	tuliptree	hophornbeam
Relative Density (percent)	3.51	3.83	3.50	0.70	1.88

Combined overstory and understory (cont)

	scarlet oak	American witchhazel	American beech	tuliptree	hophornbeam
percentage of stand	3.22	3.52	3.21	0.64	1.72

Combined overstory and understory (cont)

	black oak	shagbark hickory	pignut hickory	American hornbeam	serviceberry
Relative Density (percent)	1.15	1.32	1.25	1.11	1.34
percentage of stand	1.06	1.21	1.14	1.02	1.23

Combined overstory and understory (cont)

	Norway maple	black cherry	blackgum	unidentified non-comm hardwood	northern spicebush
Relative Density (percent)	0.31	0.33	0.34	0.23	0.43
percentage of stand	0.28	0.31	0.31	0.21	0.40

Combined overstory and understory (cont)

	bigtooth aspen	water oak	eastern white pine	mountain laurel
Relative Density (percent)	0.32	0.00	0.00	0.00
percentage of stand	0.30	0.00	0.00	0.00

Volumes

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Sawtimber gross total (board feet/acre)	4,463	1,453	542	201	230
Sawtimber net total (board	3,930	1,310	542	183	205

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
feet/acre)					
Pulpwood gross total (cubic feet/acre)	1,845	391	185	191	230
Pulpwood net total (cubic feet/acre)	1,467	307	148	153	184
Gross total (cubic feet/acre)	2,626	648	287	227	273
Net total (cubic feet/acre)	2,019	493	229	179	214

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Sawtimber gross total (board feet/acre)	372	342	213	334	76
Sawtimber net total (board feet/acre)	344	266	200	242	51
Pulpwood gross total (cubic feet/acre)	220	139	104	63	88
Pulpwood net total (cubic feet/acre)	173	111	83	51	70
Gross total (cubic feet/acre)	280	202	139	122	101
Net total (cubic feet/acre)	217	151	110	84	77

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
Sawtimber gross total (board feet/acre)	394	45	0	129	39
Sawtimber net total (board feet/acre)	311	45	0	129	26
Pulpwood gross total (cubic feet/acre)	60	14	54	15	23
Pulpwood net total (cubic feet/acre)	48	11	43	12	18
Gross total (cubic feet/acre)	122	21	54	39	31
Net total (cubic feet/acre)	87	17	43	31	23

Overstory only (cont)

	pignut hickory	hophornbeam	American hornbeam	Norway maple	black cherry
Sawtimber gross total (board feet/acre)	36	0	0	0	0
Sawtimber net total (board feet/acre)	36	0	0	0	0
Pulpwood gross total (cubic feet/acre)	29	0	0	12	9
Pulpwood net total (cubic feet/acre)	23	0	0	10	7
Gross total (cubic feet/acre)	35	0	0	12	9
Net total (cubic feet/acre)	28	0	0	10	7

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry
Sawtimber gross total (board feet/acre)	0	57	0
Sawtimber net total (board feet/acre)	0	38	0
Pulpwood gross total (cubic feet/acre)	11	6	0
Pulpwood net total (cubic feet/acre)	9	5	0
Gross total (cubic feet/acre)	11	14	0
Net total (cubic feet/acre)	9	9	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Coarse Root Biomass (tons per acre)	16.86	3.97	2.10	1.74	1.62

Overstory only

	All species	northern red oak	sugar maple	mockernut hickory	red maple
Stem Wood Biomass (tons per acre)	54.40	13.42	6.63	5.23	5.03
Stem Bark Biomass (tons per acre)	11.20	2.69	1.38	1.12	1.06
Foliage Biomass (tons per acre)	1.86	0.42	0.24	0.20	0.18
Aboveground Biomass (tons per acre)	88.90	21.09	11.05	9.09	8.49
Total Biomass (tons per acre)	105.76	25.06	13.15	10.84	10.11

Overstory only (cont)

	chestnut oak	white oak	yellow birch	white ash	sweet birch
Coarse Root Biomass (tons per acre)	1.70	1.26	0.90	0.61	0.63
Stem Wood Biomass (tons per acre)	5.46	4.21	2.91	2.02	2.00
Stem Bark Biomass (tons per acre)	1.13	0.85	0.60	0.41	0.41
Foliage Biomass (tons per acre)	0.19	0.13	0.10	0.07	0.07
Aboveground Biomass (tons per acre)	8.99	6.66	4.73	3.25	3.30
Total Biomass (tons per acre)	10.69	7.92	5.62	3.87	3.93

Overstory only (cont)

	scarlet oak	American beech	tuliptree	black oak	shagbark hickory
Coarse Root Biomass (tons per acre)	0.76	0.29	0.26	0.26	0.21
Stem Wood Biomass (tons per acre)	2.65	0.77	0.91	0.92	0.67
Stem Bark Biomass (tons per acre)	0.52	0.18	0.18	0.18	0.14
Foliage Biomass (tons per acre)	0.08	0.04	0.03	0.03	0.02
Aboveground Biomass (tons per acre)	4.07	1.47	1.40	1.39	1.11
Total Biomass (tons per acre)	4.83	1.76	1.66	1.66	1.32

Overstory only (cont)

	pignut hickory	hophornbeam	American hornbeam	Norway maple	black cherry
Coarse Root Biomass (tons per acre)	0.22	0.07	0.07	0.00	0.04
Stem Wood Biomass (tons per acre)	0.72	0.14	0.14	0.00	0.12
Stem Bark Biomass (tons per acre)	0.15	0.04	0.04	0.00	0.03
Foliage Biomass (tons per acre)	0.02	0.01	0.01	0.00	0.01
Aboveground Biomass (tons per acre)	1.17	0.33	0.33	0.00	0.22
Total Biomass (tons per acre)	1.39	0.40	0.40	0.00	0.26

Overstory only (cont)

	blackgum	unidentified non-comm hardwood	serviceberry
Coarse Root Biomass (tons per acre)	0.05	0.07	0.03
Stem Wood Biomass (tons per acre)	0.16	0.25	0.03
Stem Bark Biomass (tons per acre)	0.03	0.05	0.01
Foliage Biomass (tons per acre)	0.01	0.01	0.01
Aboveground Biomass (tons per acre)	0.26	0.37	0.12
Total Biomass (tons per acre)	0.31	0.44	0.15

Understory only

	All species	American witchhazel	hophornbeam	sugar maple	sweet birch
Coarse Root Biomass (tons per acre)	0.32	0.00	0.05	0.05	0.04
Foliage Biomass (tons per acre)	0.60	0.00	0.11	0.06	0.03
Aboveground Biomass (tons per acre)	1.26	0.00	0.19	0.23	0.19
Total Biomass (tons per acre)	1.58	0.00	0.24	0.28	0.23

Understory only (cont)

	serviceberry	American beech	northern spicebush	red maple	bigtooth aspen
Coarse Root Biomass (tons per acre)	0.03	0.03	0.00	0.04	0.01
Foliage Biomass (tons per acre)	0.03	0.04	0.00	0.10	0.00
Aboveground Biomass (tons per acre)	0.13	0.15	0.00	0.16	0.04
Total Biomass (tons per acre)	0.16	0.18	0.00	0.20	0.05

Understory only (cont)

	northern red oak	American hornbeam	yellow birch	chestnut oak	water oak
Coarse Root Biomass (tons per acre)	0.02	0.00	0.00	0.03	0.00
Foliage Biomass (tons per acre)	0.05	0.01	0.01	0.13	0.01
Aboveground Biomass (tons per acre)	0.08	0.01	0.01	0.07	0.00
Total Biomass (tons per acre)	0.10	0.01	0.01	0.10	0.01

Understory only (cont)

	black cherry	eastern white pine	mountain laurel	mockernut hickory
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.00	0.02
Aboveground Biomass (tons per acre)	0.00	0.00	0.00	0.01
Total Biomass (tons per acre)	0.00	0.00	0.00	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	red maple	mockernut hickory
Coarse Root Biomass (tons per acre)	17.18	3.99	2.16	1.66	1.74
Stem Wood Biomass (tons per acre)	54.40	13.42	6.63	5.03	5.23
Stem Bark Biomass (tons per acre)	11.20	2.69	1.38	1.06	1.12
Foliage Biomass (tons per acre)	2.46	0.47	0.30	0.28	0.22
Aboveground Biomass (tons per acre)	90.16	21.17	11.28	8.65	9.10
Total Biomass (tons per acre)	107.34	25.16	13.43	10.31	10.85

Combined overstory and understory (cont)

	chestnut oak	white oak	yellow birch	sweet birch	white ash
Coarse Root Biomass (tons per acre)	1.73	1.26	0.90	0.67	0.61
Stem Wood Biomass (tons per acre)	5.46	4.21	2.91	2.00	2.02
Stem Bark Biomass (tons per acre)	1.13	0.85	0.60	0.41	0.41
Foliage Biomass (tons per acre)	0.31	0.13	0.11	0.10	0.07
Aboveground Biomass (tons per acre)	9.06	6.66	4.74	3.49	3.25
Total Biomass (tons per acre)	10.79	7.92	5.64	4.16	3.87

Combined overstory and understory (cont)

	scarlet oak	American witchhazel	American beech	tuliptree	hophornbeam
Coarse Root Biomass (tons per acre)	0.76	0.00	0.32	0.26	0.12
Stem Wood Biomass (tons per acre)	2.65	0.00	0.77	0.91	0.14
Stem Bark Biomass (tons per acre)	0.52	0.00	0.18	0.18	0.04
Foliage Biomass (tons per acre)	0.08	0.00	0.08	0.03	0.12
Aboveground Biomass (tons per acre)	4.07	0.00	1.62	1.40	0.52

Combined overstory and understory (cont)

	scarlet oak	American witchhazel	American beech	tuliptree	hophornbeam
Total Biomass (tons per acre)	4.83	0.00	1.94	1.66	0.63

Combined overstory and understory (cont)

	black oak	shagbark hickory	pignut hickory	American hornbeam	serviceberry
Coarse Root Biomass (tons per acre)	0.26	0.21	0.22	0.07	0.06
Stem Wood Biomass (tons per acre)	0.92	0.67	0.72	0.14	0.03
Stem Bark Biomass (tons per acre)	0.18	0.14	0.15	0.04	0.01
Foliage Biomass (tons per acre)	0.03	0.02	0.02	0.02	0.04
Aboveground Biomass (tons per acre)	1.39	1.11	1.17	0.34	0.25
Total Biomass (tons per acre)	1.66	1.32	1.39	0.41	0.31

Combined overstory and understory (cont)

	Norway maple	black cherry	blackgum	unidentified non-comm hardwood	northern spicebush
Coarse Root Biomass (tons per acre)	0.00	0.04	0.05	0.07	0.00
Stem Wood Biomass (tons per acre)	0.00	0.12	0.16	0.25	0.00
Stem Bark Biomass (tons per acre)	0.00	0.03	0.03	0.05	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.01	0.01	0.00
Aboveground Biomass (tons per acre)	0.00	0.22	0.26	0.37	0.00
Total Biomass (tons per acre)	0.00	0.26	0.31	0.44	0.00

Combined overstory and understory (cont)

	bigtooth aspen	water oak	eastern white pine	mountain laurel
Coarse Root Biomass (tons per acre)	0.01	0.00	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.04	0.00	0.00	0.00
Total Biomass (tons per acre)	0.05	0.01	0.00	0.00

Generated: 08/28/2012 12:16
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 8.mdb

Timber Tables

This report is for the stand 'Stand 8' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, lowbush blueberry, huckleberry and American hazelnut where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Basal Area (square feet)	120.9	22.1	20.3	15.4	11.5
Percentage of stand basal area (%)	100.0	18.2	16.8	12.8	9.5
Stems Per Unit Area (stems per acre)	385.6	18.6	35.0	60.1	48.4

Overstory only (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Basal Area (square feet)	8.4	6.2	5.3	4.9	4.9
Percentage of stand basal area (%)	6.9	5.1	4.4	4.0	4.0
Stems Per Unit Area (stems per acre)	58.6	25.9	24.9	3.7	4.1

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Basal Area (square feet)	3.5	2.2	2.2	2.2	1.8

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Percentage of stand basal area (%)	2.9	1.8	1.8	1.8	1.5
Stems Per Unit Area (stems per acre)	5.7	2.1	2.6	5.9	0.5

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
Basal Area (square feet)	1.8	1.8	1.3	0.9	0.9
Percentage of stand basal area (%)	1.5	1.5	1.1	0.7	0.7
Stems Per Unit Area (stems per acre)	22.8	3.0	10.5	0.7	3.6

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
Basal Area (square feet)	0.9	0.9	0.4	0.4	0.4
Percentage of stand basal area (%)	0.7	0.7	0.4	0.4	0.4
Stems Per Unit Area (stems per acre)	0.7	29.2	0.6	0.5	9.0

Overstory only (cont)

	American hornbeam
Basal Area (square feet)	0.4
Percentage of stand basal area (%)	0.4
Stems Per Unit Area (stems per acre)	9.0

Understory only

	All species	American witchhazel	red maple	sugar maple	hophornbeam
Basal Area (square feet)	7.5	1.9	1.3	1.1	1.0
Percentage of stand basal area (%)	100.0	25.4	16.9	15.2	12.8
Stems Per Unit Area (stems per acre)	3,050.0	500.0	85.3	444.1	244.1

Understory only (cont)

	American beech	American hornbeam	yellow birch	sweet birch	mountain laurel
Basal Area (square feet)	0.7	0.6	0.4	0.2	0.1
Percentage of stand basal area (%)	9.2	8.1	6.0	2.6	1.7
Stems Per Unit Area (stems per acre)	79.4	179.4	70.6	188.2	5.9

Understory only (cont)

	serviceberry	pignut hickory	chestnut oak	eastern hemlock	northern red oak
Basal Area (square feet)	0.1	0.1	0.0	0.0	0.0
Percentage of stand basal area (%)	1.1	0.9	0.2	0.0	0.0
Stems Per Unit Area (stems per acre)	41.2	14.7	258.8	2.9	141.2

Understory only (cont)

	northern spicebush	white ash	shagbark hickory	mockernut hickory
Basal Area (square feet)	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per	94.1	20.6	2.9	17.6

Understory only (cont)

	northern spicebush	white ash	shagbark hickory	mockernut hickory
acre)				

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	sugar maple	red maple
Basal Area (square feet)	128.4	22.1	20.3	16.6	12.7
Percentage of stand basal area (%)	100.0	17.2	15.8	12.9	9.9
Stems Per Unit Area (stems per acre)	3,435.6	159.8	293.9	504.2	133.7

Combined overstory and understory (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Basal Area (square feet)	8.6	6.2	6.0	4.9	4.9
Percentage of stand basal area (%)	6.7	4.9	4.7	3.8	3.8
Stems Per Unit Area (stems per acre)	246.8	40.6	104.3	3.7	4.1

Combined overstory and understory (cont)

	mockernut hickory	American witchhazel	yellow birch	black oak	white ash
Basal Area (square feet)	3.5	2.4	2.2	2.2	2.2
Percentage of stand basal area (%)	2.7	1.8	1.7	1.7	1.7
Stems Per Unit Area (stems per acre)	23.3	509.0	93.4	2.1	23.2

Combined overstory and understory (cont)

	shagbark hickory	hophornbeam	tuliptree	Norway maple	serviceberry
Basal Area (square feet)	2.2	1.8	1.8	1.8	1.4
Percentage of stand basal area (%)	1.7	1.4	1.4	1.4	1.1
Stems Per Unit Area (stems per acre)	8.9	273.3	0.5	3.0	51.7

Combined overstory and understory (cont)

	American hornbeam	American elm	sassafras	bigtooth aspen	water oak
Basal Area (square feet)	1.1	0.9	0.9	0.9	0.4
Percentage of stand basal area (%)	0.8	0.7	0.7	0.7	0.3
Stems Per Unit Area (stems per acre)	188.4	0.7	3.6	0.7	0.6

Combined overstory and understory (cont)

	black cherry	mountain laurel	eastern hemlock	northern spicebush
Basal Area (square feet)	0.4	0.1	0.0	0.0
Percentage of stand basal area (%)	0.3	0.1	0.0	0.0
Stems Per Unit Area (stems per acre)	0.5	5.9	2.9	94.1

Diameters

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Medial DBH (inches)	13.0	17.7	12.5	11.3	8.7
Merchantable Medial DBH (inches)	14.0	17.7	12.6	12.0	10.3
Quadratic Mean DBH (inches)	7.6	14.8	10.3	6.9	6.6
Merchantable Quadratic DBH (inches)	11.2	14.8	11.0	9.7	8.7
Average DBH (inches)	6.0	13.8	9.6	5.6	6.1

Overstory only (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Medial DBH (inches)	11.6	9.6	11.1	15.8	17.5
Merchantable Medial DBH (inches)	13.4	11.2	13.3	15.8	17.5
Quadratic Mean DBH (inches)	5.1	6.6	6.2	15.5	14.7
Merchantable Quadratic DBH (inches)	11.9	10.2	8.8	15.5	14.7
Average DBH (inches)	3.6	5.7	5.4	15.4	13.9

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Medial DBH (inches)	14.4	14.2	13.4	10.2	26.8
Merchantable Medial DBH (inches)	14.4	14.2	13.4	10.2	26.8
Quadratic Mean DBH (inches)	10.7	13.8	12.6	8.2	26.2
Merchantable Quadratic DBH (inches)	10.7	13.8	12.6	8.2	26.2
Average DBH (inches)	9.5	13.7	12.3	7.7	26.0

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
Medial DBH (inches)	8.8	10.8	5.0	16.0	10.0
Merchantable Medial DBH (inches)	11.0	10.8	6.0	16.0	15.0
Quadratic Mean DBH (inches)	3.8	10.3	4.8	15.6	6.7
Merchantable Quadratic DBH (inches)	9.6	10.3	6.0	15.6	15.0
Average DBH (inches)	2.8	10.2	4.7	15.5	6.0

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
Medial DBH (inches)	17.0	2.5	12.0	13.0	3.0
Merchantable Medial DBH (inches)	17.0	0.0	12.0	13.0	0.0
Quadratic Mean DBH (inches)	15.6	2.4	12.0	13.0	3.0
Merchantable Quadratic DBH (inches)	15.6	0.0	12.0	13.0	0.0
Average DBH (inches)	15.2	2.3	12.0	13.0	3.0

Overstory only (cont)

	American hornbeam
Medial DBH (inches)	3.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	3.0
Merchantable Quadratic DBH (inches)	0.0
Average DBH (inches)	3.0

Understory only

	All species	American witchhazel	red maple	sugar maple	hophornbeam
Medial DBH (inches)	2.4	1.7	3.7	2.6	1.9
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.7	1.4	2.8	1.9	1.5
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	1.3	2.5	1.7	1.4

Understory only (cont)

	American beech	American hornbeam	yellow birch	sweet birch	mountain laurel
Medial DBH (inches)	2.8	2.0	2.6	2.5	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.3	1.6	2.2	1.7	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.1	1.5	2.0	1.5	2.0

Understory only (cont)

	serviceberry	pignut hickory	chestnut oak	eastern hemlock	northern red oak
Medial DBH (inches)	1.0	2.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	2.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	2.0	1.0	0.0	0.0

Understory only (cont)

	northern spicebush	white ash	shagbark hickory	mockernut hickory
Medial DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	sugar maple	red maple
Medial DBH (inches)	12.4	17.7	12.4	10.7	8.2
Merchantable Medial DBH (inches)	14.0	17.7	12.6	12.0	10.3
Quadratic Mean DBH (inches)	5.2	14.8	9.9	5.1	5.5
Merchantable Quadratic DBH (inches)	11.2	14.8	11.0	9.7	8.7
Average DBH (inches)	3.5	13.8	8.9	3.6	4.7

Combined overstory and understory (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Medial DBH (inches)	11.4	9.6	10.1	15.8	17.5
Merchantable Medial DBH (inches)	13.4	11.2	13.3	15.8	17.5
Quadratic Mean DBH (inches)	4.7	6.3	4.8	15.5	14.7
Merchantable Quadratic DBH (inches)	11.9	10.2	8.8	15.5	14.7
Average DBH (inches)	3.3	5.4	3.8	15.4	13.9

Combined overstory and understory (cont)

	mockernut hickory	American witchhazel	yellow birch	black oak	white ash
Medial DBH (inches)	14.4	2.0	7.5	14.2	13.4
Merchantable Medial DBH (inches)	14.4	0.0	11.0	14.2	13.4
Quadratic Mean DBH (inches)	10.7	1.5	3.2	13.8	12.6
Merchantable Quadratic DBH (inches)	10.7	0.0	9.6	13.8	12.6
Average DBH (inches)	9.5	1.3	2.5	13.7	12.3

Combined overstory and understory (cont)

	shagbark hickory	hophornbeam	tuliptree	Norway maple	serviceberry
Medial DBH (inches)	10.2	2.2	26.8	10.8	4.8
Merchantable Medial DBH (inches)	10.2	0.0	26.8	10.8	6.0
Quadratic Mean DBH (inches)	8.2	1.8	26.2	10.3	3.2
Merchantable Quadratic DBH (inches)	8.2	0.0	26.2	10.3	6.0
Average DBH (inches)	7.7	1.7	26.0	10.2	2.6

Combined overstory and understory (cont)

	American hornbeam	American elm	sassafras	bigtooth aspen	water oak
Medial DBH (inches)	2.4	16.0	10.0	17.0	12.0
Merchantable Medial DBH (inches)	0.0	16.0	15.0	17.0	12.0
Quadratic Mean DBH (inches)	1.9	15.6	6.7	15.6	12.0
Merchantable Quadratic DBH (inches)	0.0	15.6	15.0	15.6	12.0
Average DBH (inches)	1.7	15.5	6.0	15.2	12.0

Combined overstory and understory (cont)

	black cherry	mountain laurel	eastern hemlock	northern spicebush
Medial DBH (inches)	13.0	2.0	0.0	0.0
Merchantable Medial DBH (inches)	13.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	13.0	2.0	0.0	0.0
Merchantable Quadratic DBH (inches)	13.0	0.0	0.0	0.0
Average DBH (inches)	13.0	2.0	0.0	0.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Q Factor	1.26	1.13	1.22	1.22	1.27

Overstory only (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Q Factor	1.28	1.24	1.20	0.99	1.12

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Q Factor	1.19	1.22	1.16	1.36	1.08

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
Q Factor	1.38	1.25	1.50	1.13	1.25

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
Q Factor	1.13	2.55	0.00	0.00	0.29

Overstory only (cont)

	American hornbeam
Q Factor	0.26

Relative density

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Relative Density (percent)	100.62	19.27	17.27	13.46	9.03
percentage of stand	100.00	19.15	17.17	13.38	8.98

Overstory only (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Relative Density (percent)	6.10	5.85	4.76	3.84	3.85
percentage of stand	6.07	5.82	4.74	3.82	3.82

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Relative Density (percent)	2.95	1.78	0.91	1.99	0.48
percentage of stand	2.93	1.77	0.91	1.98	0.48

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
Relative Density (percent)	1.83	1.17	1.29	0.72	0.67

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
percentage of stand	1.81	1.16	1.29	0.71	0.67

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
Relative Density (percent)	0.51	1.20	0.37	0.18	0.55
percentage of stand	0.51	1.19	0.37	0.18	0.55

Overstory only (cont)

	American hornbeam
Relative Density (percent)	0.55
percentage of stand	0.55

Understory only

	All species	American witchhazel	red maple	sugar maple	hophornbeam
Relative Density (percent)	9.98	2.32	1.44	1.86	1.25
percentage of stand	100.00	23.24	14.47	18.69	12.51

Understory only (cont)

	American beech	American hornbeam	yellow birch	sweet birch	mountain laurel
Relative Density (percent)	0.98	0.78	0.67	0.23	0.19
percentage of stand	9.83	7.86	6.75	2.27	1.87

Understory only (cont)

	serviceberry	pignut hickory	chestnut oak	eastern hemlock	northern red oak
Relative Density (percent)	0.08	0.12	0.05	0.00	0.00
percentage of stand	0.76	1.20	0.54	0.00	0.00

Understory only (cont)

	northern spicebush	white ash	shagbark hickory	mockernut hickory
Relative Density (percent)	0.00	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	sugar maple	red maple
Relative Density (percent)	110.60	19.27	17.33	15.32	10.48
percentage of stand	100.00	17.43	15.67	13.86	9.47

Combined overstory and understory (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Relative Density (percent)	6.33	5.97	5.75	3.84	3.85
percentage of stand	5.72	5.40	5.20	3.47	3.48

Combined overstory and understory (cont)

	mockernut hickory	American witchhazel	yellow birch	black oak	white ash
Relative Density (percent)	2.95	2.87	2.50	1.78	0.91
percentage of stand	2.67	2.60	2.26	1.61	0.82

Combined overstory and understory (cont)

	shagbark hickory	hophornbeam	tuliptree	Norway maple	serviceberry
Relative Density (percent)	1.99	2.44	0.48	1.17	1.37
percentage of stand	1.80	2.21	0.44	1.06	1.24

Combined overstory and understory (cont)

	American hornbeam	American elm	sassafras	bigtooth aspen	water oak
Relative Density (percent)	1.34	0.72	0.67	0.51	0.37
percentage of stand	1.21	0.65	0.61	0.46	0.33

Combined overstory and understory (cont)

	black cherry	mountain laurel	eastern hemlock	northern spicebush
Relative Density (percent)	0.18	0.19	0.00	0.00
percentage of stand	0.16	0.17	0.00	0.00

Volumes

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Sawtimber gross total (board feet/acre)	4,950	1,716	753	285	163
Sawtimber net total (board feet/acre)	4,357	1,530	644	263	147
Pulpwood gross total (cubic feet/acre)	1,712	293	336	251	151
Pulpwood net total (cubic feet/acre)	1,365	234	269	199	121
Gross total (cubic feet/acre)	2,561	588	459	302	177

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Net total (cubic feet/acre)	1,964	446	353	236	139

Overstory only (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Sawtimber gross total (board feet/acre)	287	67	163	372	360
Sawtimber net total (board feet/acre)	256	67	149	311	344
Pulpwood gross total (cubic feet/acre)	111	93	49	66	68
Pulpwood net total (cubic feet/acre)	87	74	39	52	55
Gross total (cubic feet/acre)	159	106	74	130	129
Net total (cubic feet/acre)	121	85	58	95	101

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Sawtimber gross total (board feet/acre)	202	111	137	32	0
Sawtimber net total (board feet/acre)	169	99	120	32	0
Pulpwood gross total (cubic feet/acre)	40	35	31	36	52
Pulpwood net total (cubic feet/acre)	32	28	25	29	42
Gross total (cubic feet/acre)	80	54	55	42	52
Net total (cubic feet/acre)	59	41	42	34	42

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
Sawtimber gross total (board feet/acre)	32	34	0	74	35
Sawtimber net total (board feet/acre)	21	34	0	62	35
Pulpwood gross total (cubic feet/acre)	22	35	6	9	5
Pulpwood net total (cubic feet/acre)	17	28	4	8	4
Gross total (cubic feet/acre)	27	41	6	22	12
Net total (cubic feet/acre)	20	33	4	16	9

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
Sawtimber gross total (board feet/acre)	89	0	0	36	0
Sawtimber net total (board feet/acre)	60	0	0	12	0
Pulpwood gross total (cubic feet/acre)	7	0	11	6	0
Pulpwood net total (cubic feet/acre)	5	0	9	5	0
Gross total (cubic feet/acre)	24	0	11	12	0
Net total (cubic feet/acre)	14	0	9	6	0

Overstory only (cont)

	American hornbeam
Sawtimber gross total (board feet/acre)	0
Sawtimber net total (board feet/acre)	0
Pulpwood gross total (cubic feet/acre)	0
Pulpwood net total (cubic feet/acre)	0
Gross total (cubic feet/acre)	0
Net total (cubic feet/acre)	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	sugar maple	red maple
Coarse Root Biomass (tons per acre)	16.73	3.72	2.96	2.13	1.28
Stem Wood Biomass (tons per acre)	54.08	12.81	9.62	6.66	3.75
Stem Bark Biomass (tons per acre)	11.12	2.54	1.98	1.40	0.82
Foliage Biomass (tons per acre)	1.85	0.38	0.32	0.24	0.15
Aboveground Biomass (tons per acre)	88.19	19.77	15.65	11.19	6.68
Total Biomass (tons per acre)	104.92	23.49	18.61	13.32	7.97

Overstory only (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Coarse Root Biomass (tons per acre)	1.03	0.81	0.71	0.79	0.81
Stem Wood Biomass (tons per acre)	3.20	2.43	2.16	2.70	2.80
Stem Bark Biomass (tons per acre)	0.67	0.52	0.46	0.54	0.56
Foliage Biomass (tons per acre)	0.12	0.09	0.08	0.08	0.08
Aboveground Biomass (tons per acre)	5.38	4.21	3.72	4.20	4.33
Total Biomass (tons per acre)	6.41	5.02	4.43	4.99	5.14

Overstory only (cont)

	mockernut hickory	black oak	white ash	shagbark hickory	tuliptree
Coarse Root Biomass (tons per acre)	0.54	0.34	0.25	0.30	0.28
Stem Wood Biomass (tons per acre)	1.81	1.15	0.82	0.92	1.00
Stem Bark Biomass (tons per acre)	0.37	0.23	0.17	0.19	0.19
Foliage Biomass (tons per acre)	0.06	0.04	0.03	0.03	0.03
Aboveground Biomass (tons per acre)	2.88	1.82	1.32	1.55	1.48
Total Biomass (tons per acre)	3.42	2.16	1.57	1.85	1.75

Overstory only (cont)

	yellow birch	Norway maple	serviceberry	American elm	sassafras
Coarse Root Biomass (tons per acre)	0.20	0.00	0.10	0.11	0.09
Stem Wood Biomass (tons per acre)	0.55	0.00	0.24	0.37	0.26
Stem Bark Biomass (tons per acre)	0.12	0.00	0.06	0.07	0.06
Foliage Biomass (tons per acre)	0.03	0.00	0.01	0.01	0.01
Aboveground Biomass (tons per acre)	1.01	0.00	0.49	0.58	0.44
Total Biomass (tons per acre)	1.20	0.00	0.59	0.69	0.53

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
Coarse Root Biomass (tons per acre)	0.10	0.05	0.06	0.05	0.00
Stem Wood Biomass (tons per acre)	0.35	0.07	0.21	0.16	0.00
Stem Bark Biomass (tons per acre)	0.07	0.02	0.04	0.03	0.00
Foliage Biomass (tons per	0.01	0.01	0.01	0.01	0.00

Overstory only (cont)

	bigtooth aspen	hophornbeam	water oak	black cherry	American witchhazel
acre)					
Aboveground Biomass (tons per acre)	0.54	0.23	0.34	0.26	0.00
Total Biomass (tons per acre)	0.64	0.28	0.40	0.31	0.00

Overstory only (cont)

	American hornbeam
Coarse Root Biomass (tons per acre)	0.03
Stem Wood Biomass (tons per acre)	0.05
Stem Bark Biomass (tons per acre)	0.01
Foliage Biomass (tons per acre)	0.00
Aboveground Biomass (tons per acre)	0.13
Total Biomass (tons per acre)	0.15

Understory only

	All species	American witchhazel	red maple	sugar maple	hophornbeam
Coarse Root Biomass (tons per acre)	0.53	0.00	0.12	0.13	0.06
Foliage Biomass (tons per acre)	0.74	0.00	0.05	0.20	0.07
Aboveground Biomass (tons per acre)	2.28	0.00	0.56	0.54	0.25
Total Biomass (tons per acre)	2.81	0.00	0.68	0.67	0.31

Understory only (cont)

	American beech	American hornbeam	yellow birch	sweet birch	mountain laurel
Coarse Root Biomass (tons per acre)	0.06	0.04	0.04	0.03	0.00

Understory only (cont)

	American beech	American hornbeam	yellow birch	sweet birch	mountain laurel
Foliage Biomass (tons per acre)	0.04	0.05	0.03	0.09	0.00
Aboveground Biomass (tons per acre)	0.29	0.17	0.19	0.12	0.00
Total Biomass (tons per acre)	0.36	0.21	0.23	0.15	0.00

Understory only (cont)

	serviceberry	pignut hickory	chestnut oak	eastern hemlock	northern red oak
Coarse Root Biomass (tons per acre)	0.01	0.01	0.02	0.00	0.01
Foliage Biomass (tons per acre)	0.01	0.01	0.12	0.00	0.06
Aboveground Biomass (tons per acre)	0.02	0.03	0.07	0.00	0.04
Total Biomass (tons per acre)	0.02	0.03	0.10	0.00	0.05

Understory only (cont)

	northern spicebush	white ash	shagbark hickory	mockernut hickory
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.00	0.01
Aboveground Biomass (tons per acre)	0.00	0.00	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.00	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	sugar maple	red maple
Coarse Root Biomass (tons per acre)	17.26	3.73	2.99	2.26	1.40
Stem Wood Biomass (tons per acre)	54.08	12.81	9.62	6.66	3.75
Stem Bark Biomass (tons per acre)	11.12	2.54	1.98	1.40	0.82
Foliage Biomass (tons per acre)	2.59	0.45	0.44	0.44	0.20
Aboveground Biomass (tons per acre)	90.48	19.81	15.72	11.73	7.24
Total Biomass (tons per acre)	107.74	23.54	18.71	13.99	8.64

Combined overstory and understory (cont)

	sweet birch	pignut hickory	American beech	scarlet oak	white oak
Coarse Root Biomass (tons per acre)	1.06	0.81	0.77	0.79	0.81
Stem Wood Biomass (tons per acre)	3.20	2.43	2.16	2.70	2.80
Stem Bark Biomass (tons per acre)	0.67	0.52	0.46	0.54	0.56
Foliage Biomass (tons per acre)	0.21	0.10	0.12	0.08	0.08
Aboveground Biomass (tons per acre)	5.50	4.24	4.01	4.20	4.33
Total Biomass (tons per acre)	6.56	5.05	4.78	4.99	5.14

Combined overstory and understory (cont)

	mockernut hickory	American witchhazel	yellow birch	black oak	white ash
Coarse Root Biomass (tons per acre)	0.55	0.00	0.24	0.34	0.25
Stem Wood Biomass (tons per acre)	1.81	0.00	0.55	1.15	0.82
Stem Bark Biomass (tons per acre)	0.37	0.00	0.12	0.23	0.17
Foliage Biomass (tons per	0.07	0.00	0.06	0.04	0.03

Combined overstory and understory (cont)

	mockernut hickory	American witchhazel	yellow birch	black oak	white ash
acre)					
Aboveground Biomass (tons per acre)	2.88	0.00	1.19	1.82	1.32
Total Biomass (tons per acre)	3.43	0.00	1.43	2.16	1.57

Combined overstory and understory (cont)

	shagbark hickory	hophornbeam	tuliptree	Norway maple	serviceberry
Coarse Root Biomass (tons per acre)	0.30	0.11	0.28	0.00	0.10
Stem Wood Biomass (tons per acre)	0.92	0.07	1.00	0.00	0.24
Stem Bark Biomass (tons per acre)	0.19	0.02	0.19	0.00	0.06
Foliage Biomass (tons per acre)	0.04	0.08	0.03	0.00	0.02
Aboveground Biomass (tons per acre)	1.55	0.48	1.48	0.00	0.51
Total Biomass (tons per acre)	1.85	0.59	1.75	0.00	0.61

Combined overstory and understory (cont)

	American hornbeam	American elm	sassafras	bigtooth aspen	water oak
Coarse Root Biomass (tons per acre)	0.07	0.11	0.09	0.10	0.06
Stem Wood Biomass (tons per acre)	0.05	0.37	0.26	0.35	0.21
Stem Bark Biomass (tons per acre)	0.01	0.07	0.06	0.07	0.04
Foliage Biomass (tons per acre)	0.05	0.01	0.01	0.01	0.01
Aboveground Biomass (tons per acre)	0.29	0.58	0.44	0.54	0.34
Total Biomass (tons per acre)	0.36	0.69	0.53	0.64	0.40

Combined overstory and understory (cont)

	black cherry	mountain laurel	eastern hemlock	northern spicebush
Coarse Root Biomass (tons per acre)	0.05	0.00	0.00	0.00
Stem Wood Biomass (tons per acre)	0.16	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.03	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.26	0.00	0.00	0.00
Total Biomass (tons per acre)	0.31	0.00	0.00	0.00

Generated: 08/28/2012 13:52
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 9.mdb

Timber Tables

This report is for the stand 'Stand 9' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, speckled alder, pink azalea, unidentified species, huckleberry and American hazelnut where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	sweet birch	scarlet oak	Norway maple
Basal Area (square feet)	110.0	35.4	9.2	8.8	7.9
Percentage of stand basal area (%)	100.0	32.2	8.3	8.0	7.2
Stems Per Unit Area (stems per acre)	295.6	32.0	44.7	8.5	30.4

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Basal Area (square feet)	6.7	6.7	6.7	5.0	4.6
Percentage of stand basal area (%)	6.1	6.1	6.1	4.5	4.2
Stems Per Unit Area (stems per acre)	9.2	15.2	47.2	5.7	15.4

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine
Basal Area (square feet)	4.2	3.8	2.5	2.1	1.7
Percentage of stand basal area (%)	3.8	3.4	2.3	1.9	1.5
Stems Per Unit Area (stems per acre)	17.9	53.0	5.3	3.4	1.1

Overstory only (cont)

	tuliptree	yellow birch	bigtooth aspen	blackgum	sassafras
Basal Area (square feet)	1.3	1.3	0.8	0.4	0.4
Percentage of stand basal area (%)	1.1	1.1	0.8	0.4	0.4
Stems Per Unit Area (stems per acre)	0.4	3.5	0.7	0.5	1.2

Overstory only (cont)

	eastern white pine	Norway spruce
Basal Area (square feet)	0.4	0.4
Percentage of stand basal area (%)	0.4	0.4
Stems Per Unit Area (stems per acre)	0.1	0.1

Understory only

	All species	red maple	serviceberry	sweet birch	sugar maple
Basal Area (square feet)	9.2	2.4	1.6	1.4	1.1
Percentage of stand basal area (%)	100.0	26.1	16.9	15.4	12.0
Stems Per Unit Area (stems per acre)	4,155.6	619.4	227.8	75.0	122.2

Understory only (cont)

	hophornbeam	mockernut hickory	black cherry	American witchhazel	northern spicebush

Understory only (cont)

	hophornbeam	mockernut hickory	black cherry	American witchhazel	northern spicebush
Basal Area (square feet)	0.5	0.4	0.3	0.3	0.2
Percentage of stand basal area (%)	5.6	4.8	3.8	3.3	2.6
Stems Per Unit Area (stems per acre)	52.8	25.0	44.4	88.9	219.4

Understory only (cont)

	sassafras	American hornbeam	blackhaw	chestnut oak	pignut hickory
Basal Area (square feet)	0.2	0.2	0.1	0.1	0.0
Percentage of stand basal area (%)	2.5	2.3	0.8	0.7	0.3
Stems Per Unit Area (stems per acre)	22.2	41.7	55.6	8.3	30.6

Understory only (cont)

	northern red oak	bigtooth aspen	white ash	American beech
Basal Area (square feet)	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.2	0.2	0.0	0.0
Stems Per Unit Area (stems per acre)	327.8	58.3	5.6	8.3

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	sweet birch	red maple	scarlet oak
Basal Area (square feet)	119.2	35.4	10.6	9.1	8.8
Percentage of stand basal area (%)	100.0	29.7	8.9	7.6	7.3
Stems Per Unit Area (stems per acre)	4,451.1	359.8	119.7	666.6	8.5

Combined overstory and understory (cont)

	Norway maple	chestnut oak	white ash	mockernut hickory	white oak
Basal Area (square feet)	7.9	6.7	6.7	5.0	5.0
Percentage of stand basal area (%)	6.6	5.6	5.6	4.2	4.2
Stems Per Unit Area (stems per acre)	30.4	17.5	20.8	40.4	5.7

Combined overstory and understory (cont)

	sugar maple	pignut hickory	black cherry	black oak	red pine
Basal Area (square feet)	4.9	4.2	2.8	2.1	1.7
Percentage of stand basal area (%)	4.1	3.5	2.4	1.7	1.4
Stems Per Unit Area (stems per acre)	175.2	48.5	49.7	3.4	1.1

Combined overstory and understory (cont)

	serviceberry	tuliptree	yellow birch	bigtooth aspen	sassafras
Basal Area (square feet)	1.6	1.3	1.3	0.8	0.6
Percentage of stand basal area (%)	1.3	1.0	1.0	0.7	0.5
Stems Per Unit Area (stems per acre)	227.8	0.4	3.5	59.1	23.4

Combined overstory and understory (cont)

	hophornbeam	blackgum	eastern white pine	Norway spruce	American witchhazel
Basal Area (square feet)	0.5	0.4	0.4	0.4	0.3
Percentage of stand basal	0.4	0.3	0.3	0.3	0.3

Combined overstory and understory (cont)

	hophornbeam	blackgum	eastern white pine	Norway spruce	American witchhazel
area (%)					
Stems Per Unit Area (stems per acre)	52.8	0.5	0.1	0.1	88.9

Combined overstory and understory (cont)

	northern spicebush	American hornbeam	blackhaw	American beech
Basal Area (square feet)	0.2	0.2	0.1	0.0
Percentage of stand basal area (%)	0.2	0.2	0.1	0.0
Stems Per Unit Area (stems per acre)	219.4	41.7	55.6	8.3

Diameters

Overstory only

	All species	northern red oak	sweet birch	scarlet oak	Norway maple
Medial DBH (inches)	13.4	17.0	7.8	16.1	10.1
Merchantable Medial DBH (inches)	14.5	17.0	9.0	16.1	11.3
Quadratic Mean DBH (inches)	8.3	14.2	6.1	13.8	6.9
Merchantable Quadratic DBH (inches)	11.3	14.2	7.6	13.8	9.3
Average DBH (inches)	6.8	13.3	5.7	13.0	6.0

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Medial DBH (inches)	13.6	12.8	7.4	13.9	9.9
Merchantable Medial DBH (inches)	13.6	14.5	11.3	13.9	11.1
Quadratic Mean DBH (inches)	11.5	9.0	5.1	12.7	7.4

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Merchantable Quadratic DBH (inches)	11.5	12.8	10.0	12.7	9.5
Average DBH (inches)	10.8	7.9	4.6	12.2	6.7

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine
Medial DBH (inches)	8.6	6.4	12.5	13.6	16.8
Merchantable Medial DBH (inches)	9.2	9.2	12.5	13.6	16.8
Quadratic Mean DBH (inches)	6.5	3.6	9.3	10.5	16.3
Merchantable Quadratic DBH (inches)	8.5	8.6	9.3	10.5	16.3
Average DBH (inches)	5.8	3.0	8.5	9.5	16.2

Overstory only (cont)

	tuliptree	yellow birch	bigtooth aspen	blackgum	sassafras
Medial DBH (inches)	23.3	8.3	14.5	13.0	8.0
Merchantable Medial DBH (inches)	23.3	8.3	14.5	13.0	8.0
Quadratic Mean DBH (inches)	23.1	8.1	14.5	13.0	8.0
Merchantable Quadratic DBH (inches)	23.1	8.1	14.5	13.0	8.0
Average DBH (inches)	23.0	8.0	14.5	13.0	8.0

Overstory only (cont)

	eastern white pine	Norway spruce
Medial DBH (inches)	29.0	38.0
Merchantable Medial DBH (inches)	29.0	38.0
Quadratic Mean DBH (inches)	29.0	38.0
Merchantable Quadratic DBH (inches)	29.0	38.0

Overstory only (cont)

	eastern white pine	Norway spruce
Average DBH (inches)	29.0	38.0

Understory only

	All species	red maple	serviceberry	sweet birch	sugar maple
Medial DBH (inches)	2.7	3.6	2.2	3.2	2.4
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.8	2.5	1.7	2.5	1.9
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	2.1	1.6	2.3	1.8

Understory only (cont)

	hophornbeam	mockernut hickory	black cherry	American witchhazel	northern spicebush
Medial DBH (inches)	3.8	2.5	3.3	1.4	1.3
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.9	2.0	2.1	1.2	1.1
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.5	1.9	1.8	1.1	1.1

Understory only (cont)

	sassafras	American hornbeam	blackhaw	chestnut oak	pignut hickory
Medial DBH (inches)	1.8	1.6	1.0	2.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.3	1.0	2.0	1.0

Understory only (cont)

	sassafras	American hornbeam	blackhaw	chestnut oak	pignut hickory
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	1.3	1.0	2.0	1.0

Understory only (cont)

	northern red oak	bigtooth aspen	white ash	American beech
Medial DBH (inches)	1.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	sweet birch	red maple	scarlet oak
Medial DBH (inches)	12.5	17.0	7.2	6.4	16.1
Merchantable Medial DBH (inches)	14.5	17.0	9.0	11.3	16.1
Quadratic Mean DBH (inches)	5.2	13.7	4.7	3.7	13.8
Merchantable Quadratic DBH (inches)	11.3	14.2	7.6	10.0	13.8
Average DBH (inches)	3.5	12.3	4.0	3.1	13.0

Combined overstory and understory (cont)

	Norway maple	chestnut oak	white ash	mockernut hickory	white oak

Combined overstory and understory (cont)

	Norway maple	chestnut oak	white ash	mockernut hickory	white oak
Medial DBH (inches)	10.1	13.5	12.7	9.3	13.9
Merchantable Medial DBH (inches)	11.2	13.6	14.5	11.1	13.9
Quadratic Mean DBH (inches)	6.9	10.2	9.0	5.1	12.7
Merchantable Quadratic DBH (inches)	9.3	11.5	12.8	9.5	12.7
Average DBH (inches)	6.0	8.8	7.9	4.0	12.2

Combined overstory and understory (cont)

	sugar maple	pignut hickory	black cherry	black oak	red pine
Medial DBH (inches)	5.5	8.5	11.4	13.6	16.8
Merchantable Medial DBH (inches)	9.2	9.2	12.5	13.6	16.8
Quadratic Mean DBH (inches)	2.9	5.7	5.2	10.5	16.3
Merchantable Quadratic DBH (inches)	8.6	8.5	9.3	10.5	16.3
Average DBH (inches)	2.4	4.7	3.6	9.5	16.2

Combined overstory and understory (cont)

	serviceberry	tuliptree	yellow birch	bigtooth aspen	sassafras
Medial DBH (inches)	2.2	23.3	8.3	14.3	5.8
Merchantable Medial DBH (inches)	0.0	23.3	8.3	14.5	8.0
Quadratic Mean DBH (inches)	1.7	23.1	8.1	6.7	2.6
Merchantable Quadratic DBH (inches)	0.0	23.1	8.1	14.5	8.0
Average DBH (inches)	1.6	23.0	8.0	3.8	1.9

Combined overstory and understory (cont)

	hophornbeam	blackgum	eastern white pine	Norway spruce	American witchhazel
Medial DBH (inches)	3.8	13.0	29.0	38.0	1.4
Merchantable Medial DBH (inches)	0.0	13.0	29.0	38.0	0.0
Quadratic Mean DBH (inches)	2.9	13.0	29.0	38.0	1.2
Merchantable Quadratic DBH (inches)	0.0	13.0	29.0	38.0	0.0
Average DBH (inches)	2.5	13.0	29.0	38.0	1.1

Combined overstory and understory (cont)

	northern spicebush	American hornbeam	blackhaw	American beech
Medial DBH (inches)	1.2	1.6	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.1	1.3	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.1	1.2	1.0	0.0

Structure

Overstory only

	All species	northern red oak	sweet birch	scarlet oak	Norway maple
Q Factor	1.24	1.15	1.44	1.13	1.22

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Q Factor	1.24	1.20	1.36	1.16	1.21

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine
Q Factor	1.37	1.45	1.24	1.18	1.13

Overstory only (cont)

	tuliptree	yellow birch	bigtooth aspen	blackgum	sassafras
Q Factor	1.09	1.27	1.15	0.00	1.15

Overstory only (cont)

	eastern white pine	Norway spruce
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	sweet birch	scarlet oak	Norway maple
Relative Density (percent)	88.74	31.03	7.53	7.02	5.56
percentage of stand	100.00	34.97	8.49	7.91	6.26

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Relative Density (percent)	5.54	3.35	5.89	4.10	4.25
percentage of stand	6.25	3.77	6.64	4.62	4.78

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine
Relative Density (percent)	4.00	4.04	1.24	1.75	0.74
percentage of stand	4.51	4.56	1.40	1.97	0.83

Overstory only (cont)

	tuliptree	yellow birch	bigtooth aspen	blackgum	sassafras
Relative Density (percent)	0.36	1.08	0.50	0.25	0.31
percentage of stand	0.41	1.22	0.56	0.28	0.35

Overstory only (cont)

	eastern white pine	Norway spruce
Relative Density (percent)	0.13	0.07
percentage of stand	0.14	0.07

Understory only

	All species	red maple	serviceberry	sweet birch	sugar maple
Relative Density (percent)	12.07	2.73	2.01	1.72	1.82
percentage of stand	100.00	22.61	16.69	14.25	15.05

Understory only (cont)

	hophornbeam	mockernut hickory	black cherry	American witchhazel	northern spicebush
Relative Density (percent)	0.56	0.77	0.83	0.35	0.26
percentage of stand	4.61	6.37	6.87	2.88	2.15

Understory only (cont)

	sassafras	American hornbeam	blackhaw	chestnut oak	pignut hickory
Relative Density (percent)	0.31	0.26	0.07	0.11	0.10
percentage of stand	2.54	2.17	0.59	0.94	0.84

Understory only (cont)

	northern red oak	bigtooth aspen	white ash	American beech
Relative Density (percent)	0.02	0.05	0.00	0.00
percentage of stand	0.15	0.44	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	sweet birch	red maple	scarlet oak
Relative Density (percent)	100.81	31.05	9.25	8.62	7.02
percentage of stand	100.00	30.80	9.18	8.55	6.96

Combined overstory and understory (cont)

	Norway maple	chestnut oak	white ash	mockernut hickory	white oak
Relative Density (percent)	5.56	5.66	3.35	5.01	4.10
percentage of stand	5.51	5.61	3.32	4.97	4.06

Combined overstory and understory (cont)

	sugar maple	pignut hickory	black cherry	black oak	red pine
Relative Density (percent)	5.86	4.10	2.07	1.75	0.74
percentage of stand	5.81	4.07	2.05	1.74	0.73

Combined overstory and understory (cont)

	serviceberry	tuliptree	yellow birch	bigtooth aspen	sassafras
Relative Density (percent)	2.01	0.36	1.08	0.55	0.62
percentage of stand	2.00	0.36	1.08	0.55	0.62

Combined overstory and understory (cont)

	hophornbeam	blackgum	eastern white pine	Norway spruce	American witchhazel
Relative Density (percent)	0.56	0.25	0.13	0.07	0.35
percentage of stand	0.55	0.25	0.12	0.07	0.35

Combined overstory and understory (cont)

	northern spicebush	American hornbeam	blackhaw	American beech
Relative Density (percent)	0.26	0.26	0.07	0.00
percentage of stand	0.26	0.26	0.07	0.00

Volumes

Overstory only

	All species	northern red oak	sweet birch	scarlet oak	Norway maple
Sawtimber gross total (board feet/acre)	5,374	2,618	120	607	114
Sawtimber net total (board feet/acre)	5,190	2,569	120	527	114
Pulpwood gross total (cubic feet/acre)	1,443	476	90	132	128
Pulpwood net total (cubic feet/acre)	1,154	381	72	106	103
Gross total (cubic feet/acre)	2,359	923	110	228	147
Net total (cubic feet/acre)	1,863	731	88	173	118

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Sawtimber gross total (board feet/acre)	351	429	31	251	124
Sawtimber net total (board feet/acre)	351	418	31	251	124
Pulpwood gross total (cubic feet/acre)	104	59	52	79	56
Pulpwood net total (cubic feet/acre)	83	47	42	63	45
Gross total (cubic feet/acre)	164	137	57	126	79
Net total (cubic feet/acre)	131	108	46	101	63

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine
Sawtimber gross total (board feet/acre)	31	0	134	139	180
Sawtimber net total (board feet/acre)	31	0	122	128	180
Pulpwood gross total (cubic feet/acre)	68	41	37	23	15
Pulpwood net total (cubic feet/acre)	54	32	30	18	12
Gross total (cubic feet/acre)	73	41	58	47	45
Net total (cubic feet/acre)	59	32	45	36	36

Overstory only (cont)

	tuliptree	yellow birch	bigtooth aspen	blackgum	sassafras
Sawtimber gross total (board feet/acre)	0	0	81	30	0
Sawtimber net total (board feet/acre)	0	0	81	30	0
Pulpwood gross total (cubic feet/acre)	36	22	6	5	8
Pulpwood net total (cubic feet/acre)	29	17	5	4	7
Gross total (cubic feet/acre)	36	22	22	11	8
Net total (cubic feet/acre)	29	17	17	8	7

Overstory only (cont)

	eastern white pine	Norway spruce
Sawtimber gross total (board feet/acre)	64	70
Sawtimber net total (board feet/acre)	43	70
Pulpwood gross total (cubic feet/acre)	3	3
Pulpwood net total (cubic feet/acre)	3	3
Gross total (cubic feet/acre)	12	13
Net total (cubic feet/acre)	8	10

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	sweet birch	scarlet oak	Norway maple
Coarse Root Biomass (tons per acre)	14.44	5.88	0.99	1.42	0.00
Stem Wood Biomass (tons per acre)	46.97	20.18	2.81	4.84	0.00
Stem Bark Biomass (tons per acre)	9.60	4.01	0.63	0.97	0.00
Foliage Biomass (tons per acre)	1.63	0.61	0.12	0.15	0.00
Aboveground Biomass (tons per acre)	76.04	31.29	5.15	7.55	0.00
Total Biomass (tons per acre)	90.48	37.17	6.14	8.97	0.00

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Coarse Root Biomass (tons per acre)	1.01	0.72	0.70	0.77	0.61
Stem Wood Biomass (tons per acre)	3.34	2.34	1.91	2.56	1.85
Stem Bark Biomass (tons per acre)	0.68	0.48	0.44	0.52	0.39

Overstory only (cont)

	chestnut oak	white ash	red maple	white oak	mockernut hickory
Foliage Biomass (tons per acre)	0.11	0.08	0.09	0.08	0.07
Aboveground Biomass (tons per acre)	5.35	3.82	3.62	4.07	3.17
Total Biomass (tons per acre)	6.36	4.54	4.32	4.84	3.78

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	black oak	red pine
Coarse Root Biomass (tons per acre)	0.52	0.41	0.27	0.32	0.19
Stem Wood Biomass (tons per acre)	1.54	1.07	0.87	1.04	0.58
Stem Bark Biomass (tons per acre)	0.34	0.25	0.18	0.21	0.10
Foliage Biomass (tons per acre)	0.06	0.06	0.03	0.03	0.05
Aboveground Biomass (tons per acre)	2.73	2.11	1.42	1.67	0.88
Total Biomass (tons per acre)	3.25	2.52	1.69	1.98	1.06

Overstory only (cont)

	tuliptree	yellow birch	bigtooth aspen	blackgum	sassafras
Coarse Root Biomass (tons per acre)	0.18	0.14	0.09	0.05	0.04
Stem Wood Biomass (tons per acre)	0.66	0.42	0.31	0.15	0.11
Stem Bark Biomass (tons per acre)	0.13	0.09	0.06	0.03	0.02
Foliage Biomass (tons per acre)	0.02	0.02	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.98	0.73	0.48	0.25	0.20
Total Biomass (tons per acre)	1.16	0.87	0.57	0.29	0.23

Overstory only (cont)

	eastern white pine	Norway spruce
Coarse Root Biomass (tons per acre)	0.06	0.07

Overstory only (cont)

	eastern white pine	Norway spruce
Stem Wood Biomass (tons per acre)	0.19	0.21
Stem Bark Biomass (tons per acre)	0.03	0.04
Foliage Biomass (tons per acre)	0.02	0.02
Aboveground Biomass (tons per acre)	0.28	0.31
Total Biomass (tons per acre)	0.34	0.38

Understory only

	All species	red maple	serviceberry	sweet birch	sugar maple
Coarse Root Biomass (tons per acre)	0.74	0.26	0.09	0.12	0.09
Foliage Biomass (tons per acre)	0.72	0.31	0.06	0.04	0.05
Aboveground Biomass (tons per acre)	3.32	1.17	0.40	0.59	0.43
Total Biomass (tons per acre)	4.07	1.44	0.49	0.72	0.53

Understory only (cont)

	hophornbeam	mockernut hickory	black cherry	American witchhazel	northern spicebush
Coarse Root Biomass (tons per acre)	0.04	0.04	0.02	0.00	0.00
Foliage Biomass (tons per acre)	0.02	0.01	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.17	0.17	0.11	0.00	0.00
Total Biomass (tons per acre)	0.21	0.21	0.13	0.00	0.00

Understory only (cont)

	sassafras	American hornbeam	blackhaw	chestnut oak	pignut hickory
Coarse Root Biomass (tons per	0.01	0.01	0.00	0.01	0.00

Understory only (cont)

	sassafras	American hornbeam	blackhaw	chestnut oak	pignut hickory
acre)					
Foliage Biomass (tons per acre)	0.01	0.01	0.00	0.00	0.01
Aboveground Biomass (tons per acre)	0.05	0.05	0.00	0.02	0.01
Total Biomass (tons per acre)	0.06	0.06	0.00	0.03	0.02

Understory only (cont)

	northern red oak	bigtooth aspen	white ash	American beech
Coarse Root Biomass (tons per acre)	0.03	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.15	0.02	0.00	0.00
Aboveground Biomass (tons per acre)	0.09	0.02	0.00	0.00
Total Biomass (tons per acre)	0.12	0.02	0.00	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	sweet birch	red maple	scarlet oak
Coarse Root Biomass (tons per acre)	15.18	5.91	1.12	0.97	1.42
Stem Wood Biomass (tons per acre)	46.97	20.18	2.81	1.91	4.84
Stem Bark Biomass (tons per acre)	9.60	4.01	0.63	0.44	0.97
Foliage Biomass (tons per acre)	2.35	0.76	0.16	0.40	0.15
Aboveground Biomass (tons per acre)	79.36	31.38	5.74	4.79	7.55
Total Biomass (tons per acre)	94.54	37.29	6.86	5.76	8.97

Combined overstory and understory (cont)

	Norway maple	chestnut oak	white ash	mockernut hickory	white oak

Combined overstory and understory (cont)

	Norway maple	chestnut oak	white ash	mockernut hickory	white oak
Coarse Root Biomass (tons per acre)	0.00	1.02	0.72	0.64	0.77
Stem Wood Biomass (tons per acre)	0.00	3.34	2.34	1.85	2.56
Stem Bark Biomass (tons per acre)	0.00	0.68	0.48	0.39	0.52
Foliage Biomass (tons per acre)	0.00	0.11	0.08	0.08	0.08
Aboveground Biomass (tons per acre)	0.00	5.37	3.82	3.34	4.07
Total Biomass (tons per acre)	0.00	6.38	4.54	3.98	4.84

Combined overstory and understory (cont)

	sugar maple	pignut hickory	black cherry	black oak	red pine
Coarse Root Biomass (tons per acre)	0.51	0.53	0.29	0.32	0.19
Stem Wood Biomass (tons per acre)	1.07	1.54	0.87	1.04	0.58
Stem Bark Biomass (tons per acre)	0.25	0.34	0.18	0.21	0.10
Foliage Biomass (tons per acre)	0.11	0.08	0.04	0.03	0.05
Aboveground Biomass (tons per acre)	2.54	2.74	1.53	1.67	0.88
Total Biomass (tons per acre)	3.05	3.27	1.82	1.98	1.06

Combined overstory and understory (cont)

	serviceberry	tuliptree	yellow birch	bigtooth aspen	sassafras
Coarse Root Biomass (tons per acre)	0.09	0.18	0.14	0.10	0.05
Stem Wood Biomass (tons per acre)	0.00	0.66	0.42	0.31	0.11
Stem Bark Biomass (tons per acre)	0.00	0.13	0.09	0.06	0.02
Foliage Biomass (tons per acre)	0.06	0.02	0.02	0.03	0.01
Aboveground Biomass (tons per acre)	0.40	0.98	0.73	0.50	0.25
Total Biomass (tons per acre)	0.49	1.16	0.87	0.59	0.30

Combined overstory and understory (cont)

	hophornbeam	blackgum	eastern white pine	Norway spruce	American witchhazel
Coarse Root Biomass (tons per acre)	0.04	0.05	0.06	0.07	0.00
Stem Wood Biomass (tons per acre)	0.00	0.15	0.19	0.21	0.00
Stem Bark Biomass (tons per acre)	0.00	0.03	0.03	0.04	0.00
Foliage Biomass (tons per acre)	0.02	0.00	0.02	0.02	0.00
Aboveground Biomass (tons per acre)	0.17	0.25	0.28	0.31	0.00
Total Biomass (tons per acre)	0.21	0.29	0.34	0.38	0.00

Combined overstory and understory (cont)

	northern spicebush	American hornbeam	blackhaw	American beech
Coarse Root Biomass (tons per acre)	0.00	0.01	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.05	0.00	0.00
Total Biomass (tons per acre)	0.00	0.06	0.00	0.00

Generated: 08/28/2012 13:56
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 10.mdb

Timber Tables

This report is for the stand 'Stand 10' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, unidentified species and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Basal Area (square feet)	102.5	22.5	17.5	12.5	10.0
Percentage of stand basal area (%)	100.0	22.0	17.1	12.2	9.8
Stems Per Unit Area (stems per acre)	396.7	71.6	76.7	41.8	43.2

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
Basal Area (square feet)	7.5	5.0	5.0	5.0	2.5
Percentage of stand basal area (%)	7.3	4.9	4.9	4.9	2.4
Stems Per Unit Area (stems per acre)	23.0	18.4	16.5	31.1	9.4

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Basal Area (square feet)	2.5	2.5	2.5	2.5	2.5

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Percentage of stand basal area (%)	2.4	2.4	2.4	2.4	2.4
Stems Per Unit Area (stems per acre)	9.4	4.6	3.8	9.4	28.6

Overstory only (cont)

	sugar maple
Basal Area (square feet)	2.5
Percentage of stand basal area (%)	2.4
Stems Per Unit Area (stems per acre)	9.4

Understory only

	All species	mountain laurel	sugar maple	hophornbeam	red maple
Basal Area (square feet)	14.5	7.1	1.7	1.5	0.9
Percentage of stand basal area (%)	100.0	49.1	11.9	10.7	6.3
Stems Per Unit Area (stems per acre)	5,716.7	2,316.7	216.7	616.7	200.0

Understory only (cont)

	white ash	yellow birch	chestnut oak	shagbark hickory	pignut hickory
Basal Area (square feet)	0.8	0.7	0.5	0.4	0.4
Percentage of stand basal area (%)	5.7	5.0	3.1	2.5	2.5
Stems Per Unit Area (stems per acre)	50.0	33.3	33.3	50.0	16.7

Understory only (cont)

	sweet birch	serviceberry	northern red oak	American beech
Basal Area (square feet)	0.1	0.1	0.0	0.0
Percentage of stand basal area (%)	0.6	0.6	0.0	0.0
Stems Per Unit Area (stems per acre)	283.3	16.7	366.7	16.7

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Basal Area (square feet)	117.0	22.6	17.5	12.5	10.5
Percentage of stand basal area (%)	100.0	19.3	15.0	10.7	8.9
Stems Per Unit Area (stems per acre)	6,113.4	355.0	443.4	41.8	76.6

Combined overstory and understory (cont)

	yellow birch	mountain laurel	red maple	shagbark hickory	pignut hickory
Basal Area (square feet)	8.2	7.1	5.9	5.4	5.4
Percentage of stand basal area (%)	7.0	6.1	5.1	4.6	4.6
Stems Per Unit Area (stems per acre)	56.3	2,316.7	231.1	68.4	33.2

Combined overstory and understory (cont)

	sugar maple	white ash	eastern hemlock	white oak	bigtooth aspen
Basal Area (square feet)	4.2	3.3	2.5	2.5	2.5
Percentage of stand basal area (%)	3.6	2.8	2.1	2.1	2.1
Stems Per Unit Area (stems per	226.0	53.8	9.4	9.4	4.6

Combined overstory and understory (cont)

	sugar maple	white ash	eastern hemlock	white oak	bigtooth aspen
acre)					

Combined overstory and understory (cont)

	mockernut hickory	gray birch	hophornbeam	serviceberry	American beech
Basal Area (square feet)	2.5	2.5	1.5	0.1	0.0
Percentage of stand basal area (%)	2.1	2.1	1.3	0.1	0.0
Stems Per Unit Area (stems per acre)	9.4	28.6	616.7	16.7	16.7

Diameters

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Medial DBH (inches)	8.9	9.1	10.4	10.8	9.5
Merchantable Medial DBH (inches)	10.0	9.6	14.7	12.5	11.3
Quadratic Mean DBH (inches)	6.9	7.6	6.5	7.4	6.5
Merchantable Quadratic DBH (inches)	8.5	8.3	12.7	11.8	9.7
Average DBH (inches)	6.4	7.2	5.7	6.4	5.8

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
Medial DBH (inches)	8.3	7.5	7.5	5.5	7.0
Merchantable Medial DBH (inches)	8.3	7.5	7.5	6.0	7.0
Quadratic Mean DBH (inches)	7.7	7.1	7.5	5.4	7.0
Merchantable Quadratic DBH	7.7	7.1	7.5	6.0	7.0

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
(inches)					
Average DBH (inches)	7.5	6.9	7.4	5.4	7.0

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Medial DBH (inches)	7.0	10.0	11.0	7.0	4.0
Merchantable Medial DBH (inches)	7.0	10.0	11.0	7.0	0.0
Quadratic Mean DBH (inches)	7.0	10.0	11.0	7.0	4.0
Merchantable Quadratic DBH (inches)	7.0	10.0	11.0	7.0	0.0
Average DBH (inches)	7.0	10.0	11.0	7.0	4.0

Overstory only (cont)

	sugar maple
Medial DBH (inches)	7.0
Merchantable Medial DBH (inches)	7.0
Quadratic Mean DBH (inches)	7.0
Merchantable Quadratic DBH (inches)	7.0
Average DBH (inches)	7.0

Understory only

	All species	mountain laurel	sugar maple	hophornbeam	red maple
Medial DBH (inches)	1.8	1.3	2.9	2.3	2.8
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	1.1	2.5	1.7	2.2

Understory only

	All species	mountain laurel	sugar maple	hophornbeam	red maple
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.2	1.1	2.3	1.5	2.0

Understory only (cont)

	white ash	yellow birch	chestnut oak	shagbark hickory	pignut hickory
Medial DBH (inches)	3.0	2.0	1.8	2.0	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	3.0	2.0	1.6	2.0	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	3.0	2.0	1.5	2.0	2.0

Understory only (cont)

	sweet birch	serviceberry	northern red oak	American beech
Medial DBH (inches)	1.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	sweet birch	northern red oak	Norway maple	chestnut oak

Combined overstory and understory

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Medial DBH (inches)	8.1	9.1	10.4	10.8	9.2
Merchantable Medial DBH (inches)	10.0	9.6	14.7	12.5	11.3
Quadratic Mean DBH (inches)	3.4	6.8	6.5	7.4	5.0
Merchantable Quadratic DBH (inches)	8.5	8.3	12.7	11.8	9.7
Average DBH (inches)	2.4	6.0	5.7	6.4	3.9

Combined overstory and understory (cont)

	yellow birch	mountain laurel	red maple	shagbark hickory	pignut hickory
Medial DBH (inches)	7.8	1.3	5.1	7.1	7.1
Merchantable Medial DBH (inches)	8.3	0.0	6.0	7.5	7.5
Quadratic Mean DBH (inches)	5.2	1.1	4.1	5.3	5.4
Merchantable Quadratic DBH (inches)	7.7	0.0	6.0	7.1	7.5
Average DBH (inches)	4.3	1.1	3.6	4.6	4.7

Combined overstory and understory (cont)

	sugar maple	white ash	eastern hemlock	white oak	bigtooth aspen
Medial DBH (inches)	5.3	9.0	7.0	7.0	10.0
Merchantable Medial DBH (inches)	7.0	11.0	7.0	7.0	10.0
Quadratic Mean DBH (inches)	3.6	5.5	7.0	7.0	10.0
Merchantable Quadratic DBH (inches)	7.0	11.0	7.0	7.0	10.0
Average DBH (inches)	3.1	4.5	7.0	7.0	10.0

Combined overstory and understory (cont)

	mockernut hickory	gray birch	hophornbeam	serviceberry	American beech
Medial DBH (inches)	7.0	4.0	2.3	1.0	0.0
Merchantable Medial DBH (inches)	7.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	7.0	4.0	1.7	1.0	0.0
Merchantable Quadratic DBH (inches)	7.0	0.0	0.0	0.0	0.0
Average DBH (inches)	7.0	4.0	1.5	1.0	0.0

Structure

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Q Factor	1.35	1.26	1.20	1.25	1.28

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
Q Factor	1.47	1.29	1.14	0.93	0.00

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Q Factor	0.00	0.00	1.20	0.00	0.00

Overstory only (cont)

	sugar maple
Q Factor	1.37

Relative density

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Relative Density (percent)	85.94	16.80	16.67	8.46	9.58
percentage of stand	100.00	19.54	19.39	9.84	11.15

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
Relative Density (percent)	6.55	4.82	4.76	4.61	1.05
percentage of stand	7.62	5.60	5.53	5.37	1.22

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Relative Density (percent)	2.43	1.69	1.15	2.43	2.72
percentage of stand	2.83	1.96	1.34	2.83	3.17

Overstory only (cont)

	sugar maple
Relative Density (percent)	2.25
percentage of stand	2.61

Understory only

	All species	mountain laurel	sugar maple	hophornbeam	red maple
Relative Density (percent)	18.05	7.63	2.33	1.90	1.11
percentage of stand	100.00	42.27	12.93	10.53	6.17

Understory only (cont)

	white ash	yellow birch	chestnut oak	shagbark hickory	pignut hickory
Relative Density (percent)	1.37	1.19	0.98	0.68	0.68
percentage of stand	7.59	6.58	5.45	3.76	3.76

Understory only (cont)

	sweet birch	serviceberry	northern red oak	American beech
Relative Density (percent)	0.09	0.09	0.00	0.00
percentage of stand	0.48	0.48	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Relative Density (percent)	103.99	16.88	16.67	8.46	10.56
percentage of stand	100.00	16.23	16.03	8.13	10.16

Combined overstory and understory (cont)

	yellow birch	mountain laurel	red maple	shagbark hickory	pignut hickory
Relative Density (percent)	7.74	7.63	5.73	5.49	5.43
percentage of stand	7.44	7.34	5.51	5.28	5.23

Combined overstory and understory (cont)

	sugar maple	white ash	eastern hemlock	white oak	bigtooth aspen
Relative Density (percent)	4.58	2.52	1.05	2.43	1.69
percentage of stand	4.40	2.42	1.01	2.34	1.62

Combined overstory and understory (cont)

	mockernut hickory	gray birch	hophornbeam	serviceberry	American beech
Relative Density (percent)	2.43	2.72	1.90	0.09	0.00
percentage of stand	2.34	2.62	1.83	0.08	0.00

Volumes

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Sawtimber gross total (board feet/acre)	1,012	191	411	202	208
Sawtimber net total (board feet/acre)	1,012	191	411	202	208
Pulpwood gross total (cubic feet/acre)	1,347	294	168	201	130
Pulpwood net total (cubic feet/acre)	1,063	221	134	161	104
Gross total (cubic feet/acre)	1,532	327	248	239	164
Net total (cubic feet/acre)	1,211	247	198	191	131

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
Sawtimber gross total (board feet/acre)	0	0	0	0	0
Sawtimber net total (board feet/acre)	0	0	0	0	0
Pulpwood gross total (cubic feet/acre)	121	76	82	29	19
Pulpwood net total (cubic feet/acre)	97	61	66	23	15
Gross total (cubic feet/acre)	121	76	82	29	19
Net total (cubic feet/acre)	97	61	66	23	15

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Sawtimber gross total (board feet/acre)	0	0	0	0	0
Sawtimber net total (board feet/acre)	0	0	0	0	0
Pulpwood gross total (cubic feet/acre)	40	55	58	38	0
Pulpwood net total (cubic feet/acre)	32	44	46	30	0
Gross total (cubic feet/acre)	40	55	58	38	0
Net total (cubic feet/acre)	32	44	46	30	0

Overstory only (cont)

	sugar maple
Sawtimber gross total (board feet/acre)	0
Sawtimber net total (board feet/acre)	0
Pulpwood gross total (cubic feet/acre)	38
Pulpwood net total (cubic feet/acre)	30
Gross total (cubic feet/acre)	38
Net total (cubic feet/acre)	30

Values

All the species are missing prices.

Biomass

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Coarse Root Biomass (tons per acre)	10.55	2.57	2.32	0.00	1.29
Stem Wood Biomass (tons per acre)	30.95	7.70	7.03	0.00	3.87
Stem Bark Biomass (tons per	6.72	1.66	1.50	0.00	0.83

Overstory only

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
acre)					
Foliage Biomass (tons per acre)	1.30	0.30	0.27	0.00	0.15
Aboveground Biomass (tons per acre)	54.78	13.44	12.12	0.00	6.75
Total Biomass (tons per acre)	65.33	16.01	14.44	0.00	8.04

Overstory only (cont)

	yellow birch	shagbark hickory	pignut hickory	red maple	eastern hemlock
Coarse Root Biomass (tons per acre)	0.84	0.60	0.60	0.49	0.22
Stem Wood Biomass (tons per acre)	2.48	1.72	1.73	1.26	0.64
Stem Bark Biomass (tons per acre)	0.54	0.38	0.38	0.30	0.12
Foliage Biomass (tons per acre)	0.10	0.07	0.07	0.07	0.07
Aboveground Biomass (tons per acre)	4.38	3.12	3.13	2.52	1.03
Total Biomass (tons per acre)	5.22	3.72	3.73	3.01	1.25

Overstory only (cont)

	white oak	bigtooth aspen	white ash	mockernut hickory	gray birch
Coarse Root Biomass (tons per acre)	0.29	0.24	0.26	0.29	0.22
Stem Wood Biomass (tons per acre)	0.82	0.74	0.83	0.82	0.48
Stem Bark Biomass (tons per acre)	0.18	0.16	0.17	0.18	0.13
Foliage Biomass (tons per acre)	0.04	0.03	0.03	0.04	0.03
Aboveground Biomass (tons per acre)	1.52	1.25	1.37	1.52	1.12
Total Biomass (tons per acre)	1.81	1.49	1.62	1.81	1.35

Overstory only (cont)

	sugar maple
Coarse Root Biomass (tons per acre)	0.29
Stem Wood Biomass (tons per acre)	0.82
Stem Bark Biomass (tons per acre)	0.18
Foliage Biomass (tons per acre)	0.04
Aboveground Biomass (tons per acre)	1.52
Total Biomass (tons per acre)	1.81

Understory only

	All species	mountain laurel	sugar maple	hophornbeam	red maple
Coarse Root Biomass (tons per acre)	0.64	0.00	0.16	0.11	0.09
Foliage Biomass (tons per acre)	0.76	0.00	0.11	0.17	0.10
Aboveground Biomass (tons per acre)	2.77	0.00	0.76	0.47	0.40
Total Biomass (tons per acre)	3.40	0.00	0.92	0.59	0.49

Understory only (cont)

	white ash	yellow birch	chestnut oak	shagbark hickory	pignut hickory
Coarse Root Biomass (tons per acre)	0.05	0.05	0.03	0.03	0.03
Foliage Biomass (tons per acre)	0.02	0.01	0.01	0.02	0.01
Aboveground Biomass (tons per acre)	0.24	0.25	0.15	0.14	0.13
Total Biomass (tons per acre)	0.29	0.31	0.19	0.17	0.16

Understory only (cont)

	sweet birch	serviceberry	northern red oak	American beech
Coarse Root Biomass (tons per acre)	0.03	0.00	0.03	0.00
Foliage Biomass (tons per acre)	0.14	0.00	0.17	0.01
Aboveground Biomass (tons per acre)	0.10	0.02	0.10	0.00
Total Biomass (tons per acre)	0.13	0.02	0.13	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	sweet birch	northern red oak	Norway maple	chestnut oak
Coarse Root Biomass (tons per acre)	11.19	2.61	2.35	0.00	1.33
Stem Wood Biomass (tons per acre)	30.95	7.70	7.03	0.00	3.87
Stem Bark Biomass (tons per acre)	6.72	1.66	1.50	0.00	0.83
Foliage Biomass (tons per acre)	2.06	0.44	0.44	0.00	0.16
Aboveground Biomass (tons per acre)	57.55	13.54	12.22	0.00	6.90
Total Biomass (tons per acre)	68.74	16.15	14.57	0.00	8.23

Combined overstory and understory (cont)

	yellow birch	mountain laurel	red maple	shagbark hickory	pignut hickory
Coarse Root Biomass (tons per acre)	0.90	0.00	0.58	0.63	0.63
Stem Wood Biomass (tons per acre)	2.48	0.00	1.26	1.72	1.73
Stem Bark Biomass (tons per acre)	0.54	0.00	0.30	0.38	0.38
Foliage Biomass (tons per acre)	0.11	0.00	0.16	0.09	0.08
Aboveground Biomass (tons per acre)	4.63	0.00	2.92	3.25	3.26
Total Biomass (tons per acre)	5.53	0.00	3.51	3.88	3.89

Combined overstory and understory (cont)

	sugar maple	white ash	eastern hemlock	white oak	bigtooth aspen
Coarse Root Biomass (tons per acre)	0.46	0.31	0.22	0.29	0.24
Stem Wood Biomass (tons per acre)	0.82	0.83	0.64	0.82	0.74
Stem Bark Biomass (tons per acre)	0.18	0.17	0.12	0.18	0.16
Foliage Biomass (tons per acre)	0.14	0.05	0.07	0.04	0.03
Aboveground Biomass (tons per acre)	2.28	1.61	1.03	1.52	1.25
Total Biomass (tons per acre)	2.73	1.92	1.25	1.81	1.49

Combined overstory and understory (cont)

	mockernut hickory	gray birch	hophornbeam	serviceberry	American beech
Coarse Root Biomass (tons per acre)	0.29	0.22	0.11	0.00	0.00
Stem Wood Biomass (tons per acre)	0.82	0.48	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.18	0.13	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.04	0.03	0.17	0.00	0.01
Aboveground Biomass (tons per acre)	1.52	1.12	0.47	0.02	0.00
Total Biomass (tons per acre)	1.81	1.35	0.59	0.02	0.01

Generated: 08/28/2012 14:00
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 11.mdb

Timber Tables

This report is for the stand 'Stand 11' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry was found in the understory observations, but is not included in this report because it does not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple
Basal Area (square feet)	107.1	32.1	21.4	10.7	10.7
Percentage of stand basal area (%)	100.0	30.0	20.0	10.0	10.0
Stems Per Unit Area (stems per acre)	235.4	41.4	26.4	25.0	58.3

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Basal Area (square feet)	6.4	4.3	4.3	4.3	2.1
Percentage of stand basal area (%)	6.0	4.0	4.0	4.0	2.0
Stems Per Unit Area (stems per acre)	15.2	4.3	7.9	32.6	6.1

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Basal Area (square feet)	2.1	2.1	2.1	2.1	2.1
Percentage of stand basal area	2.0	2.0	2.0	2.0	2.0

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
(%)					
Stems Per Unit Area (stems per acre)	1.1	1.7	1.1	8.0	6.1

Understory only

	All species	mountain laurel	serviceberry	red maple	American witchhazel
Basal Area (square feet)	9.9	3.5	2.3	1.0	1.0
Percentage of stand basal area (%)	100.0	35.4	23.6	10.2	10.2
Stems Per Unit Area (stems per acre)	4,242.9	571.4	71.4	271.4	414.3

Understory only (cont)

	sugar maple	northern spicebush	mockernut hickory	hophornbeam	white ash
Basal Area (square feet)	0.6	0.5	0.3	0.2	0.2
Percentage of stand basal area (%)	6.3	5.5	3.1	1.6	1.6
Stems Per Unit Area (stems per acre)	114.3	185.7	14.3	214.3	28.6

Understory only (cont)

	sweet birch	black oak
Basal Area (square feet)	0.2	0.0
Percentage of stand basal area (%)	1.6	0.0
Stems Per Unit Area (stems per acre)	185.7	71.4

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	white ash
Basal Area (square feet)	117.0	32.1	21.4	11.7	10.9
Percentage of stand basal area (%)	100.0	27.5	18.3	10.0	9.3
Stems Per Unit Area (stems per acre)	4,478.2	41.4	26.4	329.7	53.6

Combined overstory and understory (cont)

	Norway maple	sugar maple	white oak	yellow birch	mountain laurel
Basal Area (square feet)	6.4	4.9	4.3	4.3	3.5
Percentage of stand basal area (%)	5.5	4.2	3.7	3.7	3.0
Stems Per Unit Area (stems per acre)	15.2	146.9	4.3	7.9	571.4

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	sweet birch	eastern hemlock	black oak
Basal Area (square feet)	2.5	2.3	2.3	2.1	2.1
Percentage of stand basal area (%)	2.1	2.0	2.0	1.8	1.8
Stems Per Unit Area (stems per acre)	22.3	71.4	191.9	6.1	72.5

Combined overstory and understory (cont)

	scarlet oak	American beech	American witchhazel	northern spicebush	hophornbeam
Basal Area (square feet)	2.1	2.1	1.0	0.5	0.2
Percentage of stand basal area (%)	1.8	1.8	0.9	0.5	0.1
Stems Per Unit Area (stems per acre)	1.7	1.1	414.3	185.7	214.3

Diameters

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple
Medial DBH (inches)	12.3	14.7	13.7	9.8	7.4
Merchantable Medial DBH (inches)	12.9	15.4	13.7	9.8	9.3
Quadratic Mean DBH (inches)	9.1	11.9	12.2	8.9	5.8
Merchantable Quadratic DBH (inches)	10.8	14.6	12.2	8.9	8.1
Average DBH (inches)	8.2	10.8	11.7	8.5	5.4

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Medial DBH (inches)	12.0	13.5	10.0	5.5	8.0
Merchantable Medial DBH (inches)	12.0	13.5	10.0	7.0	8.0
Quadratic Mean DBH (inches)	8.8	13.5	10.0	4.9	8.0
Merchantable Quadratic DBH (inches)	8.8	13.5	10.0	7.0	8.0
Average DBH (inches)	8.0	13.5	10.0	4.7	8.0

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Medial DBH (inches)	19.0	15.0	19.0	7.0	8.0
Merchantable Medial DBH (inches)	19.0	15.0	19.0	7.0	8.0
Quadratic Mean DBH (inches)	19.0	15.0	19.0	7.0	8.0
Merchantable Quadratic DBH (inches)	19.0	15.0	19.0	7.0	8.0
Average DBH (inches)	19.0	15.0	19.0	7.0	8.0

Understory only

	All species	mountain laurel	serviceberry	red maple	American witchhazel
Medial DBH (inches)	2.5	1.9	4.5	2.7	1.6
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.8	1.7	3.2	2.5	1.4
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	1.7	2.7	2.5	1.3

Understory only (cont)

	sugar maple	northern spicebush	mockernut hickory	hophornbeam	white ash
Medial DBH (inches)	2.0	1.6	2.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.3	2.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.3	2.0	1.0	1.0

Understory only (cont)

	sweet birch	black oak
Medial DBH (inches)	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations

where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	white ash
Medial DBH (inches)	11.4	14.7	13.7	7.0	9.7
Merchantable Medial DBH (inches)	12.9	15.4	13.7	9.3	9.8
Quadratic Mean DBH (inches)	5.1	11.9	12.2	5.0	6.1
Merchantable Quadratic DBH (inches)	10.8	14.6	12.2	8.1	8.9
Average DBH (inches)	3.5	10.8	11.7	4.5	4.5

Combined overstory and understory (cont)

	Norway maple	sugar maple	white oak	yellow birch	mountain laurel
Medial DBH (inches)	12.0	5.1	13.5	10.0	1.9
Merchantable Medial DBH (inches)	12.0	7.0	13.5	10.0	0.0
Quadratic Mean DBH (inches)	8.8	3.8	13.5	10.0	1.7
Merchantable Quadratic DBH (inches)	8.8	7.0	13.5	10.0	0.0
Average DBH (inches)	8.0	3.5	13.5	10.0	1.7

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	sweet birch	eastern hemlock	black oak
Medial DBH (inches)	6.4	4.5	7.5	8.0	19.0
Merchantable Medial DBH (inches)	7.0	0.0	8.0	8.0	19.0
Quadratic Mean DBH (inches)	4.5	3.2	3.5	8.0	19.0
Merchantable Quadratic DBH (inches)	7.0	0.0	8.0	8.0	19.0
Average DBH (inches)	3.8	2.7	2.2	8.0	19.0

Combined overstory and understory (cont)

	scarlet oak	American beech	American witchhazel	northern spicebush	hophornbeam
Medial DBH (inches)	15.0	19.0	1.6	1.6	1.0
Merchantable Medial DBH (inches)	15.0	19.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	15.0	19.0	1.4	1.3	1.0
Merchantable Quadratic DBH (inches)	15.0	19.0	0.0	0.0	0.0
Average DBH (inches)	15.0	19.0	1.3	1.3	1.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple
Q Factor	1.24	1.16	1.26	1.20	1.16

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Q Factor	1.19	1.16	0.00	1.15	0.00

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Q Factor	0.00	0.00	0.00	1.12	0.00

Relative density

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple
Relative Density (percent)	86.25	28.55	17.69	5.71	9.11
percentage of stand	100.00	33.10	20.51	6.61	10.56

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Relative Density (percent)	4.27	3.49	3.58	4.24	0.93
percentage of stand	4.95	4.05	4.15	4.92	1.07

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Relative Density (percent)	1.64	1.71	1.65	2.08	1.61
percentage of stand	1.90	1.98	1.91	2.41	1.87

Understory only

	All species	mountain laurel	serviceberry	red maple	American witchhazel
Relative Density (percent)	13.75	4.90	2.41	1.33	1.27
percentage of stand	100.00	35.62	17.53	9.70	9.27

Understory only (cont)

	sugar maple	northern spicebush	mockernut hickory	hophornbeam	white ash
Relative Density (percent)	1.02	0.67	0.58	0.15	1.26
percentage of stand	7.40	4.90	4.23	1.07	9.20

Understory only (cont)

	sweet birch	black oak
Relative Density (percent)	0.15	0.00
percentage of stand	1.07	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	white ash
Relative Density (percent)	100.00	28.55	17.69	10.44	6.97
percentage of stand	100.00	28.55	17.69	10.44	6.97

Combined overstory and understory (cont)

	Norway maple	sugar maple	white oak	yellow birch	mountain laurel
Relative Density (percent)	4.27	5.26	3.49	3.58	4.90
percentage of stand	4.27	5.26	3.49	3.58	4.90

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	sweet birch	eastern hemlock	black oak
Relative Density (percent)	2.66	2.41	1.76	0.93	1.64
percentage of stand	2.66	2.41	1.76	0.93	1.64

Combined overstory and understory (cont)

	scarlet oak	American beech	American witchhazel	northern spicebush	hophornbeam
Relative Density (percent)	1.71	1.65	1.27	0.67	0.15
percentage of stand	1.71	1.65	1.27	0.67	0.15

Volumes

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple
Sawtimber gross total (board feet/acre)	4,063	1,952	1,086	0	162
Sawtimber net total (board feet/acre)	3,641	1,952	846	0	162
Pulpwood gross total (cubic feet/acre)	1,575	441	343	223	97
Pulpwood net total (cubic feet/acre)	1,260	352	275	178	77
Gross total (cubic feet/acre)	2,280	782	530	223	126
Net total (cubic feet/acre)	1,766	625	391	178	100

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Sawtimber gross total (board feet/acre)	176	313	0	0	0
Sawtimber net total (board feet/acre)	118	313	0	0	0
Pulpwood gross total (cubic feet/acre)	100	55	87	33	23
Pulpwood net total (cubic feet/acre)	80	44	70	27	18
Gross total (cubic feet/acre)	135	109	87	33	23
Net total (cubic feet/acre)	99	87	70	27	18

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Sawtimber gross total (board feet/acre)	0	179	195	0	0

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Sawtimber net total (board feet/acre)	0	120	131	0	0
Pulpwood gross total (cubic feet/acre)	56	26	21	33	37
Pulpwood net total (cubic feet/acre)	45	21	17	27	29
Gross total (cubic feet/acre)	56	56	51	33	37
Net total (cubic feet/acre)	45	37	33	27	29

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	white ash	red maple
Coarse Root Biomass (tons per acre)	13.89	5.03	3.26	1.05	1.14
Stem Wood Biomass (tons per acre)	44.81	16.87	10.82	3.24	3.16
Stem Bark Biomass (tons per acre)	9.21	3.40	2.20	0.69	0.71
Foliage Biomass (tons per acre)	1.56	0.53	0.35	0.12	0.14
Aboveground Biomass (tons per acre)	73.14	26.68	17.28	5.50	5.89
Total Biomass (tons per acre)	87.03	31.71	20.54	6.55	7.03

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Coarse Root Biomass (tons per acre)	0.00	0.65	0.51	0.46	0.20
Stem Wood Biomass (tons per acre)	0.00	2.18	1.60	1.15	0.59

Overstory only (cont)

	Norway maple	white oak	yellow birch	sugar maple	eastern hemlock
Stem Bark Biomass (tons per acre)	0.00	0.44	0.34	0.27	0.11
Foliage Biomass (tons per acre)	0.00	0.07	0.06	0.06	0.06
Aboveground Biomass (tons per acre)	0.00	3.46	2.69	2.32	0.94
Total Biomass (tons per acre)	0.00	4.12	3.20	2.78	1.14

Overstory only (cont)

	black oak	scarlet oak	American beech	mockernut hickory	sweet birch
Coarse Root Biomass (tons per acre)	0.38	0.34	0.38	0.25	0.24
Stem Wood Biomass (tons per acre)	1.32	1.16	1.32	0.71	0.70
Stem Bark Biomass (tons per acre)	0.26	0.23	0.26	0.16	0.15
Foliage Biomass (tons per acre)	0.04	0.04	0.04	0.03	0.03
Aboveground Biomass (tons per acre)	2.01	1.81	2.01	1.30	1.24
Total Biomass (tons per acre)	2.39	2.16	2.39	1.55	1.48

Understory only

	All species	mountain laurel	serviceberry	red maple	American witchhazel
Coarse Root Biomass (tons per acre)	0.41	0.00	0.16	0.11	0.00
Foliage Biomass (tons per acre)	0.41	0.00	0.03	0.14	0.00
Aboveground Biomass (tons per acre)	1.82	0.00	0.82	0.46	0.00
Total Biomass (tons per acre)	2.23	0.00	0.98	0.57	0.00

Understory only (cont)

	sugar maple	northern spicebush	mockernut hickory	hophornbeam	white ash
Coarse Root Biomass (tons per acre)	0.06	0.00	0.02	0.02	0.01
Foliage Biomass (tons per acre)	0.05	0.00	0.01	0.06	0.00
Aboveground Biomass (tons per acre)	0.24	0.00	0.11	0.06	0.03
Total Biomass (tons per acre)	0.30	0.00	0.13	0.08	0.03

Understory only (cont)

	sweet birch	black oak
Coarse Root Biomass (tons per acre)	0.03	0.01
Foliage Biomass (tons per acre)	0.09	0.03
Aboveground Biomass (tons per acre)	0.09	0.02
Total Biomass (tons per acre)	0.11	0.03

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	white ash
Coarse Root Biomass (tons per acre)	14.30	5.03	3.26	1.25	1.06
Stem Wood Biomass (tons per acre)	44.81	16.87	10.82	3.16	3.24
Stem Bark Biomass (tons per acre)	9.21	3.40	2.20	0.71	0.69
Foliage Biomass (tons per acre)	1.97	0.53	0.35	0.28	0.12
Aboveground Biomass (tons per acre)	74.96	26.68	17.28	6.35	5.52
Total Biomass (tons per acre)	89.26	31.71	20.54	7.60	6.58

Combined overstory and understory (cont)

	Norway maple	sugar maple	white oak	yellow birch	mountain laurel
Coarse Root Biomass (tons per acre)	0.00	0.51	0.65	0.51	0.00
Stem Wood Biomass (tons per acre)	0.00	1.15	2.18	1.60	0.00
Stem Bark Biomass (tons per acre)	0.00	0.27	0.44	0.34	0.00
Foliage Biomass (tons per acre)	0.00	0.11	0.07	0.06	0.00
Aboveground Biomass (tons per acre)	0.00	2.57	3.46	2.69	0.00
Total Biomass (tons per acre)	0.00	3.08	4.12	3.20	0.00

Combined overstory and understory (cont)

	mockernut hickory	serviceberry	sweet birch	eastern hemlock	black oak
Coarse Root Biomass (tons per acre)	0.28	0.16	0.26	0.20	0.38
Stem Wood Biomass (tons per acre)	0.71	0.00	0.70	0.59	1.32
Stem Bark Biomass (tons per acre)	0.16	0.00	0.15	0.11	0.26
Foliage Biomass (tons per acre)	0.04	0.03	0.11	0.06	0.07
Aboveground Biomass (tons per acre)	1.41	0.82	1.33	0.94	2.03
Total Biomass (tons per acre)	1.69	0.98	1.59	1.14	2.41

Combined overstory and understory (cont)

	scarlet oak	American beech	American witchhazel	northern spicebush	hophornbeam
Coarse Root Biomass (tons per acre)	0.34	0.38	0.00	0.00	0.02
Stem Wood Biomass (tons per acre)	1.16	1.32	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.23	0.26	0.00	0.00	0.00
Foliage Biomass (tons per	0.04	0.04	0.00	0.00	0.06

Combined overstory and understory (cont)

	scarlet oak	American beech	American witchhazel	northern spicebush	hophornbeam
acre)					
Aboveground Biomass (tons per acre)	1.81	2.01	0.00	0.00	0.06
Total Biomass (tons per acre)	2.16	2.39	0.00	0.00	0.08

Generated: 08/28/2012 14:04
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 12.mdb

Timber Tables

This report is for the stand 'Stand 12' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, huckleberry and hawthorn where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Basal Area (square feet)	132.0	69.0	21.0	18.0	12.0
Percentage of stand basal area (%)	100.0	52.3	15.9	13.6	9.1
Stems Per Unit Area (stems per acre)	375.8	82.3	183.8	66.4	27.6

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Basal Area (square feet)	6.0	3.0	3.0
Percentage of stand basal area (%)	4.5	2.3	2.3
Stems Per Unit Area (stems per acre)	7.4	3.8	4.5

Understory only

	All species	sugar maple	American witchhazel	sweet birch	sweetgum
Basal Area (square feet)	9.6	6.1	1.5	0.5	0.4
Percentage of stand basal area (%)	100.0	63.6	15.9	5.7	4.5

Understory only

	All species	sugar maple	American witchhazel	sweet birch	sweetgum
Stems Per Unit Area (stems per acre)	4,420.0	700.0	1,060.0	40.0	120.0

Understory only (cont)

	pignut hickory	hophornbeam	serviceberry	red maple	northern red oak
Basal Area (square feet)	0.4	0.3	0.1	0.1	0.0
Percentage of stand basal area (%)	4.5	3.4	1.1	1.1	0.0
Stems Per Unit Area (stems per acre)	20.0	200.0	80.0	120.0	200.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Basal Area (square feet)	141.6	69.0	21.0	18.4	18.1
Percentage of stand basal area (%)	100.0	48.7	14.8	13.0	12.8
Stems Per Unit Area (stems per acre)	4,795.8	282.3	183.8	86.4	727.6

Combined overstory and understory (cont)

	mockernut hickory	sweet birch	Norway maple	American witchhazel	sweetgum
Basal Area (square feet)	6.0	3.5	3.0	1.5	0.4
Percentage of stand basal area (%)	4.2	2.5	2.1	1.1	0.3
Stems Per Unit Area (stems per acre)	7.4	43.8	4.5	1,060.0	120.0

Combined overstory and understory (cont)

	hophornbeam	serviceberry	red maple
Basal Area (square feet)	0.3	0.1	0.1
Percentage of stand basal area (%)	0.2	0.1	0.1
Stems Per Unit Area (stems per acre)	200.0	80.0	120.0

Diameters

Overstory only

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Medial DBH (inches)	12.2	14.4	6.9	7.8	15.8
Merchantable Medial DBH (inches)	13.1	14.4	9.5	7.8	19.3
Quadratic Mean DBH (inches)	8.0	12.4	4.6	7.1	8.9
Merchantable Quadratic DBH (inches)	10.6	12.4	9.0	7.1	17.2
Average DBH (inches)	6.8	11.8	4.1	6.8	7.3

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Medial DBH (inches)	12.5	12.0	11.0
Merchantable Medial DBH (inches)	12.5	12.0	11.0
Quadratic Mean DBH (inches)	12.2	12.0	11.0
Merchantable Quadratic DBH (inches)	12.2	12.0	11.0
Average DBH (inches)	12.1	12.0	11.0

Understory only

	All species	sugar maple	American witchhazel	sweet birch	sweetgum

Understory only

	All species	sugar maple	American witchhazel	sweet birch	sweetgum
Medial DBH (inches)	2.1	2.5	1.0	1.8	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	1.6	1.0	1.6	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	1.4	1.0	1.5	2.0

Understory only (cont)

	pignut hickory	hophornbeam	serviceberry	red maple	northern red oak
Medial DBH (inches)	2.0	1.0	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.0	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.0	1.0	1.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Medial DBH (inches)	11.5	14.4	6.9	7.7	11.3
Merchantable Medial DBH (inches)	13.1	14.4	9.5	7.8	19.3
Quadratic Mean DBH (inches)	4.5	12.4	4.6	6.3	2.7
Merchantable Quadratic DBH (inches)	10.6	12.4	9.0	7.1	17.2
Average DBH (inches)	2.9	11.8	4.1	5.7	1.8

Combined overstory and understory (cont)

	mockernut hickory	sweet birch	Norway maple	American witchhazel	sweetgum
Medial DBH (inches)	12.5	10.4	11.0	1.0	2.0
Merchantable Medial DBH (inches)	12.5	12.0	11.0	0.0	0.0
Quadratic Mean DBH (inches)	12.2	3.9	11.0	1.0	2.0
Merchantable Quadratic DBH (inches)	12.2	12.0	11.0	0.0	0.0
Average DBH (inches)	12.1	2.4	11.0	1.0	2.0

Combined overstory and understory (cont)

	hophornbeam	serviceberry	red maple
Medial DBH (inches)	1.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	1.0

Structure

Overstory only

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Q Factor	1.24	1.13	1.40	1.39	1.15

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Q Factor	1.17	1.18	0.00

Relative density

Overstory only

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Relative Density (percent)	120.41	61.37	23.02	17.29	9.95
percentage of stand	100.00	50.97	19.12	14.36	8.26

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Relative Density (percent)	4.98	1.85	1.94
percentage of stand	4.14	1.54	1.61

Understory only

	All species	sugar maple	American witchhazel	sweet birch	sweetgum
Relative Density (percent)	15.45	11.30	1.44	0.74	0.63
percentage of stand	100.00	73.16	9.35	4.77	4.11

Understory only (cont)

	pignut hickory	hophornbeam	serviceberry	red maple	northern red oak
Relative Density (percent)	0.81	0.31	0.10	0.10	0.00
percentage of stand	5.28	2.00	0.67	0.67	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Relative Density (percent)	135.85	61.37	23.02	18.10	21.25

Combined overstory and understory

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
percentage of stand	100.00	45.17	16.95	13.33	15.64

Combined overstory and understory (cont)

	mockernut hickory	sweet birch	Norway maple	American witchhazel	sweetgum
Relative Density (percent)	4.98	2.59	1.94	1.44	0.63
percentage of stand	3.67	1.91	1.43	1.06	0.47

Combined overstory and understory (cont)

	hophornbeam	serviceberry	red maple
Relative Density (percent)	0.31	0.10	0.10
percentage of stand	0.23	0.08	0.08

Volumes

Overstory only

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Sawtimber gross total (board feet/acre)	4,504	3,258	217	0	808
Sawtimber net total (board feet/acre)	4,504	3,258	217	0	808
Pulpwood gross total (cubic feet/acre)	1,884	1,073	201	282	92
Pulpwood net total (cubic feet/acre)	1,507	859	161	226	74
Gross total (cubic feet/acre)	2,693	1,664	239	282	231
Net total (cubic feet/acre)	2,154	1,331	192	226	185

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Sawtimber gross total (board feet/acre)	221	0	0
Sawtimber net total (board feet/acre)	221	0	0
Pulpwood gross total (cubic feet/acre)	98	67	71
Pulpwood net total (cubic feet/acre)	79	53	56
Gross total (cubic feet/acre)	139	67	71
Net total (cubic feet/acre)	111	53	56

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Coarse Root Biomass (tons per acre)	18.44	10.71	2.38	2.19	1.89
Stem Wood Biomass (tons per acre)	58.89	35.77	6.38	6.31	6.28
Stem Bark Biomass (tons per acre)	12.20	7.22	1.46	1.39	1.27
Foliage Biomass (tons per acre)	2.06	1.14	0.32	0.26	0.20
Aboveground Biomass (tons per acre)	97.07	56.76	12.24	11.38	10.00
Total Biomass (tons per acre)	115.51	67.47	14.63	13.56	11.89

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Coarse Root Biomass (tons per acre)	0.89	0.38	0.00
Stem Wood Biomass (tons per acre)	2.90	1.24	0.00
Stem Bark Biomass (tons per acre)	0.59	0.25	0.00
Foliage Biomass (tons per acre)	0.10	0.04	0.00

Overstory only (cont)

	mockernut hickory	sweet birch	Norway maple
Aboveground Biomass (tons per acre)	4.68	2.01	0.00
Total Biomass (tons per acre)	5.57	2.39	0.00

Understory only

	All species	sugar maple	American witchhazel	sweet birch	sweetgum
Coarse Root Biomass (tons per acre)	0.69	0.52	0.00	0.04	0.03
Foliage Biomass (tons per acre)	0.55	0.27	0.00	0.01	0.03
Aboveground Biomass (tons per acre)	3.04	2.36	0.00	0.18	0.12
Total Biomass (tons per acre)	3.73	2.88	0.00	0.22	0.15

Understory only (cont)

	pignut hickory	hophornbeam	serviceberry	red maple	northern red oak
Coarse Root Biomass (tons per acre)	0.03	0.02	0.01	0.02	0.02
Foliage Biomass (tons per acre)	0.01	0.05	0.02	0.05	0.09
Aboveground Biomass (tons per acre)	0.15	0.08	0.03	0.06	0.05
Total Biomass (tons per acre)	0.19	0.10	0.04	0.08	0.07

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
Coarse Root Biomass (tons per acre)	19.13	10.73	2.38	2.22	2.41
Stem Wood Biomass (tons per	58.89	35.77	6.38	6.31	6.28

Combined overstory and understory

	All species	northern red oak	shagbark hickory	pignut hickory	sugar maple
acre)					
Stem Bark Biomass (tons per acre)	12.20	7.22	1.46	1.39	1.27
Foliage Biomass (tons per acre)	2.61	1.23	0.32	0.27	0.48
Aboveground Biomass (tons per acre)	100.11	56.81	12.24	11.53	12.36
Total Biomass (tons per acre)	119.24	67.54	14.63	13.75	14.77

Combined overstory and understory (cont)

	mockernut hickory	sweet birch	Norway maple	American witchhazel	sweetgum
Coarse Root Biomass (tons per acre)	0.89	0.42	0.00	0.00	0.03
Stem Wood Biomass (tons per acre)	2.90	1.24	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.59	0.25	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.10	0.05	0.00	0.00	0.03
Aboveground Biomass (tons per acre)	4.68	2.19	0.00	0.00	0.12
Total Biomass (tons per acre)	5.57	2.62	0.00	0.00	0.15

Combined overstory and understory (cont)

	hophornbeam	serviceberry	red maple
Coarse Root Biomass (tons per acre)	0.02	0.01	0.02
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.05	0.02	0.05
Aboveground Biomass (tons per acre)	0.08	0.03	0.06
Total Biomass (tons per acre)	0.10	0.04	0.08

Generated: 08/28/2012 14:08
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 13.mdb

Timber Tables

This report is for the stand 'Stand 13' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species lowbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	mockernut hickory	northern red oak
Basal Area (square feet)	60.0	40.0	20.0
Percentage of stand basal area (%)	100.0	66.7	33.3
Stems Per Unit Area (stems per acre)	472.6	199.1	273.5

Understory only

	All species	northern red oak	chestnut oak	sweet birch
Basal Area (square feet)	2.2	1.5	0.7	0.0
Percentage of stand basal area (%)	100.0	66.7	33.3	0.0
Stems Per Unit Area (stems per acre)	3,066.7	66.7	266.7	66.7

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	mockernut hickory	northern red oak	chestnut oak	sweet birch
Basal Area (square feet)	62.2	40.0	21.5	0.7	0.0
Percentage of stand basal area (%)	100.0	64.3	34.5	1.2	0.0

Combined overstory and understory

	All species	mockernut hickory	northern red oak	chestnut oak	sweet birch
Stems Per Unit Area (stems per acre)	3,539.3	199.1	340.2	266.7	66.7

Diameters

Overstory only

	All species	mockernut hickory	northern red oak
Medial DBH (inches)	7.5	8.0	6.5
Merchantable Medial DBH (inches)	9.4	10.2	8.0
Quadratic Mean DBH (inches)	4.8	6.1	3.7
Merchantable Quadratic DBH (inches)	8.9	9.8	7.9
Average DBH (inches)	4.0	5.5	2.9

Understory only

	All species	northern red oak	chestnut oak	sweet birch
Medial DBH (inches)	2.0	2.0	2.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	2.0	2.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	2.0	2.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	mockernut hickory	northern red oak	chestnut oak	sweet birch
Medial DBH (inches)	7.3	8.0	6.2	2.0	0.0
Merchantable Medial DBH (inches)	9.4	10.2	8.0	0.0	0.0
Quadratic Mean DBH (inches)	4.5	6.1	3.4	2.0	0.0

Combined overstory and understory

	All species	mockernut hickory	northern red oak	chestnut oak	sweet birch
Merchantable Quadratic DBH (inches)	8.9	9.8	7.9	0.0	0.0
Average DBH (inches)	3.7	5.5	2.8	2.0	0.0

Structure

Overstory only

	All species	mockernut hickory	northern red oak
Q Factor	1.43	1.37	1.72

Relative density

Overstory only

	All species	mockernut hickory	northern red oak
Relative Density (percent)	60.00	39.68	20.33
percentage of stand	100.00	66.12	33.88

Understory only

	All species	northern red oak	chestnut oak	sweet birch
Relative Density (percent)	3.14	1.78	1.36	0.00
percentage of stand	100.00	56.72	43.28	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	mockernut hickory	northern red oak	chestnut oak	sweet birch
Relative Density (percent)	63.14	39.68	22.11	1.36	0.00
percentage of stand	100.00	62.84	35.01	2.15	0.00

Volumes

Overstory only

	All species	mockernut hickory	northern red oak
Sawtimber gross total (board feet/acre)	362	362	0
Sawtimber net total (board feet/acre)	362	362	0
Pulpwood gross total (cubic feet/acre)	719	446	273
Pulpwood net total (cubic feet/acre)	575	357	218
Gross total (cubic feet/acre)	784	511	273
Net total (cubic feet/acre)	627	409	218

Values

All the species are missing prices.

Biomass

Overstory only

	All species	mockernut hickory	northern red oak
Coarse Root Biomass (tons per acre)	7.10	4.86	2.23
Stem Wood Biomass (tons per acre)	19.82	13.94	5.88
Stem Bark Biomass (tons per acre)	4.43	3.08	1.36
Foliage Biomass (tons per acre)	0.91	0.59	0.31
Aboveground Biomass (tons per acre)	36.65	25.23	11.42
Total Biomass (tons per acre)	43.74	30.09	13.65

Understory only

	All species	northern red oak	chestnut oak	sweet birch
Coarse Root Biomass (tons per acre)	0.19	0.11	0.08	0.01
Foliage Biomass (tons per acre)	0.18	0.03	0.12	0.03
Aboveground Biomass (tons per acre)	0.85	0.51	0.32	0.02
Total Biomass (tons per acre)	1.05	0.62	0.40	0.03

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	mockernut hickory	northern red oak	chestnut oak	sweet birch
Coarse Root Biomass (tons per acre)	7.29	4.86	2.35	0.08	0.01
Stem Wood Biomass (tons per acre)	19.82	13.94	5.88	0.00	0.00
Stem Bark Biomass (tons per acre)	4.43	3.08	1.36	0.00	0.00
Foliage Biomass (tons per acre)	1.09	0.59	0.34	0.12	0.03
Aboveground Biomass (tons per acre)	37.50	25.23	11.93	0.32	0.02
Total Biomass (tons per acre)	44.79	30.09	14.27	0.40	0.03

Generated: 08/28/2012 14:13
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 14.mdb

Timber Tables

This report is for the stand 'Stand 14' inventory (2012) data.
Dead observations were ignored when calculating values in this report.

Composition

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple
Basal Area (square feet)	105.0	37.5	22.5	18.8	11.3
Percentage of stand basal area (%)	100.0	35.7	21.4	17.9	10.7
Stems Per Unit Area (stems per acre)	251.9	40.3	25.2	57.8	85.9

Overstory only (cont)

	sweet birch	yellow birch
Basal Area (square feet)	11.3	3.8
Percentage of stand basal area (%)	10.7	3.6
Stems Per Unit Area (stems per acre)	28.7	14.0

The understory section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

The combined section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

Diameters

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple
Medial DBH (inches)	12.2	14.1	14.7	9.4	9.0
Merchantable Medial DBH (inches)	12.6	14.1	14.7	9.4	12.0
Quadratic Mean DBH (inches)	8.7	13.1	12.8	7.7	4.9
Merchantable Quadratic DBH (inches)	10.3	13.1	12.8	7.7	12.0
Average DBH (inches)	7.6	12.7	12.2	7.4	4.0

Overstory only (cont)

	sweet birch	yellow birch
Medial DBH (inches)	10.7	7.0
Merchantable Medial DBH (inches)	10.7	7.0
Quadratic Mean DBH (inches)	8.5	7.0
Merchantable Quadratic DBH (inches)	8.5	7.0
Average DBH (inches)	7.9	7.0

The understory section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

The combined section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

Structure

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple
Q Factor	1.24	1.13	1.20	1.21	1.26

Overstory only (cont)

	sweet birch	yellow birch
Q Factor	1.20	0.00

Relative density

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple
Relative Density (percent)	87.56	33.26	18.36	13.96	10.75
percentage of stand	100.00	37.99	20.96	15.95	12.28

Overstory only (cont)

	sweet birch	yellow birch
Relative Density (percent)	7.86	3.37
percentage of stand	8.98	3.85

The understory section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

The combined section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

Volumes

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple
Sawtimber gross total (board feet/acre)	5,011	2,633	1,210	306	563
Sawtimber net total (board feet/acre)	4,814	2,633	1,114	205	563
Pulpwood gross total (cubic feet/acre)	1,390	481	336	284	80
Pulpwood net total (cubic feet/acre)	1,112	385	269	227	64
Gross total (cubic feet/acre)	2,266	936	560	343	170
Net total (cubic feet/acre)	1,784	749	435	259	136

Overstory only (cont)

	sweet birch	yellow birch
Sawtimber gross total (board feet/acre)	300	0
Sawtimber net total (board feet/acre)	300	0
Pulpwood gross total (cubic feet/acre)	155	53
Pulpwood net total (cubic feet/acre)	124	43
Gross total (cubic feet/acre)	203	53
Net total (cubic feet/acre)	162	43

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	red maple	sugar maple
Coarse Root Biomass (tons per acre)	14.64	5.80	3.52	2.16	1.41
Stem Wood Biomass (tons per acre)	47.11	19.39	11.80	6.47	4.12
Stem Bark Biomass (tons per acre)	9.72	3.92	2.38	1.39	0.90
Foliage Biomass (tons per acre)	1.62	0.61	0.37	0.25	0.18
Aboveground Biomass (tons per acre)	77.18	30.75	18.66	11.27	7.34
Total Biomass (tons per acre)	91.83	36.55	22.18	13.42	8.75

Overstory only (cont)

	sweet birch	yellow birch
Coarse Root Biomass (tons per acre)	1.35	0.40
Stem Wood Biomass (tons per acre)	4.21	1.12
Stem Bark Biomass (tons per acre)	0.89	0.25
Foliage Biomass (tons per acre)	0.15	0.05
Aboveground Biomass (tons per acre)	7.10	2.07

Overstory only (cont)

	sweet birch	yellow birch
Total Biomass (tons per acre)	8.45	2.46

The understory section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

The combined section of this report can not be generated because the understory observations in this stand are all less than 1.00 inches.

Generated: 08/28/2012 14:17
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 15.mdb

Timber Tables

This report is for the stand 'Stand 15' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, pink azalea and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Basal Area (square feet)	102.0	33.0	18.0	12.0	6.0
Percentage of stand basal area (%)	100.0	32.4	17.6	11.8	5.9
Stems Per Unit Area (stems per acre)	238.7	31.1	24.4	29.8	19.1

Overstory only (cont)

	scarlet oak	yellow birch	sugar maple	Norway maple	pignut hickory
Basal Area (square feet)	6.0	6.0	6.0	6.0	3.0
Percentage of stand basal area (%)	5.9	5.9	5.9	5.9	2.9
Stems Per Unit Area (stems per acre)	3.6	22.1	9.6	33.2	61.1

Overstory only (cont)

	red maple	tuliptree
Basal Area (square feet)	3.0	3.0

Overstory only (cont)

	red maple	tuliptree
Percentage of stand basal area (%)	2.9	2.9
Stems Per Unit Area (stems per acre)	3.3	1.4

Understory only

	All species	mountain laurel	American witchhazel	northern red oak	sweet birch
Basal Area (square feet)	20.0	7.0	5.5	2.7	1.6
Percentage of stand basal area (%)	100.0	35.0	27.3	13.7	8.2
Stems Per Unit Area (stems per acre)	5,960.0	1,820.0	1,040.0	260.0	140.0

Understory only (cont)

	sassafras	yellow birch	red maple	serviceberry	Norway maple
Basal Area (square feet)	1.5	1.0	0.4	0.1	0.1
Percentage of stand basal area (%)	7.7	4.9	2.2	0.5	0.5
Stems Per Unit Area (stems per acre)	60.0	20.0	80.0	20.0	20.0

Understory only (cont)

	chestnut oak	American beech
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0
Stems Per Unit Area (stems per acre)	60.0	20.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Basal Area (square feet)	122.0	33.0	20.7	12.0	7.6
Percentage of stand basal area (%)	100.0	27.1	17.0	9.8	6.3
Stems Per Unit Area (stems per acre)	6,198.7	91.1	284.4	29.8	159.1

Combined overstory and understory (cont)

	yellow birch	mountain laurel	Norway maple	scarlet oak	sugar maple
Basal Area (square feet)	7.0	7.0	6.1	6.0	6.0
Percentage of stand basal area (%)	5.7	5.7	5.0	4.9	4.9
Stems Per Unit Area (stems per acre)	42.1	1,820.0	53.2	3.6	9.6

Combined overstory and understory (cont)

	American witchhazel	red maple	pignut hickory	tuliptree	sassafras
Basal Area (square feet)	5.5	3.4	3.0	3.0	1.5
Percentage of stand basal area (%)	4.5	2.8	2.5	2.5	1.3
Stems Per Unit Area (stems per acre)	1,040.0	83.3	61.1	1.4	60.0

Combined overstory and understory (cont)

	serviceberry	American beech
Basal Area (square feet)	0.1	0.0
Percentage of stand basal area (%)	0.1	0.0
Stems Per Unit Area (stems per acre)	20.0	20.0

Diameters

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Medial DBH (inches)	12.5	14.7	13.8	10.5	9.0
Merchantable Medial DBH (inches)	13.1	14.7	13.8	10.5	9.0
Quadratic Mean DBH (inches)	8.9	14.0	11.6	8.6	7.6
Merchantable Quadratic DBH (inches)	10.6	14.0	11.6	8.6	7.6
Average DBH (inches)	7.7	13.7	10.9	8.1	7.2

Overstory only (cont)

	scarlet oak	yellow birch	sugar maple	Norway maple	pignut hickory
Medial DBH (inches)	17.5	7.5	11.5	6.0	3.0
Merchantable Medial DBH (inches)	17.5	7.5	11.5	7.0	0.0
Quadratic Mean DBH (inches)	17.5	7.1	10.7	5.8	3.0
Merchantable Quadratic DBH (inches)	17.5	7.1	10.7	7.0	0.0
Average DBH (inches)	17.5	6.9	10.5	5.7	3.0

Overstory only (cont)

	red maple	tuliptree
Medial DBH (inches)	13.0	20.0
Merchantable Medial DBH (inches)	13.0	20.0
Quadratic Mean DBH (inches)	13.0	20.0
Merchantable Quadratic DBH (inches)	13.0	20.0
Average DBH (inches)	13.0	20.0

Understory only

	All species	mountain laurel	American witchhazel	northern red oak	sweet birch
Medial DBH (inches)	2.1	1.6	1.6	3.6	2.2
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.4	1.4	3.5	1.5
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	1.3	1.3	3.5	1.3

Understory only (cont)

	sassafras	yellow birch	red maple	serviceberry	Norway maple
Medial DBH (inches)	2.6	3.0	2.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.2	3.0	2.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	3.0	2.0	1.0	1.0

Understory only (cont)

	chestnut oak	American beech
Medial DBH (inches)	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Medial DBH (inches)	10.8	14.7	12.5	10.5	7.5
Merchantable Medial DBH (inches)	13.1	14.7	13.8	10.5	9.0
Quadratic Mean DBH (inches)	3.6	14.0	7.7	8.6	3.0
Merchantable Quadratic DBH (inches)	10.6	14.0	11.6	8.6	7.6
Average DBH (inches)	2.3	13.7	6.3	8.1	2.0

Combined overstory and understory (cont)

	yellow birch	mountain laurel	Norway maple	scarlet oak	sugar maple
Medial DBH (inches)	6.9	1.6	5.9	17.5	11.5
Merchantable Medial DBH (inches)	7.5	0.0	7.0	17.5	11.5
Quadratic Mean DBH (inches)	5.5	1.4	4.6	17.5	10.7
Merchantable Quadratic DBH (inches)	7.1	0.0	7.0	17.5	10.7
Average DBH (inches)	5.1	1.3	3.9	17.5	10.5

Combined overstory and understory (cont)

	American witchhazel	red maple	pignut hickory	tuliptree	sassafras
Medial DBH (inches)	1.6	11.6	3.0	20.0	2.6
Merchantable Medial DBH (inches)	0.0	13.0	0.0	20.0	0.0
Quadratic Mean DBH (inches)	1.4	5.2	3.0	20.0	2.2
Merchantable Quadratic DBH (inches)	0.0	13.0	0.0	20.0	0.0
Average DBH (inches)	1.3	3.5	3.0	20.0	2.0

Combined overstory and understory (cont)

	serviceberry	American beech
Medial DBH (inches)	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.0	0.0

Structure

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Q Factor	1.29	1.20	1.19	1.21	1.16

Overstory only (cont)

	scarlet oak	yellow birch	sugar maple	Norway maple	pignut hickory
Q Factor	1.12	1.20	1.19	1.40	0.00

Overstory only (cont)

	red maple	tuliptree
Q Factor	1.11	0.00

Relative density

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Relative Density (percent)	79.60	26.61	16.09	5.27	4.49
percentage of stand	100.00	33.42	20.21	6.62	5.63

Overstory only (cont)

	scarlet oak	yellow birch	sugar maple	Norway maple	pignut hickory
Relative Density (percent)	4.66	5.36	4.94	5.17	4.30
percentage of stand	5.85	6.73	6.20	6.49	5.40

Overstory only (cont)

	red maple	tuliptree
Relative Density (percent)	1.79	0.94
percentage of stand	2.25	1.18

Understory only

	All species	mountain laurel	American witchhazel	northern red oak	sweet birch
Relative Density (percent)	24.51	8.82	6.93	2.98	1.85
percentage of stand	100.00	35.97	28.27	12.16	7.56

Understory only (cont)

	sassafras	yellow birch	red maple	serviceberry	Norway maple
Relative Density (percent)	1.97	1.22	0.63	0.10	0.00
percentage of stand	8.04	4.99	2.59	0.42	0.00

Understory only (cont)

	chestnut oak	American beech
Relative Density (percent)	0.00	0.00
percentage of stand	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Relative Density (percent)	104.12	26.61	19.07	5.27	6.34
percentage of stand	100.00	25.55	18.32	5.06	6.09

Combined overstory and understory (cont)

	yellow birch	mountain laurel	Norway maple	scarlet oak	sugar maple
Relative Density (percent)	6.58	8.82	5.17	4.66	4.94
percentage of stand	6.32	8.47	4.96	4.47	4.74

Combined overstory and understory (cont)

	American witchhazel	red maple	pignut hickory	tuliptree	sassafras
Relative Density (percent)	6.93	2.42	4.30	0.94	1.97
percentage of stand	6.66	2.33	4.13	0.91	1.89

Combined overstory and understory (cont)

	serviceberry	American beech
Relative Density (percent)	0.10	0.00
percentage of stand	0.10	0.00

Volumes

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Sawtimber gross total (board feet/acre)	4,266	2,116	959	227	0
Sawtimber net total (board feet/acre)	4,014	2,031	878	227	0
Pulpwood gross total (cubic feet/acre)	1,434	514	270	127	98

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Pulpwood net total (cubic feet/acre)	1,148	411	216	102	78
Gross total (cubic feet/acre)	2,160	856	443	167	98
Net total (cubic feet/acre)	1,690	672	342	134	78

Overstory only (cont)

	scarlet oak	yellow birch	sugar maple	Norway maple	pignut hickory
Sawtimber gross total (board feet/acre)	513	0	227	0	0
Sawtimber net total (board feet/acre)	428	0	227	0	0
Pulpwood gross total (cubic feet/acre)	73	88	93	50	0
Pulpwood net total (cubic feet/acre)	58	70	74	40	0
Gross total (cubic feet/acre)	164	88	134	50	0
Net total (cubic feet/acre)	119	70	107	40	0

Overstory only (cont)

	red maple	tuliptree
Sawtimber gross total (board feet/acre)	223	0
Sawtimber net total (board feet/acre)	223	0
Pulpwood gross total (cubic feet/acre)	38	84
Pulpwood net total (cubic feet/acre)	30	67
Gross total (cubic feet/acre)	76	84
Net total (cubic feet/acre)	61	67

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Coarse Root Biomass (tons per acre)	13.48	5.20	2.75	1.27	0.68
Stem Wood Biomass (tons per acre)	43.77	17.51	9.10	3.78	2.05
Stem Bark Biomass (tons per acre)	8.86	3.52	1.85	0.69	0.44
Foliage Biomass (tons per acre)	1.69	0.55	0.29	0.37	0.08
Aboveground Biomass (tons per acre)	70.42	27.58	14.54	5.90	3.57
Total Biomass (tons per acre)	83.91	32.78	17.29	7.17	4.26

Overstory only (cont)

	scarlet oak	yellow birch	sugar maple	Norway maple	pignut hickory
Coarse Root Biomass (tons per acre)	1.02	0.65	0.85	0.00	0.26
Stem Wood Biomass (tons per acre)	3.54	1.86	2.74	0.00	0.46
Stem Bark Biomass (tons per acre)	0.70	0.41	0.57	0.00	0.14
Foliage Biomass (tons per acre)	0.10	0.08	0.09	0.00	0.05
Aboveground Biomass (tons per acre)	5.43	3.37	4.50	0.00	1.26
Total Biomass (tons per acre)	6.45	4.02	5.35	0.00	1.52

Overstory only (cont)

	red maple	tuliptree
Coarse Root Biomass (tons per acre)	0.39	0.41
Stem Wood Biomass (tons per acre)	1.29	1.45
Stem Bark Biomass (tons per acre)	0.26	0.28

Overstory only (cont)

	red maple	tuliptree
Foliage Biomass (tons per acre)	0.04	0.04
Aboveground Biomass (tons per acre)	2.07	2.19
Total Biomass (tons per acre)	2.46	2.60

Understory only

	All species	mountain laurel	American witchhazel	northern red oak	sweet birch
Coarse Root Biomass (tons per acre)	0.62	0.00	0.00	0.27	0.13
Foliage Biomass (tons per acre)	0.30	0.00	0.00	0.14	0.04
Aboveground Biomass (tons per acre)	2.89	0.00	0.00	1.30	0.57
Total Biomass (tons per acre)	3.51	0.00	0.00	1.57	0.70

Understory only (cont)

	sassafras	yellow birch	red maple	serviceberry	Norway maple
Coarse Root Biomass (tons per acre)	0.09	0.08	0.04	0.00	0.00
Foliage Biomass (tons per acre)	0.02	0.01	0.04	0.00	0.00
Aboveground Biomass (tons per acre)	0.41	0.40	0.17	0.02	0.00
Total Biomass (tons per acre)	0.50	0.48	0.21	0.02	0.00

Understory only (cont)

	chestnut oak	American beech
Coarse Root Biomass (tons per acre)	0.01	0.00
Foliage Biomass (tons per acre)	0.03	0.01
Aboveground Biomass (tons per acre)	0.02	0.01
Total Biomass (tons per acre)	0.02	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	eastern hemlock	sweet birch
Coarse Root Biomass (tons per acre)	14.10	5.20	3.02	1.27	0.81
Stem Wood Biomass (tons per acre)	43.77	17.51	9.10	3.78	2.05
Stem Bark Biomass (tons per acre)	8.86	3.52	1.85	0.69	0.44
Foliage Biomass (tons per acre)	1.99	0.57	0.43	0.37	0.12
Aboveground Biomass (tons per acre)	73.32	27.60	15.84	5.90	4.15
Total Biomass (tons per acre)	87.42	32.80	18.86	7.17	4.96

Combined overstory and understory (cont)

	yellow birch	mountain laurel	Norway maple	scarlet oak	sugar maple
Coarse Root Biomass (tons per acre)	0.73	0.00	0.00	1.02	0.85
Stem Wood Biomass (tons per acre)	1.86	0.00	0.00	3.54	2.74
Stem Bark Biomass (tons per acre)	0.41	0.00	0.00	0.70	0.57
Foliage Biomass (tons per acre)	0.09	0.00	0.00	0.10	0.09
Aboveground Biomass (tons per acre)	3.77	0.00	0.00	5.43	4.50
Total Biomass (tons per acre)	4.50	0.00	0.00	6.45	5.35

Combined overstory and understory (cont)

	American witchhazel	red maple	pignut hickory	tuliptree	sassafras

Combined overstory and understory (cont)

	American witchhazel	red maple	pignut hickory	tuliptree	sassafras
Coarse Root Biomass (tons per acre)	0.00	0.43	0.26	0.41	0.09
Stem Wood Biomass (tons per acre)	0.00	1.29	0.46	1.45	0.00
Stem Bark Biomass (tons per acre)	0.00	0.26	0.14	0.28	0.00
Foliage Biomass (tons per acre)	0.00	0.08	0.05	0.04	0.02
Aboveground Biomass (tons per acre)	0.00	2.24	1.26	2.19	0.41
Total Biomass (tons per acre)	0.00	2.67	1.52	2.60	0.50

Combined overstory and understory (cont)

	serviceberry	American beech
Coarse Root Biomass (tons per acre)	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01
Aboveground Biomass (tons per acre)	0.02	0.01
Total Biomass (tons per acre)	0.02	0.01

Generated: 08/29/2012 09:18
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 16.mdb

Timber Tables

This report is for the stand 'Stand 16' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, lowbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	northern red oak	red maple	scarlet oak
Basal Area (square feet)	90.0	35.0	30.0	10.0	5.0
Percentage of stand basal area (%)	100.0	38.9	33.3	11.1	5.6
Stems Per Unit Area (stems per acre)	688.2	144.6	139.3	331.0	11.3

Overstory only (cont)

	white oak	sweet birch
Basal Area (square feet)	5.0	5.0
Percentage of stand basal area (%)	5.6	5.6
Stems Per Unit Area (stems per acre)	4.7	57.3

Understory only

	All species	mountain laurel	sweet birch	chestnut oak
Basal Area (square feet)	6.5	6.4	0.2	0.0
Percentage of stand basal area (%)	100.0	97.2	2.8	0.0
Stems Per Unit Area (stems per acre)	3,000.0	1,533.3	33.3	366.7

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	mountain laurel
Basal Area (square feet)	96.5	35.0	30.0	10.0	6.4
Percentage of stand basal area (%)	100.0	36.3	31.1	10.4	6.6
Stems Per Unit Area (stems per acre)	3,688.2	511.3	139.3	331.0	1,533.3

Combined overstory and understory (cont)

	sweet birch	scarlet oak	white oak
Basal Area (square feet)	5.2	5.0	5.0
Percentage of stand basal area (%)	5.4	5.2	5.2
Stems Per Unit Area (stems per acre)	90.6	11.3	4.7

Diameters

Overstory only

	All species	chestnut oak	northern red oak	red maple	scarlet oak
Medial DBH (inches)	8.4	10.9	7.2	2.5	9.0
Merchantable Medial DBH (inches)	10.4	12.2	7.8	0.0	9.0
Quadratic Mean DBH (inches)	4.9	6.7	6.3	2.4	9.0
Merchantable Quadratic DBH (inches)	9.2	11.3	7.5	0.0	9.0
Average DBH (inches)	4.0	5.4	6.0	2.3	9.0

Overstory only (cont)

	white oak	sweet birch

Overstory only (cont)

	white oak	sweet birch
Medial DBH (inches)	14.0	4.0
Merchantable Medial DBH (inches)	14.0	0.0
Quadratic Mean DBH (inches)	14.0	4.0
Merchantable Quadratic DBH (inches)	14.0	0.0
Average DBH (inches)	14.0	4.0

Understory only

	All species	mountain laurel	sweet birch	chestnut oak
Medial DBH (inches)	1.4	1.5	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.2	1.2	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.2	1.2	1.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	mountain laurel
Medial DBH (inches)	7.9	10.9	7.2	2.5	1.5
Merchantable Medial DBH (inches)	10.4	12.2	7.8	0.0	0.0
Quadratic Mean DBH (inches)	3.4	6.7	6.3	2.4	1.2
Merchantable Quadratic DBH (inches)	9.2	11.3	7.5	0.0	0.0
Average DBH (inches)	2.5	5.4	6.0	2.3	1.2

Combined overstory and understory (cont)

	sweet birch	scarlet oak	white oak

Combined overstory and understory (cont)

	sweet birch	scarlet oak	white oak
Medial DBH (inches)	3.9	9.0	14.0
Merchantable Medial DBH (inches)	0.0	9.0	14.0
Quadratic Mean DBH (inches)	3.2	9.0	14.0
Merchantable Quadratic DBH (inches)	0.0	9.0	14.0
Average DBH (inches)	2.9	9.0	14.0

Structure

Overstory only

	All species	chestnut oak	northern red oak	red maple	scarlet oak
Q Factor	1.39	1.29	1.31	2.25	0.00

Overstory only (cont)

	white oak	sweet birch
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	chestnut oak	northern red oak	red maple	scarlet oak
Relative Density (percent)	89.13	32.42	29.17	13.55	4.49
percentage of stand	100.00	36.38	32.73	15.20	5.04

Overstory only (cont)

	white oak	sweet birch
Relative Density (percent)	4.04	5.45
percentage of stand	4.53	6.11

Understory only

	All species	mountain laurel	sweet birch	chestnut oak
Relative Density (percent)	7.67	7.49	0.17	0.00
percentage of stand	100.00	97.76	2.24	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	mountain laurel
Relative Density (percent)	96.80	32.42	29.17	13.55	7.49
percentage of stand	100.00	33.50	30.14	14.00	7.74

Combined overstory and understory (cont)

	sweet birch	scarlet oak	white oak
Relative Density (percent)	5.62	4.49	4.04
percentage of stand	5.81	4.64	4.18

Volumes

Overstory only

	All species	chestnut oak	northern red oak	red maple	scarlet oak
Sawtimber gross total (board feet/acre)	1,611	1,243	0	0	0
Sawtimber net total (board feet/acre)	1,352	1,105	0	0	0
Pulpwood gross total (cubic feet/acre)	1,107	506	436	0	103
Pulpwood net total (cubic feet/acre)	886	405	349	0	83
Gross total (cubic feet/acre)	1,375	708	436	0	103
Net total (cubic feet/acre)	1,064	548	349	0	83

Overstory only (cont)

	white oak	sweet birch
Sawtimber gross total (board feet/acre)	368	0
Sawtimber net total (board feet/acre)	247	0
Pulpwood gross total (cubic feet/acre)	61	0
Pulpwood net total (cubic feet/acre)	49	0
Gross total (cubic feet/acre)	127	0
Net total (cubic feet/acre)	84	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	northern red oak	red maple	scarlet oak
Coarse Root Biomass (tons per acre)	10.99	4.80	3.53	0.79	0.65
Stem Wood Biomass (tons per acre)	31.52	14.94	9.88	1.17	1.97
Stem Bark Biomass (tons per acre)	6.94	3.14	2.22	0.38	0.42
Foliage Biomass (tons per acre)	1.38	0.55	0.43	0.17	0.07
Aboveground Biomass (tons per acre)	56.92	25.15	18.26	3.77	3.39
Total Biomass (tons per acre)	67.91	29.95	21.78	4.56	4.04

Overstory only (cont)

	white oak	sweet birch
Coarse Root Biomass (tons per acre)	0.77	0.45
Stem Wood Biomass (tons per acre)	2.60	0.97
Stem Bark Biomass (tons per acre)	0.52	0.25
Foliage Biomass (tons per acre)	0.08	0.07
Aboveground Biomass (tons per acre)	4.11	2.25

Overstory only (cont)

	white oak	sweet birch
Total Biomass (tons per acre)	4.88	2.69

Understory only

	All species	mountain laurel	sweet birch	chestnut oak
Coarse Root Biomass (tons per acre)	0.05	0.00	0.01	0.03
Foliage Biomass (tons per acre)	0.18	0.00	0.01	0.17
Aboveground Biomass (tons per acre)	0.15	0.00	0.05	0.10
Total Biomass (tons per acre)	0.19	0.00	0.06	0.13

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	mountain laurel
Coarse Root Biomass (tons per acre)	11.03	4.83	3.53	0.79	0.00
Stem Wood Biomass (tons per acre)	31.52	14.94	9.88	1.17	0.00
Stem Bark Biomass (tons per acre)	6.94	3.14	2.22	0.38	0.00
Foliage Biomass (tons per acre)	1.55	0.72	0.43	0.17	0.00
Aboveground Biomass (tons per acre)	57.06	25.25	18.26	3.77	0.00
Total Biomass (tons per acre)	68.10	30.08	21.78	4.56	0.00

Combined overstory and understory (cont)

	sweet birch	scarlet oak	white oak
Coarse Root Biomass (tons per acre)	0.46	0.65	0.77
Stem Wood Biomass (tons per acre)	0.97	1.97	2.60
Stem Bark Biomass (tons per acre)	0.25	0.42	0.52
Foliage Biomass (tons per acre)	0.08	0.07	0.08

Combined overstory and understory (cont)

	sweet birch	scarlet oak	white oak
Aboveground Biomass (tons per acre)	2.29	3.39	4.11
Total Biomass (tons per acre)	2.76	4.04	4.88

Generated: 08/29/2012 09:22
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 17.mdb

Timber Tables

This report is for the stand 'Stand 17' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry was found in the understory observations, but is not included in this report because it does not have a growth form of 'Tree'.

Composition

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Basal Area (square feet)	120.0	25.0	25.0	20.0	15.0
Percentage of stand basal area (%)	100.0	20.8	20.8	16.7	12.5
Stems Per Unit Area (stems per acre)	364.7	75.3	55.9	5.5	28.7

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Basal Area (square feet)	10.0	5.0	5.0	5.0	5.0
Percentage of stand basal area (%)	8.3	4.2	4.2	4.2	4.2
Stems Per Unit Area (stems per acre)	50.9	25.5	101.9	18.7	1.5

Overstory only (cont)

	tuliptree
Basal Area (square feet)	5.0
Percentage of stand basal area (%)	4.2
Stems Per Unit Area (stems per acre)	0.9

Understory only

	All species	northern spicebush	yellow birch	red maple	mountain laurel
Basal Area (square feet)	11.1	4.2	1.6	1.6	1.5
Percentage of stand basal area (%)	100.0	37.7	14.8	14.8	13.1
Stems Per Unit Area (stems per acre)	4,000.0	2,000.0	33.3	33.3	66.7

Understory only (cont)

	American hornbeam	serviceberry	northern red oak	white oak	American beech
Basal Area (square feet)	0.9	0.7	0.2	0.0	0.0
Percentage of stand basal area (%)	8.2	6.6	1.6	0.0	0.0
Stems Per Unit Area (stems per acre)	66.7	66.7	33.3	500.0	200.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	yellow birch	red maple	northern red oak	American beech
Basal Area (square feet)	131.1	26.6	26.6	20.2	15.0
Percentage of stand basal area (%)	100.0	20.3	20.3	15.4	11.4
Stems Per Unit Area (stems per acre)	4,364.7	108.6	89.3	38.8	228.7

Combined overstory and understory (cont)

	white ash	serviceberry	eastern hemlock	sassafras	scarlet oak
Basal Area (square feet)	10.0	5.7	5.0	5.0	5.0
Percentage of stand basal area (%)	7.6	4.4	3.8	3.8	3.8
Stems Per Unit Area (stems per acre)	50.9	168.5	25.5	18.7	1.5

Combined overstory and understory (cont)

	tuliptree	northern spicebush	mountain laurel	American hornbeam	white oak
Basal Area (square feet)	5.0	4.2	1.5	0.9	0.0
Percentage of stand basal area (%)	3.8	3.2	1.1	0.7	0.0
Stems Per Unit Area (stems per acre)	0.9	2,000.0	66.7	66.7	500.0

Diameters

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Medial DBH (inches)	14.7	9.2	9.6	29.8	18.3
Merchantable Medial DBH (inches)	15.7	10.3	9.6	29.8	18.3
Quadratic Mean DBH (inches)	7.8	7.8	9.1	25.9	9.8
Merchantable Quadratic DBH (inches)	9.4	9.7	9.1	25.9	9.8
Average DBH (inches)	6.5	7.4	8.9	24.7	8.0

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Medial DBH (inches)	6.0	6.0	3.0	7.0	25.0
Merchantable Medial DBH (inches)	6.0	6.0	0.0	7.0	25.0
Quadratic Mean DBH (inches)	6.0	6.0	3.0	7.0	25.0

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Merchantable Quadratic DBH (inches)	6.0	6.0	0.0	7.0	25.0
Average DBH (inches)	6.0	6.0	3.0	7.0	25.0

Overstory only (cont)

	tuliptree
Medial DBH (inches)	32.0
Merchantable Medial DBH (inches)	32.0
Quadratic Mean DBH (inches)	32.0
Merchantable Quadratic DBH (inches)	32.0
Average DBH (inches)	32.0

Understory only

	All species	northern spicebush	yellow birch	red maple	mountain laurel
Medial DBH (inches)	1.9	1.2	3.0	3.0	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	1.1	3.0	3.0	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	1.1	3.0	3.0	2.0

Understory only (cont)

	American hornbeam	serviceberry	northern red oak	white oak	American beech
Medial DBH (inches)	1.8	2.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0

Understory only (cont)

	American hornbeam	serviceberry	northern red oak	white oak	American beech
Quadratic Mean DBH (inches)	1.6	2.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	2.0	1.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	yellow birch	red maple	northern red oak	American beech
Medial DBH (inches)	13.6	8.8	9.2	29.5	18.3
Merchantable Medial DBH (inches)	15.7	10.2	9.6	29.7	18.3
Quadratic Mean DBH (inches)	4.2	6.7	7.4	9.8	9.8
Merchantable Quadratic DBH (inches)	9.4	9.7	9.1	25.9	9.8
Average DBH (inches)	2.7	6.0	6.7	4.3	8.0

Combined overstory and understory (cont)

	white ash	serviceberry	eastern hemlock	sassafras	scarlet oak
Medial DBH (inches)	6.0	2.9	6.0	7.0	25.0
Merchantable Medial DBH (inches)	6.0	0.0	6.0	7.0	25.0
Quadratic Mean DBH (inches)	6.0	2.8	6.0	7.0	25.0
Merchantable Quadratic DBH (inches)	6.0	0.0	6.0	7.0	25.0
Average DBH (inches)	6.0	2.8	6.0	7.0	25.0

Combined overstory and understory (cont)

	tuliptree	northern spicebush	mountain laurel	American hornbeam	white oak
Medial DBH (inches)	32.0	1.2	2.0	1.8	0.0
Merchantable Medial DBH (inches)	32.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	32.0	1.1	2.0	1.6	0.0
Merchantable Quadratic DBH (inches)	32.0	0.0	0.0	0.0	0.0
Average DBH (inches)	32.0	1.0	2.0	1.5	0.0

Structure

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Q Factor	1.18	1.29	1.28	1.07	1.16

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Q Factor	0.00	0.00	0.33	0.00	0.00

Overstory only (cont)

	tuliptree
Q Factor	0.00

Relative density

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Relative Density (percent)	93.24	21.68	17.48	16.81	12.24
percentage of stand	100.00	23.26	18.75	18.03	13.13

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Relative Density (percent)	7.74	2.00	6.28	4.04	3.69
percentage of stand	8.30	2.14	6.74	4.33	3.96

Overstory only (cont)

	tuliptree
Relative Density (percent)	1.27
percentage of stand	1.36

Understory only

	All species	northern spicebush	yellow birch	red maple	mountain laurel
Relative Density (percent)	13.03	4.32	2.04	2.06	2.11
percentage of stand	100.00	33.18	15.64	15.78	16.23

Understory only (cont)

	American hornbeam	serviceberry	northern red oak	white oak	American beech
Relative Density (percent)	1.23	1.06	0.21	0.00	0.00
percentage of stand	9.43	8.11	1.63	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	yellow birch	red maple	northern red oak	American beech
Relative Density (percent)	106.27	23.72	19.54	17.02	12.24
percentage of stand	100.00	22.32	18.39	16.02	11.52

Combined overstory and understory (cont)

	white ash	serviceberry	eastern hemlock	sassafras	scarlet oak
Relative Density (percent)	7.74	7.34	2.00	4.04	3.69
percentage of stand	7.29	6.91	1.88	3.80	3.47

Combined overstory and understory (cont)

	tuliptree	northern spicebush	mountain laurel	American hornbeam	white oak
Relative Density (percent)	1.27	4.32	2.11	1.23	0.00
percentage of stand	1.19	4.07	1.99	1.16	0.00

Volumes

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Sawtimber gross total (board feet/acre)	4,070	336	0	2,175	938
Sawtimber net total (board feet/acre)	4,070	336	0	2,175	938
Pulpwood gross total (cubic feet/acre)	1,730	352	542	230	159
Pulpwood net total (cubic feet/acre)	1,384	281	433	184	127
Gross total (cubic feet/acre)	2,386	407	542	593	308
Net total (cubic feet/acre)	1,909	325	433	474	247

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Sawtimber gross total (board feet/acre)	0	0	0	0	622
Sawtimber net total (board feet/acre)	0	0	0	0	622
Pulpwood gross total (cubic feet/acre)	124	31	0	85	58
Pulpwood net total (cubic feet/acre)	99	25	0	68	46
Gross total (cubic feet/acre)	124	31	0	85	146
Net total (cubic feet/acre)	99	25	0	68	117

Overstory only (cont)

	tuliptree
Sawtimber gross total (board feet/acre)	0
Sawtimber net total (board feet/acre)	0
Pulpwood gross total (cubic feet/acre)	151
Pulpwood net total (cubic feet/acre)	121
Gross total (cubic feet/acre)	151
Net total (cubic feet/acre)	121

Values

All the species are missing prices.

Biomass

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Coarse Root Biomass (tons per acre)	16.29	2.88	2.93	4.20	2.50
Stem Wood Biomass (tons per acre)	53.31	8.68	9.02	15.40	8.51
Stem Bark Biomass (tons per acre)	10.83	1.86	1.92	2.94	1.70

Overstory only

	All species	yellow birch	red maple	northern red oak	American beech
Foliage Biomass (tons per acre)	1.87	0.33	0.33	0.41	0.26
Aboveground Biomass (tons per acre)	85.77	15.05	15.38	22.55	13.29
Total Biomass (tons per acre)	102.07	17.93	18.32	26.76	15.79

Overstory only (cont)

	white ash	eastern hemlock	serviceberry	sassafras	scarlet oak
Coarse Root Biomass (tons per acre)	0.79	0.42	0.30	0.42	0.99
Stem Wood Biomass (tons per acre)	2.10	1.17	0.53	1.19	3.57
Stem Bark Biomass (tons per acre)	0.49	0.22	0.16	0.27	0.69
Foliage Biomass (tons per acre)	0.10	0.13	0.05	0.05	0.10
Aboveground Biomass (tons per acre)	4.08	1.91	1.46	2.20	5.28
Total Biomass (tons per acre)	4.87	2.33	1.76	2.62	6.27

Overstory only (cont)

	tuliptree
Coarse Root Biomass (tons per acre)	0.85
Stem Wood Biomass (tons per acre)	3.15
Stem Bark Biomass (tons per acre)	0.60
Foliage Biomass (tons per acre)	0.08
Aboveground Biomass (tons per acre)	4.58
Total Biomass (tons per acre)	5.43

Understory only

	All species	northern spicebush	yellow birch	red maple	mountain laurel
Coarse Root Biomass (tons per	0.43	0.00	0.14	0.14	0.00

Understory only

	All species	northern spicebush	yellow birch	red maple	mountain laurel
acre)					
Foliage Biomass (tons per acre)	0.41	0.00	0.02	0.02	0.00
Aboveground Biomass (tons per acre)	1.94	0.00	0.66	0.66	0.00
Total Biomass (tons per acre)	2.37	0.00	0.80	0.80	0.00

Understory only (cont)

	American hornbeam	serviceberry	northern red oak	white oak	American beech
Coarse Root Biomass (tons per acre)	0.05	0.04	0.01	0.05	0.02
Foliage Biomass (tons per acre)	0.01	0.02	0.01	0.23	0.09
Aboveground Biomass (tons per acre)	0.21	0.18	0.05	0.13	0.05
Total Biomass (tons per acre)	0.25	0.22	0.06	0.18	0.07

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	yellow birch	red maple	northern red oak	American beech
Coarse Root Biomass (tons per acre)	16.73	3.02	3.07	4.22	2.52
Stem Wood Biomass (tons per acre)	53.31	8.68	9.02	15.40	8.51
Stem Bark Biomass (tons per acre)	10.83	1.86	1.92	2.94	1.70
Foliage Biomass (tons per acre)	2.28	0.36	0.36	0.42	0.36
Aboveground Biomass (tons per acre)	87.72	15.71	16.05	22.60	13.34
Total Biomass (tons per acre)	104.44	18.73	19.12	26.81	15.87

Combined overstory and understory (cont)

	white ash	serviceberry	eastern hemlock	sassafras	scarlet oak
Coarse Root Biomass (tons per acre)	0.79	0.34	0.42	0.42	0.99
Stem Wood Biomass (tons per acre)	2.10	0.53	1.17	1.19	3.57
Stem Bark Biomass (tons per acre)	0.49	0.16	0.22	0.27	0.69
Foliage Biomass (tons per acre)	0.10	0.07	0.13	0.05	0.10
Aboveground Biomass (tons per acre)	4.08	1.64	1.91	2.20	5.28
Total Biomass (tons per acre)	4.87	1.98	2.33	2.62	6.27

Combined overstory and understory (cont)

	tuliptree	northern spicebush	mountain laurel	American hornbeam	white oak
Coarse Root Biomass (tons per acre)	0.85	0.00	0.00	0.05	0.05
Stem Wood Biomass (tons per acre)	3.15	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.60	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.08	0.00	0.00	0.01	0.23
Aboveground Biomass (tons per acre)	4.58	0.00	0.00	0.21	0.13
Total Biomass (tons per acre)	5.43	0.00	0.00	0.25	0.18

Generated: 08/29/2012 09:27
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 18.mdb

Timber Tables

This report is for the stand 'Stand 18' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Basal Area (square feet)	99.3	31.6	13.7	10.5	6.1
Percentage of stand basal area (%)	100.0	31.8	13.8	10.6	6.1
Stems Per Unit Area (stems per acre)	336.4	106.8	35.9	29.2	12.8

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
Basal Area (square feet)	5.7	5.4	5.1	4.1	4.1
Percentage of stand basal area (%)	5.8	5.5	5.1	4.2	4.2
Stems Per Unit Area (stems per acre)	21.9	24.5	8.5	3.6	65.8

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Basal Area (square feet)	2.9	2.2	2.2	1.6	1.3

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Percentage of stand basal area (%)	2.9	2.3	2.3	1.6	1.3
Stems Per Unit Area (stems per acre)	5.9	2.0	2.2	4.2	0.9

Overstory only (cont)

	shagbark hickory	Norway maple	sassafras	bigtooth aspen
Basal Area (square feet)	1.0	1.0	0.3	0.3
Percentage of stand basal area (%)	1.0	1.0	0.3	0.3
Stems Per Unit Area (stems per acre)	2.9	7.6	1.2	0.3

Understory only

	All species	serviceberry	northern red oak	red maple	American witchhazel
Basal Area (square feet)	8.7	1.8	1.5	1.0	0.8
Percentage of stand basal area (%)	100.0	20.2	17.4	11.2	9.4
Stems Per Unit Area (stems per acre)	5,176.6	374.5	421.3	287.2	323.4

Understory only (cont)

	sugar maple	pignut hickory	chestnut oak	American hornbeam	mountain laurel
Basal Area (square feet)	0.7	0.6	0.4	0.3	0.3
Percentage of stand basal area (%)	7.8	7.5	5.1	3.1	3.1
Stems Per Unit Area (stems per acre)	46.8	21.3	480.9	44.7	159.6

Understory only (cont)

	hophornbeam	sweet birch	scarlet oak	white ash	mockernut hickory
Basal Area (square feet)	0.2	0.2	0.2	0.2	0.2
Percentage of stand basal area (%)	2.4	2.3	2.1	1.9	1.9
Stems Per Unit Area (stems per acre)	42.6	129.8	2.1	25.5	63.8

Understory only (cont)

	white oak	yellow birch	black cherry	northern spicebush	ailanthus
Basal Area (square feet)	0.2	0.1	0.0	0.0	0.0
Percentage of stand basal area (%)	1.7	0.8	0.1	0.0	0.0
Stems Per Unit Area (stems per acre)	121.3	6.4	136.2	57.4	38.3

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	pignut hickory
Basal Area (square feet)	107.9	33.1	14.2	11.5	6.4
Percentage of stand basal area (%)	100.0	30.7	13.1	10.7	5.9
Stems Per Unit Area (stems per acre)	5,513.0	528.1	516.8	316.5	43.2

Combined overstory and understory (cont)

	sweet birch	serviceberry	mockernut hickory	scarlet oak	white oak
Basal Area (square feet)	6.3	5.9	5.6	5.3	4.3
Percentage of stand basal area (%)	5.8	5.5	5.2	4.9	4.0

Combined overstory and understory (cont)

	sweet birch	serviceberry	mockernut hickory	scarlet oak	white oak
Stems Per Unit Area (stems per acre)	142.6	440.3	88.3	10.6	124.9

Combined overstory and understory (cont)

	white ash	sugar maple	black oak	yellow birch	tuliptree
Basal Area (square feet)	3.0	2.9	2.2	1.7	1.3
Percentage of stand basal area (%)	2.8	2.7	2.1	1.5	1.2
Stems Per Unit Area (stems per acre)	31.4	49.0	2.0	10.6	0.9

Combined overstory and understory (cont)

	shagbark hickory	Norway maple	American witchhazel	sassafras	bigtooth aspen
Basal Area (square feet)	1.0	1.0	0.8	0.3	0.3
Percentage of stand basal area (%)	0.9	0.9	0.8	0.3	0.3
Stems Per Unit Area (stems per acre)	2.9	7.6	323.4	1.2	0.3

Combined overstory and understory (cont)

	American hornbeam	mountain laurel	hophornbeam	black cherry	northern spicebush
Basal Area (square feet)	0.3	0.3	0.2	0.0	0.0
Percentage of stand basal area (%)	0.2	0.2	0.2	0.0	0.0
Stems Per Unit Area (stems per acre)	44.7	159.6	42.6	136.2	57.4

Combined overstory and understory (cont)

	ailanthus
Basal Area (square feet)	0.0
Percentage of stand basal area (%)	0.0
Stems Per Unit Area (stems per acre)	38.3

Diameters

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Medial DBH (inches)	11.4	11.4	13.0	9.9	11.5
Merchantable Medial DBH (inches)	12.6	12.4	14.2	10.4	11.9
Quadratic Mean DBH (inches)	7.4	7.4	8.4	8.1	9.3
Merchantable Quadratic DBH (inches)	10.3	10.1	12.3	9.2	10.0
Average DBH (inches)	6.2	6.2	6.9	7.6	8.6

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
Medial DBH (inches)	9.4	8.8	13.3	16.8	4.3
Merchantable Medial DBH (inches)	10.5	10.2	13.3	16.8	7.3
Quadratic Mean DBH (inches)	6.9	6.4	10.5	14.5	3.4
Merchantable Quadratic DBH (inches)	9.6	8.9	10.5	14.5	6.8
Average DBH (inches)	6.1	5.7	9.8	13.8	3.2

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Medial DBH (inches)	13.4	15.0	14.1	10.2	17.5
Merchantable Medial DBH (inches)	14.5	15.0	14.1	11.5	17.5

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Quadratic Mean DBH (inches)	9.4	14.4	13.6	8.3	16.3
Merchantable Quadratic DBH (inches)	11.4	14.4	13.6	11.2	16.3
Average DBH (inches)	8.4	14.1	13.4	7.7	16.0

Overstory only (cont)

	shagbark hickory	Norway maple	sassafras	bigtooth aspen
Medial DBH (inches)	9.0	5.0	7.0	15.0
Merchantable Medial DBH (inches)	9.0	6.0	7.0	15.0
Quadratic Mean DBH (inches)	7.8	4.8	7.0	15.0
Merchantable Quadratic DBH (inches)	7.8	6.0	7.0	15.0
Average DBH (inches)	7.5	4.7	7.0	15.0

Understory only

	All species	serviceberry	northern red oak	red maple	American witchhazel
Medial DBH (inches)	2.5	2.2	2.8	2.9	1.5
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.8	1.7	2.2	2.4	1.3
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	1.5	2.0	2.3	1.2

Understory only (cont)

	sugar maple	pignut hickory	chestnut oak	American hornbeam	mountain laurel
Medial DBH (inches)	3.1	3.4	2.1	2.3	1.5
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH	2.7	2.8	1.8	2.0	1.3

Understory only (cont)

	sugar maple	pignut hickory	chestnut oak	American hornbeam	mountain laurel
(inches)					
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.5	2.6	1.7	1.8	1.2

Understory only (cont)

	hophornbeam	sweet birch	scarlet oak	white ash	mockernut hickory
Medial DBH (inches)	2.2	1.7	4.0	2.6	1.9
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.5	4.0	2.2	1.7
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	1.4	4.0	2.0	1.6

Understory only (cont)

	white oak	yellow birch	black cherry	northern spicebush	ailanthus
Medial DBH (inches)	2.7	1.7	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.5	1.4	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.5	1.3	1.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	pignut hickory
Medial DBH (inches)	10.7	11.0	12.7	9.3	8.8
Merchantable Medial DBH (inches)	12.6	12.4	14.2	10.4	10.5
Quadratic Mean DBH (inches)	4.9	6.1	6.5	6.0	5.6
Merchantable Quadratic DBH (inches)	10.3	10.1	12.3	9.2	9.6
Average DBH (inches)	3.5	4.8	4.7	4.9	4.7

Combined overstory and understory (cont)

	sweet birch	serviceberry	mockernut hickory	scarlet oak	white oak
Medial DBH (inches)	11.2	3.7	8.6	13.0	16.3
Merchantable Medial DBH (inches)	11.9	7.3	10.2	13.3	16.8
Quadratic Mean DBH (inches)	6.2	2.4	5.4	9.6	10.0
Merchantable Quadratic DBH (inches)	10.0	6.8	8.9	10.5	14.5
Average DBH (inches)	4.5	2.1	4.4	8.7	7.7

Combined overstory and understory (cont)

	white ash	sugar maple	black oak	yellow birch	tuliptree
Medial DBH (inches)	12.9	11.6	15.0	9.8	17.5
Merchantable Medial DBH (inches)	14.5	14.1	15.0	11.5	17.5
Quadratic Mean DBH (inches)	6.7	5.3	14.4	5.4	16.3
Merchantable Quadratic DBH (inches)	11.4	13.6	14.4	11.2	16.3
Average DBH (inches)	5.1	3.8	14.1	3.9	16.0

Combined overstory and understory (cont)

	shagbark hickory	Norway maple	American witchhazel	sassafras	bigtooth aspen

Combined overstory and understory (cont)

	shagbark hickory	Norway maple	American witchhazel	sassafras	bigtooth aspen
Medial DBH (inches)	9.0	5.0	1.5	7.0	15.0
Merchantable Medial DBH (inches)	9.0	6.0	0.0	7.0	15.0
Quadratic Mean DBH (inches)	7.8	4.8	1.3	7.0	15.0
Merchantable Quadratic DBH (inches)	7.8	6.0	0.0	7.0	15.0
Average DBH (inches)	7.5	4.7	1.2	7.0	15.0

Combined overstory and understory (cont)

	American hornbeam	mountain laurel	hophornbeam	black cherry	northern spicebush
Medial DBH (inches)	2.3	1.5	2.2	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.3	1.6	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.8	1.2	1.4	1.0	0.0

Combined overstory and understory (cont)

	ailanthus
Medial DBH (inches)	0.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	0.0
Merchantable Quadratic DBH (inches)	0.0
Average DBH (inches)	0.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Q Factor	1.33	1.27	1.22	1.28	1.22

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
Q Factor	1.28	1.29	1.26	1.16	1.66

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Q Factor	1.17	1.18	1.18	1.26	1.12

Overstory only (cont)

	shagbark hickory	Norway maple	sassafras	bigtooth aspen
Q Factor	1.24	1.50	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Relative Density (percent)	84.78	29.38	11.97	7.54	4.04
percentage of stand	100.00	34.66	14.12	8.89	4.76

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
Relative Density (percent)	5.39	5.25	4.34	3.30	4.61
percentage of stand	6.36	6.19	5.11	3.89	5.44

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Relative Density (percent)	1.39	1.79	1.78	1.36	0.45
percentage of stand	1.64	2.11	2.10	1.61	0.53

Overstory only (cont)

	shagbark hickory	Norway maple	sassafras	bigtooth aspen
Relative Density (percent)	0.89	0.86	0.26	0.19
percentage of stand	1.05	1.02	0.30	0.22

Understory only

	All species	serviceberry	northern red oak	red maple	American witchhazel
Relative Density (percent)	11.55	2.23	1.74	1.23	0.98
percentage of stand	100.00	19.30	15.03	10.64	8.49

Understory only (cont)

	sugar maple	pignut hickory	chestnut oak	American hornbeam	mountain laurel
Relative Density (percent)	0.87	0.92	0.86	0.36	0.32
percentage of stand	7.55	7.96	7.48	3.08	2.80

Understory only (cont)

	hophornbeam	sweet birch	scarlet oak	white ash	mockernut hickory
Relative Density (percent)	0.25	0.26	0.23	0.40	0.34
percentage of stand	2.20	2.23	1.97	3.48	2.92

Understory only (cont)

	white oak	yellow birch	black cherry	northern spicebush	ailanthus
Relative Density (percent)	0.24	0.15	0.09	0.00	0.00
percentage of stand	2.05	1.31	0.82	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	pignut hickory
Relative Density (percent)	96.33	31.12	12.84	8.77	6.31
percentage of stand	100.00	32.30	13.32	9.10	6.55

Combined overstory and understory (cont)

	sweet birch	serviceberry	mockernut hickory	scarlet oak	white oak
Relative Density (percent)	4.30	6.84	5.59	4.56	3.53
percentage of stand	4.46	7.10	5.80	4.74	3.67

Combined overstory and understory (cont)

	white ash	sugar maple	black oak	yellow birch	tuliptree
Relative Density (percent)	1.79	2.65	1.79	1.51	0.45
percentage of stand	1.86	2.75	1.86	1.57	0.46

Combined overstory and understory (cont)

	shagbark hickory	Norway maple	American witchhazel	sassafras	bigtooth aspen
Relative Density (percent)	0.89	0.86	0.98	0.26	0.19
percentage of stand	0.92	0.89	1.02	0.27	0.20

Combined overstory and understory (cont)

	American hornbeam	mountain laurel	hophornbeam	black cherry	northern spicebush
Relative Density (percent)	0.36	0.32	0.25	0.09	0.00
percentage of stand	0.37	0.34	0.26	0.10	0.00

Combined overstory and understory (cont)

	ailanthus
Relative Density (percent)	0.00
percentage of stand	0.00

Volumes

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Sawtimber gross total (board feet/acre)	2,786	919	566	133	164
Sawtimber net total (board feet/acre)	2,489	848	539	97	126
Pulpwood gross total (cubic feet/acre)	1,469	479	198	183	91
Pulpwood net total (cubic feet/acre)	1,175	383	158	146	73
Gross total (cubic feet/acre)	1,946	636	294	206	118
Net total (cubic feet/acre)	1,517	499	231	160	90

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
Sawtimber gross total (board feet/acre)	71	0	215	276	0
Sawtimber net total (board feet/acre)	56	0	197	248	0
Pulpwood gross total (cubic	87	82	85	59	15

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
feet/acre)					
Pulpwood net total (cubic feet/acre)	69	66	68	47	12
Gross total (cubic feet/acre)	100	82	120	109	15
Net total (cubic feet/acre)	78	66	93	83	12

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Sawtimber gross total (board feet/acre)	153	134	99	21	0
Sawtimber net total (board feet/acre)	123	108	90	21	0
Pulpwood gross total (cubic feet/acre)	37	32	35	24	34
Pulpwood net total (cubic feet/acre)	29	25	28	19	27
Gross total (cubic feet/acre)	62	55	54	28	34
Net total (cubic feet/acre)	46	40	42	22	27

Overstory only (cont)

	shagbark hickory	Norway maple	sassafras	bigtooth aspen
Sawtimber gross total (board feet/acre)	0	0	0	36
Sawtimber net total (board feet/acre)	0	0	0	36
Pulpwood gross total (cubic feet/acre)	17	4	5	2
Pulpwood net total (cubic feet/acre)	14	3	4	2
Gross total (cubic feet/acre)	17	4	5	8
Net total (cubic feet/acre)	14	3	4	7

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Coarse Root Biomass (tons per acre)	13.12	4.39	2.03	1.24	0.75
Stem Wood Biomass (tons per acre)	41.36	13.78	6.58	3.80	2.39
Stem Bark Biomass (tons per acre)	8.63	2.88	1.35	0.81	0.50
Foliage Biomass (tons per acre)	1.48	0.50	0.22	0.14	0.08
Aboveground Biomass (tons per acre)	68.96	23.06	10.69	6.49	3.95
Total Biomass (tons per acre)	82.08	27.46	12.71	7.73	4.70

Overstory only (cont)

	pignut hickory	mockernut hickory	scarlet oak	white oak	serviceberry
Coarse Root Biomass (tons per acre)	0.75	0.68	0.76	0.69	0.28
Stem Wood Biomass (tons per acre)	2.25	2.01	2.48	2.36	0.61
Stem Bark Biomass (tons per acre)	0.48	0.44	0.51	0.47	0.16
Foliage Biomass (tons per acre)	0.09	0.08	0.08	0.07	0.04
Aboveground Biomass (tons per acre)	3.90	3.56	4.01	3.65	1.41
Total Biomass (tons per acre)	4.64	4.24	4.77	4.34	1.69

Overstory only (cont)

	white ash	black oak	sugar maple	yellow birch	tuliptree
Coarse Root Biomass (tons per acre)	0.32	0.35	0.35	0.19	0.16
Stem Wood Biomass (tons per acre)	1.04	1.20	1.16	0.59	0.56
Stem Bark Biomass (tons per acre)	0.21	0.24	0.23	0.12	0.11
Foliage Biomass (tons per acre)	0.03	0.04	0.04	0.02	0.02
Aboveground Biomass (tons per acre)	1.68	1.88	1.84	1.00	0.87
Total Biomass (tons per acre)	2.00	2.24	2.18	1.19	1.03

Overstory only (cont)

	shagbark hickory	Norway maple	sassafras	bigtooth aspen
Coarse Root Biomass (tons per acre)	0.12	0.00	0.03	0.04
Stem Wood Biomass (tons per acre)	0.37	0.00	0.08	0.12
Stem Bark Biomass (tons per acre)	0.08	0.00	0.02	0.02
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.64	0.00	0.14	0.19
Total Biomass (tons per acre)	0.76	0.00	0.17	0.22

Understory only

	All species	serviceberry	northern red oak	red maple	American witchhazel
Coarse Root Biomass (tons per acre)	0.71	0.11	0.16	0.11	0.00
Foliage Biomass (tons per acre)	0.93	0.10	0.19	0.14	0.00
Aboveground Biomass (tons per acre)	3.07	0.47	0.70	0.46	0.00
Total Biomass (tons per acre)	3.78	0.58	0.86	0.56	0.00

Understory only (cont)

	sugar maple	pignut hickory	chestnut oak	American hornbeam	mountain laurel
Coarse Root Biomass (tons per acre)	0.06	0.06	0.08	0.02	0.00
Foliage Biomass (tons per acre)	0.02	0.01	0.22	0.01	0.00
Aboveground Biomass (tons per acre)	0.29	0.29	0.28	0.07	0.00
Total Biomass (tons per acre)	0.36	0.35	0.35	0.09	0.00

Understory only (cont)

	hophornbeam	sweet birch	scarlet oak	white ash	mockernut hickory
Coarse Root Biomass (tons per acre)	0.01	0.03	0.02	0.01	0.02
Foliage Biomass (tons per acre)	0.01	0.06	0.00	0.01	0.03
Aboveground Biomass (tons per acre)	0.06	0.10	0.09	0.05	0.07
Total Biomass (tons per acre)	0.07	0.12	0.11	0.06	0.09

Understory only (cont)

	white oak	yellow birch	black cherry	northern spicebush	ailanthus
Coarse Root Biomass (tons per acre)	0.02	0.01	0.01	0.00	0.00
Foliage Biomass (tons per acre)	0.06	0.00	0.04	0.00	0.01
Aboveground Biomass (tons per acre)	0.09	0.02	0.02	0.00	0.01
Total Biomass (tons per acre)	0.11	0.03	0.03	0.00	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	pignut hickory
Coarse Root Biomass (tons per acre)	13.83	4.55	2.10	1.35	0.80
Stem Wood Biomass (tons per acre)	41.36	13.78	6.58	3.80	2.25
Stem Bark Biomass (tons per acre)	8.63	2.88	1.35	0.81	0.48
Foliage Biomass (tons per acre)	2.41	0.69	0.44	0.29	0.10
Aboveground Biomass (tons per acre)	72.02	23.76	10.97	6.95	4.19
Total Biomass (tons per acre)	85.85	28.32	13.07	8.29	4.99

Combined overstory and understory (cont)

	sweet birch	serviceberry	mockernut hickory	scarlet oak	white oak
Coarse Root Biomass (tons per acre)	0.78	0.39	0.70	0.78	0.71
Stem Wood Biomass (tons per acre)	2.39	0.61	2.01	2.48	2.36
Stem Bark Biomass (tons per acre)	0.50	0.16	0.44	0.51	0.47
Foliage Biomass (tons per acre)	0.14	0.15	0.11	0.09	0.13
Aboveground Biomass (tons per acre)	4.05	1.88	3.63	4.10	3.75
Total Biomass (tons per acre)	4.82	2.27	4.33	4.88	4.46

Combined overstory and understory (cont)

	white ash	sugar maple	black oak	yellow birch	tuliptree
Coarse Root Biomass (tons per acre)	0.33	0.41	0.35	0.20	0.16
Stem Wood Biomass (tons per acre)	1.04	1.16	1.20	0.59	0.56
Stem Bark Biomass (tons per acre)	0.21	0.23	0.24	0.12	0.11
Foliage Biomass (tons per acre)	0.04	0.06	0.04	0.02	0.02
Aboveground Biomass (tons per acre)	1.73	2.13	1.88	1.02	0.87
Total Biomass (tons per acre)	2.06	2.54	2.24	1.21	1.03

Combined overstory and understory (cont)

	shagbark hickory	Norway maple	American witchhazel	sassafras	bigtooth aspen
Coarse Root Biomass (tons per acre)	0.12	0.00	0.00	0.03	0.04
Stem Wood Biomass (tons per acre)	0.37	0.00	0.00	0.08	0.12
Stem Bark Biomass (tons per acre)	0.08	0.00	0.00	0.02	0.02
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.64	0.00	0.00	0.14	0.19

Combined overstory and understory (cont)

	shagbark hickory	Norway maple	American witchhazel	sassafras	bigtooth aspen
Total Biomass (tons per acre)	0.76	0.00	0.00	0.17	0.22

Combined overstory and understory (cont)

	American hornbeam	mountain laurel	hophornbeam	black cherry	northern spicebush
Coarse Root Biomass (tons per acre)	0.02	0.00	0.01	0.01	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.01	0.04	0.00
Aboveground Biomass (tons per acre)	0.07	0.00	0.06	0.02	0.00
Total Biomass (tons per acre)	0.09	0.00	0.07	0.03	0.00

Combined overstory and understory (cont)

	ailanthus
Coarse Root Biomass (tons per acre)	0.00
Stem Wood Biomass (tons per acre)	0.00
Stem Bark Biomass (tons per acre)	0.00
Foliage Biomass (tons per acre)	0.01
Aboveground Biomass (tons per acre)	0.01
Total Biomass (tons per acre)	0.01

Generated: 08/29/2012 09:33
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 19.mdb

Timber Tables

This report is for the stand 'Stand 19' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species pink azalea, highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	northern red oak	white ash	white oak
Basal Area (square feet)	105.0	45.0	18.8	11.3	7.5
Percentage of stand basal area (%)	100.0	42.9	17.9	10.7	7.1
Stems Per Unit Area (stems per acre)	405.0	74.3	159.7	60.6	9.8

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Basal Area (square feet)	7.5	3.8	3.8	3.8	3.8
Percentage of stand basal area (%)	7.1	3.6	3.6	3.6	3.6
Stems Per Unit Area (stems per acre)	46.6	1.9	43.0	3.5	5.7

Understory only

	All species	northern red oak	American beech	red maple	common winterberry
Basal Area (square feet)	12.1	4.6	2.3	1.4	0.8
Percentage of stand basal	100.0	38.2	19.1	11.2	6.7

Understory only

	All species	northern red oak	American beech	red maple	common winterberry
area (%)					
Stems Per Unit Area (stems per acre)	6,075.0	250.0	150.0	425.0	200.0

Understory only (cont)

	mountain laurel	northern spicebush	serviceberry	American witchhazel	sweet birch
Basal Area (square feet)	0.7	0.5	0.5	0.1	0.1
Percentage of stand basal area (%)	5.6	4.5	4.5	1.1	1.1
Stems Per Unit Area (stems per acre)	1,400.0	25.0	100.0	150.0	25.0

Understory only (cont)

	chestnut oak
Basal Area (square feet)	0.0
Percentage of stand basal area (%)	0.0
Stems Per Unit Area (stems per acre)	300.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	white ash	red maple
Basal Area (square feet)	117.1	45.0	23.4	11.3	8.9
Percentage of stand basal area (%)	100.0	38.4	20.0	9.6	7.6
Stems Per Unit Area (stems per acre)	6,480.0	374.3	409.7	60.6	471.6

Combined overstory and understory (cont)

	white oak	American beech	sweet birch	black oak	black cherry
Basal Area (square feet)	7.5	6.1	3.9	3.8	3.8
Percentage of stand basal area (%)	6.4	5.2	3.3	3.2	3.2
Stems Per Unit Area (stems per acre)	9.8	153.5	30.7	1.9	43.0

Combined overstory and understory (cont)

	common winterberry	mountain laurel	northern spicebush	serviceberry	American witchhazel
Basal Area (square feet)	0.8	0.7	0.5	0.5	0.1
Percentage of stand basal area (%)	0.7	0.6	0.5	0.5	0.1
Stems Per Unit Area (stems per acre)	200.0	1,400.0	25.0	100.0	150.0

Diameters

Overstory only

	All species	chestnut oak	northern red oak	white ash	white oak
Medial DBH (inches)	10.0	11.8	7.4	6.0	12.0
Merchantable Medial DBH (inches)	11.2	11.8	10.0	6.5	12.0
Quadratic Mean DBH (inches)	6.9	10.5	4.6	5.8	11.9
Merchantable Quadratic DBH (inches)	9.2	10.5	7.2	6.4	11.9
Average DBH (inches)	6.1	10.1	4.2	5.8	11.8

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Medial DBH (inches)	5.5	19.0	4.0	14.0	11.0
Merchantable Medial DBH (inches)	6.0	19.0	0.0	14.0	11.0

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Quadratic Mean DBH (inches)	5.4	19.0	4.0	14.0	11.0
Merchantable Quadratic DBH (inches)	6.0	19.0	0.0	14.0	11.0
Average DBH (inches)	5.4	19.0	4.0	14.0	11.0

Understory only

	All species	northern red oak	American beech	red maple	common winterberry
Medial DBH (inches)	2.4	3.2	2.5	2.8	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	2.6	2.4	2.2	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	2.4	2.3	2.0	1.0

Understory only (cont)

	mountain laurel	northern spicebush	serviceberry	American witchhazel	sweet birch
Medial DBH (inches)	1.0	2.0	1.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	2.0	1.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	2.0	1.0	1.0	1.0

Understory only (cont)

	chestnut oak

Understory only (cont)

	chestnut oak
Medial DBH (inches)	0.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	0.0
Merchantable Quadratic DBH (inches)	0.0
Average DBH (inches)	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	white ash	red maple
Medial DBH (inches)	9.2	11.7	6.6	6.0	5.1
Merchantable Medial DBH (inches)	11.2	11.7	10.0	6.5	6.0
Quadratic Mean DBH (inches)	4.1	10.5	3.9	5.8	4.1
Merchantable Quadratic DBH (inches)	9.2	10.5	7.2	6.4	6.0
Average DBH (inches)	2.9	10.1	3.4	5.8	3.6

Combined overstory and understory (cont)

	white oak	American beech	sweet birch	black oak	black cherry
Medial DBH (inches)	12.0	9.6	10.6	19.0	4.0
Merchantable Medial DBH (inches)	12.0	14.0	11.0	19.0	0.0
Quadratic Mean DBH (inches)	11.9	3.8	4.8	19.0	4.0
Merchantable Quadratic DBH (inches)	11.9	14.0	11.0	19.0	0.0
Average DBH (inches)	11.8	2.9	2.9	19.0	4.0

Combined overstory and understory (cont)

	common winterberry	mountain laurel	northern spicebush	serviceberry	American witchhazel
Medial DBH (inches)	1.0	1.0	2.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	2.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	2.0	1.0	1.0

Structure

Overstory only

	All species	chestnut oak	northern red oak	white ash	white oak
Q Factor	1.32	1.20	1.28	1.40	1.18

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Q Factor	0.84	0.00	0.00	1.23	0.00

Relative density

Overstory only

	All species	chestnut oak	northern red oak	white ash	white oak
Relative Density (percent)	92.13	38.38	18.93	8.90	6.27
percentage of stand	100.00	41.66	20.55	9.66	6.81

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Relative Density (percent)	6.92	2.87	4.46	2.98	2.41
percentage of stand	7.51	3.12	4.84	3.23	2.62

Understory only

	All species	northern red oak	American beech	red maple	common winterberry
Relative Density (percent)	13.18	5.22	3.31	1.67	0.77
percentage of stand	100.00	39.58	25.10	12.68	5.87

Understory only (cont)

	mountain laurel	northern spicebush	serviceberry	American witchhazel	sweet birch
Relative Density (percent)	0.64	0.79	0.52	0.13	0.13
percentage of stand	4.89	6.01	3.91	0.98	0.98

Understory only (cont)

	chestnut oak
Relative Density (percent)	0.00
percentage of stand	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	white ash	red maple
Relative Density (percent)	105.31	38.38	24.15	8.90	8.59
percentage of stand	100.00	36.44	22.93	8.45	8.15

Combined overstory and understory (cont)

	white oak	American beech	sweet birch	black oak	black cherry
Relative Density (percent)	6.27	6.29	2.54	2.87	4.46
percentage of stand	5.96	5.97	2.41	2.73	4.23

Combined overstory and understory (cont)

	common winterberry	mountain laurel	northern spicebush	serviceberry	American witchhazel
Relative Density (percent)	0.77	0.64	0.79	0.52	0.13
percentage of stand	0.73	0.61	0.75	0.49	0.12

Volumes

Overstory only

	All species	chestnut oak	northern red oak	white ash	white oak
Sawtimber gross total (board feet/acre)	2,446	1,545	306	0	271
Sawtimber net total (board feet/acre)	1,932	1,238	205	0	271
Pulpwood gross total (cubic feet/acre)	1,414	794	134	105	136
Pulpwood net total (cubic feet/acre)	1,131	636	107	84	109
Gross total (cubic feet/acre)	1,824	1,041	192	105	182
Net total (cubic feet/acre)	1,389	794	138	84	145

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Sawtimber gross total (board feet/acre)	0	325	0	0	0
Sawtimber net total (board feet/acre)	0	218	0	0	0
Pulpwood gross total (cubic feet/acre)	45	38	0	83	80
Pulpwood net total (cubic feet/acre)	36	30	0	66	64
Gross total (cubic feet/acre)	45	97	0	83	80

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Net total (cubic feet/acre)	36	62	0	66	64

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	northern red oak	white ash	white oak
Coarse Root Biomass (tons per acre)	13.28	6.45	2.15	0.89	1.09
Stem Wood Biomass (tons per acre)	40.62	20.77	5.79	2.35	3.54
Stem Bark Biomass (tons per acre)	8.63	4.29	1.32	0.55	0.73
Foliage Biomass (tons per acre)	1.54	0.71	0.28	0.11	0.12
Aboveground Biomass (tons per acre)	69.48	34.02	11.07	4.57	5.76
Total Biomass (tons per acre)	82.76	40.47	13.22	5.46	6.85

Overstory only (cont)

	red maple	black oak	black cherry	American beech	sweet birch
Coarse Root Biomass (tons per acre)	0.74	0.66	0.25	0.58	0.46
Stem Wood Biomass (tons per acre)	1.88	2.31	0.54	1.95	1.48
Stem Bark Biomass (tons per acre)	0.45	0.45	0.14	0.39	0.31
Foliage Biomass (tons per acre)	0.10	0.07	0.04	0.06	0.05
Aboveground Biomass (tons per acre)	3.78	3.52	1.26	3.08	2.44
Total Biomass (tons per acre)	4.52	4.18	1.51	3.66	2.90

Understory only

	All species	northern red oak	American beech	red maple	common winterberry
Coarse Root Biomass (tons per acre)	0.82	0.42	0.20	0.15	0.00
Foliage Biomass (tons per acre)	0.58	0.13	0.07	0.21	0.00
Aboveground Biomass (tons per acre)	3.78	2.01	0.92	0.64	0.00
Total Biomass (tons per acre)	4.60	2.43	1.12	0.79	0.00

Understory only (cont)

	mountain laurel	northern spicebush	serviceberry	American witchhazel	sweet birch
Coarse Root Biomass (tons per acre)	0.00	0.00	0.02	0.00	0.01
Foliage Biomass (tons per acre)	0.00	0.00	0.02	0.00	0.01
Aboveground Biomass (tons per acre)	0.00	0.00	0.09	0.00	0.04
Total Biomass (tons per acre)	0.00	0.00	0.12	0.00	0.05

Understory only (cont)

	chestnut oak
Coarse Root Biomass (tons per acre)	0.03
Foliage Biomass (tons per acre)	0.14
Aboveground Biomass (tons per acre)	0.08
Total Biomass (tons per acre)	0.11

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	white ash	red maple
Coarse Root Biomass (tons per acre)	14.10	6.48	2.57	0.89	0.89
Stem Wood Biomass (tons per acre)	40.62	20.77	5.79	2.35	1.88
Stem Bark Biomass (tons per acre)	8.63	4.29	1.32	0.55	0.45
Foliage Biomass (tons per acre)	2.11	0.84	0.42	0.11	0.31
Aboveground Biomass (tons per acre)	73.26	34.09	13.08	4.57	4.42
Total Biomass (tons per acre)	87.36	40.57	15.65	5.46	5.31

Combined overstory and understory (cont)

	white oak	American beech	sweet birch	black oak	black cherry
Coarse Root Biomass (tons per acre)	1.09	0.78	0.47	0.66	0.25
Stem Wood Biomass (tons per acre)	3.54	1.95	1.48	2.31	0.54
Stem Bark Biomass (tons per acre)	0.73	0.39	0.31	0.45	0.14
Foliage Biomass (tons per acre)	0.12	0.14	0.06	0.07	0.04
Aboveground Biomass (tons per acre)	5.76	4.00	2.47	3.52	1.26
Total Biomass (tons per acre)	6.85	4.78	2.95	4.18	1.51

Combined overstory and understory (cont)

	common winterberry	mountain laurel	northern spicebush	serviceberry	American witchhazel
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.02	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.00	0.02	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.00	0.09	0.00

Combined overstory and understory (cont)

	common winterberry	mountain laurel	northern spicebush	serviceberry	American witchhazel
Total Biomass (tons per acre)	0.00	0.00	0.00	0.12	0.00

Generated: 08/29/2012 09:35
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 20.mdb

Timber Tables

This report is for the stand 'Stand 20' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Basal Area (square feet)	111.0	27.0	21.0	21.0	12.0
Percentage of stand basal area (%)	100.0	24.3	18.9	18.9	10.8
Stems Per Unit Area (stems per acre)	427.6	160.8	15.5	135.5	12.5

Overstory only (cont)

	white oak	shagbark hickory	mockernut hickory	serviceberry	American beech
Basal Area (square feet)	6.0	6.0	6.0	3.0	3.0
Percentage of stand basal area (%)	5.4	5.4	5.4	2.7	2.7
Stems Per Unit Area (stems per acre)	5.7	16.8	13.1	15.3	34.4

Overstory only (cont)

	pignut hickory	Norway maple
Basal Area (square feet)	3.0	3.0

Overstory only (cont)

	pignut hickory	Norway maple
Percentage of stand basal area (%)	2.7	2.7
Stems Per Unit Area (stems per acre)	6.8	11.2

Understory only

	All species	mockernut hickory	northern red oak	red maple	serviceberry
Basal Area (square feet)	6.5	1.7	1.5	1.5	1.1
Percentage of stand basal area (%)	100.0	26.7	23.3	23.3	16.7
Stems Per Unit Area (stems per acre)	4,160.0	20.0	1,020.0	120.0	80.0

Understory only (cont)

	sweet birch	American hornbeam	American witchhazel	American beech
Basal Area (square feet)	0.3	0.2	0.1	0.0
Percentage of stand basal area (%)	5.0	3.3	1.7	0.0
Stems Per Unit Area (stems per acre)	160.0	40.0	20.0	100.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	sweet birch	northern red oak	red maple	chestnut oak
Basal Area (square feet)	117.5	27.3	22.5	22.5	12.0
Percentage of stand basal area (%)	100.0	23.2	19.2	19.2	10.2
Stems Per Unit Area (stems per acre)	4,587.6	320.8	1,035.5	255.5	12.5

Combined overstory and understory (cont)

	mockernut hickory	white oak	shagbark hickory	serviceberry	American beech
Basal Area (square feet)	7.7	6.0	6.0	4.1	3.0
Percentage of stand basal area (%)	6.6	5.1	5.1	3.5	2.6
Stems Per Unit Area (stems per acre)	33.1	5.7	16.8	95.3	134.4

Combined overstory and understory (cont)

	pignut hickory	Norway maple	American hornbeam	American witchhazel
Basal Area (square feet)	3.0	3.0	0.2	0.1
Percentage of stand basal area (%)	2.6	2.6	0.2	0.1
Stems Per Unit Area (stems per acre)	6.8	11.2	40.0	20.0

Diameters

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Medial DBH (inches)	10.7	7.3	18.4	6.9	13.5
Merchantable Medial DBH (inches)	11.8	8.4	18.4	8.0	13.5
Quadratic Mean DBH (inches)	6.9	5.5	15.8	5.3	13.3
Merchantable Quadratic DBH (inches)	9.1	7.7	15.8	7.2	13.3
Average DBH (inches)	6.0	5.0	14.8	4.9	13.2

Overstory only (cont)

	white oak	shagbark hickory	mockernut hickory	serviceberry	American beech
Medial DBH (inches)	14.5	12.5	9.5	6.0	4.0
Merchantable Medial DBH (inches)	14.5	12.5	9.5	6.0	0.0
Quadratic Mean DBH (inches)	13.9	8.1	9.1	6.0	4.0
Merchantable Quadratic DBH (inches)	13.9	8.1	9.1	6.0	0.0
Average DBH (inches)	13.7	7.2	9.0	6.0	4.0

Overstory only (cont)

	pignut hickory	Norway maple
Medial DBH (inches)	9.0	7.0
Merchantable Medial DBH (inches)	9.0	7.0
Quadratic Mean DBH (inches)	9.0	7.0
Merchantable Quadratic DBH (inches)	9.0	7.0
Average DBH (inches)	9.0	7.0

Understory only

	All species	mockernut hickory	northern red oak	red maple	serviceberry
Medial DBH (inches)	2.5	4.0	1.6	2.3	2.8
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	4.0	1.3	1.5	2.2
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	4.0	1.3	1.3	2.0

Understory only (cont)

	sweet birch	American hornbeam	American witchhazel	American beech

Understory only (cont)

	sweet birch	American hornbeam	American witchhazel	American beech
Medial DBH (inches)	1.0	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	1.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	sweet birch	northern red oak	red maple	chestnut oak
Medial DBH (inches)	10.2	7.3	17.3	6.5	13.5
Merchantable Medial DBH (inches)	11.8	8.4	18.4	8.0	13.5
Quadratic Mean DBH (inches)	4.9	4.8	4.9	4.0	13.3
Merchantable Quadratic DBH (inches)	9.1	7.7	15.8	7.2	13.3
Average DBH (inches)	3.6	3.9	2.4	3.2	13.2

Combined overstory and understory (cont)

	mockernut hickory	white oak	shagbark hickory	serviceberry	American beech
Medial DBH (inches)	8.3	14.5	12.5	5.1	4.0
Merchantable Medial DBH (inches)	9.5	14.5	12.5	6.0	0.0
Quadratic Mean DBH (inches)	6.5	13.9	8.1	3.7	4.0
Merchantable Quadratic DBH (inches)	9.1	13.9	8.1	6.0	0.0
Average DBH (inches)	6.0	13.7	7.2	3.1	4.0

Combined overstory and understory (cont)

	pignut hickory	Norway maple	American hornbeam	American witchhazel
Medial DBH (inches)	9.0	7.0	1.0	1.0
Merchantable Medial DBH (inches)	9.0	7.0	0.0	0.0
Quadratic Mean DBH (inches)	9.0	7.0	1.0	1.0
Merchantable Quadratic DBH (inches)	9.0	7.0	0.0	0.0
Average DBH (inches)	9.0	7.0	1.0	1.0

Structure

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Q Factor	1.25	1.34	1.18	1.40	1.22

Overstory only (cont)

	white oak	shagbark hickory	mockernut hickory	serviceberry	American beech
Q Factor	1.15	1.19	1.37	0.76	0.00

Overstory only (cont)

	pignut hickory	Norway maple
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Relative Density (percent)	95.88	22.92	18.24	18.34	9.80
percentage of stand	100.00	23.90	19.03	19.13	10.22

Overstory only (cont)

	white oak	shagbark hickory	mockernut hickory	serviceberry	American beech
Relative Density (percent)	4.85	5.38	5.35	2.63	3.24
percentage of stand	5.05	5.61	5.58	2.74	3.38

Overstory only (cont)

	pignut hickory	Norway maple
Relative Density (percent)	2.70	2.44
percentage of stand	2.81	2.54

Understory only

	All species	mockernut hickory	northern red oak	red maple	serviceberry
Relative Density (percent)	7.68	2.14	1.83	1.75	1.34
percentage of stand	100.00	27.89	23.85	22.79	17.42

Understory only (cont)

	sweet birch	American hornbeam	American witchhazel	American beech
Relative Density (percent)	0.31	0.21	0.10	0.00
percentage of stand	4.03	2.69	1.34	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	sweet birch	northern red oak	red maple	chestnut oak
Relative Density (percent)	103.56	23.23	20.08	20.09	9.80
percentage of stand	100.00	22.43	19.39	19.40	9.46

Combined overstory and understory (cont)

	mockernut hickory	white oak	shagbark hickory	serviceberry	American beech
Relative Density (percent)	7.49	4.85	5.38	3.97	3.24
percentage of stand	7.23	4.68	5.20	3.83	3.13

Combined overstory and understory (cont)

	pignut hickory	Norway maple	American hornbeam	American witchhazel
Relative Density (percent)	2.70	2.44	0.21	0.10
percentage of stand	2.60	2.35	0.20	0.10

Volumes

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Sawtimber gross total (board feet/acre)	3,082	202	1,679	0	738
Sawtimber net total (board feet/acre)	2,809	202	1,565	0	655
Pulpwood gross total (cubic feet/acre)	1,459	310	271	256	186

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Pulpwood net total (cubic feet/acre)	1,141	248	216	179	148
Gross total (cubic feet/acre)	1,992	343	562	256	302
Net total (cubic feet/acre)	1,531	274	436	179	230

Overstory only (cont)

	white oak	shagbark hickory	mockernut hickory	serviceberry	American beech
Sawtimber gross total (board feet/acre)	229	233	0	0	0
Sawtimber net total (board feet/acre)	154	233	0	0	0
Pulpwood gross total (cubic feet/acre)	108	64	120	36	0
Pulpwood net total (cubic feet/acre)	87	51	96	29	0
Gross total (cubic feet/acre)	153	112	120	36	0
Net total (cubic feet/acre)	111	89	96	29	0

Overstory only (cont)

	pignut hickory	Norway maple
Sawtimber gross total (board feet/acre)	0	0
Sawtimber net total (board feet/acre)	0	0
Pulpwood gross total (cubic feet/acre)	59	49
Pulpwood net total (cubic feet/acre)	48	39
Gross total (cubic feet/acre)	59	49
Net total (cubic feet/acre)	48	39

Values

All the species are missing prices.

Biomass

Overstory only

	All species	sweet birch	northern red oak	red maple	chestnut oak
Coarse Root Biomass (tons per acre)	14.01	2.87	3.61	2.19	1.83
Stem Wood Biomass (tons per acre)	43.30	7.97	12.56	5.94	6.08
Stem Bark Biomass (tons per acre)	9.14	1.79	2.48	1.36	1.23
Foliage Biomass (tons per acre)	1.61	0.36	0.37	0.28	0.19
Aboveground Biomass (tons per acre)	73.40	14.84	19.26	11.28	9.69
Total Biomass (tons per acre)	87.41	17.71	22.87	13.47	11.52

Overstory only (cont)

	white oak	shagbark hickory	mockernut hickory	serviceberry	American beech
Coarse Root Biomass (tons per acre)	0.94	0.86	0.79	0.24	0.29
Stem Wood Biomass (tons per acre)	3.16	2.73	2.43	0.63	0.62
Stem Bark Biomass (tons per acre)	0.64	0.57	0.52	0.15	0.16
Foliage Biomass (tons per acre)	0.10	0.10	0.09	0.03	0.04
Aboveground Biomass (tons per acre)	4.99	4.52	4.15	1.22	1.43
Total Biomass (tons per acre)	5.93	5.38	4.94	1.46	1.72

Overstory only (cont)

	pignut hickory	Norway maple
Coarse Root Biomass (tons per acre)	0.39	0.00
Stem Wood Biomass (tons per acre)	1.18	0.00
Stem Bark Biomass (tons per acre)	0.25	0.00

Overstory only (cont)

	pignut hickory	Norway maple
Foliage Biomass (tons per acre)	0.04	0.00
Aboveground Biomass (tons per acre)	2.03	0.00
Total Biomass (tons per acre)	2.42	0.00

Understory only

	All species	mockernut hickory	northern red oak	red maple	serviceberry
Coarse Root Biomass (tons per acre)	0.59	0.17	0.19	0.12	0.07
Foliage Biomass (tons per acre)	0.65	0.03	0.44	0.04	0.03
Aboveground Biomass (tons per acre)	2.57	0.83	0.71	0.54	0.31
Total Biomass (tons per acre)	3.17	1.00	0.90	0.66	0.38

Understory only (cont)

	sweet birch	American hornbeam	American witchhazel	American beech
Coarse Root Biomass (tons per acre)	0.03	0.01	0.00	0.01
Foliage Biomass (tons per acre)	0.06	0.01	0.00	0.05
Aboveground Biomass (tons per acre)	0.12	0.04	0.00	0.03
Total Biomass (tons per acre)	0.15	0.05	0.00	0.04

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	sweet birch	northern red oak	red maple	chestnut oak
Coarse Root Biomass (tons per acre)	14.60	2.91	3.80	2.31	1.83

Combined overstory and understory

	All species	sweet birch	northern red oak	red maple	chestnut oak
Stem Wood Biomass (tons per acre)	43.30	7.97	12.56	5.94	6.08
Stem Bark Biomass (tons per acre)	9.14	1.79	2.48	1.36	1.23
Foliage Biomass (tons per acre)	2.26	0.43	0.81	0.32	0.19
Aboveground Biomass (tons per acre)	75.98	14.95	19.96	11.82	9.69
Total Biomass (tons per acre)	90.58	17.86	23.77	14.13	11.52

Combined overstory and understory (cont)

	mockernut hickory	white oak	shagbark hickory	serviceberry	American beech
Coarse Root Biomass (tons per acre)	0.96	0.94	0.86	0.30	0.29
Stem Wood Biomass (tons per acre)	2.43	3.16	2.73	0.63	0.62
Stem Bark Biomass (tons per acre)	0.52	0.64	0.57	0.15	0.16
Foliage Biomass (tons per acre)	0.11	0.10	0.10	0.06	0.09
Aboveground Biomass (tons per acre)	4.98	4.99	4.52	1.53	1.46
Total Biomass (tons per acre)	5.94	5.93	5.38	1.84	1.75

Combined overstory and understory (cont)

	pignut hickory	Norway maple	American hornbeam	American witchhazel
Coarse Root Biomass (tons per acre)	0.39	0.00	0.01	0.00
Stem Wood Biomass (tons per acre)	1.18	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.25	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.04	0.00	0.01	0.00

Combined overstory and understory (cont)

	pignut hickory	Norway maple	American hornbeam	American witchhazel
Aboveground Biomass (tons per acre)	2.03	0.00	0.04	0.00
Total Biomass (tons per acre)	2.42	0.00	0.05	0.00

Generated: 08/29/2012 11:15
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 21.mdb

Timber Tables

This report is for the stand 'Stand 21' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Basal Area (square feet)	119.3	23.2	18.4	15.0	10.9
Percentage of stand basal area (%)	100.0	19.4	15.4	12.6	9.1
Stems Per Unit Area (stems per acre)	419.4	86.2	65.2	51.9	40.0

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Basal Area (square feet)	9.5	7.5	4.1	4.1	4.1
Percentage of stand basal area (%)	8.0	6.3	3.4	3.4	3.4
Stems Per Unit Area (stems per acre)	34.5	19.4	5.5	2.6	26.9

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Basal Area (square feet)	4.1	3.4	2.7	2.7	2.7

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Percentage of stand basal area (%)	3.4	2.9	2.3	2.3	2.3
Stems Per Unit Area (stems per acre)	20.6	5.7	1.9	4.0	36.7

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Basal Area (square feet)	2.0	1.4	1.4	0.7	0.7
Percentage of stand basal area (%)	1.7	1.1	1.1	0.6	0.6
Stems Per Unit Area (stems per acre)	5.0	8.5	3.0	0.3	1.0

Overstory only (cont)

	American beech
Basal Area (square feet)	0.7
Percentage of stand basal area (%)	0.6
Stems Per Unit Area (stems per acre)	0.5

Understory only

	All species	American witchhazel	sweet birch	northern red oak	yellow birch
Basal Area (square feet)	9.2	1.7	1.5	1.1	1.0
Percentage of stand basal area (%)	100.0	18.6	15.9	12.4	11.4
Stems Per Unit Area (stems per acre)	3,272.7	404.5	186.4	263.6	18.2

Understory only (cont)

	sugar maple	red maple	sassafras	chestnut oak	American hornbeam
Basal Area (square feet)	0.7	0.7	0.6	0.4	0.3
Percentage of stand basal area (%)	7.8	7.8	6.5	4.9	3.8
Stems Per Unit Area (stems per acre)	77.3	72.7	13.6	336.4	122.7

Understory only (cont)

	hophornbeam	Norway maple	white ash	pignut hickory	blackgum
Basal Area (square feet)	0.3	0.2	0.1	0.1	0.1
Percentage of stand basal area (%)	3.2	1.9	1.4	1.4	1.1
Stems Per Unit Area (stems per acre)	122.7	72.7	9.1	31.8	18.2

Understory only (cont)

	mockernut hickory	northern spicebush	mountain laurel	serviceberry
Basal Area (square feet)	0.1	0.0	0.0	0.0
Percentage of stand basal area (%)	1.1	0.5	0.3	0.0
Stems Per Unit Area (stems per acre)	22.7	195.5	9.1	72.7

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Basal Area (square feet)	128.5	23.9	19.9	16.1	11.4

Combined overstory and understory

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Percentage of stand basal area (%)	100.0	18.6	15.5	12.6	8.8
Stems Per Unit Area (stems per acre)	3,692.1	163.5	251.6	315.5	376.4

Combined overstory and understory (cont)

	red maple	Norway maple	yellow birch	pignut hickory	scarlet oak
Basal Area (square feet)	10.3	7.7	5.1	4.2	4.1
Percentage of stand basal area (%)	8.0	6.0	4.0	3.3	3.2
Stems Per Unit Area (stems per acre)	107.3	92.2	38.7	58.7	5.5

Combined overstory and understory (cont)

	tuliptree	white ash	mockernut hickory	white oak	shagbark hickory
Basal Area (square feet)	4.1	3.5	2.8	2.7	2.7
Percentage of stand basal area (%)	3.2	2.7	2.2	2.1	2.1
Stems Per Unit Area (stems per acre)	2.6	14.8	59.5	1.9	4.0

Combined overstory and understory (cont)

	bigtooth aspen	American witchhazel	blackgum	serviceberry	American elm
Basal Area (square feet)	2.0	1.7	1.5	1.4	0.7
Percentage of stand basal area (%)	1.6	1.3	1.1	1.1	0.5
Stems Per Unit Area (stems per acre)	5.0	404.5	26.7	75.7	0.3

Combined overstory and understory (cont)

	eastern hemlock	American beech	sassafras	American hornbeam	hophornbeam
Basal Area (square feet)	0.7	0.7	0.6	0.3	0.3
Percentage of stand basal area (%)	0.5	0.5	0.5	0.3	0.2
Stems Per Unit Area (stems per acre)	1.0	0.5	13.6	122.7	122.7

Combined overstory and understory (cont)

	northern spicebush	mountain laurel
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0
Stems Per Unit Area (stems per acre)	195.5	9.1

Diameters

Overstory only

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Medial DBH (inches)	12.3	13.7	9.4	13.7	14.7
Merchantable Medial DBH (inches)	13.4	15.1	10.3	15.9	15.6
Quadratic Mean DBH (inches)	7.2	7.0	7.2	7.3	7.1
Merchantable Quadratic DBH (inches)	10.3	11.5	8.5	12.4	14.6
Average DBH (inches)	5.9	5.3	6.6	5.8	4.7

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Medial DBH (inches)	10.4	11.7	14.0	18.7	6.5
Merchantable Medial DBH (inches)	10.9	12.4	14.0	18.7	7.2
Quadratic Mean DBH (inches)	7.1	8.4	11.7	17.0	5.3

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Merchantable Quadratic DBH (inches)	8.9	9.3	11.7	17.0	6.9
Average DBH (inches)	6.2	7.6	11.1	16.4	4.9

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Medial DBH (inches)	8.7	13.2	16.5	13.5	8.5
Merchantable Medial DBH (inches)	12.7	13.2	16.5	13.5	10.7
Quadratic Mean DBH (inches)	6.0	10.5	16.2	11.2	3.7
Merchantable Quadratic DBH (inches)	11.7	10.5	16.2	11.2	8.3
Average DBH (inches)	5.5	9.8	16.1	10.6	2.9

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Medial DBH (inches)	10.7	5.5	9.5	19.0	11.0
Merchantable Medial DBH (inches)	10.7	6.0	9.5	19.0	11.0
Quadratic Mean DBH (inches)	8.7	5.4	9.1	19.0	11.0
Merchantable Quadratic DBH (inches)	8.7	6.0	9.1	19.0	11.0
Average DBH (inches)	8.1	5.4	9.0	19.0	11.0

Overstory only (cont)

	American beech
Medial DBH (inches)	16.0
Merchantable Medial DBH (inches)	16.0

Overstory only (cont)

	American beech
Quadratic Mean DBH (inches)	16.0
Merchantable Quadratic DBH (inches)	16.0
Average DBH (inches)	16.0

Understory only

	All species	American witchhazel	sweet birch	northern red oak	yellow birch
Medial DBH (inches)	2.6	1.8	2.5	2.8	3.7
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.9	1.4	2.0	2.0	3.2
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.7	1.3	1.8	1.8	3.0

Understory only (cont)

	sugar maple	red maple	sassafras	chestnut oak	American hornbeam
Medial DBH (inches)	3.1	2.5	3.3	3.0	2.3
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.4	2.0	2.8	3.0	1.5
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.2	1.9	2.7	3.0	1.3

Understory only (cont)

	hophornbeam	Norway maple	white ash	pignut hickory	blackgum
Medial DBH (inches)	1.7	1.6	1.8	1.8	2.0

Understory only (cont)

	hophornbeam	Norway maple	white ash	pignut hickory	blackgum
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	1.3	1.6	1.6	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	1.2	1.5	1.5	2.0

Understory only (cont)

	mockernut hickory	northern spicebush	mountain laurel	serviceberry
Medial DBH (inches)	2.0	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.0	1.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Medial DBH (inches)	11.6	13.4	8.9	12.9	14.3
Merchantable Medial DBH (inches)	13.4	15.1	10.3	15.9	15.6
Quadratic Mean DBH (inches)	5.1	6.3	5.2	5.4	6.5
Merchantable Quadratic DBH (inches)	10.3	11.5	8.5	12.4	14.6
Average DBH (inches)	3.6	4.6	4.2	3.8	4.4

Combined overstory and understory (cont)

	red maple	Norway maple	yellow birch	pignut hickory	scarlet oak
Medial DBH (inches)	9.8	11.5	7.7	6.4	14.0
Merchantable Medial DBH (inches)	10.9	12.4	12.7	7.2	14.0
Quadratic Mean DBH (inches)	5.3	6.1	4.9	4.6	11.7
Merchantable Quadratic DBH (inches)	8.9	9.3	11.7	6.9	11.7
Average DBH (inches)	4.1	4.6	4.3	4.0	11.1

Combined overstory and understory (cont)

	tuliptree	white ash	mockernut hickory	white oak	shagbark hickory
Medial DBH (inches)	18.7	12.8	8.3	16.5	13.5
Merchantable Medial DBH (inches)	18.7	13.2	10.7	16.5	13.5
Quadratic Mean DBH (inches)	17.0	6.6	3.5	16.2	11.2
Merchantable Quadratic DBH (inches)	17.0	10.5	8.3	16.2	11.2
Average DBH (inches)	16.4	4.7	2.8	16.1	10.6

Combined overstory and understory (cont)

	bigtooth aspen	American witchhazel	blackgum	serviceberry	American elm
Medial DBH (inches)	10.7	1.8	5.3	9.5	19.0
Merchantable Medial DBH (inches)	10.7	0.0	6.0	9.5	19.0
Quadratic Mean DBH (inches)	8.7	1.4	4.5	9.1	19.0
Merchantable Quadratic DBH (inches)	8.7	0.0	6.0	9.1	19.0
Average DBH (inches)	8.1	1.3	4.2	9.0	19.0

Combined overstory and understory (cont)

	eastern hemlock	American beech	sassafras	American hornbeam	hophornbeam
Medial DBH (inches)	11.0	16.0	3.3	2.3	1.7
Merchantable Medial DBH (inches)	11.0	16.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	11.0	16.0	2.8	1.5	1.4
Merchantable Quadratic DBH (inches)	11.0	16.0	0.0	0.0	0.0
Average DBH (inches)	11.0	16.0	2.7	1.3	1.3

Combined overstory and understory (cont)

	northern spicebush	mountain laurel
Medial DBH (inches)	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.0	1.0

Structure

Overstory only

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Q Factor	1.29	1.20	1.29	1.23	1.25

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Q Factor	1.28	1.21	1.16	1.13	1.31

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Q Factor	1.34	1.23	0.95	1.09	1.33

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Q Factor	1.24	1.05	1.24	0.00	0.00

Overstory only (cont)

	American beech
Q Factor	0.00

Relative density

Overstory only

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Relative Density (percent)	95.93	19.88	13.84	13.82	9.43
percentage of stand	100.00	20.72	14.43	14.40	9.83

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Relative Density (percent)	6.96	5.07	3.39	1.38	4.29
percentage of stand	7.25	5.29	3.54	1.44	4.47

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Relative Density (percent)	3.75	1.56	2.14	2.28	3.13

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
percentage of stand	3.91	1.62	2.23	2.38	3.26

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Relative Density (percent)	1.42	1.26	0.95	0.54	0.31
percentage of stand	1.48	1.31	0.99	0.56	0.32

Overstory only (cont)

	American beech
Relative Density (percent)	0.53
percentage of stand	0.56

Understory only

	All species	American witchhazel	sweet birch	northern red oak	yellow birch
Relative Density (percent)	11.73	2.14	1.86	1.31	1.22
percentage of stand	100.00	18.24	15.87	11.14	10.36

Understory only (cont)

	sugar maple	red maple	sassafras	chestnut oak	American hornbeam
Relative Density (percent)	1.00	0.92	0.72	0.64	0.40
percentage of stand	8.48	7.84	6.14	5.45	3.39

Understory only (cont)

	hophornbeam	Norway maple	white ash	pignut hickory	blackgum
Relative Density (percent)	0.38	0.00	0.48	0.27	0.14
percentage of stand	3.26	0.01	4.13	2.28	1.23

Understory only (cont)

	mockernut hickory	northern spicebush	mountain laurel	serviceberry
Relative Density (percent)	0.19	0.05	0.02	0.00
percentage of stand	1.58	0.40	0.20	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Relative Density (percent)	107.67	20.87	15.71	15.13	10.07
percentage of stand	100.00	19.38	14.59	14.05	9.36

Combined overstory and understory (cont)

	red maple	Norway maple	yellow birch	pignut hickory	scarlet oak
Relative Density (percent)	7.87	5.08	4.96	4.56	3.39
percentage of stand	7.31	4.71	4.61	4.23	3.15

Combined overstory and understory (cont)

	tuliptree	white ash	mockernut hickory	white oak	shagbark hickory
Relative Density (percent)	1.38	2.04	3.31	2.14	2.28
percentage of stand	1.28	1.90	3.08	1.99	2.12

Combined overstory and understory (cont)

	bigtooth aspen	American witchhazel	blackgum	serviceberry	American elm
Relative Density (percent)	1.42	2.14	1.40	0.95	0.54
percentage of stand	1.32	1.99	1.30	0.88	0.50

Combined overstory and understory (cont)

	eastern hemlock	American beech	sassafras	American hornbeam	hophornbeam
Relative Density (percent)	0.31	0.53	0.72	0.40	0.38
percentage of stand	0.29	0.50	0.67	0.37	0.35

Combined overstory and understory (cont)

	northern spicebush	mountain laurel
Relative Density (percent)	0.05	0.02
percentage of stand	0.04	0.02

Volumes

Overstory only

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Sawtimber gross total (board feet/acre)	4,193	1,032	206	755	771
Sawtimber net total (board feet/acre)	3,771	953	206	641	706
Pulpwood gross total (cubic feet/acre)	1,614	290	241	184	141
Pulpwood net total (cubic feet/acre)	1,282	232	193	147	113
Gross total (cubic feet/acre)	2,345	477	276	312	270
Net total (cubic feet/acre)	1,810	370	221	235	208

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Sawtimber gross total (board feet/acre)	181	242	253	0	0
Sawtimber net total (board feet/acre)	181	197	188	0	0
Pulpwood gross total (cubic feet/acre)	158	110	62	112	53
Pulpwood net total (cubic feet/acre)	121	88	49	90	43
Gross total (cubic feet/acre)	190	151	101	112	53
Net total (cubic feet/acre)	146	115	73	90	43

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Sawtimber gross total (board feet/acre)	51	162	207	105	53
Sawtimber net total (board feet/acre)	51	162	190	105	35
Pulpwood gross total (cubic feet/acre)	37	53	34	41	29
Pulpwood net total (cubic feet/acre)	26	42	27	33	23
Gross total (cubic feet/acre)	46	80	74	63	39
Net total (cubic feet/acre)	32	64	56	50	29

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Sawtimber gross total (board feet/acre)	56	0	0	59	0
Sawtimber net total (board feet/acre)	56	0	0	59	0
Pulpwood gross total (cubic feet/acre)	30	9	16	7	0

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Pulpwood net total (cubic feet/acre)	24	7	13	6	0
Gross total (cubic feet/acre)	43	9	16	18	0
Net total (cubic feet/acre)	34	7	13	14	0

Overstory only (cont)

	American beech
Sawtimber gross total (board feet/acre)	61
Sawtimber net total (board feet/acre)	41
Pulpwood gross total (cubic feet/acre)	7
Pulpwood net total (cubic feet/acre)	6
Gross total (cubic feet/acre)	16
Net total (cubic feet/acre)	10

Values

All the species are missing prices.

Biomass

Overstory only

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Coarse Root Biomass (tons per acre)	15.00	3.46	2.12	2.23	1.70
Stem Wood Biomass (tons per acre)	47.71	11.23	6.35	7.21	5.67
Stem Bark Biomass (tons per acre)	9.89	2.30	1.37	1.48	1.14
Foliage Biomass (tons per acre)	1.70	0.38	0.25	0.25	0.19
Aboveground Biomass (tons per acre)	78.85	18.23	11.07	11.75	9.01
Total Biomass (tons per acre)	93.86	21.69	13.19	13.98	10.71

Overstory only (cont)

	red maple	Norway maple	scarlet oak	tuliptree	pignut hickory
Coarse Root Biomass (tons per acre)	1.13	0.00	0.63	0.54	0.46
Stem Wood Biomass (tons per acre)	3.46	0.00	2.08	1.88	1.24
Stem Bark Biomass (tons per acre)	0.74	0.00	0.42	0.37	0.29
Foliage Biomass (tons per acre)	0.13	0.00	0.07	0.06	0.06
Aboveground Biomass (tons per acre)	5.92	0.00	3.31	2.87	2.38
Total Biomass (tons per acre)	7.05	0.00	3.94	3.41	2.84

Overstory only (cont)

	yellow birch	white ash	white oak	shagbark hickory	mockernut hickory
Coarse Root Biomass (tons per acre)	0.46	0.38	0.45	0.41	0.33
Stem Wood Biomass (tons per acre)	1.31	1.24	1.55	1.35	0.92
Stem Bark Biomass (tons per acre)	0.29	0.25	0.31	0.28	0.20
Foliage Biomass (tons per acre)	0.06	0.04	0.05	0.04	0.04
Aboveground Biomass (tons per acre)	2.36	2.00	2.40	2.17	1.69
Total Biomass (tons per acre)	2.82	2.37	2.85	2.58	2.02

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Coarse Root Biomass (tons per acre)	0.20	0.10	0.13	0.09	0.07
Stem Wood Biomass (tons per acre)	0.61	0.27	0.41	0.32	0.23
Stem Bark Biomass (tons per acre)	0.13	0.06	0.09	0.06	0.04
Foliage Biomass (tons per acre)	0.02	0.01	0.01	0.01	0.02

Overstory only (cont)

	bigtooth aspen	blackgum	serviceberry	American elm	eastern hemlock
Aboveground Biomass (tons per acre)	1.03	0.53	0.69	0.49	0.35
Total Biomass (tons per acre)	1.23	0.64	0.82	0.58	0.42

Overstory only (cont)

	American beech
Coarse Root Biomass (tons per acre)	0.11
Stem Wood Biomass (tons per acre)	0.38
Stem Bark Biomass (tons per acre)	0.08
Foliage Biomass (tons per acre)	0.01
Aboveground Biomass (tons per acre)	0.59
Total Biomass (tons per acre)	0.71

Understory only

	All species	American witchhazel	sweet birch	northern red oak	yellow birch
Coarse Root Biomass (tons per acre)	0.65	0.00	0.13	0.12	0.09
Foliage Biomass (tons per acre)	0.58	0.00	0.09	0.12	0.02
Aboveground Biomass (tons per acre)	2.93	0.00	0.58	0.51	0.45
Total Biomass (tons per acre)	3.58	0.00	0.71	0.63	0.54

Understory only (cont)

	sugar maple	red maple	sassafras	chestnut oak	American hornbeam
Coarse Root Biomass (tons per acre)	0.07	0.06	0.04	0.07	0.02
Foliage Biomass (tons per acre)	0.04	0.03	0.01	0.16	0.03

Understory only (cont)

	sugar maple	red maple	sassafras	chestnut oak	American hornbeam
Aboveground Biomass (tons per acre)	0.31	0.28	0.18	0.27	0.10
Total Biomass (tons per acre)	0.38	0.34	0.22	0.34	0.13

Understory only (cont)

	hophornbeam	Norway maple	white ash	pignut hickory	blackgum
Coarse Root Biomass (tons per acre)	0.02	0.00	0.01	0.01	0.01
Foliage Biomass (tons per acre)	0.03	0.00	0.00	0.01	0.01
Aboveground Biomass (tons per acre)	0.08	0.00	0.03	0.05	0.03
Total Biomass (tons per acre)	0.10	0.00	0.03	0.06	0.03

Understory only (cont)

	mockernut hickory	northern spicebush	mountain laurel	serviceberry
Coarse Root Biomass (tons per acre)	0.01	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.02
Aboveground Biomass (tons per acre)	0.04	0.00	0.00	0.01
Total Biomass (tons per acre)	0.05	0.00	0.00	0.02

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Coarse Root Biomass (tons per acre)	15.65	3.53	2.25	2.35	1.77

Combined overstory and understory

	All species	sugar maple	sweet birch	northern red oak	chestnut oak
Stem Wood Biomass (tons per acre)	47.71	11.23	6.35	7.21	5.67
Stem Bark Biomass (tons per acre)	9.89	2.30	1.37	1.48	1.14
Foliage Biomass (tons per acre)	2.28	0.42	0.34	0.37	0.34
Aboveground Biomass (tons per acre)	81.79	18.55	11.65	12.26	9.28
Total Biomass (tons per acre)	97.44	22.07	13.90	14.61	11.05

Combined overstory and understory (cont)

	red maple	Norway maple	yellow birch	pignut hickory	scarlet oak
Coarse Root Biomass (tons per acre)	1.19	0.00	0.55	0.47	0.63
Stem Wood Biomass (tons per acre)	3.46	0.00	1.31	1.24	2.08
Stem Bark Biomass (tons per acre)	0.74	0.00	0.29	0.29	0.42
Foliage Biomass (tons per acre)	0.16	0.00	0.07	0.07	0.07
Aboveground Biomass (tons per acre)	6.20	0.00	2.82	2.43	3.31
Total Biomass (tons per acre)	7.39	0.00	3.36	2.90	3.94

Combined overstory and understory (cont)

	tuliptree	white ash	mockernut hickory	white oak	shagbark hickory
Coarse Root Biomass (tons per acre)	0.54	0.38	0.34	0.45	0.41
Stem Wood Biomass (tons per acre)	1.88	1.24	0.92	1.55	1.35
Stem Bark Biomass (tons per acre)	0.37	0.25	0.20	0.31	0.28
Foliage Biomass (tons per acre)	0.06	0.04	0.05	0.05	0.04
Aboveground Biomass (tons per	2.87	2.02	1.73	2.40	2.17

Combined overstory and understory (cont)

	tuliptree	white ash	mockernut hickory	white oak	shagbark hickory
acre)					
Total Biomass (tons per acre)	3.41	2.41	2.07	2.85	2.58

Combined overstory and understory (cont)

	bigtooth aspen	American witchhazel	blackgum	serviceberry	American elm
Coarse Root Biomass (tons per acre)	0.20	0.00	0.11	0.14	0.09
Stem Wood Biomass (tons per acre)	0.61	0.00	0.27	0.41	0.32
Stem Bark Biomass (tons per acre)	0.13	0.00	0.06	0.09	0.06
Foliage Biomass (tons per acre)	0.02	0.00	0.02	0.04	0.01
Aboveground Biomass (tons per acre)	1.03	0.00	0.56	0.70	0.49
Total Biomass (tons per acre)	1.23	0.00	0.67	0.84	0.58

Combined overstory and understory (cont)

	eastern hemlock	American beech	sassafras	American hornbeam	hophornbeam
Coarse Root Biomass (tons per acre)	0.07	0.11	0.04	0.02	0.02
Stem Wood Biomass (tons per acre)	0.23	0.38	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.04	0.08	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.02	0.01	0.01	0.03	0.03
Aboveground Biomass (tons per acre)	0.35	0.59	0.18	0.10	0.08
Total Biomass (tons per acre)	0.42	0.71	0.22	0.13	0.10

Combined overstory and understory (cont)

	northern spicebush	mountain laurel
Coarse Root Biomass (tons per acre)	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00

Generated: 08/29/2012 11:19
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 22.mdb

Timber Tables

This report is for the stand 'Stand 22' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, speckled alder, American hazelnut, blueberry, pink azalea, rhododendron and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Basal Area (square feet)	113.2	21.8	20.5	16.4	12.3
Percentage of stand basal area (%)	100.0	19.3	18.1	14.5	10.8
Stems Per Unit Area (stems per acre)	298.8	46.1	25.0	34.9	76.2

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Basal Area (square feet)	9.5	6.8	6.8	5.5	4.1
Percentage of stand basal area (%)	8.4	6.0	6.0	4.8	3.6
Stems Per Unit Area (stems per acre)	30.5	12.3	28.9	4.5	10.0

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Basal Area (square feet)	4.1	2.7	1.4	1.4
Percentage of stand basal area (%)	3.6	2.4	1.2	1.2
Stems Per Unit Area (stems per acre)	5.2	8.7	1.0	15.6

Understory only

	All species	serviceberry	mockernut hickory	northern red oak	red maple
Basal Area (square feet)	7.5	1.6	1.3	0.9	0.8
Percentage of stand basal area (%)	100.0	21.7	17.1	11.8	11.2
Stems Per Unit Area (stems per acre)	3,045.5	100.0	45.5	209.1	36.4

Understory only (cont)

	sugar maple	American witchhazel	sweet birch	mountain laurel	black cherry
Basal Area (square feet)	0.6	0.6	0.3	0.1	0.0
Percentage of stand basal area (%)	8.6	8.6	4.6	1.3	0.7
Stems Per Unit Area (stems per acre)	18.2	290.9	190.9	190.9	36.4

Understory only (cont)

	sassafras	chestnut oak	white oak	northern spicebush
Basal Area (square feet)	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	18.2	181.8	27.3	9.1

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Basal Area (square feet)	120.7	22.7	20.5	17.2	12.6
Percentage of stand basal area (%)	100.0	18.8	16.9	14.3	10.5
Stems Per Unit Area (stems per acre)	3,344.2	255.2	206.8	71.2	267.1

Combined overstory and understory (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Basal Area (square feet)	9.5	6.8	6.8	5.5	4.1
Percentage of stand basal area (%)	7.9	5.6	5.6	4.5	3.4
Stems Per Unit Area (stems per acre)	30.5	12.3	28.9	4.5	10.0

Combined overstory and understory (cont)

	Norway maple	mockernut hickory	serviceberry	white oak	sugar maple
Basal Area (square feet)	4.1	4.0	3.0	1.4	0.6
Percentage of stand basal area (%)	3.4	3.3	2.5	1.1	0.5
Stems Per Unit Area (stems per acre)	5.2	54.1	115.6	28.2	18.2

Combined overstory and understory (cont)

	American witchhazel	mountain laurel	black cherry	sassafras	northern spicebush
Basal Area (square feet)	0.6	0.1	0.0	0.0	0.0
Percentage of stand basal area (%)	0.5	0.1	0.0	0.0	0.0
Stems Per Unit Area (stems	290.9	190.9	36.4	18.2	9.1

Combined overstory and understory (cont)

	American witchhazel	mountain laurel	black cherry	sassafras	northern spicebush
per acre)					

Diameters

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Medial DBH (inches)	12.1	13.7	14.2	10.8	12.0
Merchantable Medial DBH (inches)	12.8	14.3	14.2	11.4	13.3
Quadratic Mean DBH (inches)	8.3	9.3	12.3	9.3	5.4
Merchantable Quadratic DBH (inches)	10.9	11.1	12.3	10.5	12.1
Average DBH (inches)	7.1	8.0	11.6	8.7	3.8

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Medial DBH (inches)	9.9	10.6	8.2	15.5	10.3
Merchantable Medial DBH (inches)	11.8	10.6	9.3	15.5	10.3
Quadratic Mean DBH (inches)	7.6	10.1	6.6	14.9	8.7
Merchantable Quadratic DBH (inches)	10.9	10.1	8.7	14.9	8.7
Average DBH (inches)	6.9	9.9	6.1	14.7	8.3

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Medial DBH (inches)	13.3	9.0	16.0	4.0
Merchantable Medial DBH (inches)	13.3	9.0	16.0	0.0
Quadratic Mean DBH (inches)	12.0	7.6	16.0	4.0

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Merchantable Quadratic DBH (inches)	12.0	7.6	16.0	0.0
Average DBH (inches)	11.6	7.2	16.0	4.0

Understory only

	All species	serviceberry	mockernut hickory	northern red oak	red maple
Medial DBH (inches)	2.3	2.2	3.2	3.0	3.8
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.8	2.3	3.0	2.9
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	1.7	2.0	3.0	2.5

Understory only (cont)

	sugar maple	American witchhazel	sweet birch	mountain laurel	black cherry
Medial DBH (inches)	2.7	1.3	1.0	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.5	1.1	1.0	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.5	1.1	1.0	1.0	1.0

Understory only (cont)

	sassafras	chestnut oak	white oak	northern spicebush
Medial DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0	0.0

Understory only (cont)

	sassafras	chestnut oak	white oak	northern spicebush
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Medial DBH (inches)	11.4	13.3	14.2	10.5	11.7
Merchantable Medial DBH (inches)	12.8	14.3	14.2	11.4	13.2
Quadratic Mean DBH (inches)	4.9	8.1	12.3	7.7	4.1
Merchantable Quadratic DBH (inches)	10.9	11.1	12.3	10.5	12.1
Average DBH (inches)	3.2	6.6	11.6	6.6	2.5

Combined overstory and understory (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Medial DBH (inches)	9.9	10.6	8.2	15.5	10.3
Merchantable Medial DBH (inches)	11.8	10.6	9.2	15.5	10.3
Quadratic Mean DBH (inches)	7.6	10.1	6.6	14.9	8.7
Merchantable Quadratic DBH (inches)	10.9	10.1	8.7	14.9	8.7
Average DBH (inches)	6.9	9.9	6.1	14.7	8.3

Combined overstory and understory (cont)

	Norway maple	mockernut hickory	serviceberry	white oak	sugar maple

Combined overstory and understory (cont)

	Norway maple	mockernut hickory	serviceberry	white oak	sugar maple
Medial DBH (inches)	13.3	7.1	3.0	16.0	2.7
Merchantable Medial DBH (inches)	13.3	9.0	0.0	16.0	0.0
Quadratic Mean DBH (inches)	12.0	3.7	2.3	16.0	2.5
Merchantable Quadratic DBH (inches)	12.0	7.6	0.0	16.0	0.0
Average DBH (inches)	11.6	2.8	2.0	16.0	2.5

Combined overstory and understory (cont)

	American witchhazel	mountain laurel	black cherry	sassafras	northern spicebush
Medial DBH (inches)	1.3	1.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.1	1.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.1	1.0	1.0	0.0	0.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Q Factor	1.29	1.19	1.19	1.29	1.27

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Q Factor	1.31	1.21	1.31	1.14	1.20

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Q Factor	1.18	1.12	0.00	1.21

Relative density

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Relative Density (percent)	86.63	19.77	16.81	11.04	8.61
percentage of stand	100.00	22.82	19.41	12.75	9.94

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Relative Density (percent)	5.65	3.06	6.13	4.35	3.67
percentage of stand	6.52	3.53	7.08	5.02	4.24

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Relative Density (percent)	2.45	2.54	1.07	1.49
percentage of stand	2.82	2.93	1.24	1.72

Understory only

	All species	serviceberry	mockernut hickory	northern red oak	red maple
Relative Density (percent)	8.77	2.19	2.05	1.01	0.91
percentage of stand	100.00	24.98	23.33	11.55	10.40

Understory only (cont)

	sugar maple	American witchhazel	sweet birch	mountain laurel	black cherry
Relative Density (percent)	0.88	0.71	0.33	0.09	0.40
percentage of stand	10.03	8.10	3.74	1.07	4.59

Understory only (cont)

	sassafras	chestnut oak	white oak	northern spicebush
Relative Density (percent)	0.00	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Relative Density (percent)	95.39	20.78	16.81	11.96	8.94
percentage of stand	100.00	21.78	17.62	12.53	9.37

Combined overstory and understory (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Relative Density (percent)	5.65	3.06	6.13	4.35	3.67
percentage of stand	5.92	3.21	6.43	4.56	3.85

Combined overstory and understory (cont)

	Norway maple	mockernut hickory	serviceberry	white oak	sugar maple
Relative Density (percent)	2.45	4.59	3.68	1.07	0.88
percentage of stand	2.56	4.81	3.85	1.13	0.92

Combined overstory and understory (cont)

	American witchhazel	mountain laurel	black cherry	sassafras	northern spicebush
Relative Density (percent)	0.71	0.09	0.40	0.00	0.00
percentage of stand	0.74	0.10	0.42	0.00	0.00

Volumes

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Sawtimber gross total (board feet/acre)	3,964	1,077	1,266	314	309
Sawtimber net total (board feet/acre)	3,495	1,026	1,114	279	238
Pulpwood gross total (cubic feet/acre)	1,678	310	293	291	193
Pulpwood net total (cubic feet/acre)	1,333	238	235	233	154
Gross total (cubic feet/acre)	2,372	494	510	349	245
Net total (cubic feet/acre)	1,822	380	387	274	186

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Sawtimber gross total (board feet/acre)	267	69	0	347	103
Sawtimber net total (board feet/acre)	179	69	0	347	103
Pulpwood gross total (cubic feet/acre)	110	91	101	83	60
Pulpwood net total (cubic feet/acre)	88	73	81	66	48
Gross total (cubic feet/acre)	161	102	101	143	81
Net total (cubic feet/acre)	115	82	81	115	64

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Sawtimber gross total (board feet/acre)	109	0	103	0
Sawtimber net total (board feet/acre)	37	0	103	0
Pulpwood gross total (cubic feet/acre)	81	47	17	0
Pulpwood net total (cubic feet/acre)	65	38	13	0
Gross total (cubic feet/acre)	101	47	36	0
Net total (cubic feet/acre)	70	38	29	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Coarse Root Biomass (tons per acre)	14.47	3.28	3.16	1.99	1.53
Stem Wood Biomass (tons per acre)	46.28	10.75	10.53	6.27	4.81
Stem Bark Biomass (tons per acre)	9.51	2.19	2.13	1.31	1.00
Foliage Biomass (tons per acre)	1.73	0.36	0.34	0.22	0.18
Aboveground Biomass (tons per acre)	75.76	17.34	16.74	10.47	8.00
Total Biomass (tons per acre)	90.23	20.62	19.90	12.46	9.53

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Coarse Root Biomass (tons per acre)	0.93	0.73	0.75	0.88	0.55
Stem Wood Biomass (tons per acre)	2.83	2.19	2.19	2.99	1.71
Stem Bark Biomass (tons per acre)	0.60	0.40	0.48	0.60	0.36

Overstory only (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Foliage Biomass (tons per acre)	0.11	0.21	0.09	0.09	0.06
Aboveground Biomass (tons per acre)	4.85	3.41	3.92	4.67	2.89
Total Biomass (tons per acre)	5.77	4.15	4.68	5.55	3.45

Overstory only (cont)

	Norway maple	mockernut hickory	white oak	serviceberry
Coarse Root Biomass (tons per acre)	0.00	0.35	0.22	0.09
Stem Wood Biomass (tons per acre)	0.00	1.05	0.76	0.20
Stem Bark Biomass (tons per acre)	0.00	0.23	0.15	0.05
Foliage Biomass (tons per acre)	0.00	0.04	0.02	0.01
Aboveground Biomass (tons per acre)	0.00	1.82	1.19	0.46
Total Biomass (tons per acre)	0.00	2.17	1.41	0.55

Understory only

	All species	serviceberry	mockernut hickory	northern red oak	red maple
Coarse Root Biomass (tons per acre)	0.49	0.09	0.11	0.09	0.08
Foliage Biomass (tons per acre)	0.38	0.03	0.02	0.10	0.02
Aboveground Biomass (tons per acre)	2.24	0.40	0.54	0.43	0.37
Total Biomass (tons per acre)	2.73	0.49	0.66	0.52	0.45

Understory only (cont)

	sugar maple	American witchhazel	sweet birch	mountain laurel	black cherry
Coarse Root Biomass (tons per acre)	0.05	0.00	0.04	0.00	0.00

Understory only (cont)

	sugar maple	American witchhazel	sweet birch	mountain laurel	black cherry
Foliage Biomass (tons per acre)	0.01	0.00	0.08	0.00	0.01
Aboveground Biomass (tons per acre)	0.26	0.00	0.13	0.00	0.01
Total Biomass (tons per acre)	0.31	0.00	0.17	0.00	0.02

Understory only (cont)

	sassafras	chestnut oak	white oak	northern spicebush
Coarse Root Biomass (tons per acre)	0.00	0.02	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.08	0.01	0.00
Aboveground Biomass (tons per acre)	0.00	0.05	0.01	0.00
Total Biomass (tons per acre)	0.00	0.06	0.01	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Coarse Root Biomass (tons per acre)	14.96	3.38	3.18	2.07	1.56
Stem Wood Biomass (tons per acre)	46.28	10.75	10.53	6.27	4.81
Stem Bark Biomass (tons per acre)	9.51	2.19	2.13	1.31	1.00
Foliage Biomass (tons per acre)	2.11	0.46	0.42	0.24	0.26
Aboveground Biomass (tons per acre)	78.00	17.77	16.79	10.84	8.13
Total Biomass (tons per acre)	92.96	21.15	19.96	12.91	9.70

Combined overstory and understory (cont)

	white ash	eastern hemlock	yellow birch	scarlet oak	pignut hickory
Coarse Root Biomass (tons per acre)	0.93	0.73	0.75	0.88	0.55
Stem Wood Biomass (tons per acre)	2.83	2.19	2.19	2.99	1.71
Stem Bark Biomass (tons per acre)	0.60	0.40	0.48	0.60	0.36
Foliage Biomass (tons per acre)	0.11	0.21	0.09	0.09	0.06
Aboveground Biomass (tons per acre)	4.85	3.41	3.92	4.67	2.89
Total Biomass (tons per acre)	5.77	4.15	4.68	5.55	3.45

Combined overstory and understory (cont)

	Norway maple	mockernut hickory	serviceberry	white oak	sugar maple
Coarse Root Biomass (tons per acre)	0.00	0.46	0.18	0.23	0.05
Stem Wood Biomass (tons per acre)	0.00	1.05	0.20	0.76	0.00
Stem Bark Biomass (tons per acre)	0.00	0.23	0.05	0.15	0.00
Foliage Biomass (tons per acre)	0.00	0.06	0.04	0.04	0.01
Aboveground Biomass (tons per acre)	0.00	2.37	0.86	1.19	0.26
Total Biomass (tons per acre)	0.00	2.83	1.04	1.42	0.31

Combined overstory and understory (cont)

	American witchhazel	mountain laurel	black cherry	sassafras	northern spicebush
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per	0.00	0.00	0.01	0.01	0.00

Combined overstory and understory (cont)

	American witchhazel	mountain laurel	black cherry	sassafras	northern spicebush
acre)					
Aboveground Biomass (tons per acre)	0.00	0.00	0.01	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.02	0.00	0.00

Generated: 08/29/2012 11:23
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 23.mdb

Timber Tables

This report is for the stand 'Stand 23' inventory (2012) data.
Dead observations were ignored when calculating values in this report.

Composition

Overstory only

	All species	scarlet oak
Basal Area (square feet)	15.0	15.0
Percentage of stand basal area (%)	100.0	100.0
Stems Per Unit Area (stems per acre)	19.1	19.1

The understory section of this report can not be generated because there are no understory observations.

The combined section of this report can not be generated because there are no understory observations.

Diameters

Overstory only

	All species	scarlet oak
Medial DBH (inches)	12.0	12.0
Merchantable Medial DBH (inches)	12.0	12.0
Quadratic Mean DBH (inches)	12.0	12.0
Merchantable Quadratic DBH (inches)	12.0	12.0
Average DBH (inches)	12.0	12.0

The understory section of this report can not be generated because there are no understory observations.

The combined section of this report can not be generated because there are no understory observations.

Structure

Overstory only

	All species	scarlet oak
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	scarlet oak
Relative Density (percent)	12.53	12.53
percentage of stand	100.00	100.00

The understory section of this report can not be generated because there are no understory observations.

The combined section of this report can not be generated because there are no understory observations.

Volumes

Overstory only

	All species	scarlet oak
Sawtimber gross total (board feet/acre)	0	0
Sawtimber net total (board feet/acre)	0	0
Pulpwood gross total (cubic feet/acre)	368	368
Pulpwood net total (cubic feet/acre)	295	295
Gross total (cubic feet/acre)	368	368
Net total (cubic feet/acre)	295	295

Values

All the species are missing prices.

Biomass

Overstory only

	All species	scarlet oak
Coarse Root Biomass (tons per acre)	2.18	2.18
Stem Wood Biomass (tons per acre)	7.10	7.10
Stem Bark Biomass (tons per acre)	1.46	1.46
Foliage Biomass (tons per acre)	0.24	0.24
Aboveground Biomass (tons per acre)	11.52	11.52
Total Biomass (tons per acre)	13.71	13.71

The understory section of this report can not be generated because there are no understory observations.

The combined section of this report can not be generated because there are no understory observations.

Generated: 08/29/2012 11:26
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 24.mdb

Timber Tables

This report is for the stand 'Stand 24' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Basal Area (square feet)	102.5	22.5	17.5	12.5	10.0
Percentage of stand basal area (%)	100.0	22.0	17.1	12.2	9.8
Stems Per Unit Area (stems per acre)	245.6	31.8	23.0	56.5	64.4

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Basal Area (square feet)	7.5	7.5	5.0	5.0	2.5
Percentage of stand basal area (%)	7.3	7.3	4.9	4.9	2.4
Stems Per Unit Area (stems per acre)	12.4	18.8	5.4	4.1	12.7

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Basal Area (square feet)	2.5	2.5	2.5	2.5	2.5

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Percentage of stand basal area (%)	2.4	2.4	2.4	2.4	2.4
Stems Per Unit Area (stems per acre)	2.7	1.3	1.6	7.2	3.8

Understory only

	All species	eastern hemlock	American witchhazel	sugar maple	northern red oak
Basal Area (square feet)	4.0	0.9	0.9	0.8	0.7
Percentage of stand basal area (%)	100.0	22.7	22.7	20.5	18.2
Stems Per Unit Area (stems per acre)	4,983.3	200.0	300.0	16.7	150.0

Understory only (cont)

	chestnut oak	American hornbeam	blackgum	sweet birch	mountain laurel
Basal Area (square feet)	0.3	0.2	0.1	0.1	0.0
Percentage of stand basal area (%)	6.8	4.5	2.3	2.3	0.0
Stems Per Unit Area (stems per acre)	133.3	66.7	16.7	100.0	850.0

Understory only (cont)

	shagbark hickory	red maple
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0
Stems Per Unit Area (stems per acre)	200.0	500.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Basal Area (square feet)	106.5	23.2	18.3	13.4	10.1
Percentage of stand basal area (%)	100.0	21.8	17.2	12.6	9.5
Stems Per Unit Area (stems per acre)	5,228.9	181.8	39.6	256.5	164.4

Combined overstory and understory (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Basal Area (square feet)	7.8	7.5	5.0	5.0	2.5
Percentage of stand basal area (%)	7.3	7.0	4.7	4.7	2.3
Stems Per Unit Area (stems per acre)	145.7	18.8	205.4	4.1	12.7

Combined overstory and understory (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Basal Area (square feet)	2.5	2.5	2.5	2.5	2.5
Percentage of stand basal area (%)	2.3	2.3	2.3	2.3	2.3
Stems Per Unit Area (stems per acre)	2.7	1.3	1.6	7.2	503.8

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	blackgum	mountain laurel
Basal Area (square feet)	0.9	0.2	0.1	0.0
Percentage of stand basal area (%)	0.9	0.2	0.1	0.0
Stems Per Unit Area (stems per acre)	300.0	66.7	16.7	850.0

Diameters

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Medial DBH (inches)	12.3	16.4	12.7	9.0	5.5
Merchantable Medial DBH (inches)	13.6	17.9	12.7	12.0	7.0
Quadratic Mean DBH (inches)	8.7	11.4	11.8	6.4	5.3
Merchantable Quadratic DBH (inches)	11.3	16.5	11.8	12.0	7.0
Average DBH (inches)	7.8	9.7	11.5	5.7	5.3

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Medial DBH (inches)	12.3	9.0	14.0	17.0	6.0
Merchantable Medial DBH (inches)	12.3	9.0	14.0	17.0	6.0
Quadratic Mean DBH (inches)	10.5	8.6	13.1	14.9	6.0
Merchantable Quadratic DBH (inches)	10.5	8.6	13.1	14.9	6.0
Average DBH (inches)	10.1	8.4	12.8	14.3	6.0

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Medial DBH (inches)	13.0	19.0	17.0	8.0	11.0
Merchantable Medial DBH (inches)	13.0	19.0	17.0	8.0	11.0
Quadratic Mean DBH (inches)	13.0	19.0	17.0	8.0	11.0
Merchantable Quadratic DBH (inches)	13.0	19.0	17.0	8.0	11.0
Average DBH (inches)	13.0	19.0	17.0	8.0	11.0

Understory only

	All species	eastern hemlock	American witchhazel	sugar maple	northern red oak
Medial DBH (inches)	2.1	2.8	1.4	3.0	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.5	2.2	1.2	3.0	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	2.0	1.1	3.0	2.0

Understory only (cont)

	chestnut oak	American hornbeam	blackgum	sweet birch	mountain laurel
Medial DBH (inches)	1.0	1.0	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	1.0	1.0	0.0

Understory only (cont)

	shagbark hickory	red maple
Medial DBH (inches)	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations

where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Medial DBH (inches)	11.9	16.0	12.3	8.6	5.5
Merchantable Medial DBH (inches)	13.6	17.9	12.7	12.0	7.0
Quadratic Mean DBH (inches)	5.9	8.1	9.2	5.2	4.8
Merchantable Quadratic DBH (inches)	11.3	16.5	11.8	12.0	7.0
Average DBH (inches)	4.2	5.7	7.9	4.3	4.4

Combined overstory and understory (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Medial DBH (inches)	11.9	9.0	14.0	17.0	6.0
Merchantable Medial DBH (inches)	12.3	9.0	14.0	17.0	6.0
Quadratic Mean DBH (inches)	4.8	8.6	13.1	14.9	6.0
Merchantable Quadratic DBH (inches)	10.5	8.6	13.1	14.9	6.0
Average DBH (inches)	2.8	8.4	12.8	14.3	6.0

Combined overstory and understory (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Medial DBH (inches)	13.0	19.0	17.0	8.0	11.0
Merchantable Medial DBH (inches)	13.0	19.0	17.0	8.0	11.0
Quadratic Mean DBH (inches)	13.0	19.0	17.0	8.0	11.0
Merchantable Quadratic DBH (inches)	13.0	19.0	17.0	8.0	11.0
Average DBH (inches)	13.0	19.0	17.0	8.0	11.0

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	blackgum	mountain laurel
Medial DBH (inches)	1.4	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.2	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.1	1.0	1.0	0.0

Structure

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Q Factor	1.21	1.20	1.24	1.09	2.42

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Q Factor	1.17	1.25	1.16	1.13	0.00

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Q Factor	0.00	0.00	0.00	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Relative Density (percent)	76.71	19.93	14.18	5.13	9.28
percentage of stand	100.00	25.97	18.48	6.69	12.09

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Relative Density (percent)	6.39	4.17	4.08	2.66	1.55
percentage of stand	8.33	5.43	5.32	3.46	2.02

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Relative Density (percent)	2.01	1.92	1.95	1.88	1.61
percentage of stand	2.61	2.50	2.54	2.45	2.10

Understory only

	All species	eastern hemlock	American witchhazel	sugar maple	northern red oak
Relative Density (percent)	4.37	0.16	1.04	1.02	0.89
percentage of stand	100.00	3.70	23.90	23.31	20.36

Understory only (cont)

	chestnut oak	American hornbeam	blackgum	sweet birch	mountain laurel
Relative Density (percent)	0.91	0.17	0.09	0.09	0.00
percentage of stand	20.86	3.93	1.97	1.97	0.00

Understory only (cont)

	shagbark hickory	red maple
Relative Density (percent)	0.00	0.00
percentage of stand	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Relative Density (percent)	81.08	20.82	15.20	5.30	9.36
percentage of stand	100.00	25.67	18.74	6.53	11.55

Combined overstory and understory (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Relative Density (percent)	7.30	4.17	4.08	2.66	1.55
percentage of stand	9.00	5.14	5.03	3.28	1.91

Combined overstory and understory (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Relative Density (percent)	2.01	1.92	1.95	1.88	1.61
percentage of stand	2.47	2.36	2.41	2.32	1.98

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	blackgum	mountain laurel
Relative Density (percent)	1.04	0.17	0.09	0.00
percentage of stand	1.29	0.21	0.11	0.00

Volumes

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Sawtimber gross total (board feet/acre)	3,623	1,590	762	0	0
Sawtimber net total (board feet/acre)	3,304	1,525	762	0	0
Pulpwood gross total (cubic feet/acre)	1,400	269	267	134	37
Pulpwood net total (cubic feet/acre)	1,120	216	214	108	29
Gross total (cubic feet/acre)	2,038	543	406	134	37
Net total (cubic feet/acre)	1,589	426	325	108	29

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Sawtimber gross total (board feet/acre)	215	0	191	288	0
Sawtimber net total (board feet/acre)	215	0	191	98	0
Pulpwood gross total (cubic feet/acre)	138	154	82	90	30
Pulpwood net total (cubic feet/acre)	111	123	66	72	24
Gross total (cubic feet/acre)	177	154	120	133	30
Net total (cubic feet/acre)	142	123	96	83	24

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Sawtimber gross total (board feet/acre)	168	217	191	0	0
Sawtimber net total (board feet/acre)	168	217	128	0	0
Pulpwood gross total (cubic feet/acre)	30	30	30	49	59
Pulpwood net total (cubic feet/acre)	24	24	24	39	48

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Gross total (cubic feet/acre)	58	70	68	49	59
Net total (cubic feet/acre)	46	56	44	39	48

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Coarse Root Biomass (tons per acre)	12.94	3.67	2.59	1.23	0.98
Stem Wood Biomass (tons per acre)	41.51	12.46	8.51	3.57	2.50
Stem Bark Biomass (tons per acre)	8.44	2.49	1.74	0.66	0.60
Foliage Biomass (tons per acre)	1.69	0.39	0.28	0.37	0.13
Aboveground Biomass (tons per acre)	67.37	19.47	13.72	5.66	5.03
Total Biomass (tons per acre)	80.31	23.14	16.31	6.89	6.02

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Coarse Root Biomass (tons per acre)	1.09	0.71	0.77	0.00	0.18
Stem Wood Biomass (tons per acre)	3.53	2.14	2.57	0.00	0.52
Stem Bark Biomass (tons per acre)	0.73	0.46	0.52	0.00	0.10
Foliage Biomass (tons per acre)	0.12	0.08	0.08	0.00	0.06
Aboveground Biomass (tons per acre)	5.75	3.70	4.08	0.00	0.84

Overstory only (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Total Biomass (tons per acre)	6.84	4.41	4.85	0.00	1.03

Overstory only (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Coarse Root Biomass (tons per acre)	0.33	0.44	0.42	0.22	0.31
Stem Wood Biomass (tons per acre)	1.08	1.54	1.45	0.66	0.98
Stem Bark Biomass (tons per acre)	0.22	0.30	0.29	0.14	0.20
Foliage Biomass (tons per acre)	0.03	0.04	0.04	0.03	0.03
Aboveground Biomass (tons per acre)	1.73	2.34	2.23	1.17	1.62
Total Biomass (tons per acre)	2.05	2.78	2.65	1.40	1.93

Understory only

	All species	eastern hemlock	American witchhazel	sugar maple	northern red oak
Coarse Root Biomass (tons per acre)	0.32	0.06	0.00	0.07	0.07
Foliage Biomass (tons per acre)	0.60	0.07	0.00	0.01	0.07
Aboveground Biomass (tons per acre)	1.29	0.26	0.00	0.34	0.29
Total Biomass (tons per acre)	1.61	0.33	0.00	0.41	0.35

Understory only (cont)

	chestnut oak	American hornbeam	blackgum	sweet birch	mountain laurel
Coarse Root Biomass (tons per acre)	0.03	0.01	0.00	0.01	0.00
Foliage Biomass (tons per	0.05	0.01	0.00	0.05	0.00

Understory only (cont)

	chestnut oak	American hornbeam	blackgum	sweet birch	mountain laurel
acre)					
Aboveground Biomass (tons per acre)	0.09	0.04	0.02	0.05	0.00
Total Biomass (tons per acre)	0.12	0.05	0.02	0.06	0.00

Understory only (cont)

	shagbark hickory	red maple
Coarse Root Biomass (tons per acre)	0.02	0.05
Foliage Biomass (tons per acre)	0.09	0.25
Aboveground Biomass (tons per acre)	0.05	0.14
Total Biomass (tons per acre)	0.07	0.19

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	sugar maple	eastern hemlock	sweet birch
Coarse Root Biomass (tons per acre)	13.27	3.73	2.67	1.29	1.00
Stem Wood Biomass (tons per acre)	41.51	12.46	8.51	3.57	2.50
Stem Bark Biomass (tons per acre)	8.44	2.49	1.74	0.66	0.60
Foliage Biomass (tons per acre)	2.29	0.45	0.29	0.44	0.18
Aboveground Biomass (tons per acre)	68.65	19.76	14.06	5.93	5.08
Total Biomass (tons per acre)	81.92	23.49	16.73	7.22	6.08

Combined overstory and understory (cont)

	chestnut oak	white ash	shagbark hickory	Norway maple	red pine
Coarse Root Biomass (tons per acre)	1.12	0.71	0.79	0.00	0.18
Stem Wood Biomass (tons per acre)	3.53	2.14	2.57	0.00	0.52
Stem Bark Biomass (tons per acre)	0.73	0.46	0.52	0.00	0.10
Foliage Biomass (tons per acre)	0.17	0.08	0.17	0.00	0.06
Aboveground Biomass (tons per acre)	5.84	3.70	4.14	0.00	0.84
Total Biomass (tons per acre)	6.96	4.41	4.93	0.00	1.03

Combined overstory and understory (cont)

	yellow birch	scarlet oak	white oak	hophornbeam	red maple
Coarse Root Biomass (tons per acre)	0.33	0.44	0.42	0.22	0.36
Stem Wood Biomass (tons per acre)	1.08	1.54	1.45	0.66	0.98
Stem Bark Biomass (tons per acre)	0.22	0.30	0.29	0.14	0.20
Foliage Biomass (tons per acre)	0.03	0.04	0.04	0.03	0.28
Aboveground Biomass (tons per acre)	1.73	2.34	2.23	1.17	1.77
Total Biomass (tons per acre)	2.05	2.78	2.65	1.40	2.13

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	blackgum	mountain laurel
Coarse Root Biomass (tons per acre)	0.00	0.01	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.04	0.02	0.00

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	blackgum	mountain laurel
Total Biomass (tons per acre)	0.00	0.05	0.02	0.00

Generated: 08/29/2012 11:30
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 25.mdb

Timber Tables

This report is for the stand 'Stand 25' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, pink azalea and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	red maple
Basal Area (square feet)	106.9	31.9	30.0	20.6	7.5
Percentage of stand basal area (%)	100.0	29.8	28.1	19.3	7.0
Stems Per Unit Area (stems per acre)	306.7	40.7	143.9	19.7	30.6

Overstory only (cont)

	tuliptree	white oak	blackgum	black oak	serviceberry
Basal Area (square feet)	3.8	3.8	3.8	1.9	1.9
Percentage of stand basal area (%)	3.5	3.5	3.5	1.8	1.8
Stems Per Unit Area (stems per acre)	4.1	5.2	18.0	2.0	38.2

Overstory only (cont)

	sweet birch
Basal Area (square feet)	1.9
Percentage of stand basal area (%)	1.8
Stems Per Unit Area (stems per acre)	4.2

Understory only

	All species	eastern hemlock	blackgum	northern red oak	mountain laurel
Basal Area (square feet)	7.1	2.7	1.2	1.1	0.2
Percentage of stand basal area (%)	100.0	37.5	17.3	15.4	2.9
Stems Per Unit Area (stems per acre)	3,150.0	262.5	25.0	12.5	187.5

Understory only (cont)

	American witchhazel	sweet birch	red maple
Basal Area (square feet)	0.1	0.0	0.0
Percentage of stand basal area (%)	1.0	0.0	0.0
Stems Per Unit Area (stems per acre)	12.5	1,062.5	125.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	northern red oak	red maple
Basal Area (square feet)	114.0	32.7	31.9	21.7	7.5
Percentage of stand basal area (%)	100.0	28.7	28.0	19.1	6.6
Stems Per Unit Area (stems per acre)	3,456.7	406.4	40.7	32.2	155.6

Combined overstory and understory (cont)

	blackgum	tuliptree	white oak	black oak	serviceberry
Basal Area (square feet)	5.0	3.8	3.8	1.9	1.9

Combined overstory and understory (cont)

	blackgum	tuliptree	white oak	black oak	serviceberry
Percentage of stand basal area (%)	4.4	3.3	3.3	1.6	1.6
Stems Per Unit Area (stems per acre)	43.0	4.1	5.2	2.0	38.2

Combined overstory and understory (cont)

	sweet birch	mountain laurel	American witchhazel
Basal Area (square feet)	1.9	0.2	0.1
Percentage of stand basal area (%)	1.6	0.2	0.1
Stems Per Unit Area (stems per acre)	1,066.7	187.5	12.5

Diameters

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	red maple
Medial DBH (inches)	11.5	13.0	8.0	16.0	10.0
Merchantable Medial DBH (inches)	12.8	13.0	9.6	16.0	15.0
Quadratic Mean DBH (inches)	8.0	12.0	6.2	13.9	6.7
Merchantable Quadratic DBH (inches)	11.4	12.0	9.4	13.9	14.9
Average DBH (inches)	6.9	11.6	5.6	13.3	6.0

Overstory only (cont)

	tuliptree	white oak	blackgum	black oak	serviceberry
Medial DBH (inches)	13.0	11.5	7.0	13.0	3.0
Merchantable Medial DBH (inches)	13.0	11.5	9.0	13.0	0.0
Quadratic Mean DBH (inches)	13.0	11.5	6.2	13.0	3.0
Merchantable Quadratic DBH (inches)	13.0	11.5	9.0	13.0	0.0
Average DBH (inches)	13.0	11.5	5.9	13.0	3.0

Overstory only (cont)

	sweet birch
Medial DBH (inches)	9.0
Merchantable Medial DBH (inches)	9.0
Quadratic Mean DBH (inches)	9.0
Merchantable Quadratic DBH (inches)	9.0
Average DBH (inches)	9.0

Understory only

	All species	eastern hemlock	blackgum	northern red oak	mountain laurel
Medial DBH (inches)	2.8	2.9	3.0	4.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.9	2.0	3.0	4.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	1.7	3.0	4.0	1.0

Understory only (cont)

	American witchhazel	sweet birch	red maple
Medial DBH (inches)	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0
Average DBH (inches)	1.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	northern red oak	red maple
Medial DBH (inches)	10.9	7.6	13.0	15.4	10.0
Merchantable Medial DBH (inches)	12.8	9.6	13.0	16.0	15.0
Quadratic Mean DBH (inches)	5.5	4.7	12.0	11.1	6.7
Merchantable Quadratic DBH (inches)	11.4	9.4	12.0	13.9	14.9
Average DBH (inches)	4.0	3.8	11.6	9.7	6.0

Combined overstory and understory (cont)

	blackgum	tuliptree	white oak	black oak	serviceberry
Medial DBH (inches)	6.0	13.0	11.5	13.0	3.0
Merchantable Medial DBH (inches)	9.0	13.0	11.5	13.0	0.0
Quadratic Mean DBH (inches)	4.6	13.0	11.5	13.0	3.0
Merchantable Quadratic DBH (inches)	9.0	13.0	11.5	13.0	0.0
Average DBH (inches)	4.2	13.0	11.5	13.0	3.0

Combined overstory and understory (cont)

	sweet birch	mountain laurel	American witchhazel
Medial DBH (inches)	9.0	1.0	1.0
Merchantable Medial DBH (inches)	9.0	0.0	0.0
Quadratic Mean DBH (inches)	9.0	1.0	1.0
Merchantable Quadratic DBH (inches)	9.0	0.0	0.0
Average DBH (inches)	9.0	1.0	1.0

Structure

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	red maple
Q Factor	1.26	1.05	1.30	1.21	1.33

Overstory only (cont)

	tuliptree	white oak	blackgum	black oak	serviceberry
Q Factor	0.00	1.19	1.34	0.00	0.00

Overstory only (cont)

	sweet birch
Q Factor	0.00

Relative density

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	red maple
Relative Density (percent)	75.61	26.46	12.19	18.16	5.74
percentage of stand	100.00	34.99	16.13	24.02	7.59

Overstory only (cont)

	tuliptree	white oak	blackgum	black oak	serviceberry
Relative Density (percent)	1.53	3.16	3.14	1.54	2.36
percentage of stand	2.02	4.19	4.16	2.04	3.12

Overstory only (cont)

	sweet birch
Relative Density (percent)	1.33
percentage of stand	1.76

Understory only

	All species	eastern hemlock	blackgum	northern red oak	mountain laurel

Understory only

	All species	eastern hemlock	blackgum	northern red oak	mountain laurel
Relative Density (percent)	3.93	0.46	1.54	1.17	0.19
percentage of stand	100.00	11.79	39.26	29.68	4.92

Understory only (cont)

	American witchhazel	sweet birch	red maple
Relative Density (percent)	0.06	0.00	0.00
percentage of stand	1.64	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	northern red oak	red maple
Relative Density (percent)	79.54	12.66	26.46	19.33	5.74
percentage of stand	100.00	15.91	33.26	24.30	7.21

Combined overstory and understory (cont)

	blackgum	tuliptree	white oak	black oak	serviceberry
Relative Density (percent)	4.69	1.53	3.16	1.54	2.36
percentage of stand	5.89	1.92	3.98	1.93	2.96

Combined overstory and understory (cont)

	sweet birch	mountain laurel	American witchhazel
Relative Density (percent)	1.33	0.19	0.06
percentage of stand	1.67	0.24	0.08

Volumes

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	red maple
Sawtimber gross total (board feet/acre)	2,434	1,251	0	896	288
Sawtimber net total (board feet/acre)	1,901	891	0	722	288
Pulpwood gross total (cubic feet/acre)	1,581	579	266	386	45
Pulpwood net total (cubic feet/acre)	1,265	463	213	309	36
Gross total (cubic feet/acre)	1,992	786	266	536	99
Net total (cubic feet/acre)	1,522	582	213	405	79

Overstory only (cont)

	tuliptree	white oak	blackgum	black oak	serviceberry
Sawtimber gross total (board feet/acre)	0	0	0	0	0
Sawtimber net total (board feet/acre)	0	0	0	0	0
Pulpwood gross total (cubic feet/acre)	94	90	40	45	0
Pulpwood net total (cubic feet/acre)	76	72	32	36	0
Gross total (cubic feet/acre)	94	90	40	45	0
Net total (cubic feet/acre)	76	72	32	36	0

Overstory only (cont)

	sweet birch
Sawtimber gross total (board feet/acre)	0
Sawtimber net total (board feet/acre)	0
Pulpwood gross total (cubic feet/acre)	36
Pulpwood net total (cubic feet/acre)	29
Gross total (cubic feet/acre)	36
Net total (cubic feet/acre)	29

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	red maple
Coarse Root Biomass (tons per acre)	13.67	4.77	2.81	3.34	0.87
Stem Wood Biomass (tons per acre)	43.53	15.69	8.11	11.34	2.62
Stem Bark Biomass (tons per acre)	8.75	3.20	1.50	2.27	0.56
Foliage Biomass (tons per acre)	2.04	0.51	0.86	0.35	0.10
Aboveground Biomass (tons per acre)	70.30	25.21	12.95	17.73	4.55
Total Biomass (tons per acre)	83.97	29.98	15.77	21.06	5.43

Overstory only (cont)

	tuliptree	white oak	blackgum	black oak	serviceberry
Coarse Root Biomass (tons per acre)	0.42	0.54	0.32	0.28	0.11
Stem Wood Biomass (tons per acre)	1.39	1.73	0.88	0.93	0.20
Stem Bark Biomass (tons per acre)	0.28	0.36	0.20	0.19	0.06
Foliage Biomass (tons per acre)	0.04	0.06	0.04	0.03	0.02
Aboveground Biomass (tons per acre)	2.22	2.83	1.63	1.49	0.55
Total Biomass (tons per acre)	2.64	3.36	1.94	1.77	0.66

Overstory only (cont)

	sweet birch
Coarse Root Biomass (tons per acre)	0.22
Stem Wood Biomass (tons per acre)	0.66
Stem Bark Biomass (tons per acre)	0.14

Overstory only (cont)

	sweet birch
Foliage Biomass (tons per acre)	0.02
Aboveground Biomass (tons per acre)	1.13
Total Biomass (tons per acre)	1.35

Understory only

	All species	eastern hemlock	blackgum	northern red oak	mountain laurel
Coarse Root Biomass (tons per acre)	0.47	0.17	0.07	0.10	0.00
Foliage Biomass (tons per acre)	0.74	0.12	0.01	0.02	0.00
Aboveground Biomass (tons per acre)	1.94	0.72	0.36	0.52	0.00
Total Biomass (tons per acre)	2.41	0.89	0.43	0.62	0.00

Understory only (cont)

	American witchhazel	sweet birch	red maple
Coarse Root Biomass (tons per acre)	0.00	0.11	0.01
Foliage Biomass (tons per acre)	0.00	0.53	0.06
Aboveground Biomass (tons per acre)	0.00	0.30	0.04
Total Biomass (tons per acre)	0.00	0.41	0.05

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	northern red oak	red maple
Coarse Root Biomass (tons per acre)	14.14	2.98	4.77	3.44	0.89
Stem Wood Biomass (tons per acre)	43.53	8.11	15.69	11.34	2.62

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	northern red oak	red maple
Stem Bark Biomass (tons per acre)	8.75	1.50	3.20	2.27	0.56
Foliage Biomass (tons per acre)	2.77	0.97	0.51	0.36	0.16
Aboveground Biomass (tons per acre)	72.24	13.68	25.21	18.25	4.59
Total Biomass (tons per acre)	86.38	16.66	29.98	21.69	5.48

Combined overstory and understory (cont)

	blackgum	tuliptree	white oak	black oak	serviceberry
Coarse Root Biomass (tons per acre)	0.39	0.42	0.54	0.28	0.11
Stem Wood Biomass (tons per acre)	0.88	1.39	1.73	0.93	0.20
Stem Bark Biomass (tons per acre)	0.20	0.28	0.36	0.19	0.06
Foliage Biomass (tons per acre)	0.05	0.04	0.06	0.03	0.02
Aboveground Biomass (tons per acre)	1.99	2.22	2.83	1.49	0.55
Total Biomass (tons per acre)	2.38	2.64	3.36	1.77	0.66

Combined overstory and understory (cont)

	sweet birch	mountain laurel	American witchhazel
Coarse Root Biomass (tons per acre)	0.32	0.00	0.00
Stem Wood Biomass (tons per acre)	0.66	0.00	0.00
Stem Bark Biomass (tons per acre)	0.14	0.00	0.00
Foliage Biomass (tons per acre)	0.55	0.00	0.00
Aboveground Biomass (tons per acre)	1.44	0.00	0.00
Total Biomass (tons per acre)	1.76	0.00	0.00

Generated: 08/29/2012 11:36
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 26.mdb

Timber Tables

This report is for the stand 'Stand 26' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species huckleberry was found in the understory observations, but is not included in this report because it does not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Basal Area (square feet)	145.0	47.5	20.0	20.0	15.0
Percentage of stand basal area (%)	100.0	32.8	13.8	13.8	10.3
Stems Per Unit Area (stems per acre)	292.8	52.5	22.0	14.4	26.7

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Basal Area (square feet)	10.0	7.5	5.0	5.0	2.5
Percentage of stand basal area (%)	6.9	5.2	3.4	3.4	1.7
Stems Per Unit Area (stems per acre)	19.4	4.0	18.7	4.6	1.3

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Basal Area (square feet)	2.5	2.5	2.5	2.5	2.5
Percentage of stand basal area (%)	1.7	1.7	1.7	1.7	1.7
Stems Per Unit Area (stems per	1.6	4.6	1.3	114.6	7.2

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
acre)					

Understory only

	All species	eastern hemlock	sweet birch	chestnut oak	white ash
Basal Area (square feet)	2.4	2.1	0.3	0.0	0.0
Percentage of stand basal area (%)	100.0	88.5	11.5	0.0	0.0
Stems Per Unit Area (stems per acre)	1,000.0	83.3	650.0	66.7	33.3

Understory only (cont)

	red maple
Basal Area (square feet)	0.0
Percentage of stand basal area (%)	0.0
Stems Per Unit Area (stems per acre)	33.3

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Basal Area (square feet)	147.4	47.5	22.1	20.0	15.3
Percentage of stand basal area (%)	100.0	32.2	15.0	13.6	10.4
Stems Per Unit Area (stems per acre)	1,292.8	119.1	105.4	14.4	676.7

Combined overstory and understory (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Basal Area (square feet)	10.0	7.5	5.0	5.0	2.5
Percentage of stand basal area (%)	6.8	5.1	3.4	3.4	1.7
Stems Per Unit Area (stems per acre)	52.8	4.0	18.7	37.9	1.3

Combined overstory and understory (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Basal Area (square feet)	2.5	2.5	2.5	2.5	2.5
Percentage of stand basal area (%)	1.7	1.7	1.7	1.7	1.7
Stems Per Unit Area (stems per acre)	1.6	4.6	1.3	114.6	7.2

Diameters

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Medial DBH (inches)	14.5	15.7	13.5	18.5	11.2
Merchantable Medial DBH (inches)	14.7	15.7	13.5	18.5	11.2
Quadratic Mean DBH (inches)	9.5	12.9	12.9	16.0	10.1
Merchantable Quadratic DBH (inches)	12.1	12.9	12.9	16.0	10.1
Average DBH (inches)	7.7	11.9	12.7	15.2	9.8

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Medial DBH (inches)	10.5	19.3	7.0	15.0	19.0
Merchantable Medial DBH (inches)	10.5	19.3	7.0	15.0	19.0
Quadratic Mean DBH (inches)	9.7	18.5	7.0	14.1	19.0

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Merchantable Quadratic DBH (inches)	9.7	18.5	7.0	14.1	19.0
Average DBH (inches)	9.5	18.2	7.0	13.8	19.0

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Medial DBH (inches)	17.0	10.0	19.0	2.0	8.0
Merchantable Medial DBH (inches)	17.0	10.0	19.0	0.0	8.0
Quadratic Mean DBH (inches)	17.0	10.0	19.0	2.0	8.0
Merchantable Quadratic DBH (inches)	17.0	10.0	19.0	0.0	8.0
Average DBH (inches)	17.0	10.0	19.0	2.0	8.0

Understory only

	All species	eastern hemlock	sweet birch	chestnut oak	white ash
Medial DBH (inches)	3.0	3.3	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.8	2.1	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	1.8	1.0	0.0	0.0

Understory only (cont)

	red maple
Medial DBH (inches)	0.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	0.0
Merchantable Quadratic DBH (inches)	0.0

Understory only (cont)

	red maple
Average DBH (inches)	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Medial DBH (inches)	14.3	15.7	12.5	18.5	11.0
Merchantable Medial DBH (inches)	14.7	15.7	13.5	18.5	11.2
Quadratic Mean DBH (inches)	8.0	12.9	6.2	16.0	6.0
Merchantable Quadratic DBH (inches)	12.1	12.9	12.9	16.0	10.1
Average DBH (inches)	5.7	11.9	4.1	15.2	4.1

Combined overstory and understory (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Medial DBH (inches)	10.5	19.3	7.0	15.0	19.0
Merchantable Medial DBH (inches)	10.5	19.3	7.0	15.0	19.0
Quadratic Mean DBH (inches)	9.7	18.5	7.0	14.1	19.0
Merchantable Quadratic DBH (inches)	9.7	18.5	7.0	14.1	19.0
Average DBH (inches)	9.5	18.2	7.0	13.8	19.0

Combined overstory and understory (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Medial DBH (inches)	17.0	10.0	19.0	2.0	8.0
Merchantable Medial DBH (inches)	17.0	10.0	19.0	0.0	8.0

Combined overstory and understory (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Quadratic Mean DBH (inches)	17.0	10.0	19.0	2.0	8.0
Merchantable Quadratic DBH (inches)	17.0	10.0	19.0	0.0	8.0
Average DBH (inches)	17.0	10.0	19.0	2.0	8.0

Structure

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Q Factor	1.20	1.12	1.21	1.10	1.21

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Q Factor	1.19	1.12	0.00	1.14	0.00

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Q Factor	0.00	0.00	0.00	0.00	0.00

Relative density

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Relative Density (percent)	107.65	38.47	9.20	17.38	9.84
percentage of stand	100.00	35.73	8.55	16.15	9.14

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Relative Density (percent)	6.74	5.76	4.04	1.91	1.92
percentage of stand	6.26	5.35	3.75	1.77	1.78

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Relative Density (percent)	1.95	1.68	1.92	4.67	2.18
percentage of stand	1.81	1.56	1.78	4.34	2.02

Understory only

	All species	eastern hemlock	sweet birch	chestnut oak	white ash
Relative Density (percent)	0.71	0.46	0.26	0.00	0.00
percentage of stand	100.00	63.88	36.12	0.00	0.00

Understory only (cont)

	red maple
Relative Density (percent)	0.00
percentage of stand	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Relative Density (percent)	108.36	38.47	9.66	17.38	10.10
percentage of stand	100.00	35.50	8.91	16.04	9.32

Combined overstory and understory (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Relative Density (percent)	6.74	5.76	4.04	1.91	1.92
percentage of stand	6.22	5.31	3.73	1.76	1.77

Combined overstory and understory (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Relative Density (percent)	1.95	1.68	1.92	4.67	2.18
percentage of stand	1.80	1.55	1.77	4.31	2.01

Volumes

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Sawtimber gross total (board feet/acre)	7,288	2,998	469	1,563	355
Sawtimber net total (board feet/acre)	6,092	2,455	469	1,371	293
Pulpwood gross total (cubic feet/acre)	2,177	766	212	304	256
Pulpwood net total (cubic feet/acre)	1,742	613	169	243	205
Gross total (cubic feet/acre)	3,337	1,229	286	547	314
Net total (cubic feet/acre)	2,522	919	229	415	243

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Sawtimber gross total (board feet/acre)	192	815	0	293	217
Sawtimber net total (board feet/acre)	129	615	0	293	145
Pulpwood gross total (cubic feet/acre)	192	92	86	82	26
Pulpwood net total (cubic feet/acre)	154	73	69	65	21
Gross total (cubic feet/acre)	228	210	86	131	66
Net total (cubic feet/acre)	173	146	69	105	42

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Sawtimber gross total (board feet/acre)	191	0	195	0	0
Sawtimber net total (board feet/acre)	191	0	130	0	0
Pulpwood gross total (cubic feet/acre)	31	57	26	0	47
Pulpwood net total (cubic feet/acre)	25	46	21	0	37
Gross total (cubic feet/acre)	69	57	66	0	47
Net total (cubic feet/acre)	55	46	42	0	37

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Coarse Root Biomass (tons per acre)	20.92	7.63	2.41	3.44	1.85
Stem Wood Biomass (tons per acre)	69.08	25.83	7.34	11.95	5.88
Stem Bark Biomass (tons per acre)	13.80	5.17	1.33	2.36	1.22
Foliage Biomass (tons per acre)	2.65	0.80	0.67	0.35	0.20
Aboveground Biomass (tons per acre)	109.30	40.51	11.25	18.33	9.73
Total Biomass (tons per acre)	130.23	48.14	13.66	21.77	11.58

Overstory only (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Coarse Root Biomass (tons per acre)	1.21	1.32	0.42	0.59	0.44
Stem Wood Biomass (tons per acre)	3.79	4.65	1.19	2.01	1.54
Stem Bark Biomass (tons per acre)	0.79	0.91	0.27	0.40	0.30
Foliage Biomass (tons per acre)	0.13	0.13	0.05	0.06	0.04
Aboveground Biomass (tons per acre)	6.34	7.06	2.20	3.16	2.34
Total Biomass (tons per acre)	7.55	8.39	2.62	3.75	2.78

Overstory only (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Coarse Root Biomass (tons per acre)	0.42	0.25	0.44	0.19	0.31
Stem Wood Biomass (tons per acre)	1.45	0.78	1.54	0.22	0.91
Stem Bark Biomass (tons per acre)	0.29	0.16	0.30	0.08	0.20
Foliage Biomass (tons per acre)	0.04	0.03	0.04	0.05	0.04
Aboveground Biomass (tons per acre)	2.23	1.30	2.34	0.88	1.61
Total Biomass (tons per acre)	2.65	1.55	2.78	1.07	1.92

Understory only

	All species	eastern hemlock	sweet birch	chestnut oak	white ash
Coarse Root Biomass (tons per acre)	0.22	0.13	0.08	0.01	0.00
Foliage Biomass (tons per acre)	0.43	0.06	0.31	0.03	0.01
Aboveground Biomass (tons per acre)	0.86	0.58	0.25	0.02	0.01
Total Biomass (tons per acre)	1.09	0.72	0.32	0.02	0.01

Understory only (cont)

	red maple
Coarse Root Biomass (tons per acre)	0.00
Foliage Biomass (tons per acre)	0.02
Aboveground Biomass (tons per acre)	0.01
Total Biomass (tons per acre)	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	chestnut oak	eastern hemlock	northern red oak	sweet birch
Coarse Root Biomass (tons per acre)	21.15	7.64	2.54	3.44	1.93
Stem Wood Biomass (tons per acre)	69.08	25.83	7.34	11.95	5.88
Stem Bark Biomass (tons per acre)	13.80	5.17	1.33	2.36	1.22
Foliage Biomass (tons per acre)	3.08	0.83	0.73	0.35	0.51
Aboveground Biomass (tons per acre)	110.17	40.52	11.83	18.33	9.98
Total Biomass (tons per acre)	131.31	48.16	14.37	21.77	11.91

Combined overstory and understory (cont)

	red maple	scarlet oak	sassafras	white ash	black oak
Coarse Root Biomass (tons per acre)	1.21	1.32	0.42	0.60	0.44
Stem Wood Biomass (tons per acre)	3.79	4.65	1.19	2.01	1.54
Stem Bark Biomass (tons per acre)	0.79	0.91	0.27	0.40	0.30
Foliage Biomass (tons per acre)	0.15	0.13	0.05	0.07	0.04
Aboveground Biomass (tons per acre)	6.35	7.06	2.20	3.16	2.34
Total Biomass (tons per acre)	7.56	8.39	2.62	3.76	2.78

Combined overstory and understory (cont)

	white oak	blackgum	pignut hickory	mockernut hickory	sugar maple
Coarse Root Biomass (tons per acre)	0.42	0.25	0.44	0.19	0.31
Stem Wood Biomass (tons per acre)	1.45	0.78	1.54	0.22	0.91
Stem Bark Biomass (tons per acre)	0.29	0.16	0.30	0.08	0.20
Foliage Biomass (tons per acre)	0.04	0.03	0.04	0.05	0.04
Aboveground Biomass (tons per acre)	2.23	1.30	2.34	0.88	1.61
Total Biomass (tons per acre)	2.65	1.55	2.78	1.07	1.92

Generated: 08/29/2012 11:42
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 27.mdb

Timber Tables

This report is for the stand 'Stand 27' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, swamp azalea and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Basal Area (square feet)	105.5	19.1	15.0	14.5	10.9
Percentage of stand basal area (%)	100.0	18.1	14.2	13.8	10.3
Stems Per Unit Area (stems per acre)	360.9	27.4	31.2	59.2	40.7

Overstory only (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Basal Area (square feet)	10.5	9.5	5.9	5.0	3.6
Percentage of stand basal area (%)	9.9	9.1	5.6	4.7	3.4
Stems Per Unit Area (stems per acre)	27.3	16.2	83.6	9.3	9.4

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Basal Area (square feet)	2.3	2.3	1.8	1.4	1.4

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Percentage of stand basal area (%)	2.2	2.2	1.7	1.3	1.3
Stems Per Unit Area (stems per acre)	1.6	6.1	1.4	1.1	43.0

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory
Basal Area (square feet)	0.9	0.5	0.5	0.5
Percentage of stand basal area (%)	0.9	0.4	0.4	0.4
Stems Per Unit Area (stems per acre)	0.6	1.3	0.2	1.3

Understory only

	All species	serviceberry	American witchhazel	red maple	sugar maple
Basal Area (square feet)	11.4	3.5	1.9	0.9	0.9
Percentage of stand basal area (%)	100.0	30.4	16.6	8.3	8.0
Stems Per Unit Area (stems per acre)	5,803.0	509.1	678.8	97.0	145.5

Understory only (cont)

	northern red oak	sweet birch	hophornbeam	northern spicebush	white ash
Basal Area (square feet)	0.9	0.7	0.5	0.3	0.3
Percentage of stand basal area (%)	7.6	6.0	4.2	2.8	2.3
Stems Per Unit Area (stems per acre)	230.3	45.5	178.8	230.3	3.0

Understory only (cont)

	chestnut oak	black cherry	mountain laurel	American hornbeam	flowering dogwood
Basal Area (square feet)	0.2	0.2	0.2	0.2	0.1
Percentage of stand basal area (%)	2.2	1.7	1.7	1.7	1.3
Stems Per Unit Area (stems per acre)	587.9	257.6	39.4	9.1	18.2

Understory only (cont)

	pignut hickory	white oak
Basal Area (square feet)	0.1	0.0
Percentage of stand basal area (%)	1.0	0.1
Stems Per Unit Area (stems per acre)	21.2	42.4

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	sweet birch
Basal Area (square feet)	116.8	19.3	15.9	15.5	11.6
Percentage of stand basal area (%)	100.0	16.6	13.6	13.3	9.9
Stems Per Unit Area (stems per acre)	6,164.0	615.2	261.5	156.2	86.1

Combined overstory and understory (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Basal Area (square feet)	10.7	10.5	9.4	5.0	3.8
Percentage of stand basal area (%)	9.2	8.9	8.0	4.3	3.2
Stems Per Unit Area (stems per acre)	30.4	161.7	592.7	9.3	30.6

Combined overstory and understory (cont)

	black cherry	scarlet oak	American witchhazel	hophornbeam	tuliptree
Basal Area (square feet)	2.5	2.3	1.9	1.8	1.8
Percentage of stand basal area (%)	2.1	1.9	1.6	1.6	1.6
Stems Per Unit Area (stems per acre)	263.6	1.6	678.8	221.8	1.4

Combined overstory and understory (cont)

	white oak	blackgum	sassafras	black oak	mockernut hickory
Basal Area (square feet)	1.4	0.9	0.5	0.5	0.5
Percentage of stand basal area (%)	1.2	0.8	0.4	0.4	0.4
Stems Per Unit Area (stems per acre)	43.5	0.6	1.3	0.2	1.3

Combined overstory and understory (cont)

	northern spicebush	mountain laurel	American hornbeam	flowering dogwood
Basal Area (square feet)	0.3	0.2	0.2	0.1
Percentage of stand basal area (%)	0.3	0.2	0.2	0.1
Stems Per Unit Area (stems per acre)	230.3	39.4	9.1	18.2

Diameters

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Medial DBH (inches)	12.7	14.4	16.2	12.7	10.5

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Merchantable Medial DBH (inches)	13.8	14.7	18.3	14.3	10.9
Quadratic Mean DBH (inches)	7.3	11.3	9.4	6.7	7.0
Merchantable Quadratic DBH (inches)	11.2	12.4	16.4	11.4	9.8
Average DBH (inches)	5.8	10.2	7.4	5.2	5.7

Overstory only (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Medial DBH (inches)	11.0	14.3	4.4	11.3	10.1
Merchantable Medial DBH (inches)	11.4	14.9	6.3	11.3	10.9
Quadratic Mean DBH (inches)	8.4	10.4	3.6	9.9	8.4
Merchantable Quadratic DBH (inches)	10.1	12.3	6.2	9.9	9.8
Average DBH (inches)	7.4	9.1	3.4	9.5	7.9

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Medial DBH (inches)	16.2	10.6	16.5	15.7	4.0
Merchantable Medial DBH (inches)	16.2	10.6	16.5	15.7	8.0
Quadratic Mean DBH (inches)	16.1	8.3	15.2	15.2	2.4
Merchantable Quadratic DBH (inches)	16.1	8.3	15.2	15.2	8.0
Average DBH (inches)	16.1	7.7	14.7	15.1	2.2

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory
Medial DBH (inches)	16.5	8.0	20.0	8.0
Merchantable Medial DBH (inches)	16.5	8.0	20.0	8.0
Quadratic Mean DBH (inches)	16.3	8.0	20.0	8.0
Merchantable Quadratic DBH (inches)	16.3	8.0	20.0	8.0
Average DBH (inches)	16.2	8.0	20.0	8.0

Understory only

	All species	serviceberry	American witchhazel	red maple	sugar maple
Medial DBH (inches)	2.2	2.9	1.3	2.9	2.5
Merchantable Medial DBH (inches)	6.0	6.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.5	1.8	1.1	2.5	2.0
Merchantable Quadratic DBH (inches)	6.0	6.0	0.0	0.0	0.0
Average DBH (inches)	1.3	1.6	1.1	2.3	1.8

Understory only (cont)

	northern red oak	sweet birch	hophornbeam	northern spicebush	white ash
Medial DBH (inches)	2.1	2.4	2.2	1.0	4.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.7	1.8	1.0	4.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	1.5	1.7	1.0	4.0

Understory only (cont)

	chestnut oak	black cherry	mountain laurel	American hornbeam	flowering dogwood
Medial DBH (inches)	1.8	1.3	1.3	2.0	1.4
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.2	1.2	2.0	1.2
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.5	1.1	1.1	2.0	1.2

Understory only (cont)

	pignut hickory	white oak
Medial DBH (inches)	1.6	1.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.3	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.3	1.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	sweet birch
Medial DBH (inches)	11.7	14.2	15.5	12.1	10.1
Merchantable Medial DBH (inches)	13.8	14.7	18.3	14.3	10.9
Quadratic Mean DBH (inches)	4.1	8.8	5.5	5.7	5.1
Merchantable Quadratic DBH (inches)	11.2	12.4	16.4	11.4	9.8
Average DBH (inches)	2.6	6.7	3.4	4.3	3.5

Combined overstory and understory (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Medial DBH (inches)	10.9	13.3	3.8	11.3	9.9
Merchantable Medial DBH (inches)	11.4	14.9	6.2	11.3	10.9
Quadratic Mean DBH (inches)	8.0	5.7	2.5	9.9	5.7
Merchantable Quadratic DBH (inches)	10.1	12.3	6.2	9.9	9.8
Average DBH (inches)	7.1	3.8	2.1	9.5	4.2

Combined overstory and understory (cont)

	black cherry	scarlet oak	American witchhazel	hophornbeam	tuliptree
Medial DBH (inches)	9.9	16.2	1.3	3.5	16.5
Merchantable Medial DBH (inches)	10.6	16.2	0.0	8.0	16.5
Quadratic Mean DBH (inches)	3.7	16.1	1.1	2.2	15.2
Merchantable Quadratic DBH (inches)	8.3	16.1	0.0	8.0	15.2
Average DBH (inches)	2.3	16.1	1.1	2.0	14.7

Combined overstory and understory (cont)

	white oak	blackgum	sassafras	black oak	mockernut hickory
Medial DBH (inches)	15.5	16.5	8.0	20.0	8.0
Merchantable Medial DBH (inches)	15.7	16.5	8.0	20.0	8.0
Quadratic Mean DBH (inches)	7.9	16.3	8.0	20.0	8.0
Merchantable Quadratic DBH (inches)	15.2	16.3	8.0	20.0	8.0
Average DBH (inches)	4.7	16.2	8.0	20.0	8.0

Combined overstory and understory (cont)

	northern spicebush	mountain laurel	American hornbeam	flowering dogwood
Medial DBH (inches)	1.0	1.3	2.0	1.4
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.2	2.0	1.2
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.1	2.0	1.2

Structure

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Q Factor	1.31	1.18	1.19	1.23	1.31

Overstory only (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Q Factor	1.29	1.20	1.82	1.16	1.23

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Q Factor	1.22	1.09	1.15	1.14	1.47

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory
Q Factor	1.13	0.00	0.00	0.00

Relative density

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Relative Density (percent)	82.08	15.80	13.42	10.04	7.62
percentage of stand	100.00	19.25	16.34	12.23	9.28

Overstory only (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Relative Density (percent)	5.57	7.78	6.38	4.15	3.27
percentage of stand	6.79	9.48	7.77	5.06	3.99

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Relative Density (percent)	1.79	1.25	0.66	1.08	1.66
percentage of stand	2.18	1.52	0.80	1.32	2.03

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory
Relative Density (percent)	0.49	0.34	0.35	0.42
percentage of stand	0.60	0.42	0.42	0.52

Understory only

	All species	serviceberry	American witchhazel	red maple	sugar maple
Relative Density (percent)	14.72	4.13	2.08	1.17	1.44
percentage of stand	100.00	28.07	14.15	7.94	9.80

Understory only (cont)

	northern red oak	sweet birch	hophornbeam	northern spicebush	white ash
Relative Density (percent)	1.01	0.81	0.63	0.30	0.31
percentage of stand	6.87	5.52	4.31	2.02	2.13

Understory only (cont)

	chestnut oak	black cherry	mountain laurel	American hornbeam	flowering dogwood
Relative Density (percent)	0.54	1.26	0.22	0.29	0.17
percentage of stand	3.64	8.57	1.50	1.96	1.18

Understory only (cont)

	pignut hickory	white oak
Relative Density (percent)	0.29	0.06
percentage of stand	1.96	0.38

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	sweet birch
Relative Density (percent)	96.81	16.33	14.43	11.21	8.43
percentage of stand	100.00	16.87	14.90	11.58	8.71

Combined overstory and understory (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Relative Density (percent)	5.89	9.22	10.51	4.15	3.56
percentage of stand	6.08	9.53	10.86	4.29	3.68

Combined overstory and understory (cont)

	black cherry	scarlet oak	American witchhazel	hophornbeam	tuliptree
Relative Density (percent)	2.51	1.79	2.08	2.30	0.66
percentage of stand	2.59	1.85	2.15	2.37	0.68

Combined overstory and understory (cont)

	white oak	blackgum	sassafras	black oak	mockernut hickory
Relative Density (percent)	1.14	0.49	0.34	0.35	0.42
percentage of stand	1.18	0.51	0.35	0.36	0.44

Combined overstory and understory (cont)

	northern spicebush	mountain laurel	American hornbeam	flowering dogwood
Relative Density (percent)	0.30	0.22	0.29	0.17
percentage of stand	0.31	0.23	0.30	0.18

Volumes

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Sawtimber gross total (board feet/acre)	4,219	972	1,073	502	200
Sawtimber net total (board feet/acre)	3,601	841	942	372	200
Pulpwood gross total (cubic feet/acre)	1,433	286	169	189	172
Pulpwood net total (cubic feet/acre)	1,146	229	135	151	138
Gross total (cubic feet/acre)	2,162	447	346	277	205
Net total (cubic feet/acre)	1,645	341	259	204	164

Overstory only (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Sawtimber gross total (board feet/acre)	287	459	0	36	68
Sawtimber net total (board feet/acre)	218	413	0	24	56
Pulpwood gross total (cubic feet/acre)	177	132	25	86	55
Pulpwood net total (cubic feet/acre)	142	106	20	69	44
Gross total (cubic feet/acre)	229	216	25	93	68
Net total (cubic feet/acre)	174	166	20	72	53

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Sawtimber gross total (board feet/acre)	192	76	143	102	0
Sawtimber net total (board feet/acre)	154	38	143	102	0
Pulpwood gross total (cubic feet/acre)	28	34	21	17	9
Pulpwood net total (cubic feet/acre)	22	27	17	14	7
Gross total (cubic feet/acre)	61	48	48	36	9
Net total (cubic feet/acre)	44	33	39	29	7

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory
Sawtimber gross total (board feet/acre)	69	0	40	0
Sawtimber net total (board feet/acre)	57	0	40	0
Pulpwood gross total (cubic feet/acre)	11	9	5	8
Pulpwood net total (cubic feet/acre)	9	7	4	7
Gross total (cubic feet/acre)	24	9	12	8
Net total (cubic feet/acre)	18	7	10	7

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	northern red oak	red maple	sweet birch
Coarse Root Biomass (tons per acre)	14.00	2.96	2.42	1.83	1.31
Stem Wood Biomass (tons per acre)	45.20	9.86	8.15	5.83	4.08
Stem Bark Biomass (tons per acre)	9.30	1.99	1.63	1.21	0.86
Foliage Biomass (tons per acre)	1.55	0.32	0.26	0.21	0.15
Aboveground Biomass (tons per acre)	73.79	15.67	12.82	9.64	6.88
Total Biomass (tons per acre)	87.79	18.63	15.23	11.47	8.19

Overstory only (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Coarse Root Biomass (tons per acre)	1.07	1.47	0.41	0.62	0.49
Stem Wood Biomass (tons per acre)	3.38	4.88	0.91	1.96	1.51
Stem Bark Biomass (tons per acre)	0.71	0.99	0.23	0.41	0.32
Foliage Biomass (tons per acre)	0.12	0.16	0.06	0.07	0.06
Aboveground Biomass (tons per acre)	5.63	7.78	2.04	3.25	2.56
Total Biomass (tons per acre)	6.70	9.25	2.44	3.86	3.05

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Coarse Root Biomass (tons per acre)	0.37	0.23	0.23	0.22	0.09

Overstory only (cont)

	scarlet oak	black cherry	tuliptree	white oak	hophornbeam
Stem Wood Biomass (tons per acre)	1.28	0.71	0.77	0.75	0.18
Stem Bark Biomass (tons per acre)	0.25	0.15	0.15	0.15	0.05
Foliage Biomass (tons per acre)	0.04	0.03	0.02	0.02	0.02
Aboveground Biomass (tons per acre)	1.99	1.20	1.20	1.17	0.43
Total Biomass (tons per acre)	2.36	1.42	1.43	1.39	0.52

Overstory only (cont)

	blackgum	sassafras	black oak	mockernut hickory
Coarse Root Biomass (tons per acre)	0.11	0.04	0.08	0.06
Stem Wood Biomass (tons per acre)	0.39	0.12	0.29	0.17
Stem Bark Biomass (tons per acre)	0.08	0.03	0.06	0.04
Foliage Biomass (tons per acre)	0.01	0.00	0.01	0.01
Aboveground Biomass (tons per acre)	0.60	0.21	0.44	0.29
Total Biomass (tons per acre)	0.72	0.25	0.52	0.35

Understory only

	All species	serviceberry	American witchhazel	red maple	sugar maple
Coarse Root Biomass (tons per acre)	0.70	0.22	0.00	0.08	0.08
Foliage Biomass (tons per acre)	0.80	0.14	0.00	0.05	0.07
Aboveground Biomass (tons per acre)	3.04	1.00	0.00	0.39	0.38
Total Biomass (tons per acre)	3.74	1.22	0.00	0.48	0.46

Understory only (cont)

	northern red oak	sweet birch	hophornbeam	northern spicebush	white ash
Coarse Root Biomass (tons per acre)	0.08	0.05	0.03	0.00	0.02

Understory only (cont)

	northern red oak	sweet birch	hophornbeam	northern spicebush	white ash
Foliage Biomass (tons per acre)	0.10	0.02	0.05	0.00	0.00
Aboveground Biomass (tons per acre)	0.35	0.25	0.14	0.00	0.09
Total Biomass (tons per acre)	0.43	0.30	0.18	0.00	0.11

Understory only (cont)

	chestnut oak	black cherry	mountain laurel	American hornbeam	flowering dogwood
Coarse Root Biomass (tons per acre)	0.07	0.02	0.00	0.01	0.01
Foliage Biomass (tons per acre)	0.27	0.07	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.23	0.08	0.00	0.05	0.03
Total Biomass (tons per acre)	0.30	0.10	0.00	0.06	0.04

Understory only (cont)

	pignut hickory	white oak
Coarse Root Biomass (tons per acre)	0.01	0.00
Foliage Biomass (tons per acre)	0.01	0.02
Aboveground Biomass (tons per acre)	0.04	0.01
Total Biomass (tons per acre)	0.05	0.02

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	sweet birch
Coarse Root Biomass (tons per	14.70	3.03	2.50	1.92	1.37

Combined overstory and understory

	All species	chestnut oak	northern red oak	red maple	sweet birch
acre)					
Stem Wood Biomass (tons per acre)	45.20	9.86	8.15	5.83	4.08
Stem Bark Biomass (tons per acre)	9.30	1.99	1.63	1.21	0.86
Foliage Biomass (tons per acre)	2.35	0.58	0.35	0.26	0.17
Aboveground Biomass (tons per acre)	76.83	15.90	13.16	10.03	7.13
Total Biomass (tons per acre)	91.53	18.93	15.66	11.95	8.49

Combined overstory and understory (cont)

	white ash	sugar maple	serviceberry	yellow birch	pignut hickory
Coarse Root Biomass (tons per acre)	1.09	1.55	0.62	0.62	0.50
Stem Wood Biomass (tons per acre)	3.38	4.88	0.91	1.96	1.51
Stem Bark Biomass (tons per acre)	0.71	0.99	0.23	0.41	0.32
Foliage Biomass (tons per acre)	0.12	0.22	0.21	0.07	0.06
Aboveground Biomass (tons per acre)	5.72	8.16	3.04	3.25	2.60
Total Biomass (tons per acre)	6.80	9.71	3.66	3.86	3.09

Combined overstory and understory (cont)

	black cherry	scarlet oak	American witchhazel	hophornbeam	tuliptree
Coarse Root Biomass (tons per acre)	0.25	0.37	0.00	0.12	0.23
Stem Wood Biomass (tons per acre)	0.71	1.28	0.00	0.18	0.77
Stem Bark Biomass (tons per acre)	0.15	0.25	0.00	0.05	0.15
Foliage Biomass (tons per acre)	0.10	0.04	0.00	0.07	0.02
Aboveground Biomass (tons	1.27	1.99	0.00	0.57	1.20

Combined overstory and understory (cont)

	black cherry	scarlet oak	American witchhazel	hophornbeam	tuliptree
per acre)					
Total Biomass (tons per acre)	1.52	2.36	0.00	0.70	1.43

Combined overstory and understory (cont)

	white oak	blackgum	sassafras	black oak	mockernut hickory
Coarse Root Biomass (tons per acre)	0.23	0.11	0.04	0.08	0.06
Stem Wood Biomass (tons per acre)	0.75	0.39	0.12	0.29	0.17
Stem Bark Biomass (tons per acre)	0.15	0.08	0.03	0.06	0.04
Foliage Biomass (tons per acre)	0.04	0.01	0.00	0.01	0.01
Aboveground Biomass (tons per acre)	1.19	0.60	0.21	0.44	0.29
Total Biomass (tons per acre)	1.41	0.72	0.25	0.52	0.35

Combined overstory and understory (cont)

	northern spicebush	mountain laurel	American hornbeam	flowering dogwood
Coarse Root Biomass (tons per acre)	0.00	0.00	0.01	0.01
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.05	0.03
Total Biomass (tons per acre)	0.00	0.00	0.06	0.04

Generated: 08/29/2012 11:50
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 28.mdb

Timber Tables

This report is for the stand 'Stand 28' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Basal Area (square feet)	90.0	30.0	17.5	10.0	8.8
Percentage of stand basal area (%)	100.0	33.3	19.4	11.1	9.7
Stems Per Unit Area (stems per acre)	388.7	119.2	54.5	83.6	26.9

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	yellow birch	red maple
Basal Area (square feet)	7.5	6.3	2.5	2.5	2.5
Percentage of stand basal area (%)	8.3	6.9	2.8	2.8	2.8
Stems Per Unit Area (stems per acre)	70.6	12.3	6.3	2.2	3.5

Overstory only (cont)

	tuliptree	serviceberry
Basal Area (square feet)	1.3	1.3
Percentage of stand basal area (%)	1.4	1.4

Overstory only (cont)

	tuliptree	serviceberry
Stems Per Unit Area (stems per acre)	0.4	9.2

Understory only

	All species	red maple	white ash	pignut hickory	northern red oak
Basal Area (square feet)	9.3	3.3	1.5	1.1	1.0
Percentage of stand basal area (%)	100.0	35.6	15.6	12.2	10.2
Stems Per Unit Area (stems per acre)	3,775.0	483.3	83.3	83.3	33.3

Understory only (cont)

	sweet birch	sugar maple	American witchhazel	chestnut oak	hophornbeam
Basal Area (square feet)	0.9	0.5	0.3	0.3	0.2
Percentage of stand basal area (%)	9.8	4.9	3.4	2.9	2.4
Stems Per Unit Area (stems per acre)	266.7	150.0	183.3	325.0	75.0

Understory only (cont)

	serviceberry	mockernut hickory	black cherry	mountain laurel
Basal Area (square feet)	0.2	0.0	0.0	0.0
Percentage of stand basal area (%)	2.0	0.5	0.0	0.0
Stems Per Unit Area (stems per acre)	33.3	8.3	50.0	16.7

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	white ash	sweet birch
Basal Area (square feet)	99.3	31.0	17.8	11.5	9.7
Percentage of stand basal area (%)	100.0	31.2	17.9	11.5	9.7
Stems Per Unit Area (stems per acre)	4,163.7	152.6	379.5	166.9	293.6

Combined overstory and understory (cont)

	pignut hickory	sugar maple	red maple	black cherry	yellow birch
Basal Area (square feet)	8.6	6.7	5.8	2.5	2.5
Percentage of stand basal area (%)	8.7	6.8	5.9	2.5	2.5
Stems Per Unit Area (stems per acre)	154.0	162.3	486.8	56.3	2.2

Combined overstory and understory (cont)

	serviceberry	tuliptree	American witchhazel	hophornbeam	mockernut hickory
Basal Area (square feet)	1.4	1.3	0.3	0.2	0.0
Percentage of stand basal area (%)	1.4	1.3	0.3	0.2	0.0
Stems Per Unit Area (stems per acre)	42.5	0.4	183.3	75.0	8.3

Combined overstory and understory (cont)

	mountain laurel
Basal Area (square feet)	0.0
Percentage of stand basal area (%)	0.0
Stems Per Unit Area (stems per acre)	16.7

Diameters

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Medial DBH (inches)	9.4	8.3	10.1	6.0	11.7
Merchantable Medial DBH (inches)	10.9	9.2	11.1	8.0	14.4
Quadratic Mean DBH (inches)	6.5	6.8	7.7	4.7	7.7
Merchantable Quadratic DBH (inches)	8.8	7.7	9.4	8.0	11.5
Average DBH (inches)	5.8	6.5	7.0	4.3	6.8

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	yellow birch	red maple
Medial DBH (inches)	6.5	13.4	9.5	14.5	11.5
Merchantable Medial DBH (inches)	9.3	13.4	9.5	14.5	11.5
Quadratic Mean DBH (inches)	4.4	9.6	8.6	14.5	11.5
Merchantable Quadratic DBH (inches)	8.1	9.6	8.6	14.5	11.5
Average DBH (inches)	4.0	8.7	8.3	14.5	11.5

Overstory only (cont)

	tuliptree	serviceberry
Medial DBH (inches)	25.0	5.0
Merchantable Medial DBH (inches)	25.0	0.0
Quadratic Mean DBH (inches)	25.0	5.0
Merchantable Quadratic DBH (inches)	25.0	0.0
Average DBH (inches)	25.0	5.0

Understory only

	All species	red maple	white ash	pignut hickory	northern red oak
Medial DBH (inches)	2.6	2.6	2.5	3.1	3.5
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.9	2.0	2.1	1.9	2.6
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.6	1.8	2.0	1.6	2.3

Understory only (cont)

	sweet birch	sugar maple	American witchhazel	chestnut oak	hophornbeam
Medial DBH (inches)	2.8	2.8	1.0	1.7	1.8
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.2	2.2	1.0	1.4	1.6
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	2.0	1.0	1.3	1.5

Understory only (cont)

	serviceberry	mockernut hickory	black cherry	mountain laurel
Medial DBH (inches)	1.0	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	white ash	sweet birch
Medial DBH (inches)	8.8	8.1	10.0	5.6	10.9
Merchantable Medial DBH (inches)	10.9	9.2	11.1	8.0	14.4
Quadratic Mean DBH (inches)	4.5	6.3	6.4	3.8	5.4
Merchantable Quadratic DBH (inches)	8.8	7.7	9.4	8.0	11.5
Average DBH (inches)	3.5	5.8	5.2	3.4	4.1

Combined overstory and understory (cont)

	pignut hickory	sugar maple	red maple	black cherry	yellow birch
Medial DBH (inches)	6.1	12.7	6.4	9.5	14.5
Merchantable Medial DBH (inches)	9.3	13.4	11.5	9.5	14.5
Quadratic Mean DBH (inches)	3.5	6.5	2.6	8.6	14.5
Merchantable Quadratic DBH (inches)	8.1	9.6	11.5	8.6	14.5
Average DBH (inches)	2.9	4.8	2.1	8.3	14.5

Combined overstory and understory (cont)

	serviceberry	tuliptree	American witchhazel	hophornbeam	mockernut hickory
Medial DBH (inches)	4.5	25.0	1.0	1.8	1.0
Merchantable Medial DBH (inches)	0.0	25.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.5	25.0	1.0	1.6	1.0
Merchantable Quadratic DBH (inches)	0.0	25.0	0.0	0.0	0.0
Average DBH (inches)	1.9	25.0	1.0	1.5	1.0

Combined overstory and understory (cont)

	mountain laurel
Medial DBH (inches)	0.0
Merchantable Medial DBH (inches)	0.0
Quadratic Mean DBH (inches)	0.0
Merchantable Quadratic DBH (inches)	0.0
Average DBH (inches)	0.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Q Factor	1.33	1.31	1.18	1.24	1.23

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	yellow birch	red maple
Q Factor	1.28	1.19	1.24	1.15	1.15

Overstory only (cont)

	tuliptree	serviceberry
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Relative Density (percent)	80.59	28.82	16.03	9.48	6.19
percentage of stand	100.00	35.76	19.90	11.76	7.68

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	yellow birch	red maple
Relative Density (percent)	8.40	5.17	1.38	1.98	1.58
percentage of stand	10.42	6.42	1.71	2.46	1.96

Overstory only (cont)

	tuliptree	serviceberry
Relative Density (percent)	0.35	1.21
percentage of stand	0.44	1.50

Understory only

	All species	red maple	white ash	pignut hickory	northern red oak
Relative Density (percent)	14.29	4.24	3.66	1.99	1.05
percentage of stand	100.00	29.64	25.64	13.93	7.37

Understory only (cont)

	sweet birch	sugar maple	American witchhazel	chestnut oak	hophornbeam
Relative Density (percent)	1.11	0.66	0.30	0.64	0.31
percentage of stand	7.80	4.60	2.10	4.50	2.15

Understory only (cont)

	serviceberry	mockernut hickory	black cherry	mountain laurel
Relative Density (percent)	0.17	0.15	0.00	0.00
percentage of stand	1.20	1.06	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	white ash	sweet birch
Relative Density (percent)	94.88	29.87	16.68	13.14	7.30
percentage of stand	100.00	31.49	17.58	13.85	7.69

Combined overstory and understory (cont)

	pignut hickory	sugar maple	red maple	black cherry	yellow birch
Relative Density (percent)	10.39	5.83	5.81	1.38	1.98
percentage of stand	10.95	6.15	6.13	1.45	2.09

Combined overstory and understory (cont)

	serviceberry	tuliptree	American witchhazel	hophornbeam	mockernut hickory
Relative Density (percent)	1.38	0.35	0.30	0.31	0.15
percentage of stand	1.46	0.37	0.32	0.32	0.16

Combined overstory and understory (cont)

	mountain laurel
Relative Density (percent)	0.00
percentage of stand	0.00

Volumes

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Sawtimber gross total (board feet/acre)	1,607	436	314	0	288
Sawtimber net total (board feet/acre)	1,413	436	246	0	255

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Pulpwood gross total (cubic feet/acre)	1,123	366	272	94	89
Pulpwood net total (cubic feet/acre)	898	293	218	75	71
Gross total (cubic feet/acre)	1,399	436	325	94	138
Net total (cubic feet/acre)	1,092	349	251	75	106

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	yellow birch	red maple
Sawtimber gross total (board feet/acre)	90	295	0	183	0
Sawtimber net total (board feet/acre)	90	262	0	123	0
Pulpwood gross total (cubic feet/acre)	52	74	52	29	59
Pulpwood net total (cubic feet/acre)	41	59	41	23	47
Gross total (cubic feet/acre)	68	131	52	59	59
Net total (cubic feet/acre)	54	100	41	39	47

Overstory only (cont)

	tuliptree	serviceberry
Sawtimber gross total (board feet/acre)	0	0
Sawtimber net total (board feet/acre)	0	0
Pulpwood gross total (cubic feet/acre)	36	0
Pulpwood net total (cubic feet/acre)	29	0
Gross total (cubic feet/acre)	36	0
Net total (cubic feet/acre)	29	0

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	white ash	sweet birch
Coarse Root Biomass (tons per acre)	10.82	3.69	2.34	0.78	1.07
Stem Wood Biomass (tons per acre)	32.29	10.71	7.19	2.03	3.36
Stem Bark Biomass (tons per acre)	6.96	2.35	1.52	0.48	0.70
Foliage Biomass (tons per acre)	1.28	0.44	0.27	0.10	0.12
Aboveground Biomass (tons per acre)	56.45	19.20	12.25	4.00	5.64
Total Biomass (tons per acre)	67.28	22.89	14.59	4.79	6.71

Overstory only (cont)

	pignut hickory	sugar maple	black cherry	yellow birch	red maple
Coarse Root Biomass (tons per acre)	0.83	0.93	0.24	0.34	0.31
Stem Wood Biomass (tons per acre)	2.17	3.03	0.74	1.14	1.01
Stem Bark Biomass (tons per acre)	0.51	0.62	0.16	0.23	0.21
Foliage Biomass (tons per acre)	0.11	0.10	0.03	0.04	0.03
Aboveground Biomass (tons per acre)	4.26	4.91	1.26	1.80	1.65
Total Biomass (tons per acre)	5.09	5.84	1.50	2.14	1.96

Overstory only (cont)

	tuliptree	serviceberry
Coarse Root Biomass (tons per acre)	0.19	0.09
Stem Wood Biomass (tons per acre)	0.69	0.22
Stem Bark Biomass (tons per acre)	0.13	0.05
Foliage Biomass (tons per acre)	0.02	0.01
Aboveground Biomass (tons per acre)	1.02	0.47

Overstory only (cont)

	tuliptree	serviceberry
Total Biomass (tons per acre)	1.21	0.56

Understory only

	All species	red maple	white ash	pignut hickory	northern red oak
Coarse Root Biomass (tons per acre)	0.79	0.30	0.08	0.10	0.09
Foliage Biomass (tons per acre)	0.70	0.23	0.03	0.04	0.02
Aboveground Biomass (tons per acre)	3.56	1.35	0.39	0.48	0.42
Total Biomass (tons per acre)	4.35	1.64	0.47	0.58	0.51

Understory only (cont)

	sweet birch	sugar maple	American witchhazel	chestnut oak	hophornbeam
Coarse Root Biomass (tons per acre)	0.10	0.05	0.00	0.05	0.01
Foliage Biomass (tons per acre)	0.13	0.07	0.00	0.14	0.02
Aboveground Biomass (tons per acre)	0.42	0.22	0.00	0.17	0.06
Total Biomass (tons per acre)	0.52	0.27	0.00	0.21	0.08

Understory only (cont)

	serviceberry	mockernut hickory	black cherry	mountain laurel
Coarse Root Biomass (tons per acre)	0.01	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.01	0.00
Aboveground Biomass (tons per acre)	0.03	0.01	0.01	0.00
Total Biomass (tons per acre)	0.04	0.01	0.01	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	white ash	sweet birch
Coarse Root Biomass (tons per acre)	11.62	3.78	2.39	0.86	1.17
Stem Wood Biomass (tons per acre)	32.29	10.71	7.19	2.03	3.36
Stem Bark Biomass (tons per acre)	6.96	2.35	1.52	0.48	0.70
Foliage Biomass (tons per acre)	1.98	0.46	0.41	0.13	0.25
Aboveground Biomass (tons per acre)	60.01	19.63	12.42	4.39	6.06
Total Biomass (tons per acre)	71.63	23.41	14.80	5.26	7.23

Combined overstory and understory (cont)

	pignut hickory	sugar maple	red maple	black cherry	yellow birch
Coarse Root Biomass (tons per acre)	0.93	0.98	0.61	0.24	0.34
Stem Wood Biomass (tons per acre)	2.17	3.03	1.01	0.74	1.14
Stem Bark Biomass (tons per acre)	0.51	0.62	0.21	0.16	0.23
Foliage Biomass (tons per acre)	0.15	0.17	0.26	0.04	0.04
Aboveground Biomass (tons per acre)	4.74	5.13	3.00	1.27	1.80
Total Biomass (tons per acre)	5.67	6.11	3.61	1.51	2.14

Combined overstory and understory (cont)

	serviceberry	tuliptree	American witchhazel	hophornbeam	mockernut hickory
Coarse Root Biomass (tons per acre)	0.10	0.19	0.00	0.01	0.00

Combined overstory and understory (cont)

	serviceberry	tuliptree	American witchhazel	hophornbeam	mockernut hickory
Stem Wood Biomass (tons per acre)	0.22	0.69	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.05	0.13	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.02	0.02	0.00	0.02	0.00
Aboveground Biomass (tons per acre)	0.50	1.02	0.00	0.06	0.01
Total Biomass (tons per acre)	0.60	1.21	0.00	0.08	0.01

Combined overstory and understory (cont)

	mountain laurel
Coarse Root Biomass (tons per acre)	0.00
Stem Wood Biomass (tons per acre)	0.00
Stem Bark Biomass (tons per acre)	0.00
Foliage Biomass (tons per acre)	0.00
Aboveground Biomass (tons per acre)	0.00
Total Biomass (tons per acre)	0.00

Generated: 08/29/2012 11:55
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 29.mdb

Timber Tables

This report is for the stand 'Stand 29' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and rhododendron where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Basal Area (square feet)	147.0	42.0	42.0	12.0	9.0
Percentage of stand basal area (%)	100.0	28.6	28.6	8.2	6.1
Stems Per Unit Area (stems per acre)	390.7	91.5	53.0	7.1	5.7

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Basal Area (square feet)	9.0	9.0	9.0	6.0	3.0
Percentage of stand basal area (%)	6.1	6.1	6.1	4.1	2.0
Stems Per Unit Area (stems per acre)	8.0	58.3	15.6	4.9	137.5

Overstory only (cont)

	sweet birch	sugar maple
Basal Area (square feet)	3.0	3.0
Percentage of stand basal area (%)	2.0	2.0

Overstory only (cont)

	sweet birch	sugar maple
Stems Per Unit Area (stems per acre)	2.4	6.8

Understory only

	All species	American witchhazel	northern spicebush	white ash	red maple
Basal Area (square feet)	11.8	6.1	1.6	1.0	1.0
Percentage of stand basal area (%)	100.0	51.9	13.9	8.3	8.3
Stems Per Unit Area (stems per acre)	3,740.0	980.0	620.0	320.0	140.0

Understory only (cont)

	American hornbeam	mountain laurel	yellow birch	sugar maple	northern red oak
Basal Area (square feet)	0.8	0.2	0.1	0.1	0.0
Percentage of stand basal area (%)	6.5	1.9	0.9	0.9	0.0
Stems Per Unit Area (stems per acre)	400.0	300.0	340.0	20.0	100.0

Understory only (cont)

	chestnut oak	blackgum
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0
Stems Per Unit Area (stems per acre)	40.0	20.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	red maple	yellow birch	tuliptree	white ash
Basal Area (square feet)	158.8	43.0	42.1	12.0	10.0
Percentage of stand basal area (%)	100.0	27.1	26.5	7.6	6.3
Stems Per Unit Area (stems per acre)	4,130.7	193.0	431.5	7.1	335.6

Combined overstory and understory (cont)

	northern red oak	bigtooth aspen	blackgum	American witchhazel	chestnut oak
Basal Area (square feet)	9.0	9.0	9.0	6.1	6.0
Percentage of stand basal area (%)	5.7	5.7	5.7	3.8	3.8
Stems Per Unit Area (stems per acre)	105.7	8.0	78.3	980.0	44.9

Combined overstory and understory (cont)

	American hornbeam	sugar maple	sweet birch	northern spicebush	mountain laurel
Basal Area (square feet)	3.8	3.1	3.0	1.6	0.2
Percentage of stand basal area (%)	2.4	2.0	1.9	1.0	0.1
Stems Per Unit Area (stems per acre)	537.5	26.8	2.4	620.0	300.0

Diameters

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Medial DBH (inches)	14.8	13.1	18.6	18.0	17.3
Merchantable Medial DBH (inches)	15.8	13.8	19.6	18.0	17.3
Quadratic Mean DBH (inches)	8.3	9.2	12.1	17.6	17.0
Merchantable Quadratic DBH (inches)	12.3	11.2	15.2	17.6	17.0

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Average DBH (inches)	6.4	8.0	10.2	17.4	16.9

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Medial DBH (inches)	15.0	6.0	11.3	17.5	2.0
Merchantable Medial DBH (inches)	15.0	7.0	11.3	17.5	0.0
Quadratic Mean DBH (inches)	14.4	5.3	10.3	15.0	2.0
Merchantable Quadratic DBH (inches)	14.4	6.8	10.3	15.0	0.0
Average DBH (inches)	14.2	5.1	10.0	14.4	2.0

Overstory only (cont)

	sweet birch	sugar maple
Medial DBH (inches)	15.0	9.0
Merchantable Medial DBH (inches)	15.0	9.0
Quadratic Mean DBH (inches)	15.0	9.0
Merchantable Quadratic DBH (inches)	15.0	9.0
Average DBH (inches)	15.0	9.0

Understory only

	All species	American witchhazel	northern spicebush	white ash	red maple
Medial DBH (inches)	1.8	1.8	1.5	3.0	1.4
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.4	1.6	1.3	3.0	1.2
Merchantable Quadratic DBH	0.0	0.0	0.0	0.0	0.0

Understory only

	All species	American witchhazel	northern spicebush	white ash	red maple
(inches)					
Average DBH (inches)	1.3	1.5	1.2	3.0	1.2

Understory only (cont)

	American hornbeam	mountain laurel	yellow birch	sugar maple	northern red oak
Medial DBH (inches)	1.0	1.0	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	1.0	1.0	0.0

Understory only (cont)

	chestnut oak	blackgum
Medial DBH (inches)	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	red maple	yellow birch	tuliptree	white ash
Medial DBH (inches)	13.8	18.2	13.1	18.0	10.5

Combined overstory and understory

	All species	red maple	yellow birch	tuliptree	white ash
Merchantable Medial DBH (inches)	15.8	19.6	13.8	18.0	11.3
Quadratic Mean DBH (inches)	4.3	6.7	8.3	17.6	7.2
Merchantable Quadratic DBH (inches)	12.3	15.2	11.2	17.6	10.3
Average DBH (inches)	2.6	3.9	6.8	17.4	6.1

Combined overstory and understory (cont)

	northern red oak	bigtooth aspen	blackgum	American witchhazel	chestnut oak
Medial DBH (inches)	17.3	15.0	6.0	1.8	17.5
Merchantable Medial DBH (inches)	17.3	15.0	7.0	0.0	17.5
Quadratic Mean DBH (inches)	17.0	14.4	5.3	1.6	15.0
Merchantable Quadratic DBH (inches)	17.0	14.4	6.8	0.0	15.0
Average DBH (inches)	16.9	14.2	5.1	1.5	14.4

Combined overstory and understory (cont)

	American hornbeam	sugar maple	sweet birch	northern spicebush	mountain laurel
Medial DBH (inches)	1.8	8.7	15.0	1.5	1.0
Merchantable Medial DBH (inches)	0.0	9.0	15.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	4.6	15.0	1.3	1.0
Merchantable Quadratic DBH (inches)	0.0	9.0	15.0	0.0	0.0
Average DBH (inches)	1.5	3.0	15.0	1.2	1.0

Structure

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Q Factor	1.20	1.18	1.15	1.12	1.12

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Q Factor	1.14	1.41	1.26	1.13	0.00

Overstory only (cont)

	sweet birch	sugar maple
Q Factor	0.00	0.00

Relative density

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Relative Density (percent)	101.74	34.94	23.80	4.03	7.81
percentage of stand	100.00	34.34	23.39	3.96	7.68

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Relative Density (percent)	5.38	8.16	4.27	4.74	4.36
percentage of stand	5.29	8.02	4.20	4.66	4.29

Overstory only (cont)

	sweet birch	sugar maple
Relative Density (percent)	1.68	2.55
percentage of stand	1.65	2.51

Understory only

	All species	American witchhazel	northern spicebush	white ash	red maple
Relative Density (percent)	14.64	8.21	1.99	1.64	1.15
percentage of stand	100.00	56.12	13.60	11.22	7.86

Understory only (cont)

	American hornbeam	mountain laurel	yellow birch	sugar maple	northern red oak
Relative Density (percent)	0.72	0.21	0.36	0.36	0.00
percentage of stand	4.93	1.41	2.43	2.43	0.00

Understory only (cont)

	chestnut oak	blackgum
Relative Density (percent)	0.00	0.00
percentage of stand	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	red maple	yellow birch	tuliptree	white ash
Relative Density (percent)	116.38	24.95	35.30	4.03	5.92
percentage of stand	100.00	21.44	30.33	3.47	5.08

Combined overstory and understory (cont)

	northern red oak	bigtooth aspen	blackgum	American witchhazel	chestnut oak
Relative Density (percent)	7.81	5.38	8.16	8.21	4.74

Combined overstory and understory (cont)

	northern red oak	bigtooth aspen	blackgum	American witchhazel	chestnut oak
percentage of stand	6.71	4.62	7.01	7.06	4.08

Combined overstory and understory (cont)

	American hornbeam	sugar maple	sweet birch	northern spicebush	mountain laurel
Relative Density (percent)	5.08	2.91	1.68	1.99	0.21
percentage of stand	4.37	2.50	1.45	1.71	0.18

Volumes

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Sawtimber gross total (board feet/acre)	6,505	1,387	2,767	0	727
Sawtimber net total (board feet/acre)	5,644	1,150	2,302	0	567
Pulpwood gross total (cubic feet/acre)	2,238	620	599	331	111
Pulpwood net total (cubic feet/acre)	1,790	496	479	265	89
Gross total (cubic feet/acre)	3,337	864	1,058	331	246
Net total (cubic feet/acre)	2,551	656	786	265	173

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Sawtimber gross total (board feet/acre)	692	0	340	368	0
Sawtimber net total (board feet/acre)	692	0	340	368	0
Pulpwood gross total (cubic feet/acre)	121	97	153	109	0

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Pulpwood net total (cubic feet/acre)	97	78	123	88	0
Gross total (cubic feet/acre)	236	97	210	161	0
Net total (cubic feet/acre)	189	78	168	129	0

Overstory only (cont)

	sweet birch	sugar maple
Sawtimber gross total (board feet/acre)	224	0
Sawtimber net total (board feet/acre)	224	0
Pulpwood gross total (cubic feet/acre)	36	61
Pulpwood net total (cubic feet/acre)	29	49
Gross total (cubic feet/acre)	72	61
Net total (cubic feet/acre)	58	49

Values

All the species are missing prices.

Biomass

Overstory only

	All species	yellow birch	red maple	tuliptree	northern red oak
Coarse Root Biomass (tons per acre)	19.13	5.39	6.06	1.56	1.52
Stem Wood Biomass (tons per acre)	63.36	17.45	20.79	5.42	5.26
Stem Bark Biomass (tons per acre)	12.84	3.59	4.13	1.07	1.04
Foliage Biomass (tons per acre)	2.07	0.59	0.63	0.16	0.16
Aboveground Biomass (tons per acre)	101.18	28.44	32.21	8.30	8.10
Total Biomass (tons per acre)	120.31	33.84	38.27	9.86	9.62

Overstory only (cont)

	bigtooth aspen	blackgum	white ash	chestnut oak	American hornbeam
Coarse Root Biomass (tons per acre)	0.99	0.71	0.94	1.01	0.16
Stem Wood Biomass (tons per acre)	3.34	1.86	3.00	3.47	0.18
Stem Bark Biomass (tons per acre)	0.67	0.43	0.62	0.69	0.07
Foliage Biomass (tons per acre)	0.10	0.09	0.10	0.10	0.04
Aboveground Biomass (tons per acre)	5.25	3.63	4.95	5.36	0.72
Total Biomass (tons per acre)	6.24	4.34	5.89	6.37	0.87

Overstory only (cont)

	sweet birch	sugar maple
Coarse Root Biomass (tons per acre)	0.41	0.39
Stem Wood Biomass (tons per acre)	1.39	1.18
Stem Bark Biomass (tons per acre)	0.28	0.25
Foliage Biomass (tons per acre)	0.04	0.04
Aboveground Biomass (tons per acre)	2.18	2.03
Total Biomass (tons per acre)	2.59	2.42

Understory only

	All species	American witchhazel	northern spicebush	white ash	red maple
Coarse Root Biomass (tons per acre)	0.26	0.00	0.00	0.08	0.07
Foliage Biomass (tons per acre)	0.48	0.00	0.00	0.10	0.04
Aboveground Biomass (tons per acre)	1.01	0.00	0.00	0.34	0.31
Total Biomass (tons per acre)	1.26	0.00	0.00	0.41	0.38

Understory only (cont)

	American hornbeam	mountain laurel	yellow birch	sugar maple	northern red oak
Coarse Root Biomass (tons per acre)	0.05	0.00	0.04	0.01	0.01
Foliage Biomass (tons per acre)	0.10	0.00	0.16	0.00	0.05
Aboveground Biomass (tons per acre)	0.17	0.00	0.12	0.03	0.03
Total Biomass (tons per acre)	0.22	0.00	0.16	0.04	0.04

Understory only (cont)

	chestnut oak	blackgum
Coarse Root Biomass (tons per acre)	0.00	0.00
Foliage Biomass (tons per acre)	0.02	0.01
Aboveground Biomass (tons per acre)	0.01	0.00
Total Biomass (tons per acre)	0.01	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	red maple	yellow birch	tuliptree	white ash
Coarse Root Biomass (tons per acre)	19.39	6.13	5.43	1.56	1.02
Stem Wood Biomass (tons per acre)	63.36	20.79	17.45	5.42	3.00
Stem Bark Biomass (tons per acre)	12.84	4.13	3.59	1.07	0.62
Foliage Biomass (tons per acre)	2.55	0.68	0.76	0.16	0.20
Aboveground Biomass (tons per acre)	102.19	32.52	28.57	8.30	5.28
Total Biomass (tons per acre)	121.57	38.65	34.00	9.86	6.30

Combined overstory and understory (cont)

	northern red oak	bigtooth aspen	blackgum	American witchhazel	chestnut oak

Combined overstory and understory (cont)

	northern red oak	bigtooth aspen	blackgum	American witchhazel	chestnut oak
Coarse Root Biomass (tons per acre)	1.53	0.99	0.71	0.00	1.01
Stem Wood Biomass (tons per acre)	5.26	3.34	1.86	0.00	3.47
Stem Bark Biomass (tons per acre)	1.04	0.67	0.43	0.00	0.69
Foliage Biomass (tons per acre)	0.20	0.10	0.10	0.00	0.12
Aboveground Biomass (tons per acre)	8.12	5.25	3.64	0.00	5.37
Total Biomass (tons per acre)	9.65	6.24	4.35	0.00	6.38

Combined overstory and understory (cont)

	American hornbeam	sugar maple	sweet birch	northern spicebush	mountain laurel
Coarse Root Biomass (tons per acre)	0.20	0.40	0.41	0.00	0.00
Stem Wood Biomass (tons per acre)	0.18	1.18	1.39	0.00	0.00
Stem Bark Biomass (tons per acre)	0.07	0.25	0.28	0.00	0.00
Foliage Biomass (tons per acre)	0.14	0.05	0.04	0.00	0.00
Aboveground Biomass (tons per acre)	0.89	2.06	2.18	0.00	0.00
Total Biomass (tons per acre)	1.10	2.46	2.59	0.00	0.00

Generated: 08/29/2012 13:28
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 30.mdb

Timber Tables

This report is for the stand 'Stand 30' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry, lowbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Basal Area (square feet)	120.0	29.1	24.0	14.4	12.6
Percentage of stand basal area (%)	100.0	24.3	20.0	12.0	10.5
Stems Per Unit Area (stems per acre)	325.4	104.1	27.7	54.1	17.4

Overstory only (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Basal Area (square feet)	11.1	8.7	5.7	3.9	3.0
Percentage of stand basal area (%)	9.3	7.2	4.8	3.3	2.5
Stems Per Unit Area (stems per acre)	38.9	37.9	13.6	10.2	3.3

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Basal Area (square feet)	1.8	1.5	1.2	1.2	0.3
Percentage of stand basal area (%)	1.5	1.3	1.0	1.0	0.3
Stems Per Unit Area (stems per acre)	1.0	1.3	0.6	1.8	6.1

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Basal Area (square feet)	0.3	0.3	0.3	0.3	0.3
Percentage of stand basal area (%)	0.3	0.3	0.3	0.3	0.3
Stems Per Unit Area (stems per acre)	0.4	6.1	0.3	0.2	0.5

Understory only

	All species	eastern hemlock	red maple	northern red oak	yellow birch
Basal Area (square feet)	5.5	3.0	0.5	0.4	0.3
Percentage of stand basal area (%)	100.0	55.5	9.1	7.8	5.2
Stems Per Unit Area (stems per acre)	3,186.0	194.0	172.0	130.0	44.0

Understory only (cont)

	chestnut oak	sugar maple	American witchhazel	American hornbeam	serviceberry
Basal Area (square feet)	0.2	0.2	0.2	0.1	0.1
Percentage of stand basal area (%)	3.4	3.4	3.2	2.6	2.0
Stems Per Unit Area (stems per acre)	566.0	94.0	134.0	28.0	14.0

Understory only (cont)

	sweet birch	smooth sumac	sassafras	mountain laurel	mockernut hickory
Basal Area (square feet)	0.1	0.1	0.0	0.0	0.0

Understory only (cont)

	sweet birch	smooth sumac	sassafras	mountain laurel	mockernut hickory
Percentage of stand basal area (%)	1.4	1.0	0.8	0.8	0.8
Stems Per Unit Area (stems per acre)	334.0	22.0	18.0	234.0	2.0

Understory only (cont)

	blackgum	American elm	white oak	black cherry	eastern white pine
Basal Area (square feet)	0.0	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.2	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	2.0	20.0	20.0	8.0	2.0

Understory only (cont)

	northern spicebush	eastern redcedar	white ash
Basal Area (square feet)	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	178.0	2.0	10.0

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Basal Area (square feet)	125.5	32.1	24.2	14.9	13.0
Percentage of stand basal area (%)	100.0	25.6	19.3	11.9	10.4
Stems Per Unit Area (stems per acre)	3,511.4	298.1	593.7	226.1	147.4

Combined overstory and understory (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Basal Area (square feet)	11.2	8.9	6.0	3.9	3.0
Percentage of stand basal area (%)	8.9	7.1	4.8	3.1	2.4
Stems Per Unit Area (stems per acre)	372.9	131.9	57.6	20.2	23.3

Combined overstory and understory (cont)

	tuliptree	scarlet oak	blackgum	black oak	sassafras
Basal Area (square feet)	1.8	1.5	1.2	1.2	0.3
Percentage of stand basal area (%)	1.4	1.2	1.0	1.0	0.3
Stems Per Unit Area (stems per acre)	1.0	1.3	3.8	0.6	24.1

Combined overstory and understory (cont)

	mockernut hickory	pitch pine	pignut hickory	American elm	shagbark hickory
Basal Area (square feet)	0.3	0.3	0.3	0.3	0.3
Percentage of stand basal area (%)	0.3	0.2	0.2	0.2	0.2
Stems Per Unit Area (stems per acre)	2.3	0.4	6.1	20.2	0.5

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	serviceberry	smooth sumac	mountain laurel
Basal Area (square feet)	0.2	0.1	0.1	0.1	0.0
Percentage of stand basal area (%)	0.1	0.1	0.1	0.0	0.0
Stems Per Unit Area (stems per acre)	134.0	28.0	14.0	22.0	234.0

Combined overstory and understory (cont)

	black cherry	eastern white pine	northern spicebush	eastern redcedar
Basal Area (square feet)	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	8.0	2.0	178.0	2.0

Diameters

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Medial DBH (inches)	12.6	11.1	14.7	11.0	13.9
Merchantable Medial DBH (inches)	13.5	12.6	14.7	12.6	13.9
Quadratic Mean DBH (inches)	8.2	7.2	12.6	7.0	11.5
Merchantable Quadratic DBH (inches)	11.0	9.9	12.6	10.0	11.5
Average DBH (inches)	6.9	6.2	11.9	6.0	10.8

Overstory only (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Medial DBH (inches)	10.8	13.2	11.2	10.6	14.1
Merchantable Medial DBH (inches)	11.5	14.8	12.0	11.6	14.1
Quadratic Mean DBH (inches)	7.2	6.5	8.8	8.4	13.0
Merchantable Quadratic DBH (inches)	10.1	11.1	10.9	10.2	13.0
Average DBH (inches)	6.0	4.9	8.0	7.7	12.6

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Medial DBH (inches)	19.5	16.0	19.3	12.3	3.0

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Merchantable Medial DBH (inches)	19.5	16.0	19.3	12.3	0.0
Quadratic Mean DBH (inches)	18.2	14.5	18.6	11.0	3.0
Merchantable Quadratic DBH (inches)	18.2	14.5	18.6	11.0	0.0
Average DBH (inches)	17.7	14.1	18.4	10.6	3.0

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Medial DBH (inches)	12.0	3.0	13.0	16.0	11.0
Merchantable Medial DBH (inches)	12.0	0.0	13.0	16.0	11.0
Quadratic Mean DBH (inches)	12.0	3.0	13.0	16.0	11.0
Merchantable Quadratic DBH (inches)	12.0	0.0	13.0	16.0	11.0
Average DBH (inches)	12.0	3.0	13.0	16.0	11.0

Understory only

	All species	eastern hemlock	red maple	northern red oak	yellow birch
Medial DBH (inches)	2.9	2.7	2.9	4.1	4.8
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.1	2.2	2.4	3.1	3.6
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.8	2.0	2.3	2.8	3.0

Understory only (cont)

	chestnut oak	sugar maple	American witchhazel	American hornbeam	serviceberry

Understory only (cont)

	chestnut oak	sugar maple	American witchhazel	American hornbeam	serviceberry
Medial DBH (inches)	3.8	2.5	1.5	2.7	2.8
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.9	2.4	1.3	2.5	2.2
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.5	2.3	1.2	2.5	2.0

Understory only (cont)

	sweet birch	smooth sumac	sassafras	mountain laurel	mockernut hickory
Medial DBH (inches)	1.6	1.0	2.0	1.0	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.3	1.0	2.0	1.0	2.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	1.0	2.0	1.0	2.0

Understory only (cont)

	blackgum	American elm	white oak	black cherry	eastern white pine
Medial DBH (inches)	1.0	0.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	0.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	0.0	0.0	0.0	0.0

Understory only (cont)

	northern spicebush	eastern redcedar	white ash
Medial DBH (inches)	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Medial DBH (inches)	12.1	10.3	14.6	10.7	13.5
Merchantable Medial DBH (inches)	13.5	12.6	14.7	12.6	13.9
Quadratic Mean DBH (inches)	6.4	5.1	11.8	6.2	9.7
Merchantable Quadratic DBH (inches)	11.0	9.9	12.6	10.0	11.5
Average DBH (inches)	4.8	3.9	10.7	5.1	8.3

Combined overstory and understory (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Medial DBH (inches)	10.8	13.0	10.9	10.6	14.1
Merchantable Medial DBH (inches)	11.5	14.8	12.0	11.6	14.1
Quadratic Mean DBH (inches)	6.6	6.1	7.9	8.4	13.0
Merchantable Quadratic DBH (inches)	10.1	11.1	10.9	10.2	13.0
Average DBH (inches)	5.2	4.5	6.8	7.7	12.6

Combined overstory and understory (cont)

	tuliptree	scarlet oak	blackgum	black oak	sassafras

Combined overstory and understory (cont)

	tuliptree	scarlet oak	blackgum	black oak	sassafras
Medial DBH (inches)	19.5	16.0	12.1	19.3	2.9
Merchantable Medial DBH (inches)	19.5	16.0	12.3	19.3	0.0
Quadratic Mean DBH (inches)	18.2	14.5	7.6	18.6	2.8
Merchantable Quadratic DBH (inches)	18.2	14.5	11.0	18.6	0.0
Average DBH (inches)	17.7	14.1	5.6	18.4	2.8

Combined overstory and understory (cont)

	mockernut hickory	pitch pine	pignut hickory	American elm	shagbark hickory
Medial DBH (inches)	11.6	12.0	3.0	16.0	11.0
Merchantable Medial DBH (inches)	13.0	12.0	0.0	16.0	11.0
Quadratic Mean DBH (inches)	5.2	12.0	3.0	16.0	11.0
Merchantable Quadratic DBH (inches)	13.0	12.0	0.0	16.0	11.0
Average DBH (inches)	3.5	12.0	3.0	16.0	11.0

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	serviceberry	smooth sumac	mountain laurel
Medial DBH (inches)	1.5	2.7	2.8	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.3	2.5	2.2	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.2	2.5	2.0	1.0	1.0

Combined overstory and understory (cont)

	black cherry	eastern white pine	northern spicebush	eastern redcedar
Medial DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0	0.0

Structure

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Q Factor	1.28	1.30	1.18	1.24	1.18

Overstory only (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Q Factor	1.26	1.22	1.26	1.26	1.17

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Q Factor	1.09	1.15	1.12	1.19	0.08

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Q Factor	0.00	0.00	1.18	0.00	0.00

Relative density

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Relative Density (percent)	83.64	12.36	19.61	10.50	11.28
percentage of stand	100.00	14.77	23.44	12.55	13.48

Overstory only (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Relative Density (percent)	7.74	7.59	4.80	2.12	2.45
percentage of stand	9.26	9.07	5.74	2.54	2.93

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Relative Density (percent)	0.59	1.20	0.92	0.76	0.38
percentage of stand	0.70	1.43	1.10	0.90	0.45

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Relative Density (percent)	0.19	0.43	0.25	0.24	0.26
percentage of stand	0.22	0.51	0.29	0.29	0.31

Understory only

	All species	eastern hemlock	red maple	northern red oak	yellow birch
Relative Density (percent)	3.18	0.38	0.64	0.46	0.31
percentage of stand	100.00	12.11	20.18	14.37	9.63

Understory only (cont)

	chestnut oak	sugar maple	American witchhazel	American hornbeam	serviceberry
Relative Density (percent)	0.25	0.26	0.21	0.19	0.13
percentage of stand	7.89	8.33	6.59	5.88	4.21

Understory only (cont)

	sweet birch	smooth sumac	sassafras	mountain laurel	mockernut hickory
Relative Density (percent)	0.09	0.05	0.06	0.04	0.08
percentage of stand	2.97	1.62	2.00	1.30	2.57

Understory only (cont)

	blackgum	American elm	white oak	black cherry	eastern white pine
Relative Density (percent)	0.01	0.00	0.00	0.00	0.00
percentage of stand	0.32	0.00	0.00	0.00	0.00

Understory only (cont)

	northern spicebush	eastern redcedar	white ash
Relative Density (percent)	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Relative Density (percent)	86.82	12.74	19.86	11.14	11.74
percentage of stand	100.00	14.67	22.87	12.83	13.52

Combined overstory and understory (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Relative Density (percent)	7.84	7.85	5.11	2.12	2.45
percentage of stand	9.03	9.04	5.88	2.45	2.82

Combined overstory and understory (cont)

	tuliptree	scarlet oak	blackgum	black oak	sassafras
Relative Density (percent)	0.59	1.20	0.77	0.92	0.44
percentage of stand	0.68	1.38	0.88	1.06	0.51

Combined overstory and understory (cont)

	mockernut hickory	pitch pine	pignut hickory	American elm	shagbark hickory
Relative Density (percent)	0.33	0.19	0.43	0.24	0.26
percentage of stand	0.38	0.21	0.50	0.28	0.29

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	serviceberry	smooth sumac	mountain laurel
Relative Density (percent)	0.21	0.19	0.13	0.05	0.04
percentage of stand	0.24	0.22	0.15	0.06	0.05

Combined overstory and understory (cont)

	black cherry	eastern white pine	northern spicebush	eastern redcedar
Relative Density (percent)	0.00	0.00	0.00	0.00

Combined overstory and understory (cont)

	black cherry	eastern white pine	northern spicebush	eastern redcedar
percentage of stand	0.00	0.00	0.00	0.00

Volumes

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Sawtimber gross total (board feet/acre)	4,082	553	1,194	466	609
Sawtimber net total (board feet/acre)	3,526	535	994	369	514
Pulpwood gross total (cubic feet/acre)	1,630	232	406	190	204
Pulpwood net total (cubic feet/acre)	1,304	185	325	152	163
Gross total (cubic feet/acre)	2,327	324	602	271	311
Net total (cubic feet/acre)	1,786	256	456	204	235

Overstory only (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Sawtimber gross total (board feet/acre)	194	407	133	94	114
Sawtimber net total (board feet/acre)	179	354	118	86	99
Pulpwood gross total (cubic feet/acre)	181	100	88	52	54
Pulpwood net total (cubic feet/acre)	144	80	70	42	43
Gross total (cubic feet/acre)	213	173	110	69	77
Net total (cubic feet/acre)	168	131	86	54	59

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Sawtimber gross total (board feet/acre)	22	112	114	23	0

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Sawtimber net total (board feet/acre)	22	96	106	8	0
Pulpwood gross total (cubic feet/acre)	45	22	13	24	0
Pulpwood net total (cubic feet/acre)	36	18	10	19	0
Gross total (cubic feet/acre)	50	40	32	29	0
Net total (cubic feet/acre)	40	30	24	21	0

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Sawtimber gross total (board feet/acre)	0	0	22	25	0
Sawtimber net total (board feet/acre)	0	0	22	25	0
Pulpwood gross total (cubic feet/acre)	7	0	3	3	7
Pulpwood net total (cubic feet/acre)	6	0	3	3	5
Gross total (cubic feet/acre)	7	0	7	8	7
Net total (cubic feet/acre)	6	0	6	6	5

Values

All the species are missing prices.

Biomass

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Coarse Root Biomass (tons per acre)	15.72	3.12	3.75	1.73	1.92
Stem Wood Biomass (tons per acre)	50.19	9.25	12.58	5.33	6.35
Stem Bark Biomass (tons per acre)	10.09	1.69	2.54	1.13	1.29

Overstory only

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Foliage Biomass (tons per acre)	2.29	0.91	0.40	0.20	0.21
Aboveground Biomass (tons per acre)	80.93	14.47	19.91	9.06	10.16
Total Biomass (tons per acre)	96.65	17.58	23.66	10.79	12.08

Overstory only (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Coarse Root Biomass (tons per acre)	1.34	1.27	0.70	0.39	0.46
Stem Wood Biomass (tons per acre)	4.19	4.09	2.21	1.22	1.55
Stem Bark Biomass (tons per acre)	0.88	0.84	0.46	0.26	0.31
Foliage Biomass (tons per acre)	0.15	0.14	0.08	0.04	0.05
Aboveground Biomass (tons per acre)	7.05	6.70	3.67	2.06	2.46
Total Biomass (tons per acre)	8.39	7.98	4.37	2.45	2.92

Overstory only (cont)

	tuliptree	scarlet oak	black oak	blackgum	sassafras
Coarse Root Biomass (tons per acre)	0.24	0.24	0.21	0.13	0.02
Stem Wood Biomass (tons per acre)	0.85	0.83	0.74	0.42	0.03
Stem Bark Biomass (tons per acre)	0.17	0.17	0.15	0.09	0.01
Foliage Biomass (tons per acre)	0.02	0.03	0.02	0.01	0.00
Aboveground Biomass (tons per acre)	1.29	1.29	1.13	0.68	0.09
Total Biomass (tons per acre)	1.53	1.54	1.34	0.81	0.11

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Coarse Root Biomass (tons per acre)	0.03	0.03	0.05	0.04	0.04

Overstory only (cont)

	pitch pine	pignut hickory	mockernut hickory	American elm	shagbark hickory
Stem Wood Biomass (tons per acre)	0.09	0.05	0.15	0.13	0.13
Stem Bark Biomass (tons per acre)	0.02	0.01	0.03	0.03	0.03
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.14	0.13	0.24	0.20	0.22
Total Biomass (tons per acre)	0.17	0.15	0.28	0.23	0.26

Understory only

	All species	eastern hemlock	red maple	northern red oak	yellow birch
Coarse Root Biomass (tons per acre)	0.48	0.19	0.06	0.05	0.03
Foliage Biomass (tons per acre)	0.79	0.11	0.09	0.06	0.02
Aboveground Biomass (tons per acre)	1.98	0.79	0.24	0.23	0.15
Total Biomass (tons per acre)	2.47	0.98	0.30	0.29	0.18

Understory only (cont)

	chestnut oak	sugar maple	American witchhazel	American hornbeam	serviceberry
Coarse Root Biomass (tons per acre)	0.07	0.02	0.00	0.01	0.01
Foliage Biomass (tons per acre)	0.26	0.04	0.00	0.01	0.00
Aboveground Biomass (tons per acre)	0.23	0.10	0.00	0.04	0.03
Total Biomass (tons per acre)	0.30	0.12	0.00	0.05	0.04

Understory only (cont)

	sweet birch	smooth sumac	sassafras	mountain laurel	mockernut hickory
Coarse Root Biomass (tons per acre)	0.04	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.16	0.00	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.12	0.00	0.01	0.00	0.02
Total Biomass (tons per acre)	0.16	0.00	0.02	0.00	0.02

Understory only (cont)

	blackgum	American elm	white oak	black cherry	eastern white pine
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.01	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.01	0.00	0.00

Understory only (cont)

	northern spicebush	eastern redcedar	white ash
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.00

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
Coarse Root Biomass (tons per	16.20	3.30	3.82	1.79	1.97

Combined overstory and understory

	All species	eastern hemlock	chestnut oak	red maple	northern red oak
acre)					
Stem Wood Biomass (tons per acre)	50.19	9.25	12.58	5.33	6.35
Stem Bark Biomass (tons per acre)	10.09	1.69	2.54	1.13	1.29
Foliage Biomass (tons per acre)	3.08	1.01	0.66	0.29	0.27
Aboveground Biomass (tons per acre)	82.92	15.26	20.14	9.30	10.39
Total Biomass (tons per acre)	99.12	18.56	23.96	11.09	12.37

Combined overstory and understory (cont)

	sweet birch	sugar maple	yellow birch	white ash	white oak
Coarse Root Biomass (tons per acre)	1.38	1.30	0.73	0.39	0.47
Stem Wood Biomass (tons per acre)	4.19	4.09	2.21	1.22	1.55
Stem Bark Biomass (tons per acre)	0.88	0.84	0.46	0.26	0.31
Foliage Biomass (tons per acre)	0.32	0.19	0.10	0.05	0.06
Aboveground Biomass (tons per acre)	7.17	6.80	3.82	2.06	2.46
Total Biomass (tons per acre)	8.55	8.09	4.55	2.45	2.93

Combined overstory and understory (cont)

	tuliptree	scarlet oak	blackgum	black oak	sassafras
Coarse Root Biomass (tons per acre)	0.24	0.24	0.13	0.21	0.02
Stem Wood Biomass (tons per acre)	0.85	0.83	0.42	0.74	0.03
Stem Bark Biomass (tons per acre)	0.17	0.17	0.09	0.15	0.01
Foliage Biomass (tons per acre)	0.02	0.03	0.01	0.02	0.01
Aboveground Biomass (tons per acre)	1.29	1.29	0.69	1.13	0.10
Total Biomass (tons per acre)	1.53	1.54	0.82	1.34	0.12

Combined overstory and understory (cont)

	mockernut hickory	pitch pine	pignut hickory	American elm	shagbark hickory
Coarse Root Biomass (tons per acre)	0.05	0.03	0.03	0.04	0.04
Stem Wood Biomass (tons per acre)	0.15	0.09	0.05	0.13	0.13
Stem Bark Biomass (tons per acre)	0.03	0.02	0.01	0.03	0.03
Foliage Biomass (tons per acre)	0.01	0.01	0.00	0.01	0.00
Aboveground Biomass (tons per acre)	0.25	0.14	0.13	0.20	0.22
Total Biomass (tons per acre)	0.30	0.17	0.15	0.24	0.26

Combined overstory and understory (cont)

	American witchhazel	American hornbeam	serviceberry	smooth sumac	mountain laurel
Coarse Root Biomass (tons per acre)	0.00	0.01	0.01	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.04	0.03	0.00	0.00
Total Biomass (tons per acre)	0.00	0.05	0.04	0.00	0.00

Combined overstory and understory (cont)

	black cherry	eastern white pine	northern spicebush	eastern redcedar
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00
Stem Wood Biomass (tons per	0.00	0.00	0.00	0.00

Combined overstory and understory (cont)

	black cherry	eastern white pine	northern spicebush	eastern redcedar
acre)				
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.00	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.00	0.00

Generated: 08/29/2012 13:43
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 31.mdb

Timber Tables

This report is for the stand 'Stand 31' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Basal Area (square feet)	96.3	32.5	26.3	12.5	5.0
Percentage of stand basal area (%)	100.0	33.8	27.3	13.0	5.2
Stems Per Unit Area (stems per acre)	292.2	120.7	25.7	66.7	14.3

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
Basal Area (square feet)	3.8	2.5	2.5	2.5	2.5
Percentage of stand basal area (%)	3.9	2.6	2.6	2.6	2.6
Stems Per Unit Area (stems per acre)	3.4	4.2	11.5	15.5	23.5

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Basal Area (square feet)	2.5	1.3	1.3	1.3

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Percentage of stand basal area (%)	2.6	1.3	1.3	1.3
Stems Per Unit Area (stems per acre)	4.4	0.3	1.6	0.4

Understory only

	All species	white ash	sugar maple	red maple	sweet birch
Basal Area (square feet)	2.2	0.7	0.5	0.4	0.3
Percentage of stand basal area (%)	100.0	32.7	20.4	18.4	12.2
Stems Per Unit Area (stems per acre)	2,266.7	33.3	583.3	41.7	441.7

Understory only (cont)

	eastern hemlock	American witchhazel	mountain laurel	yellow birch	sassafras
Basal Area (square feet)	0.2	0.1	0.0	0.0	0.0
Percentage of stand basal area (%)	8.2	4.1	2.0	2.0	0.0
Stems Per Unit Area (stems per acre)	8.3	150.0	25.0	8.3	25.0

Understory only (cont)

	smooth sumac	northern red oak	chestnut oak	black cherry	serviceberry
Basal Area (square feet)	0.0	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	8.3	116.7	341.7	33.3	33.3

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Basal Area (square feet)	98.5	32.5	26.3	12.8	5.0
Percentage of stand basal area (%)	100.0	33.0	26.7	13.0	5.1
Stems Per Unit Area (stems per acre)	2,558.9	462.4	142.4	508.4	14.3

Combined overstory and understory (cont)

	bigtooth aspen	white ash	red maple	eastern hemlock	American basswood
Basal Area (square feet)	3.8	3.2	2.9	2.7	2.5
Percentage of stand basal area (%)	3.8	3.3	3.0	2.7	2.5
Stems Per Unit Area (stems per acre)	3.4	48.9	46.1	12.5	11.5

Combined overstory and understory (cont)

	serviceberry	sugar maple	shagbark hickory	mockernut hickory	American witchhazel
Basal Area (square feet)	2.5	1.7	1.3	1.3	0.1
Percentage of stand basal area (%)	2.5	1.7	1.3	1.3	0.1
Stems Per Unit Area (stems per acre)	56.8	583.7	0.3	1.6	150.0

Combined overstory and understory (cont)

	mountain laurel	yellow birch	sassafras	smooth sumac	black cherry
Basal Area (square feet)	0.0	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0	0.0	0.0
Stems Per Unit Area (stems per	25.0	8.3	25.0	8.3	33.3

Combined overstory and understory (cont)

	mountain laurel	yellow birch	sassafras	smooth sumac	black cherry
acre)					

Diameters

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Medial DBH (inches)	12.9	12.5	17.2	7.9	11.5
Merchantable Medial DBH (inches)	14.4	14.6	17.2	8.9	11.5
Quadratic Mean DBH (inches)	7.8	7.0	13.7	5.9	8.0
Merchantable Quadratic DBH (inches)	10.9	12.3	13.7	7.6	8.0
Average DBH (inches)	6.5	5.6	12.6	5.3	7.2

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
Medial DBH (inches)	14.3	10.5	7.5	5.5	4.5
Merchantable Medial DBH (inches)	14.3	10.5	10.0	6.0	0.0
Quadratic Mean DBH (inches)	14.2	10.5	6.3	5.4	4.4
Merchantable Quadratic DBH (inches)	14.2	10.5	10.0	6.0	0.0
Average DBH (inches)	14.2	10.5	6.0	5.4	4.4

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Medial DBH (inches)	10.5	26.0	12.0	25.0
Merchantable Medial DBH (inches)	10.5	26.0	12.0	25.0

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Quadratic Mean DBH (inches)	10.2	26.0	12.0	25.0
Merchantable Quadratic DBH (inches)	10.2	26.0	12.0	25.0
Average DBH (inches)	10.1	26.0	12.0	25.0

Understory only

	All species	white ash	sugar maple	red maple	sweet birch
Medial DBH (inches)	2.9	4.0	2.8	3.0	1.7
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	4.0	2.2	3.0	1.4
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.8	4.0	2.0	3.0	1.3

Understory only (cont)

	eastern hemlock	American witchhazel	mountain laurel	yellow birch	sassafras
Medial DBH (inches)	2.0	1.0	1.0	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.0	1.0	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.0	1.0	1.0	0.0

Understory only (cont)

	smooth sumac	northern red oak	chestnut oak	black cherry	serviceberry
Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0

Understory only (cont)

	smooth sumac	northern red oak	chestnut oak	black cherry	serviceberry
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Medial DBH (inches)	12.7	12.5	17.2	7.8	11.5
Merchantable Medial DBH (inches)	14.4	14.6	17.2	8.9	11.5
Quadratic Mean DBH (inches)	6.8	7.0	13.7	5.1	8.0
Merchantable Quadratic DBH (inches)	10.9	12.3	13.7	7.6	8.0
Average DBH (inches)	5.3	5.6	12.6	4.2	7.2

Combined overstory and understory (cont)

	bigtooth aspen	white ash	red maple	eastern hemlock	American basswood
Medial DBH (inches)	14.3	5.2	9.4	9.9	7.5
Merchantable Medial DBH (inches)	14.3	6.0	10.5	10.5	10.0
Quadratic Mean DBH (inches)	14.2	5.0	6.5	6.3	6.3
Merchantable Quadratic DBH (inches)	14.2	6.0	10.2	10.5	10.0
Average DBH (inches)	14.2	4.9	5.5	4.8	6.0

Combined overstory and understory (cont)

	serviceberry	sugar maple	shagbark hickory	mockernut hickory	American witchhazel
Medial DBH (inches)	4.5	19.1	26.0	12.0	1.0
Merchantable Medial DBH (inches)	0.0	25.0	26.0	12.0	0.0
Quadratic Mean DBH (inches)	4.4	4.3	26.0	12.0	1.0
Merchantable Quadratic DBH (inches)	0.0	25.0	26.0	12.0	0.0
Average DBH (inches)	4.4	2.5	26.0	12.0	1.0

Combined overstory and understory (cont)

	mountain laurel	yellow birch	sassafras	smooth sumac	black cherry
Medial DBH (inches)	1.0	1.0	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	1.0	0.0	0.0	0.0

Structure

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Q Factor	1.20	1.20	1.14	1.22	1.21

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
Q Factor	0.82	1.28	1.32	0.66	1.56

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Q Factor	1.14	0.00	0.00	1.07

Relative density

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Relative Density (percent)	81.34	29.53	23.05	10.34	4.52
percentage of stand	100.00	36.31	28.34	12.71	5.56

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
Relative Density (percent)	2.26	1.13	1.25	2.13	2.57
percentage of stand	2.77	1.38	1.53	2.62	3.16

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Relative Density (percent)	1.66	0.92	1.04	0.94
percentage of stand	2.04	1.13	1.28	1.16

Understory only

	All species	white ash	sugar maple	red maple	sweet birch
Relative Density (percent)	2.66	0.86	0.66	0.51	0.35
percentage of stand	100.00	32.44	24.70	19.30	13.15

Understory only (cont)

	eastern hemlock	American witchhazel	mountain laurel	yellow birch	sassafras
Relative Density (percent)	0.00	0.09	0.04	0.15	0.00
percentage of stand	0.00	3.23	1.61	5.57	0.00

Understory only (cont)

	smooth sumac	northern red oak	chestnut oak	black cherry	serviceberry
Relative Density (percent)	0.00	0.00	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Relative Density (percent)	84.00	29.53	23.05	10.69	4.52
percentage of stand	100.00	35.16	27.44	12.72	5.38

Combined overstory and understory (cont)

	bigtooth aspen	white ash	red maple	eastern hemlock	American basswood
Relative Density (percent)	2.26	3.00	2.17	1.13	1.25
percentage of stand	2.68	3.57	2.59	1.34	1.49

Combined overstory and understory (cont)

	serviceberry	sugar maple	shagbark hickory	mockernut hickory	American witchhazel
Relative Density	2.57	1.60	0.92	1.04	0.09

Combined overstory and understory (cont)

	serviceberry	sugar maple	shagbark hickory	mockernut hickory	American witchhazel
(percent)					
percentage of stand	3.06	1.90	1.09	1.24	0.10

Combined overstory and understory (cont)

	mountain laurel	yellow birch	sassafras	smooth sumac	black cherry
Relative Density (percent)	0.04	0.15	0.00	0.00	0.00
percentage of stand	0.05	0.18	0.00	0.00	0.00

Volumes

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Sawtimber gross total (board feet/acre)	4,079	1,627	1,881	96	191
Sawtimber net total (board feet/acre)	3,363	1,265	1,638	96	128
Pulpwood gross total (cubic feet/acre)	1,259	389	375	147	56
Pulpwood net total (cubic feet/acre)	1,007	311	300	117	45
Gross total (cubic feet/acre)	1,943	662	688	164	94
Net total (cubic feet/acre)	1,462	482	521	131	65

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
Sawtimber gross total (board feet/acre)	0	0	0	0	0
Sawtimber net total (board feet/acre)	0	0	0	0	0
Pulpwood gross total (cubic	98	39	28	15	0

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
feet/acre)					
Pulpwood net total (cubic feet/acre)	78	31	23	12	0
Gross total (cubic feet/acre)	98	39	28	15	0
Net total (cubic feet/acre)	78	31	23	12	0

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Sawtimber gross total (board feet/acre)	0	140	0	143
Sawtimber net total (board feet/acre)	0	140	0	96
Pulpwood gross total (cubic feet/acre)	58	13	29	13
Pulpwood net total (cubic feet/acre)	46	10	23	10
Gross total (cubic feet/acre)	58	35	29	34
Net total (cubic feet/acre)	46	28	23	22

Values

All the species are missing prices.

Biomass

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Coarse Root Biomass (tons per acre)	13.34	4.68	4.36	1.36	0.70
Stem Wood Biomass (tons per acre)	42.92	14.94	14.94	3.84	2.18
Stem Bark Biomass (tons per acre)	8.82	3.09	2.97	0.85	0.46
Foliage Biomass (tons per acre)	1.53	0.53	0.45	0.17	0.08
Aboveground Biomass (tons per	70.10	24.63	23.19	7.02	3.66

Overstory only

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
acre)					
Total Biomass (tons per acre)	83.44	29.32	27.55	8.38	4.35

Overstory only (cont)

	bigtooth aspen	eastern hemlock	American basswood	white ash	serviceberry
Coarse Root Biomass (tons per acre)	0.41	0.27	0.22	0.19	0.18
Stem Wood Biomass (tons per acre)	1.37	0.80	0.61	0.49	0.40
Stem Bark Biomass (tons per acre)	0.27	0.15	0.14	0.12	0.10
Foliage Biomass (tons per acre)	0.04	0.08	0.03	0.03	0.03
Aboveground Biomass (tons per acre)	2.15	1.25	1.12	0.98	0.89
Total Biomass (tons per acre)	2.56	1.52	1.33	1.17	1.06

Overstory only (cont)

	red maple	shagbark hickory	mockernut hickory	sugar maple
Coarse Root Biomass (tons per acre)	0.30	0.25	0.18	0.25
Stem Wood Biomass (tons per acre)	0.95	0.91	0.59	0.89
Stem Bark Biomass (tons per acre)	0.20	0.17	0.12	0.17
Foliage Biomass (tons per acre)	0.03	0.02	0.02	0.02
Aboveground Biomass (tons per acre)	1.59	1.34	0.96	1.32
Total Biomass (tons per acre)	1.90	1.59	1.14	1.57

Understory only

	All species	white ash	sugar maple	red maple	sweet birch
Coarse Root Biomass (tons per acre)	0.30	0.05	0.09	0.04	0.06
Foliage Biomass (tons per acre)	0.76	0.01	0.27	0.02	0.21
Aboveground Biomass (tons per acre)	1.15	0.25	0.33	0.17	0.21
Total Biomass (tons per acre)	1.45	0.30	0.42	0.21	0.27

Understory only (cont)

	eastern hemlock	American witchhazel	mountain laurel	yellow birch	sassafras
Coarse Root Biomass (tons per acre)	0.01	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.00	0.00	0.01
Aboveground Biomass (tons per acre)	0.04	0.00	0.00	0.01	0.00
Total Biomass (tons per acre)	0.05	0.00	0.00	0.02	0.01

Understory only (cont)

	smooth sumac	northern red oak	chestnut oak	black cherry	serviceberry
Coarse Root Biomass (tons per acre)	0.00	0.01	0.03	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.05	0.16	0.01	0.01
Aboveground Biomass (tons per acre)	0.00	0.03	0.09	0.01	0.01
Total Biomass (tons per acre)	0.00	0.04	0.12	0.01	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Coarse Root Biomass (tons per acre)	13.64	4.71	4.37	1.42	0.70

Combined overstory and understory

	All species	chestnut oak	northern red oak	sweet birch	pignut hickory
Stem Wood Biomass (tons per acre)	42.92	14.94	14.94	3.84	2.18
Stem Bark Biomass (tons per acre)	8.82	3.09	2.97	0.85	0.46
Foliage Biomass (tons per acre)	2.29	0.68	0.51	0.38	0.08
Aboveground Biomass (tons per acre)	71.26	24.72	23.22	7.23	3.66
Total Biomass (tons per acre)	84.89	29.44	27.59	8.65	4.35

Combined overstory and understory (cont)

	bigtooth aspen	white ash	red maple	eastern hemlock	American basswood
Coarse Root Biomass (tons per acre)	0.41	0.24	0.34	0.28	0.22
Stem Wood Biomass (tons per acre)	1.37	0.49	0.95	0.80	0.61
Stem Bark Biomass (tons per acre)	0.27	0.12	0.20	0.15	0.14
Foliage Biomass (tons per acre)	0.04	0.04	0.06	0.08	0.03
Aboveground Biomass (tons per acre)	2.15	1.22	1.77	1.29	1.12
Total Biomass (tons per acre)	2.56	1.46	2.11	1.57	1.33

Combined overstory and understory (cont)

	serviceberry	sugar maple	shagbark hickory	mockernut hickory	American witchhazel
Coarse Root Biomass (tons per acre)	0.18	0.34	0.25	0.18	0.00
Stem Wood Biomass (tons per acre)	0.40	0.89	0.91	0.59	0.00
Stem Bark Biomass (tons per acre)	0.10	0.17	0.17	0.12	0.00
Foliage Biomass (tons per acre)	0.03	0.29	0.02	0.02	0.00

Combined overstory and understory (cont)

	serviceberry	sugar maple	shagbark hickory	mockernut hickory	American witchhazel
Aboveground Biomass (tons per acre)	0.89	1.65	1.34	0.96	0.00
Total Biomass (tons per acre)	1.07	1.99	1.59	1.14	0.00

Combined overstory and understory (cont)

	mountain laurel	yellow birch	sassafras	smooth sumac	black cherry
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.00	0.01	0.00	0.01
Aboveground Biomass (tons per acre)	0.00	0.01	0.00	0.00	0.01
Total Biomass (tons per acre)	0.00	0.02	0.01	0.00	0.01

Generated: 08/29/2012 13:50
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 32.mdb

Timber Tables

This report is for the stand 'Stand 32' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry and huckleberry where found in the understory observations, but are not included in this report because they do not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Basal Area (square feet)	101.4	29.2	16.6	13.8	6.5
Percentage of stand basal area (%)	100.0	28.8	16.4	13.6	6.4
Stems Per Unit Area (stems per acre)	458.6	59.9	36.4	67.7	90.9

Overstory only (cont)

	eastern hemlock	white ash	white oak	pignut hickory	mockernut hickory
Basal Area (square feet)	4.9	4.5	4.1	4.1	3.6
Percentage of stand basal area (%)	4.8	4.4	4.0	4.0	3.6
Stems Per Unit Area (stems per acre)	20.6	12.7	5.8	14.3	11.3

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Basal Area (square feet)	3.2	3.2	2.4	1.6	1.2

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Percentage of stand basal area (%)	3.2	3.2	2.4	1.6	1.2
Stems Per Unit Area (stems per acre)	110.5	12.2	2.1	6.5	1.0

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Basal Area (square feet)	0.8	0.8	0.4	0.4
Percentage of stand basal area (%)	0.8	0.8	0.4	0.4
Stems Per Unit Area (stems per acre)	0.6	0.7	4.6	0.9

Understory only

	All species	American witchhazel	eastern hemlock	red maple	sweet birch
Basal Area (square feet)	3.3	1.3	0.5	0.4	0.4
Percentage of stand basal area (%)	100.0	39.7	14.3	12.5	12.1
Stems Per Unit Area (stems per acre)	4,183.8	329.7	5.4	118.9	121.6

Understory only (cont)

	sugar maple	chestnut oak	mockernut hickory	serviceberry	northern red oak
Basal Area (square feet)	0.2	0.2	0.1	0.1	0.1
Percentage of stand basal area (%)	5.4	4.9	4.0	2.7	1.8
Stems Per Unit Area (stems per acre)	64.9	718.9	62.2	8.1	548.6

Understory only (cont)

	pignut hickory	white oak	mountain laurel	sassafras	black cherry
Basal Area (square feet)	0.1	0.0	0.0	0.0	0.0
Percentage of stand basal area (%)	1.8	0.4	0.4	0.0	0.0
Stems Per Unit Area (stems per acre)	5.4	51.4	56.8	113.5	18.9

Understory only (cont)

	hophornbeam	American beech	yellow birch
Basal Area (square feet)	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	21.6	2.7	16.2

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Basal Area (square feet)	104.7	29.2	16.8	14.2	6.9
Percentage of stand basal area (%)	100.0	27.9	16.0	13.6	6.6
Stems Per Unit Area (stems per acre)	4,642.4	608.5	755.3	186.6	212.5

Combined overstory and understory (cont)

	eastern hemlock	white ash	pignut hickory	white oak	mockernut hickory
Basal Area (square feet)	5.3	4.5	4.1	4.1	3.8
Percentage of stand basal area (%)	5.1	4.3	3.9	3.9	3.6
Stems Per Unit Area (stems per acre)	26.0	12.7	19.7	57.1	73.5

Combined overstory and understory (cont)

	sugar maple	serviceberry	black oak	yellow birch	American witchhazel
Basal Area (square feet)	3.4	3.3	2.4	1.6	1.3
Percentage of stand basal area (%)	3.3	3.2	2.3	1.5	1.3
Stems Per Unit Area (stems per acre)	77.1	118.6	2.1	22.7	329.7

Combined overstory and understory (cont)

	tuliptree	scarlet oak	bigtooth aspen	sassafras	black cherry
Basal Area (square feet)	1.2	0.8	0.8	0.4	0.4
Percentage of stand basal area (%)	1.2	0.8	0.8	0.4	0.4
Stems Per Unit Area (stems per acre)	1.0	0.6	0.7	118.2	19.8

Combined overstory and understory (cont)

	mountain laurel	hophornbeam	American beech
Basal Area (square feet)	0.0	0.0	0.0
Percentage of stand basal area (%)	0.0	0.0	0.0
Stems Per Unit Area (stems per acre)	56.8	21.6	2.7

Diameters

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Medial DBH (inches)	12.1	14.4	16.0	8.6	6.2
Merchantable Medial DBH (inches)	13.8	15.0	16.9	10.4	8.7
Quadratic Mean DBH (inches)	6.4	9.5	9.1	6.1	3.6

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Merchantable Quadratic DBH (inches)	10.8	12.2	13.6	9.3	7.3
Average DBH (inches)	5.0	7.9	7.1	5.4	3.1

Overstory only (cont)

	eastern hemlock	white ash	white oak	pignut hickory	mockernut hickory
Medial DBH (inches)	7.8	11.4	15.1	10.6	13.0
Merchantable Medial DBH (inches)	8.5	12.9	15.1	12.3	14.3
Quadratic Mean DBH (inches)	6.6	8.0	11.3	7.2	7.7
Merchantable Quadratic DBH (inches)	7.6	11.5	11.3	10.9	13.9
Average DBH (inches)	6.2	7.0	10.3	6.3	5.9

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Medial DBH (inches)	2.6	9.0	14.7	7.0	19.3
Merchantable Medial DBH (inches)	0.0	10.3	14.7	7.0	19.3
Quadratic Mean DBH (inches)	2.3	7.0	14.5	6.8	14.9
Merchantable Quadratic DBH (inches)	0.0	8.4	14.5	6.8	14.9
Average DBH (inches)	2.2	6.5	14.4	6.7	13.6

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Medial DBH (inches)	16.0	15.0	4.0	9.0
Merchantable Medial DBH (inches)	16.0	15.0	0.0	9.0

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Quadratic Mean DBH (inches)	16.0	15.0	4.0	9.0
Merchantable Quadratic DBH (inches)	16.0	15.0	0.0	9.0
Average DBH (inches)	16.0	15.0	4.0	9.0

Understory only

	All species	American witchhazel	eastern hemlock	red maple	sweet birch
Medial DBH (inches)	2.1	1.5	4.0	1.6	2.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.5	1.3	4.0	1.3	1.4
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.3	1.2	4.0	1.3	1.3

Understory only (cont)

	sugar maple	chestnut oak	mockernut hickory	serviceberry	northern red oak
Medial DBH (inches)	2.0	2.6	3.0	1.7	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.9	3.0	1.4	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.7	3.0	1.3	1.0

Understory only (cont)

	pignut hickory	white oak	mountain laurel	sassafras	black cherry
Medial DBH (inches)	2.0	1.0	1.0	0.0	0.0

Understory only (cont)

	pignut hickory	white oak	mountain laurel	sassafras	black cherry
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	2.0	1.0	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	2.0	1.0	1.0	0.0	0.0

Understory only (cont)

	hophornbeam	American beech	yellow birch
Medial DBH (inches)	0.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0
Quadratic Mean DBH (inches)	0.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0
Average DBH (inches)	0.0	0.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Medial DBH (inches)	11.7	14.3	15.8	8.4	6.0
Merchantable Medial DBH (inches)	13.8	15.0	16.9	10.4	8.7
Quadratic Mean DBH (inches)	5.1	8.7	8.3	4.8	3.2
Merchantable Quadratic DBH (inches)	10.8	12.2	13.6	9.3	7.3
Average DBH (inches)	3.6	6.9	6.1	3.8	2.6

Combined overstory and understory (cont)

	eastern hemlock	white ash	pignut hickory	white oak	mockernut hickory
Medial DBH (inches)	7.5	11.4	10.5	15.0	12.6
Merchantable Medial DBH (inches)	8.5	12.9	12.2	15.1	14.2
Quadratic Mean DBH (inches)	6.1	8.0	6.7	9.4	7.0
Merchantable Quadratic DBH (inches)	7.6	11.5	10.9	11.3	13.9
Average DBH (inches)	5.8	7.0	5.6	7.3	5.4

Combined overstory and understory (cont)

	sugar maple	serviceberry	black oak	yellow birch	American witchhazel
Medial DBH (inches)	8.6	2.6	14.7	7.0	1.5
Merchantable Medial DBH (inches)	10.3	0.0	14.7	7.0	0.0
Quadratic Mean DBH (inches)	5.6	2.3	14.5	6.8	1.3
Merchantable Quadratic DBH (inches)	8.4	0.0	14.5	6.8	0.0
Average DBH (inches)	4.7	2.2	14.4	6.7	1.2

Combined overstory and understory (cont)

	tuliptree	scarlet oak	bigtooth aspen	sassafras	black cherry
Medial DBH (inches)	19.3	16.0	15.0	4.0	9.0
Merchantable Medial DBH (inches)	19.3	16.0	15.0	0.0	9.0
Quadratic Mean DBH (inches)	14.9	16.0	15.0	4.0	9.0
Merchantable Quadratic DBH (inches)	14.9	16.0	15.0	0.0	9.0
Average DBH (inches)	13.6	16.0	15.0	4.0	9.0

Combined overstory and understory (cont)

	mountain laurel	hophornbeam	American beech

Combined overstory and understory (cont)

	mountain laurel	hophornbeam	American beech
Medial DBH (inches)	1.0	0.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	0.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0
Average DBH (inches)	1.0	0.0	0.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Q Factor	1.27	1.18	1.17	1.36	1.30

Overstory only (cont)

	eastern hemlock	white ash	white oak	pignut hickory	mockernut hickory
Q Factor	1.47	1.24	1.13	1.33	1.22

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Q Factor	3.22	1.19	1.15	1.33	1.08

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Q Factor	0.00	0.00	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Relative Density (percent)	85.28	26.30	13.97	11.00	6.40
percentage of stand	100.00	30.84	16.38	12.90	7.50

Overstory only (cont)

	eastern hemlock	white ash	white oak	pignut hickory	mockernut hickory
Relative Density (percent)	2.01	2.45	3.36	3.74	3.20
percentage of stand	2.36	2.87	3.94	4.39	3.75

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Relative Density (percent)	4.34	2.88	1.95	1.47	0.43
percentage of stand	5.09	3.38	2.29	1.72	0.51

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Relative Density (percent)	0.64	0.48	0.44	0.22
percentage of stand	0.75	0.56	0.52	0.26

Understory only

	All species	American witchhazel	eastern hemlock	red maple	sweet birch
Relative Density (percent)	3.86	1.60	0.15	0.51	0.48
percentage of stand	100.00	41.46	3.83	13.22	12.38

Understory only (cont)

	sugar maple	chestnut oak	mockernut hickory	serviceberry	northern red oak
Relative Density (percent)	0.29	0.29	0.19	0.11	0.07
percentage of stand	7.48	7.48	4.93	2.94	1.78

Understory only (cont)

	pignut hickory	white oak	mountain laurel	sassafras	black cherry
Relative Density (percent)	0.11	0.05	0.01	0.00	0.00
percentage of stand	2.85	1.28	0.36	0.00	0.00

Understory only (cont)

	hophornbeam	American beech	yellow birch
Relative Density (percent)	0.00	0.00	0.00
percentage of stand	0.00	0.00	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Relative Density (percent)	89.14	26.37	14.26	11.51	6.88
percentage of stand	100.00	29.59	16.00	12.91	7.72

Combined overstory and understory (cont)

	eastern hemlock	white ash	pignut hickory	white oak	mockernut hickory
Relative Density (percent)	2.16	2.45	3.85	3.41	3.39
percentage of stand	2.42	2.74	4.32	3.82	3.81

Combined overstory and understory (cont)

	sugar maple	serviceberry	black oak	yellow birch	American witchhazel
Relative Density (percent)	3.17	4.45	1.95	1.47	1.60
percentage of stand	3.55	5.00	2.19	1.64	1.80

Combined overstory and understory (cont)

	tuliptree	scarlet oak	bigtooth aspen	sassafras	black cherry
Relative Density (percent)	0.43	0.64	0.48	0.44	0.22
percentage of stand	0.49	0.72	0.54	0.50	0.24

Combined overstory and understory (cont)

	mountain laurel	hophornbeam	American beech
Relative Density (percent)	0.01	0.00	0.00
percentage of stand	0.02	0.00	0.00

Volumes

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Sawtimber gross total (board feet/acre)	3,938	1,556	1,125	155	32
Sawtimber net total (board feet/acre)	3,408	1,343	872	155	32
Pulpwood gross total (cubic feet/acre)	1,304	428	228	184	51
Pulpwood net total (cubic feet/acre)	1,040	342	180	148	41
Gross total (cubic feet/acre)	1,962	691	402	213	57
Net total (cubic feet/acre)	1,499	525	288	170	45

Overstory only (cont)

	eastern hemlock	white ash	white oak	pignut hickory	mockernut hickory
Sawtimber gross total (board feet/acre)	0	126	224	92	181
Sawtimber net total (board feet/acre)	0	126	180	92	162
Pulpwood gross total (cubic feet/acre)	45	66	62	55	45
Pulpwood net total (cubic feet/acre)	36	53	50	44	36
Gross total (cubic feet/acre)	45	89	99	73	79
Net total (cubic feet/acre)	36	71	74	58	61

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Sawtimber gross total (board feet/acre)	0	62	202	0	114
Sawtimber net total (board feet/acre)	0	62	202	0	114
Pulpwood gross total (cubic feet/acre)	0	35	26	22	15
Pulpwood net total (cubic feet/acre)	0	28	21	18	12
Gross total (cubic feet/acre)	0	47	60	22	33
Net total (cubic feet/acre)	0	38	48	18	26

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Sawtimber gross total (board feet/acre)	68	0	0	0
Sawtimber net total (board feet/acre)	68	0	0	0
Pulpwood gross total (cubic feet/acre)	10	21	0	9
Pulpwood net total (cubic feet/acre)	8	17	0	7
Gross total (cubic feet/acre)	22	21	0	9
Net total (cubic feet/acre)	17	17	0	7

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	red maple	sweet birch
Coarse Root Biomass (tons per acre)	13.56	4.48	2.66	1.54	0.64
Stem Wood Biomass (tons per acre)	42.93	14.79	8.95	4.47	1.61
Stem Bark Biomass (tons per acre)	8.88	3.00	1.80	0.98	0.38
Foliage Biomass (tons per acre)	1.62	0.48	0.28	0.19	0.09
Aboveground Biomass (tons per acre)	70.96	23.67	14.10	7.99	3.27
Total Biomass (tons per acre)	84.52	28.15	16.77	9.53	3.92

Overstory only (cont)

	eastern hemlock	white ash	white oak	pignut hickory	mockernut hickory
Coarse Root Biomass (tons per acre)	0.45	0.46	0.64	0.55	0.54
Stem Wood Biomass (tons per acre)	1.30	1.46	2.12	1.70	1.76
Stem Bark Biomass (tons per acre)	0.24	0.30	0.43	0.36	0.36
Foliage Biomass (tons per acre)	0.14	0.05	0.07	0.06	0.06
Aboveground Biomass (tons per acre)	2.08	2.42	3.37	2.88	2.85
Total Biomass (tons per acre)	2.54	2.88	4.00	3.43	3.39

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Coarse Root Biomass (tons per acre)	0.18	0.41	0.38	0.17	0.16

Overstory only (cont)

	serviceberry	sugar maple	black oak	yellow birch	tuliptree
Stem Wood Biomass (tons per acre)	0.28	1.22	1.30	0.48	0.56
Stem Bark Biomass (tons per acre)	0.09	0.26	0.26	0.11	0.11
Foliage Biomass (tons per acre)	0.04	0.05	0.04	0.02	0.02
Aboveground Biomass (tons per acre)	0.88	2.15	2.04	0.89	0.86
Total Biomass (tons per acre)	1.06	2.56	2.42	1.06	1.02

Overstory only (cont)

	scarlet oak	bigtooth aspen	sassafras	black cherry
Coarse Root Biomass (tons per acre)	0.13	0.09	0.03	0.04
Stem Wood Biomass (tons per acre)	0.45	0.30	0.06	0.12
Stem Bark Biomass (tons per acre)	0.09	0.06	0.02	0.02
Foliage Biomass (tons per acre)	0.01	0.01	0.00	0.00
Aboveground Biomass (tons per acre)	0.71	0.47	0.14	0.20
Total Biomass (tons per acre)	0.84	0.56	0.16	0.24

Understory only

	All species	American witchhazel	eastern hemlock	red maple	sweet birch
Coarse Root Biomass (tons per acre)	0.30	0.00	0.03	0.04	0.04
Foliage Biomass (tons per acre)	0.83	0.00	0.01	0.05	0.05
Aboveground Biomass (tons per acre)	1.10	0.00	0.15	0.15	0.16
Total Biomass (tons per acre)	1.41	0.00	0.18	0.19	0.20

Understory only (cont)

	sugar maple	chestnut oak	mockernut hickory	serviceberry	northern red oak
Coarse Root Biomass (tons per acre)	0.02	0.08	0.02	0.00	0.05

Understory only (cont)

	sugar maple	chestnut oak	mockernut hickory	serviceberry	northern red oak
Foliage Biomass (tons per acre)	0.03	0.33	0.03	0.00	0.25
Aboveground Biomass (tons per acre)	0.08	0.25	0.07	0.02	0.16
Total Biomass (tons per acre)	0.10	0.33	0.09	0.02	0.21

Understory only (cont)

	pignut hickory	white oak	mountain laurel	sassafras	black cherry
Coarse Root Biomass (tons per acre)	0.00	0.01	0.00	0.01	0.00
Foliage Biomass (tons per acre)	0.00	0.02	0.00	0.03	0.01
Aboveground Biomass (tons per acre)	0.02	0.02	0.00	0.02	0.00
Total Biomass (tons per acre)	0.03	0.02	0.00	0.03	0.00

Understory only (cont)

	hophornbeam	American beech	yellow birch
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.01	0.00	0.01
Aboveground Biomass (tons per acre)	0.00	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.01

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Coarse Root Biomass (tons per acre)	13.86	4.53	2.74	1.58	0.68

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	sweet birch
Stem Wood Biomass (tons per acre)	42.93	14.79	8.95	4.47	1.61
Stem Bark Biomass (tons per acre)	8.88	3.00	1.80	0.98	0.38
Foliage Biomass (tons per acre)	2.46	0.73	0.61	0.24	0.15
Aboveground Biomass (tons per acre)	72.07	23.83	14.36	8.14	3.43
Total Biomass (tons per acre)	85.93	28.36	17.10	9.72	4.11

Combined overstory and understory (cont)

	eastern hemlock	white ash	pignut hickory	white oak	mockernut hickory
Coarse Root Biomass (tons per acre)	0.49	0.46	0.55	0.64	0.56
Stem Wood Biomass (tons per acre)	1.30	1.46	1.70	2.12	1.76
Stem Bark Biomass (tons per acre)	0.24	0.30	0.36	0.43	0.36
Foliage Biomass (tons per acre)	0.15	0.05	0.07	0.09	0.09
Aboveground Biomass (tons per acre)	2.23	2.42	2.90	3.38	2.92
Total Biomass (tons per acre)	2.72	2.88	3.45	4.02	3.48

Combined overstory and understory (cont)

	sugar maple	serviceberry	black oak	yellow birch	American witchhazel
Coarse Root Biomass (tons per acre)	0.43	0.19	0.38	0.17	0.00
Stem Wood Biomass (tons per acre)	1.22	0.28	1.30	0.48	0.00
Stem Bark Biomass (tons per acre)	0.26	0.09	0.26	0.11	0.00
Foliage Biomass (tons per acre)	0.08	0.04	0.04	0.03	0.00
Aboveground Biomass (tons per	2.23	0.89	2.04	0.90	0.00

Combined overstory and understory (cont)

	sugar maple	serviceberry	black oak	yellow birch	American witchhazel
acre)					
Total Biomass (tons per acre)	2.66	1.08	2.42	1.07	0.00

Combined overstory and understory (cont)

	tuliptree	scarlet oak	bigtooth aspen	sassafras	black cherry
Coarse Root Biomass (tons per acre)	0.16	0.13	0.09	0.03	0.04
Stem Wood Biomass (tons per acre)	0.56	0.45	0.30	0.06	0.12
Stem Bark Biomass (tons per acre)	0.11	0.09	0.06	0.02	0.02
Foliage Biomass (tons per acre)	0.02	0.01	0.01	0.04	0.01
Aboveground Biomass (tons per acre)	0.86	0.71	0.47	0.15	0.20
Total Biomass (tons per acre)	1.02	0.84	0.56	0.19	0.24

Combined overstory and understory (cont)

	mountain laurel	hophornbeam	American beech
Coarse Root Biomass (tons per acre)	0.00	0.00	0.00
Stem Wood Biomass (tons per acre)	0.00	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.00
Aboveground Biomass (tons per acre)	0.00	0.00	0.00
Total Biomass (tons per acre)	0.00	0.00	0.00

Generated: 08/29/2012 13:55
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\Over&Understory\Stand 33.mdb

Timber Tables

This report is for the stand 'Stand 33' inventory (2012) data.
Dead observations were ignored when calculating values in this report. The species highbush blueberry was found in the understory observations, but is not included in this report because it does not have a growth form of 'Tree'.

Composition

Overstory only

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Basal Area (square feet)	110.8	38.1	31.2	9.2	8.1
Percentage of stand basal area (%)	100.0	34.4	28.1	8.3	7.3
Stems Per Unit Area (stems per acre)	270.5	86.2	40.0	30.0	17.3

Overstory only (cont)

	white oak	American beech	white ash	sweet birch	sugar maple
Basal Area (square feet)	5.8	4.6	3.5	3.5	3.5
Percentage of stand basal area (%)	5.2	4.2	3.1	3.1	3.1
Stems Per Unit Area (stems per acre)	9.8	17.7	9.6	18.4	37.3

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Basal Area (square feet)	1.2	1.2	1.2
Percentage of stand basal area (%)	1.0	1.0	1.0
Stems Per Unit Area (stems per acre)	1.5	2.1	0.7

Understory only

	All species	American witchhazel	red maple	American beech	serviceberry
Basal Area (square feet)	8.0	2.9	1.8	1.2	0.5
Percentage of stand basal area (%)	100.0	36.1	22.0	15.2	6.3
Stems Per Unit Area (stems per acre)	5,246.2	784.6	76.9	76.9	176.9

Understory only (cont)

	mountain laurel	sugar maple	northern red oak	sweet birch	hophornbeam
Basal Area (square feet)	0.5	0.5	0.4	0.2	0.0
Percentage of stand basal area (%)	6.3	6.3	4.7	2.1	0.5
Stems Per Unit Area (stems per acre)	584.6	38.5	200.0	7.7	107.7

Understory only (cont)

	mockernut hickory	chestnut oak
Basal Area (square feet)	0.0	0.0
Percentage of stand basal area (%)	0.5	0.0
Stems Per Unit Area (stems per acre)	23.1	307.7

Basal area calculatins only include observations where the DBH is greater than or equal to 1 inch. Stems per unit area calculations include observations where DBH is less than 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	mockernut hickory

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Basal Area (square feet)	118.8	38.5	31.2	11.0	8.1
Percentage of stand basal area (%)	100.0	32.4	26.2	9.3	6.8
Stems Per Unit Area (stems per acre)	5,516.7	286.2	347.7	106.9	40.4

Combined overstory and understory (cont)

	American beech	white oak	sugar maple	sweet birch	white ash
Basal Area (square feet)	5.8	5.8	4.0	3.6	3.5
Percentage of stand basal area (%)	4.9	4.9	3.3	3.1	2.9
Stems Per Unit Area (stems per acre)	94.6	9.8	75.8	26.1	9.6

Combined overstory and understory (cont)

	American witchhazel	American basswood	eastern hemlock	pignut hickory	serviceberry
Basal Area (square feet)	2.9	1.2	1.2	1.2	0.5
Percentage of stand basal area (%)	2.4	1.0	1.0	1.0	0.4
Stems Per Unit Area (stems per acre)	784.6	1.5	2.1	0.7	176.9

Combined overstory and understory (cont)

	mountain laurel	hophornbeam
Basal Area (square feet)	0.5	0.0
Percentage of stand basal area (%)	0.4	0.0
Stems Per Unit Area (stems per acre)	584.6	107.7

Diameters

Overstory only

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Medial DBH (inches)	12.3	13.7	13.4	9.3	11.1
Merchantable Medial DBH (inches)	13.2	14.4	13.4	9.9	12.2
Quadratic Mean DBH (inches)	8.7	9.0	11.9	7.5	9.2
Merchantable Quadratic DBH (inches)	11.5	12.9	11.9	8.3	12.0
Average DBH (inches)	7.4	7.3	11.5	7.1	8.5

Overstory only (cont)

	white oak	American beech	white ash	sweet birch	sugar maple
Medial DBH (inches)	11.6	10.0	9.7	7.3	8.7
Merchantable Medial DBH (inches)	11.6	12.0	9.7	12.0	19.0
Quadratic Mean DBH (inches)	10.4	6.9	8.1	5.9	4.1
Merchantable Quadratic DBH (inches)	10.4	11.9	8.1	12.0	19.0
Average DBH (inches)	10.1	6.0	7.8	5.6	3.6

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Medial DBH (inches)	12.0	10.0	18.0
Merchantable Medial DBH (inches)	12.0	10.0	18.0
Quadratic Mean DBH (inches)	12.0	10.0	18.0
Merchantable Quadratic DBH (inches)	12.0	10.0	18.0
Average DBH (inches)	12.0	10.0	18.0

Understory only

	All species	American witchhazel	red maple	American beech	serviceberry
Medial DBH (inches)	2.2	1.6	3.0	3.4	1.7
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.6	1.3	2.4	3.1	1.4
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.4	1.3	2.3	3.0	1.3

Understory only (cont)

	mountain laurel	sugar maple	northern red oak	sweet birch	hophornbeam
Medial DBH (inches)	1.0	2.0	1.9	2.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0	0.0	0.0	0.0
Quadratic Mean DBH (inches)	1.0	2.0	1.7	2.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0	0.0	0.0	0.0
Average DBH (inches)	1.0	2.0	1.7	2.0	1.0

Understory only (cont)

	mockernut hickory	chestnut oak
Medial DBH (inches)	1.0	0.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.0	0.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.0	0.0

Medial DBH, Quadratic Mean DBH and Average DBH include observations where DBH is less than 1 inch. Merchantable Medial DBH and Merchantable Quadratic DBH only include observations where DBH is greater than 5.5 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Medial DBH (inches)	11.6	13.6	13.4	8.2	11.1
Merchantable Medial DBH (inches)	13.2	14.4	13.4	9.9	12.2
Quadratic Mean DBH (inches)	5.0	8.0	11.9	4.9	7.7
Merchantable Quadratic DBH (inches)	11.5	12.9	11.9	8.3	12.0
Average DBH (inches)	3.3	6.1	11.5	4.0	6.2

Combined overstory and understory (cont)

	American beech	white oak	sugar maple	sweet birch	white ash
Medial DBH (inches)	8.6	11.6	7.8	7.1	9.7
Merchantable Medial DBH (inches)	12.0	11.6	19.0	12.0	9.7
Quadratic Mean DBH (inches)	5.1	10.4	3.5	5.1	8.1
Merchantable Quadratic DBH (inches)	11.9	10.4	19.0	12.0	8.1
Average DBH (inches)	4.3	10.1	3.0	4.5	7.8

Combined overstory and understory (cont)

	American witchhazel	American basswood	eastern hemlock	pignut hickory	serviceberry
Medial DBH (inches)	1.6	12.0	10.0	18.0	1.7
Merchantable Medial DBH (inches)	0.0	12.0	10.0	18.0	0.0
Quadratic Mean DBH (inches)	1.3	12.0	10.0	18.0	1.4
Merchantable Quadratic DBH (inches)	0.0	12.0	10.0	18.0	0.0
Average DBH (inches)	1.3	12.0	10.0	18.0	1.3

Combined overstory and understory (cont)

	mountain laurel	hophornbeam
Medial DBH (inches)	1.0	1.0
Merchantable Medial DBH (inches)	0.0	0.0
Quadratic Mean DBH (inches)	1.0	1.0
Merchantable Quadratic DBH (inches)	0.0	0.0
Average DBH (inches)	1.0	1.0

Structure

Overstory only

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Q Factor	1.28	1.23	1.14	1.30	1.23

Overstory only (cont)

	white oak	American beech	white ash	sweet birch	sugar maple
Q Factor	1.17	1.19	1.32	1.33	1.26

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Q Factor	0.00	0.00	0.00

Relative density

Overstory only

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Relative Density (percent)	93.62	34.35	25.81	6.90	7.05
percentage of stand	100.00	36.70	27.57	7.37	7.54

Overstory only (cont)

	white oak	American beech	white ash	sweet birch	sugar maple
Relative Density (percent)	4.95	4.06	1.97	2.95	3.57
percentage of stand	5.29	4.33	2.11	3.15	3.82

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Relative Density (percent)	0.60	0.52	0.89
percentage of stand	0.64	0.55	0.95

Understory only

	All species	American witchhazel	red maple	American beech	serviceberry
Relative Density (percent)	10.11	3.59	2.22	1.47	0.65
percentage of stand	100.00	35.51	21.98	14.54	6.40

Understory only (cont)

	mountain laurel	sugar maple	northern red oak	sweet birch	hophornbeam
Relative Density (percent)	0.48	0.82	0.46	0.24	0.04
percentage of stand	4.71	8.13	4.55	2.41	0.39

Understory only (cont)

	mockernut hickory	chestnut oak
Relative Density (percent)	0.14	0.00
percentage of stand	1.39	0.00

Relative density calculation only include observations where DBH is greater than or equal to 1 inch.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Relative Density (percent)	103.73	34.81	25.81	9.12	7.20
percentage of stand	100.00	33.56	24.88	8.79	6.94

Combined overstory and understory (cont)

	American beech	white oak	sugar maple	sweet birch	white ash
Relative Density (percent)	5.53	4.95	4.39	3.19	1.97
percentage of stand	5.33	4.77	4.24	3.08	1.90

Combined overstory and understory (cont)

	American witchhazel	American basswood	eastern hemlock	pignut hickory	serviceberry
Relative Density (percent)	3.59	0.60	0.52	0.89	0.65
percentage of stand	3.46	0.57	0.50	0.86	0.62

Combined overstory and understory (cont)

	mountain laurel	hophornbeam
Relative Density (percent)	0.48	0.04
percentage of stand	0.46	0.04

Volumes

Overstory only

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Sawtimber gross total (board feet/acre)	4,013	1,958	1,525	92	168
Sawtimber net total (board feet/acre)	3,772	1,779	1,462	92	168
Pulpwood gross total (cubic feet/acre)	1,665	544	526	130	129
Pulpwood net total (cubic feet/acre)	1,332	435	421	104	104
Gross total (cubic feet/acre)	2,346	881	768	148	160
Net total (cubic feet/acre)	1,846	681	607	118	128

Overstory only (cont)

	white oak	American beech	white ash	sweet birch	sugar maple
Sawtimber gross total (board feet/acre)	89	0	0	0	92
Sawtimber net total (board feet/acre)	89	0	0	0	92
Pulpwood gross total (cubic feet/acre)	116	73	68	26	12
Pulpwood net total (cubic feet/acre)	93	59	55	21	9
Gross total (cubic feet/acre)	134	73	68	26	30
Net total (cubic feet/acre)	107	59	55	21	24

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Sawtimber gross total (board feet/acre)	0	0	89
Sawtimber net total (board feet/acre)	0	0	89
Pulpwood gross total (cubic feet/acre)	28	0	12
Pulpwood net total (cubic feet/acre)	23	0	9
Gross total (cubic feet/acre)	28	0	30
Net total (cubic feet/acre)	23	0	24

Values

All the species are missing prices.

Biomass

Overstory only

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Coarse Root Biomass (tons per acre)	15.65	5.76	4.71	1.06	1.13
Stem Wood Biomass (tons per acre)	50.41	18.97	15.57	3.17	3.59
Stem Bark Biomass (tons per acre)	10.38	3.86	3.16	0.68	0.75
Foliage Biomass (tons per acre)	1.75	0.62	0.50	0.12	0.13
Aboveground Biomass (tons per acre)	82.43	30.46	24.93	5.53	5.95
Total Biomass (tons per acre)	98.09	36.22	29.64	6.59	7.08

Overstory only (cont)

	white oak	American beech	white ash	sweet birch	sugar maple
Coarse Root Biomass (tons per acre)	0.82	0.61	0.33	0.37	0.41
Stem Wood Biomass (tons per acre)	2.63	1.87	1.02	1.02	1.12
Stem Bark Biomass (tons per acre)	0.54	0.40	0.22	0.23	0.25
Foliage Biomass (tons per acre)	0.09	0.07	0.04	0.05	0.05
Aboveground Biomass (tons per acre)	4.32	3.21	1.75	1.90	2.12
Total Biomass (tons per acre)	5.14	3.82	2.08	2.27	2.53

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Coarse Root Biomass (tons per acre)	0.12	0.12	0.20
Stem Wood Biomass (tons per acre)	0.41	0.36	0.69

Overstory only (cont)

	American basswood	eastern hemlock	pignut hickory
Stem Bark Biomass (tons per acre)	0.08	0.07	0.14
Foliage Biomass (tons per acre)	0.01	0.03	0.02
Aboveground Biomass (tons per acre)	0.66	0.56	1.06
Total Biomass (tons per acre)	0.78	0.69	1.26

Understory only

	All species	American witchhazel	red maple	American beech	serviceberry
Coarse Root Biomass (tons per acre)	0.43	0.00	0.15	0.11	0.03
Foliage Biomass (tons per acre)	0.42	0.00	0.04	0.04	0.05
Aboveground Biomass (tons per acre)	1.93	0.00	0.71	0.55	0.13
Total Biomass (tons per acre)	2.36	0.00	0.85	0.67	0.16

Understory only (cont)

	mountain laurel	sugar maple	northern red oak	sweet birch	hophornbeam
Coarse Root Biomass (tons per acre)	0.00	0.04	0.04	0.01	0.01
Foliage Biomass (tons per acre)	0.00	0.02	0.09	0.00	0.03
Aboveground Biomass (tons per acre)	0.00	0.18	0.18	0.06	0.02
Total Biomass (tons per acre)	0.00	0.22	0.22	0.07	0.03

Understory only (cont)

	mockernut hickory	chestnut oak
Coarse Root Biomass (tons per acre)	0.00	0.03
Foliage Biomass (tons per acre)	0.01	0.14

Understory only (cont)

	mockernut hickory	chestnut oak
Aboveground Biomass (tons per acre)	0.02	0.08
Total Biomass (tons per acre)	0.02	0.11

Biomass calculation only include observations where DBH is greater than or equal to 0.3937 inches.

Combined overstory and understory

	All species	northern red oak	chestnut oak	red maple	mockernut hickory
Coarse Root Biomass (tons per acre)	16.08	5.81	4.74	1.21	1.13
Stem Wood Biomass (tons per acre)	50.41	18.97	15.57	3.17	3.59
Stem Bark Biomass (tons per acre)	10.38	3.86	3.16	0.68	0.75
Foliage Biomass (tons per acre)	2.17	0.71	0.64	0.16	0.13
Aboveground Biomass (tons per acre)	84.36	30.63	25.01	6.23	5.96
Total Biomass (tons per acre)	100.44	36.44	29.75	7.44	7.10

Combined overstory and understory (cont)

	American beech	white oak	sugar maple	sweet birch	white ash
Coarse Root Biomass (tons per acre)	0.73	0.82	0.45	0.38	0.33
Stem Wood Biomass (tons per acre)	1.87	2.63	1.12	1.02	1.02
Stem Bark Biomass (tons per acre)	0.40	0.54	0.25	0.23	0.22
Foliage Biomass (tons per acre)	0.11	0.09	0.07	0.05	0.04
Aboveground Biomass (tons per acre)	3.76	4.32	2.30	1.96	1.75
Total Biomass (tons per acre)	4.49	5.14	2.75	2.34	2.08

Combined overstory and understory (cont)

	American witchhazel	American basswood	eastern hemlock	pignut hickory	serviceberry
Coarse Root Biomass (tons per acre)	0.00	0.12	0.12	0.20	0.03
Stem Wood Biomass (tons per acre)	0.00	0.41	0.36	0.69	0.00
Stem Bark Biomass (tons per acre)	0.00	0.08	0.07	0.14	0.00
Foliage Biomass (tons per acre)	0.00	0.01	0.03	0.02	0.05
Aboveground Biomass (tons per acre)	0.00	0.66	0.56	1.06	0.13
Total Biomass (tons per acre)	0.00	0.78	0.69	1.26	0.16

Combined overstory and understory (cont)

	mountain laurel	hophornbeam
Coarse Root Biomass (tons per acre)	0.00	0.01
Stem Wood Biomass (tons per acre)	0.00	0.00
Stem Bark Biomass (tons per acre)	0.00	0.00
Foliage Biomass (tons per acre)	0.00	0.03
Aboveground Biomass (tons per acre)	0.00	0.02
Total Biomass (tons per acre)	0.00	0.03

Generated: 09/03/2013 10:55
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\GroundCover\Entire Management Unit\WMA Entire Ground.mdb

Table Wizard for Comparing Stands

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are 'Percent Cover' (percent cover). Round to the nearest integer. The table columns are 'Species (Common Name)'.

stands	Pennsylvania sedge	hayscented fern	wild sarsaparilla	mapleleaf viburnum	Nepalese browntop
stand 1G	100	0	5	5	60
Stand 2G	265	40	10	20	40
Stand 3G	20	0	0	0	0
Stand 4G	20	0	0	35	0
Stand 5G	5	10	0	0	0
Stand 6G	5	0	5	0	0
Stand 7G	80	0	25	10	0
Stand 8G	315	0	40	40	0
Stand 9G	155	0	15	25	10
Stand 10G	10	0	5	10	0
Stand 11G	10	10	5	5	0
Stand 12G	100	5	5	15	5
Stand 13G	0	0	5	5	5
Stand 14G	0	0	15	10	0
Stand 15G	5	0	5	5	0
Stand 16	0	0	5	0	0
Stand 17G	0	0	0	0	0
Stand 18G	215	20	130	100	15
Stand 19G	0	0	0	0	0
Stand 20 G	20	0	5	10	0
Stand 21G	95	80	15	5	15
Stand 22G	5	0	5	10	0
Stand 23	0	0	5	0	0
Stand 24G	0	0	0	0	0
Stand 25G	10	0	0	0	25
Stand 26G	10	80	0	0	20
Stand 27G	125	55	30	20	0
Stand 28G	95	10	35	15	0
Stand 29G	5	5	5	0	0
Stand 30G	80	190	50	5	10

Stand 31G	0	90	20	0	0
Stand 32G	10	0	0	0	0
Stand 33G	0	0	5	5	0

stands	Canada mayflower	deer tongue	feathery false lily of the vally	Virginia creeper	striped prince's pine
stand 1G	0	10	5	0	0
Stand 2G	25	5	25	20	15
Stand 3G	0	0	0	5	0
Stand 4G	5	0	5	5	0
Stand 5G	10	0	0	0	0
Stand 6G	0	0	5	0	0
Stand 7G	5	0	0	0	10
Stand 8G	25	15	5	0	10
Stand 9G	15	0	0	10	10
Stand 10G	10	0	0	0	10
Stand 11G	10	0	5	5	5
Stand 12G	0	10	5	0	5
Stand 13G	0	5	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	5	0	5	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	5	0	0	0
Stand 18G	10	75	35	15	30
Stand 19G	5	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	10	15	10	15	5
Stand 22G	5	0	5	0	5
Stand 23	0	0	5	0	0
Stand 24G	0	0	0	0	5
Stand 25G	0	0	0	0	0
Stand 26G	0	10	0	0	0
Stand 27G	10	0	10	35	0
Stand 28G	0	5	10	5	5
Stand 29G	5	0	5	5	0
Stand 30G	20	5	5	10	10
Stand 31G	0	0	0	0	0
Stand 32G	0	5	0	5	0
Stand 33G	10	0	0	0	5

stands	cinnamon fern	goldenrod	aster	deerberry	common cinquefoil
stand 1G	35	0	0	0	0

Stand 2G	15	25	20	10	15
Stand 3G	5	5	5	0	0
Stand 4G	0	5	5	0	0
Stand 5G	5	0	5	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	10	0	15	0	10
Stand 9G	0	5	0	10	15
Stand 10G	0	0	5	0	0
Stand 11G	5	5	5	0	0
Stand 12G	0	0	5	0	5
Stand 13G	5	0	5	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	5	0	0	0
Stand 18G	15	20	15	0	20
Stand 19G	0	0	5	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	10	0	10	0	0
Stand 22G	0	5	0	0	0
Stand 23	0	5	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	5	0	0
Stand 27G	0	0	0	65	5
Stand 28G	5	0	10	0	0
Stand 29G	0	0	0	0	0
Stand 30G	20	10	5	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	5	0	0	0
Stand 33G	0	0	0	15	0

stands	partridgeberry	eastern poison ivy	perfoliate bellwort	unidentified Plant	violet
stand 1G	0	0	5	20	0
Stand 2G	10	5	0	5	10
Stand 3G	0	5	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	5	0	0	0	5
Stand 6G	0	0	0	0	0
Stand 7G	0	0	5	0	0

Stand 8G	15	5	15	0	0
Stand 9G	5	10	20	0	15
Stand 10G	0	0	0	0	0
Stand 11G	10	5	0	0	0
Stand 12G	0	5	5	0	0
Stand 13G	0	5	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	5
Stand 18G	10	0	5	10	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	10	5
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	5	0	0	0	0
Stand 27G	10	10	5	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	10	0	5	5
Stand 31G	0	10	0	0	0
Stand 32G	0	5	0	0	0
Stand 33G	10	0	0	0	0

stands	jewelweed	ragweed	garlic mustard	bedstraw	starflower
stand 1G	0	5	0	0	0
Stand 2G	15	20	20	5	0
Stand 3G	5	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	5
Stand 8G	5	0	0	10	10
Stand 9G	0	0	0	0	5
Stand 10G	0	0	0	0	5
Stand 11G	0	0	0	0	5
Stand 12G	0	0	0	0	0
Stand 13G	5	0	0	0	0

Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	5	0	0	0	0
Stand 18G	0	0	0	0	5
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	10
Stand 23	0	0	0	5	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	5	0	0
Stand 27G	0	0	0	0	5
Stand 28G	0	0	0	5	0
Stand 29G	0	0	0	0	0
Stand 30G	5	0	0	10	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	blackberry	yarrow	Solomon's seal	sedge	Christmas fern
stand 1G	0	5	0	0	0
Stand 2G	10	10	5	0	0
Stand 3G	0	0	0	0	0
Stand 4G	5	0	0	5	10
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	5	0	0	0	0
Stand 9G	0	0	0	0	5
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	20	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	50	0
Stand 18G	5	5	10	0	0
Stand 19G	0	0	0	20	0

Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	30	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	5	0
Stand 27G	0	0	0	0	5
Stand 28G	0	0	5	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	10	10
Stand 31G	5	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	wild yam	Virginia strawberry	eastern woodland sedge	spotted geranium	Japanese barberry
stand 1G	0	10	10	0	0
Stand 2G	5	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	10
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	5	0
Stand 9G	0	5	5	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	5	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	5	0	0	5	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	5	10	0	5	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	5	0	0	0	0
Stand 26G	0	0	0	0	0

Stand 26G	0	0	0	0	0
Stand 27G	0	5	10	5	5
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	10
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	Jack in the pulpit	common goldstar	sensitive fern	saxifrage	skunk cabbage
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	5	0
Stand 3G	0	5	0	0	20
Stand 4G	0	0	0	0	0
Stand 5G	5	5	0	0	5
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	5	0	10	0	5
Stand 12G	0	0	0	0	0
Stand 13G	0	0	5	0	5
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	5
Stand 18G	0	5	0	0	0
Stand 19G	0	0	5	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	5	10	5	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	5	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	5	0
Stand 29G	0	0	0	0	0
Stand 30G	10	0	5	0	5
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0

Stand 33G	0	0	5	0	0

stands	wild bergamot	tree groundpine	switchgrass	sweetscented joepyeweed	rose
stand 1G	0	0	0	0	0
Stand 2G	5	5	5	0	5
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	10	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	netted chainfern	Indianpipe	common sheep sorrel	American hogpeanut	Queen Anne's lace
stand 1G	0	0	0	0	0
Stand 2G	5	0	5	0	0
Stand 3G	0	0	0	0	0

Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	10	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	5	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	5	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	5	5
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	panicledleaf ticktrefoil	clover	twinflower	brackenfern	Indian cucumber
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	5
Stand 9G	0	0	0	0	0

Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	5	5	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	5
Stand 30G	0	0	5	5	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	common mullein	arrowleaf tearthumb	royal fern	greenbrier	downy rattlesnake plantain
stand 1G	5	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	5	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	10	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	30	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0

Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	5
Stand 23	10	0	0	5	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	5	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	bristly buttercup	woodland sunflower	swamp smartweed	pointedleaf ticktrefoil	northern bugleweed
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	5	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	10	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	5	0	5
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0

Stand 22G	0	0	0	0	0
Stand 23	0	10	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	monkshood	interrupted fern	false boneset	chamomile	Canada lettuce
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	5	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	5	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	5	5	5
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0

Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

Generated: 09/03/2013 10:57
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\GroundCover\Entire Management Unit\WMA Entire Ground.mdb

Table Wizard for Comparing Stands

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are 'Stems Per Unit Area' (stems per acre). Round to the nearest integer. The table columns are 'Species (Common Name)'.

stands	Pennsylvania sedge	hayscented fern	Canada mayflower	Nepalese browntop	partridgeberry
stand 1G	4950	0	0	1650	0
Stand 2G	3723	385	831	1692	269
Stand 3G	3000	0	0	0	0
Stand 4G	2000	0	250	0	0
Stand 5G	3000	2000	9000	0	1000
Stand 6G	3000	0	0	0	0
Stand 7G	9900	0	50	0	0
Stand 8G	5213	0	1025	0	1675
Stand 9G	6600	0	400	333	833
Stand 10G	700	0	1500	0	0
Stand 11G	4950	1250	2500	0	2500
Stand 12G	7000	100	0	500	0
Stand 13G	0	0	0	1200	0
Stand 14G	0	0	0	0	0
Stand 15G	3500	0	2500	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	3025	167	175	183	83
Stand 19G	0	0	1500	0	0
Stand 20 G	4000	0	0	0	0
Stand 21G	2286	1000	629	243	0
Stand 22G	333	0	400	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	1500	0	0	2750	0
Stand 26G	1250	3500	0	2500	1000
Stand 27G	5325	775	225	0	1238
Stand 28G	5133	833	0	0	0
Stand 29G	500	1000	1500	0	0
Stand 30G	1682	1964	836	455	0

Stand 31G	0	3300	0	0	0
Stand 32G	4000	0	0	0	0
Stand 33G	0	0	250	0	2475

stands	wild sarsaparilla	mapleleaf viburnum	sedge	Virginia creeper	deer tongue
stand 1G	33	33	0	0	200
Stand 2G	23	162	0	438	38
Stand 3G	0	0	0	1000	0
Stand 4G	0	1050	250	200	0
Stand 5G	0	0	0	0	0
Stand 6G	1300	0	0	0	0
Stand 7G	700	600	0	0	0
Stand 8G	375	738	0	0	200
Stand 9G	133	433	0	83	0
Stand 10G	100	650	0	0	0
Stand 11G	100	300	0	50	0
Stand 12G	550	1600	0	0	750
Stand 13G	100	200	5000	0	300
Stand 14G	1050	850	0	0	0
Stand 15G	300	600	0	0	0
Stand 16	300	0	0	0	0
Stand 17G	0	0	9900	0	300
Stand 18G	1042	783	0	92	775
Stand 19G	0	0	5000	0	0
Stand 20 G	300	1400	0	0	0
Stand 21G	129	29	0	114	257
Stand 22G	67	700	0	0	0
Stand 23	500	0	7000	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	150	0	1000
Stand 27G	425	263	0	488	0
Stand 28G	1267	767	0	133	233
Stand 29G	200	0	0	100	0
Stand 30G	682	55	182	55	45
Stand 31G	667	0	0	0	0
Stand 32G	0	0	0	600	200
Stand 33G	50	25	0	0	0

stands	eastern woodland sedge	striped prince's pine	feathery false lily of the vally	aster	common cinquefoil
stand 1G	1000	0	17	0	0

Stand 2G	0	62	138	154	185
Stand 3G	0	0	0	700	0
Stand 4G	0	0	150	200	0
Stand 5G	0	0	0	400	0
Stand 6G	0	0	300	0	0
Stand 7G	0	600	0	0	0
Stand 8G	0	63	88	288	213
Stand 9G	333	50	0	0	333
Stand 10G	0	700	0	200	0
Stand 11G	850	200	750	50	0
Stand 12G	0	50	300	200	400
Stand 13G	0	0	0	400	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	1000	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	442	375	167	233
Stand 19G	0	0	0	400	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	14	43	114	0
Stand 22G	0	233	100	0	0
Stand 23	0	0	300	0	0
Stand 24G	0	250	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	250	0
Stand 27G	1238	0	75	0	25
Stand 28G	0	33	100	167	0
Stand 29G	0	0	400	0	0
Stand 30G	0	36	109	64	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	75	0	0	0

stands	eastern poison ivy	cinnamon fern	violet	goldenrod	garlic mustard
stand 1G	0	117	0	0	0
Stand 2G	15	131	192	115	362
Stand 3G	500	200	0	100	0
Stand 4G	0	0	0	50	0
Stand 5G	0	1000	1500	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0

Stand 8G	38	100	0	0	0
Stand 9G	167	0	133	17	0
Stand 10G	0	0	0	0	0
Stand 11G	250	150	0	100	0
Stand 12G	200	0	0	0	0
Stand 13G	900	400	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	500	200	0
Stand 18G	0	100	0	275	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	43	29	0	0
Stand 22G	0	0	0	67	0
Stand 23	0	0	0	1000	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	500
Stand 27G	225	0	0	0	0
Stand 28G	0	333	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	182	264	227	45	0
Stand 31G	600	0	0	0	0
Stand 32G	200	0	0	100	0
Stand 33G	0	0	0	0	0

stands	star flower	per foliate bellwort	sensitive fern	unidentified Plant	Christmas fern
stand 1G	0	33	0	100	0
Stand 2G	0	0	0	15	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	750
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	150	100	0	0	0
Stand 8G	50	138	0	0	0
Stand 9G	100	317	0	0	100
Stand 10G	50	0	0	0	0
Stand 11G	100	0	1000	0	0
Stand 12G	0	100	0	0	0
Stand 13G	0	0	300	0	0

Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	125	8	0	167	0
Stand 19G	0	0	1200	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	29	186	0
Stand 22G	333	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	50	25	0	0	50
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	109	27	136
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	50	0	0

stands	jewelweed	Virginia strawberry	arrowleaf tearthumb	bedstraw	skunk cabbage
stand 1G	0	167	0	0	0
Stand 2G	92	0	0	23	0
Stand 3G	800	0	0	0	1400
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	500
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	38	0	0	125	0
Stand 9G	0	167	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	250
Stand 12G	0	0	0	0	0
Stand 13G	800	0	5000	0	800
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	500	0	0	0	500
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0

Stand 20 G	0	0	0	0	0
Stand 21G	0	214	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	1200	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	38	0	0	0
Stand 28G	0	0	0	67	0
Stand 29G	0	0	0	0	0
Stand 30G	9	0	0	82	18
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	blackberry	Jack in the pulpit	deerberry	yarrow	common goldstar
stand 1G	0	0	0	50	0
Stand 2G	31	0	31	46	0
Stand 3G	0	0	0	0	300
Stand 4G	100	0	0	0	0
Stand 5G	0	300	0	0	500
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	88	0	0	0	0
Stand 9G	0	0	33	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	150	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	83	0	0	100	50
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	71	0	0	43
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	500

Stand 26G	0	0	0	0	500
Stand 27G	0	0	163	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	182	0	0	0
Stand 31G	200	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	75	0	0

stands	American hogpeanut	Indianpipe	wild yam	bristly buttercup	royal fern
stand 1G	0	0	0	0	0
Stand 2G	0	0	38	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	500
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	217	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	650
Stand 12G	250	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	200	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	2000	0
Stand 18G	125	0	33	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	71	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	100	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0

Stand 33G	0	0	0	0	0

stands	tree groundpine	switchgrass	common sheep sorrel	woodland sunflower	Japanese barberry
stand 1G	0	0	0	0	0
Stand 2G	77	77	77	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	1000
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	2500	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	13
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	45
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	Solomon's seal	ragweed	Indian cucumber	interrupted fern	northern bugleweed
stand 1G	0	50	0	0	0
Stand 2G	8	46	0	0	0
Stand 3G	0	0	0	0	0

Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	63	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	1000	0
Stand 18G	67	0	0	0	0
Stand 19G	0	0	0	0	700
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	33	0	0	0	0
Stand 29G	0	0	200	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	sweetscented joepyeweed	false boneset	saxifrage	twinflower	clover
stand 1G	0	0	0	0	0
Stand 2G	0	0	15	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	67	0	0	0	0

Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	42
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	1200	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	100	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	45	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	spotted geranium	panicledleaf ticktrefoil	wild bergamot	netted chainfern	greenbrier
stand 1G	0	0	0	0	0
Stand 2G	0	0	23	23	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	13	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0

Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	8	33	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	29	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	200
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	13	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	100
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	chamomile	monk shood	common mullein	Canada lettuce	rose
stand 1G	0	0	17	0	0
Stand 2G	0	0	0	0	8
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	500	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0

Stand 22G	0	0	0	0	0
Stand 23	800	0	200	300	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	brackenfern	Queen Anne's lace	swamp smartweed	pointedleaf ticktrefoil	downy rattlesnake plantain
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	100	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	8	0	0	0
Stand 19G	0	0	100	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	33
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0

Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	9	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

Generated: 08/30/2012 10:08
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\GroundCover\Entire Management Unit\WMA Entire Ground.mdb

Species x Stand

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are percent 'Percent Cover' of the stand. Round to the nearest integer. The table columns are 'Species (Common Name)'.

stands	Area	Pennsylvania sedge	wild sarsaparilla	hayscented fern	mapleleaf viburnum
Weighted Percent					
stand 1G	95.0	36	2	0	2
Stand 2G	360.0	38	1	6	3
Stand 3G	20.0	27	0	0	0
Stand 4G	30.0	20	0	0	35
Stand 5G	10.0	7	0	13	0
Stand 6G	20.0	33	33	0	0
Stand 7G	145.0	57	18	0	7
Stand 8G	175.0	56	7	0	7
Stand 9G	180.0	43	4	0	7
Stand 10G	30.0	18	9	0	18
Stand 11G	35.0	8	4	8	4
Stand 12G	30.0	57	3	3	9
Stand 13G	15.0	0	5	0	5
Stand 14G	20.0	0	43	0	29
Stand 15G	25.0	20	20	0	20
Stand 16	15.0	0	100	0	0
Stand 17G	15.0	0	0	0	0
Stand 18G	255.0	27	16	3	13
Stand 19G	20.0	0	0	0	0
Stand 20 G	25.0	57	14	0	29
Stand 21G	110.0	28	4	24	1

stands	Area	Pennsylvania sedge	wild sarsaparilla	hayscented fern	mapleleaf viburnum
Stand 22G	55.0	9	9	0	18
Stand 23	10.0	0	6	0	0
Stand 24G	35.0	0	0	0	0
Stand 25G	50.0	25	0	0	0
Stand 26G	30.0	7	0	55	0
Stand 27G	165.0	30	7	13	5
Stand 28G	60.0	45	17	5	7
Stand 29G	25.0	14	14	14	0
Stand 30G	250.0	16	10	37	1
Stand 31G	60.0	0	15	69	0
Stand 32G	140.0	33	0	0	0
Stand 33G	70.0	0	9	0	9

stands	striped prince's pine	sedge	Canada mayflower	mannagrass	feathery false lily of the vally
Weighted Percent					
stand 1G	0	0	0	21	2
Stand 2G	2	0	4	6	4
Stand 3G	0	0	0	0	0
Stand 4G	0	5	5	0	5
Stand 5G	0	0	13	0	0
Stand 6G	0	0	0	0	33
Stand 7G	7	0	4	0	0
Stand 8G	2	0	4	0	1
Stand 9G	3	0	4	3	0
Stand 10G	18	0	18	0	0
Stand 11G	4	0	8	0	4
Stand 12G	3	0	0	3	3
Stand 13G	0	19	0	5	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	20	0	20

stands	striped prince's pine	sedge	Canada mayflower	mannagrass	feathery false lily of the vally
Stand 16	0	0	0	0	0
Stand 17G	0	56	0	0	0
Stand 18G	4	0	1	2	4
Stand 19G	0	44	11	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	1	0	3	4	3
Stand 22G	9	0	9	0	9
Stand 23	0	33	0	0	6
Stand 24G	100	0	0	0	0
Stand 25G	0	0	0	63	0
Stand 26G	0	3	0	14	0
Stand 27G	0	0	2	0	2
Stand 28G	2	0	0	0	5
Stand 29G	0	0	14	0	14
Stand 30G	2	2	4	2	1
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	9	0	18	0	0

stands	Virginia creeper	aster	deertongue	goldenrod	eastern poison ivy
Weighted Percent					
stand 1G	0	0	4	0	0
Stand 2G	3	3	1	4	1
Stand 3G	7	7	0	7	7
Stand 4G	5	5	0	5	0
Stand 5G	0	7	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	3	3	0	1
Stand 9G	3	0	0	1	3
Stand 10G	0	9	0	0	0
Stand 11G	4	4	0	4	4

stands	Virginia creeper	aster	deertongue	goldenrod	eastern poison ivy
Stand 12G	0	3	6	0	3
Stand 13G	0	5	5	0	5
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	6	6	0
Stand 18G	2	2	9	3	0
Stand 19G	0	11	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	4	3	4	0	0
Stand 22G	0	0	0	9	0
Stand 23	0	0	0	6	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	3	7	0	0
Stand 27G	8	0	0	0	2
Stand 28G	2	5	2	0	0
Stand 29G	14	0	0	0	0
Stand 30G	2	1	1	2	2
Stand 31G	0	0	0	0	8
Stand 32G	17	0	17	17	17
Stand 33G	0	0	0	0	0

stands	cinnamon fern	skunk cabbage	deerberry	partridgeberry	starflower
Weighted Percent					
stand 1G	13	0	0	0	0
Stand 2G	2	0	1	1	0
Stand 3G	7	27	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	7	7	0	7	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	4

stands	cinnamon fern	skunk cabbage	deerberry	partridgeberry	starflower
Stand 8G	2	0	0	3	2
Stand 9G	0	0	3	1	1
Stand 10G	0	0	0	0	9
Stand 11G	4	4	0	8	4
Stand 12G	0	0	0	0	0
Stand 13G	5	5	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	6	0	0	0
Stand 18G	2	0	0	1	1
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	3	0	0	0	0
Stand 22G	0	0	0	0	18
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	3	0
Stand 27G	0	0	16	2	1
Stand 28G	2	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	4	1	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	27	18	0

stands	sensitive fern	arrowleaf tearthumb	jewelweed	common goldstar	violet
Weighted Percent					
stand 1G	0	0	0	0	0
Stand 2G	0	0	2	0	1
Stand 3G	0	0	7	7	0

stands	sensitive fern	arrowleaf tearthumb	jewelweed	common goldstar	violet
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	7	7
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	1	0	0
Stand 9G	0	0	0	0	4
Stand 10G	0	0	0	0	0
Stand 11G	8	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	5	29	5	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	6	0	6
Stand 18G	0	0	0	1	0
Stand 19G	11	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	1	0	0	3	1
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	3	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	1	0	1	0	1
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	9	0	0	0	0

stands	perfoliate bellwort	American hogpeanut	Japanese barberry	wild yam	Indian cucumber

stands	perfoliate bellwort	American hogpeanut	Japanese barberry	wild yam	Indian cucumber
Weighted Percent					
stand 1G	2	0	0	0	0
Stand 2G	0	0	0	1	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	13	0	0
Stand 6G	0	0	0	0	0
Stand 7G	4	0	0	0	0
Stand 8G	3	0	0	0	1
Stand 9G	6	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	3	3	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	14	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	1	1	0	1	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	1	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	13	0
Stand 26G	0	0	0	0	0
Stand 27G	1	0	1	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	14
Stand 30G	0	0	2	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0

stands	perfoliate bellwort	American hogpeanut	Japanese barberry	wild yam	Indian cucumber
Stand 33G	0	0	0	0	0

stands	royal fern	common cinquefoil	Christmas fern	pointedleaf ticktrefoil	Jack in the pulpit
Weighted Percent					
stand 1G	0	0	0	0	0
Stand 2G	0	2	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	10	0	0
Stand 5G	7	0	0	0	7
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	2	0	0	0
Stand 9G	0	4	1	0	0
Stand 10G	0	0	0	0	0
Stand 11G	8	0	0	0	4
Stand 12G	0	3	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	14	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	3	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	1
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0

stands	royal fern	common cinquefoil	Christmas fern	pointedleaf ticktrefoil	Jack in the pulpit
Stand 27G	0	1	1	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	2	0	2
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	unidentified Plant	common mullein	bedstraw	blackberry	eastern woodland sedge
Weighted Percent					
stand 1G	7	2	0	0	4
Stand 2G	1	0	1	1	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	5	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	2	1	0
Stand 9G	0	0	0	0	1
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	4
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	1	0	0	1	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0

stands	unidentified Plant	common mullein	bedstraw	blackberry	eastern woodland sedge
Stand 21G	3	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	11	6	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	2
Stand 28G	0	0	2	0	0
Stand 29G	0	0	0	0	0
Stand 30G	1	0	2	0	0
Stand 31G	0	0	0	4	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	woodland sunflower	swamp smartweed	northern bugleweed	bristly buttercup	greenbrier
Weighted Percent					
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0

stands	woodland sunflower	swamp smartweed	northern bugleweed	bristly buttercup	greenbrier
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	11	0
Stand 18G	0	0	0	0	0
Stand 19G	0	11	11	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	11	0	0	0	6
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	4
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	Virginia strawberry	downy rattlesnake plantain	garlic mustard	interrupted fern	false boneset
Weighted Percent					
stand 1G	4	0	0	0	0
Stand 2G	0	0	3	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0

stands	Virginia strawberry	downy rattlesnake plantain	garlic mustard	interrupted fern	false boneset
Stand 9G	1	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	6	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	3	0	0	0	0
Stand 22G	0	9	0	0	0
Stand 23	0	0	0	0	6
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	3	0	0
Stand 27G	1	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	chamomile	Canada lettuce	monkshood	ragweed	Solomon's seal
Weighted Percent					
stand 1G	0	0	0	2	0
Stand 2G	0	0	0	3	1
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0

stands	chamomile	Canada lettuce	monkshood	ragweed	Solomon's seal
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	5	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	1
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	6	6	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	2
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	spotted geranium	yarrow	saxifrage	sweetscented joepyeweed	Indianpipe
Weighted Percent					

stands	spotted geranium	yarrow	saxifrage	sweetscented joepyeweed	Indianpipe
stand 1G	0	2	0	0	0
Stand 2G	0	1	1	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	1	0	0	0	0
Stand 9G	0	0	0	3	3
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	1	1	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	1	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	1	0	0	0	0
Stand 28G	0	0	2	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	twinflower	brackenfern	wild bergamot	tree groundpine	switchgrass
Weighted Percent					
stand 1G	0	0	0	0	0
Stand 2G	0	0	1	1	1
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	1	1	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	rose	netted chainfern	common sheep sorrel	Queen Anne's lace	panicledleaf ticktrefoil
Weighted Percent					
stand 1G	0	0	0	0	0
Stand 2G	1	1	1	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	1	1
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0

stands	rose	netted chainfern	common sheep sorrel	Queen Anne's lace	panicledleaf ticktrefoil
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	clover
Weighted Percent	
stand 1G	0
Stand 2G	0
Stand 3G	0
Stand 4G	0
Stand 5G	0
Stand 6G	0
Stand 7G	0
Stand 8G	0
Stand 9G	0
Stand 10G	0
Stand 11G	0
Stand 12G	0
Stand 13G	0
Stand 14G	0
Stand 15G	0
Stand 16	0
Stand 17G	0
Stand 18G	1
Stand 19G	0
Stand 20 G	0
Stand 21G	0
Stand 22G	0
Stand 23	0
Stand 24G	0
Stand 25G	0

stands	clover
Stand 26G	0
Stand 27G	0
Stand 28G	0
Stand 29G	0
Stand 30G	0
Stand 31G	0
Stand 32G	0
Stand 33G	0

Generated: 08/30/2012 10:03
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\GroundCover\Entire Management Unit\WMA Entire Ground.mdb

Plant Species Values

This report is for inventory data.

Names

Names

species	Symbol	User code	Label	Category	Order
deerberry	VAST	789	deerberry	Dicot	Ericales
saxifrage	SAXIF		saxifrage	Dicot	Rosales
Virginia creeper	PAQU2	715	Virginia creeper	Dicot	Rhamnales
aster	ASTER		aster	Dicot	Asterales
wild yam	DIVI4		wild yam	Monocot	Liliales
goldenrod	SOLID		goldenrod	Dicot	Asterales
blackberry	RUBUS	915	blackberry	Dicot	Rosales
garlic mustard	ALPE4		garlic mustard	Dicot	Capparales
mapleleaf viburnum	VIAC	771	mapleleaf viburnum	Dicot	Dipsacales
common cinquefoil	POSI2		common cinquefoil	Dicot	Rosales
wild sarsaparilla	ARNU2		wild sarsaparilla	Dicot	Apiales
Canada mayflower	MACA4		Canada mayflower	Monocot	Liliales
violet	VIOLA		violet	Dicot	Violales
eastern poison ivy	TORA2	867	eastern poison ivy	Dicot	Sapindales
jewelweed	IMCA		jewelweed	Dicot	Geraniales
netted chainfern	WOAR		netted chainfern	Fern	Polypodiales
hayscented fern	DENNS		hayscented fern	Fern	Polypodiales
switchgrass	PAVI2		switchgrass	Monocot	Cyperales
chestnut oak	QUPR2	832	chestnut oak	Dicot	Fagales
deertongue	DICL		deertongue	Monocot	Cyperales
mannagrass	GLYCE		mannagrass	Monocot	Cyperales
yarrow	ACHIL		yarrow	Dicot	Asterales
Pennsylvania sedge	CAPE6		Pennsylvania sedge	Monocot	Cyperales

Names

species	Symbol	User code	Label	Category	Order
common mullein	VETH		common mullein	Dicot	Scrophulariales
Virginia strawberry	FRVI		Virginia strawberry	Dicot	Rosales
perfoliate bellwort	UVPE		perfoliate bellwort	Monocot	Liliales
striped prince's pine	CHMA3	441	striped prince's pine	Dicot	Ericales
northern red oak	QURU	833	northern red oak	Dicot	Fagales
common sheep sorrel	RUAC3		common sheep sorrel	Dicot	Polygonales
red maple	ACRU	316	red maple	Dicot	Sapindales
scarlet oak	QUCO2	806	scarlet oak	Dicot	Fagales
white oak	QUAL	802	white oak	Dicot	Fagales
cinnamon fern	OSCI		cinnamon fern	Fern	Polypodiales
eastern woodland sedge	CABL		eastern woodland sedge	Monocot	Cyperales
ragweed	AMBRO		ragweed	Dicot	Asterales
feathery false lily of the vally	MARA7		feathery false lily of the vally	Monocot	Liliales
unidentified Plant	2PLANT		unidentified Plant		
swamp smartweed	POHY2		swamp smartweed	Dicot	Polygonales
wild bergamot	MOFI		wild bergamot	Dicot	Lamiales
monkshood	ACONI		monkshood	Dicot	Ranunculales
pointedleaf ticktrefoil	DEGL5		pointedleaf ticktrefoil	Dicot	Fabales
interrupted fern	OSCL2		interrupted fern	Fern	Polypodiales
bristly buttercup	RAHI		bristly buttercup	Dicot	Ranunculales
Queen Anne's lace	DACA6		Queen Anne's lace	Dicot	Apiales
panicledleaf ticktrefoil	DEPA6		panicledleaf ticktrefoil	Dicot	Fabales
American hogpeanut	AMBR2	448	American hogpeanut	Dicot	Fabales
northern bugleweed	LYUN		northern bugleweed	Dicot	Lamiales
sensitive fern	ONSE		sensitive fern	Fern	Polypodiales
downy rattlesnake plantain	GOPU		downy rattlesnake plantain	Monocot	Orchidales
woodland sunflower	HEDI2		woodland sunflower	Dicot	Asterales
greenbrier	SMILA2	934	greenbrier	Monocot	Liliales
Canada lettuce	LACA		Canada lettuce	Dicot	Asterales
false boneset	BREU		false boneset	Dicot	Asterales
chamomile	ANTHE		chamomile	Dicot	Asterales

Names

species	Symbol	User code	Label	Category	Order
brackenfern	PTERI		brackenfern	Fern	Polypodiales
clover	TRIFO		clover	Dicot	Fabales
Japanese barberry	BETH		Japanese barberry	Dicot	Ranunculales
partridgeberry	MIRE	675	partridgeberry	Dicot	Rubiales
bedstraw	GALIU		bedstraw	Dicot	Rubiales
tree groundpine	LYDE		tree groundpine	Lycopodium	Lycopodiales
Solomon's seal	POLYG2		Solomon's seal	Monocot	Liliales
rose	ROSA5	905	rose	Dicot	Rosales
skunk cabbage	SYFO		skunk cabbage	Monocot	Arales
common goldstar	HYHI2		common goldstar	Monocot	Liliales
arrowleaf tearthumb	POSA5		arrowleaf tearthumb	Dicot	Polygonales
Christmas fern	POAC4		Christmas fern	Fern	Polypodiales
twinflower	LIBO3		twinflower	Dicot	Dipsacales
royal fern	OSRE		royal fern	Fern	Polypodiales
Jack in the pulpit	ARTR		Jack in the pulpit	Monocot	Arales
starflower	TRBO2		starflower	Dicot	Primulales
spotted geranium	GEMA		spotted geranium	Dicot	Geraniales
Indian cucumber	MEVI		Indian cucumber	Monocot	Liliales
Indianpipe	MOUN3		Indianpipe	Dicot	Ericales
sweetscented joepyeweed	EUPU10		sweetscented joepyeweed	Dicot	Asterales
sedge	CAREX		sedge	Monocot	Cyperales

Names (cont)

species	Family
deerberry	Ericaceae
saxifrage	Saxifragaceae
Virginia creeper	Vitaceae
aster	Asteraceae
wild yam	Dioscoreaceae
goldenrod	Asteraceae
blackberry	Rosaceae

Names (cont)

species	Family
garlic mustard	Brassicaceae
mapleleaf viburnum	Caprifoliaceae
common cinquefoil	Rosaceae
wild sarsaparilla	Araliaceae
Canada mayflower	Liliaceae
violet	Violaceae
eastern poison ivy	Anacardiaceae
jewelweed	Balsaminaceae
netted chainfern	Blechnaceae
hayscented fern	Dennstaedtiaceae
switchgrass	Poaceae
chestnut oak	Fagaceae
deertongue	Poaceae
mannagrass	Poaceae
yarrow	Asteraceae
Pennsylvania sedge	Cyperaceae
common mullein	Scrophulariaceae
Virginia strawberry	Rosaceae
perfoliate bellwort	Liliaceae
striped prince's pine	Pyrolaceae
northern red oak	Fagaceae
common sheep sorrel	Polygonaceae
red maple	Aceraceae
scarlet oak	Fagaceae
white oak	Fagaceae
cinnamon fern	Osmundaceae
eastern woodland sedge	Cyperaceae
ragweed	Asteraceae
feathery false lily of the vally	Liliaceae
unidentified Plant	
swamp smartweed	Polygonaceae
wild bergamot	Lamiaceae
monkshood	Ranunculaceae

Names (cont)

species	Family
pointedleaf ticktrefoil	Fabaceae
interrupted fern	Osmundaceae
bristly buttercup	Ranunculaceae
Queen Anne's lace	Apiaceae
panicledleaf ticktrefoil	Fabaceae
American hogpeanut	Fabaceae
northern bugleweed	Lamiaceae
sensitive fern	Dryopteridaceae
downy rattlesnake plantain	Orchidaceae
woodland sunflower	Asteraceae
greenbrier	Smilacaceae
Canada lettuce	Asteraceae
false boneset	Asteraceae
chamomile	Asteraceae
brackenfern	Dennstaedtiaceae
clover	Fabaceae
Japanese barberry	Berberidaceae
partridgeberry	Rubiaceae
bedstraw	Rubiaceae
tree groundpine	Lycopodiaceae
Solomon's seal	Liliaceae
rose	Rosaceae
skunk cabbage	Araceae
common goldstar	Iridaceae
arrowleaf tearthumb	Polygonaceae
Christmas fern	Dryopteridaceae
twinflower	Caprifoliaceae
royal fern	Osmundaceae
Jack in the pulpit	Araceae
starflower	Primulaceae
spotted geranium	Geraniaceae
Indian cucumber	Liliaceae
Indianpipe	Monotropaceae

Names (cont)

species	Family
sweetscented joepyeweed	Asteraceae
sedge	Cyperaceae

Characteristics

Characteristics

species	Growth form	Shade tol.	Evergreen	Mast type
deerberry	Shrub	very intolerant	no	soft
saxifrage			no	
Virginia creeper	Vine	intermediate	no	
aster	Forb/herb		no	
wild yam	Vine		no	
goldenrod	Forb/herb		no	
blackberry	Shrub		no	soft
garlic mustard	Forb/herb		no	
mapleleaf viburnum	Shrub	tolerant	no	soft
common cinquefoil	Forb/herb		no	
wild sarsaparilla	Subshrub	tolerant	no	
Canada mayflower	Forb/herb		no	
violet	Forb/herb		no	
eastern poison ivy	Shrub		no	soft
jewelweed	Forb/herb	tolerant	no	
netted chainfern	Forb/herb		no	
hayscented fern			no	
switchgrass	Graminoid	intolerant	no	
chestnut oak	Tree	intermediate	no	hard
deertongue	Graminoid	intolerant	no	
mannagrass			no	
yarrow			no	
Pennsylvania sedge	Graminoid		no	
common mullein	Forb/herb		no	
Virginia strawberry	Forb/herb	intermediate	yes	
perfoliate bellwort	Forb/herb		no	

Characteristics

species	Growth form	Shade tol.	Evergreen	Mast type
striped prince's pine	Subshrub		no	
northern red oak	Tree	intermediate	no	hard
common sheep sorrel	Forb/herb		no	
red maple	Tree	intermediate	no	hard
scarlet oak	Tree	intolerant	no	hard
white oak	Tree	intermediate	no	hard
cinnamon fern	Forb/herb	tolerant	no	
eastern woodland sedge	Graminoid	tolerant	no	
ragweed			no	
feathery false lily of the vally	Forb/herb		no	
unidentified Plant			no	
swamp smartweed	Forb/herb	intolerant	no	
wild bergamot	Subshrub	very tolerant	no	
monkshood			no	
pointedleaf ticktrefoil	Forb/herb		no	
interrupted fern	Forb/herb	tolerant	no	
bristly buttercup	Forb/herb	tolerant	no	
Queen Anne's lace	Forb/herb		no	
panicledleaf ticktrefoil	Forb/herb	intermediate	no	
American hogpeanut	Vine		no	
northern bugleweed	Forb/herb		no	
sensitive fern	Forb/herb		no	
downy rattlesnake plantain	Forb/herb		no	
woodland sunflower	Forb/herb		no	
greenbrier	Shrub	intolerant	no	
Canada lettuce	Forb/herb		no	
false boneset	Subshrub		no	
chamomile			no	
brackenfern	Forb/herb		no	
clover			no	
Japanese barberry	Shrub	intolerant	no	
partridgeberry	Subshrub		no	soft
bedstraw			no	

Characteristics

species	Growth form	Shade tol.	Evergreen	Mast type
tree groundpine	Subshrub		no	
Solomon's seal	Forb/herb		no	
rose	Shrub	tolerant	no	soft
skunk cabbage	Forb/herb	tolerant	no	
common goldstar	Forb/herb	intermediate	no	
arrowleaf tearthumb	Vine	very tolerant	no	
Christmas fern	Forb/herb		no	
twinflower	Vine		no	
royal fern	Forb/herb	tolerant	no	
Jack in the pulpit	Forb/herb	tolerant	no	
starflower	Forb/herb	tolerant	no	
spotted geranium	Forb/herb		no	
Indian cucumber	Forb/herb		no	
Indianpipe	Forb/herb		no	
sweetscented joepyeweed	Forb/herb		no	
sedge	Graminoid		no	

Characteristics

Characteristics

species	Wet. spp.	Ericaceous	Exotic	Rare	Flower
deerberry	no	no	no	no	yes
saxifrage	no	no	no	no	no
Virginia creeper	no	no	no	no	no
aster	no	no	no	no	no
wild yam	no	no	no	no	no
goldenrod	no	no	no	no	no
blackberry	no	no	no	no	no
garlic mustard	no	no	no	no	no
mapleleaf viburnum	no	no	no	no	yes
common cinquefoil	no	no	no	no	no
wild sarsaparilla	no	no	no	no	yes
Canada mayflower	no	no	no	no	no
violet	no	no	no	no	no

Characteristics

species	Wet. spp.	Ericaceous	Exotic	Rare	Flower
eastern poison ivy	no	no	no	no	no
jewelweed	no	no	no	no	no
netted chainfern	no	no	no	no	no
hayscented fern	no	no	no	no	no
switchgrass	no	no	no	no	no
chestnut oak	no	no	no	no	no
deertongue	no	no	no	no	no
mannagrass	no	no	no	no	no
yarrow	no	no	no	no	no
Pennsylvania sedge	no	no	no	no	no
common mullein	no	no	no	no	no
Virginia strawberry	no	no	no	no	yes
perfoliate bellwort	no	no	no	no	no
striped prince's pine	no	no	no	no	yes
northern red oak	no	no	no	no	no
common sheep sorrel	no	no	no	no	no
red maple	no	no	no	no	yes
scarlet oak	no	no	no	no	no
white oak	no	no	no	no	no
cinnamon fern	no	no	no	no	no
eastern woodland sedge	no	no	no	no	no
ragweed	no	no	no	no	no
feathery false lily of the vally	no	no	no	no	yes
unidentified Plant	no	no	no	no	no
swamp smartweed	yes	no	no	no	no
wild bergamot	no	no	no	no	yes
monkshood	no	no	no	no	no
pointedleaf ticktrefoil	no	no	no	no	no
interrupted fern	no	no	no	no	no
bristly buttercup	no	no	no	no	yes
Queen Anne's lace	no	no	no	no	no
panicledleaf ticktrefoil	no	no	no	no	yes
American hogpeanut	no	no	no	no	no

Characteristics

species	Wet. spp.	Ericaceous	Exotic	Rare	Flower
northern bugleweed	yes	no	no	no	no
sensitive fern	no	no	no	no	no
downy rattlesnake plantain	no	no	no	no	no
woodland sunflower	no	no	no	no	no
greenbrier	no	no	no	no	no
Canada lettuce	no	no	no	no	no
false boneset	no	no	no	no	no
chamomile	no	no	no	no	no
brackenfern	no	no	no	no	no
clover	no	no	no	no	no
Japanese barberry	no	no	no	no	yes
partridgeberry	no	no	no	no	yes
bedstraw	no	no	no	no	no
tree groundpine	no	no	no	no	no
Solomon's seal	no	no	no	no	yes
rose	no	no	no	no	yes
skunk cabbage	yes	no	no	no	yes
common goldstar	no	no	no	no	yes
arrowleaf tearthumb	yes	no	no	no	no
Christmas fern	no	no	no	no	no
twinflower	no	no	no	no	no
royal fern	yes	no	no	no	no
Jack in the pulpit	no	no	no	no	yes
starflower	no	no	no	no	yes
spotted geranium	no	no	no	no	no
Indian cucumber	no	no	no	no	no
Indianpipe	no	no	no	no	no
sweetscented joepyeweed	no	no	no	no	no
sedge	no	no	no	no	no

Characteristics (cont)

species	Fall color	Bark	Fruit
deerberry	no	no	yes
saxifrage	no	no	no
Virginia creeper	yes	no	no
aster	no	no	no
wild yam	no	no	no
goldenrod	no	no	no
blackberry	no	no	no
garlic mustard	no	no	no
mapleleaf viburnum	yes	no	no
common cinquefoil	no	no	no
wild sarsaparilla	no	no	no
Canada mayflower	no	no	no
violet	no	no	no
eastern poison ivy	yes	no	no
jewelweed	no	no	no
netted chainfern	no	no	no
hayscented fern	no	no	no
switchgrass	no	no	no
chestnut oak	yes	no	no
deertongue	no	no	no
mannagrass	no	no	no
yarrow	no	no	no
Pennsylvania sedge	no	no	no
common mullein	no	no	no
Virginia strawberry	no	no	yes
perfoliate bellwort	no	no	no
striped prince's pine	no	no	no
northern red oak	yes	no	no
common sheep sorrel	no	no	no
red maple	yes	no	no
scarlet oak	yes	no	no
white oak	yes	no	no
cinnamon fern	no	no	no
eastern woodland sedge	no	no	no

Characteristics (cont)

species	Fall color	Bark	Fruit
ragweed	no	no	no
feathery false lily of the vally	no	no	no
unidentified Plant	no	no	no
swamp smartweed	no	no	no
wild bergamot	no	no	no
monkshood	no	no	no
pointedleaf ticktrefoil	no	no	no
interrupted fern	yes	no	no
bristly buttercup	no	no	no
Queen Anne's lace	no	no	no
panicledleaf ticktrefoil	yes	no	no
American hogpeanut	no	no	no
northern bugleweed	no	no	no
sensitive fern	no	no	no
downy rattlesnake plantain	no	no	no
woodland sunflower	no	no	no
greenbrier	no	no	no
Canada lettuce	no	no	no
false boneset	no	no	no
chamomile	no	no	no
brackenfern	no	no	no
clover	no	no	no
Japanese barberry	yes	no	no
partridgeberry	no	no	no
bedstraw	no	no	no
tree groundpine	no	no	no
Solomon's seal	no	no	no
rose	no	no	no
skunk cabbage	no	no	no
common goldstar	no	no	no
arrowleaf tearthumb	no	no	no
Christmas fern	no	no	no
twinflower	no	no	no

Characteristics (cont)

species	Fall color	Bark	Fruit
royal fern	yes	no	no
Jack in the pulpit	yes	no	no
starflower	no	no	no
spotted geranium	no	no	no
Indian cucumber	no	no	no
Indianpipe	no	yes	no
sweetscented joepyeweed	no	no	no
sedge	no	no	no

Timber characteristics

Timber characteristics

species	cu.ft VC	bd.ft VC	tons/cord (tons/cord)	Timber value	GFC
chestnut oak	1.000	1.000	2.000	commercial	82
northern red oak	1.000	1.000	2.000	high value	80
red maple	1.000	1.000	2.000	commercial	79
scarlet oak	1.000	1.000	2.000	commercial	82
white oak	1.000	1.000	2.000	high value	78

Timber characteristics (cont)

species	Hard/Soft
chestnut oak	hardwood
northern red oak	hardwood
red maple	hardwood
scarlet oak	hardwood
white oak	hardwood

Sawlog prices

Sawlog prices

species	veneer ($/MBF)	grade 1 ($/MBF)	grade 2 ($/MBF)	grade 3 ($/MBF)	sub saw ($/MBF)
chestnut oak	0.00	0.00	0.00	0.00	0.00
northern red oak	0.00	0.00	0.00	0.00	0.00
red maple	0.00	0.00	0.00	0.00	0.00
scarlet oak	0.00	0.00	0.00	0.00	0.00
white oak	0.00	0.00	0.00	0.00	0.00

Pulpwood prices

Pulpwood prices

species	whole pulp ($/100 cu.ft)	chip pulp ($/100 cu.ft)	bolt ($/100 cu.ft)	firewood ($/100 cu.ft)	local bulk ($/100 cu.ft)
chestnut oak	0.00	0.00	0.00	0.00	0.00
northern red oak	0.00	0.00	0.00	0.00	0.00
red maple	0.00	0.00	0.00	0.00	0.00
scarlet oak	0.00	0.00	0.00	0.00	0.00
white oak	0.00	0.00	0.00	0.00	0.00

Generated: 07/30/2013 09:38
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Stratified Stands\GroundCover\Entire Management Unit\WMA Entire Ground.mdb

Table Wizard for Comparing Stands

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are 'Stems Per Unit Area' (stems per acre). Round to the nearest integer. The table columns are 'Species (Common Name)'.

stands	Pennsylvania sedge	hayscented fern	Canada mayflower	mannagrass	partridgeberry
stand 1G	4950	0	0	1650	0
Stand 2G	3723	385	831	1692	269
Stand 3G	3000	0	0	0	0
Stand 4G	2000	0	250	0	0
Stand 5G	3000	2000	9000	0	1000
Stand 6G	3000	0	0	0	0
Stand 7G	9900	0	50	0	0
Stand 8G	5213	0	1025	0	1675
Stand 9G	6600	0	400	333	833
Stand 10G	700	0	1500	0	0
Stand 11G	4950	1250	2500	0	2500
Stand 12G	7000	100	0	500	0
Stand 13G	0	0	0	1200	0
Stand 14G	0	0	0	0	0
Stand 15G	3500	0	2500	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	3025	167	175	183	83
Stand 19G	0	0	1500	0	0
Stand 20 G	4000	0	0	0	0
Stand 21G	2286	1000	629	243	0
Stand 22G	333	0	400	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	1500	0	0	2750	0
Stand 26G	1250	3500	0	2500	1000
Stand 27G	5325	775	225	0	1238
Stand 28G	5133	833	0	0	0
Stand 29G	500	1000	1500	0	0
Stand 30G	1682	1964	836	455	0

Stand 31G	0	3300	0	0	0
Stand 32G	4000	0	0	0	0
Stand 33G	0	0	250	0	2475

stands	wild sarsaparilla	mapleleaf viburnum	sedge	Virginia creeper	deer tongue
stand 1G	33	33	0	0	200
Stand 2G	23	162	0	438	38
Stand 3G	0	0	0	1000	0
Stand 4G	0	1050	250	200	0
Stand 5G	0	0	0	0	0
Stand 6G	1300	0	0	0	0
Stand 7G	700	600	0	0	0
Stand 8G	375	738	0	0	200
Stand 9G	133	433	0	83	0
Stand 10G	100	650	0	0	0
Stand 11G	100	300	0	50	0
Stand 12G	550	1600	0	0	750
Stand 13G	100	200	5000	0	300
Stand 14G	1050	850	0	0	0
Stand 15G	300	600	0	0	0
Stand 16	300	0	0	0	0
Stand 17G	0	0	9900	0	300
Stand 18G	1042	783	0	92	775
Stand 19G	0	0	5000	0	0
Stand 20 G	300	1400	0	0	0
Stand 21G	129	29	0	114	257
Stand 22G	67	700	0	0	0
Stand 23	500	0	7000	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	150	0	1000
Stand 27G	425	263	0	488	0
Stand 28G	1267	767	0	133	233
Stand 29G	200	0	0	100	0
Stand 30G	682	55	182	55	45
Stand 31G	667	0	0	0	0
Stand 32G	0	0	0	600	200
Stand 33G	50	25	0	0	0

stands	eastern woodland sedge	striped prince's pine	feathery false lily of the vally	aster	common cinquefoil
stand 1G	1000	0	17	0	0

Stand 2G	0	62	138	154	185
Stand 3G	0	0	0	700	0
Stand 4G	0	0	150	200	0
Stand 5G	0	0	0	400	0
Stand 6G	0	0	300	0	0
Stand 7G	0	600	0	0	0
Stand 8G	0	63	88	288	213
Stand 9G	333	50	0	0	333
Stand 10G	0	700	0	200	0
Stand 11G	850	200	750	50	0
Stand 12G	0	50	300	200	400
Stand 13G	0	0	0	400	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	1000	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	442	375	167	233
Stand 19G	0	0	0	400	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	14	43	114	0
Stand 22G	0	233	100	0	0
Stand 23	0	0	300	0	0
Stand 24G	0	250	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	250	0
Stand 27G	1238	0	75	0	25
Stand 28G	0	33	100	167	0
Stand 29G	0	0	400	0	0
Stand 30G	0	36	109	64	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	75	0	0	0

stands	eastern poison ivy	cinnamon fern	violet	goldenrod	garlic mustard
stand 1G	0	117	0	0	0
Stand 2G	15	131	192	115	362
Stand 3G	500	200	0	100	0
Stand 4G	0	0	0	50	0
Stand 5G	0	1000	1500	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0

Stand 8G	38	100	0	0	0
Stand 9G	167	0	133	17	0
Stand 10G	0	0	0	0	0
Stand 11G	250	150	0	100	0
Stand 12G	200	0	0	0	0
Stand 13G	900	400	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	500	200	0
Stand 18G	0	100	0	275	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	43	29	0	0
Stand 22G	0	0	0	67	0
Stand 23	0	0	0	1000	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	500
Stand 27G	225	0	0	0	0
Stand 28G	0	333	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	182	264	227	45	0
Stand 31G	600	0	0	0	0
Stand 32G	200	0	0	100	0
Stand 33G	0	0	0	0	0

stands	star flower	per foliate bellwort	sensitive fern	unidentified Plant	Christmas fern
stand 1G	0	33	0	100	0
Stand 2G	0	0	0	15	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	750
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	150	100	0	0	0
Stand 8G	50	138	0	0	0
Stand 9G	100	317	0	0	100
Stand 10G	50	0	0	0	0
Stand 11G	100	0	1000	0	0
Stand 12G	0	100	0	0	0
Stand 13G	0	0	300	0	0

Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	125	8	0	167	0
Stand 19G	0	0	1200	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	29	186	0
Stand 22G	333	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	50	25	0	0	50
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	109	27	136
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	50	0	0

stands	jewelweed	Virginia strawberry	arrowleaf tearthumb	bedstraw	skunk cabbage
stand 1G	0	167	0	0	0
Stand 2G	92	0	0	23	0
Stand 3G	800	0	0	0	1400
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	500
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	38	0	0	125	0
Stand 9G	0	167	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	250
Stand 12G	0	0	0	0	0
Stand 13G	800	0	5000	0	800
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	500	0	0	0	500
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0

Stand 20 G	0	0	0	0	0
Stand 21G	0	214	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	1200	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	38	0	0	0
Stand 28G	0	0	0	67	0
Stand 29G	0	0	0	0	0
Stand 30G	9	0	0	82	18
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	blackberry	Jack in the pulpit	deerberry	yarrow	common goldstar
stand 1G	0	0	0	50	0
Stand 2G	31	0	31	46	0
Stand 3G	0	0	0	0	300
Stand 4G	100	0	0	0	0
Stand 5G	0	300	0	0	500
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	88	0	0	0	0
Stand 9G	0	0	33	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	150	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	83	0	0	100	50
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	71	0	0	43
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	500

Stand 26G	0	0	0	0	500
Stand 27G	0	0	163	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	182	0	0	0
Stand 31G	200	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	75	0	0

stands	American hogpeanut	Indianpipe	wild yam	bristly buttercup	royal fern
stand 1G	0	0	0	0	0
Stand 2G	0	0	38	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	500
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	217	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	650
Stand 12G	250	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	200	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	2000	0
Stand 18G	125	0	33	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	71	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	100	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0

Stand 33G	0	0	0	0	0

stands	tree groundpine	switchgrass	common sheep sorrel	woodland sunflower	Japanese barberry
stand 1G	0	0	0	0	0
Stand 2G	77	77	77	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	1000
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	2500	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	13
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	45
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	Solomon's seal	ragweed	Indian cucumber	interrupted fern	northern bugleweed
stand 1G	0	50	0	0	0
Stand 2G	8	46	0	0	0
Stand 3G	0	0	0	0	0

Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	63	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	1000	0
Stand 18G	67	0	0	0	0
Stand 19G	0	0	0	0	700
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	33	0	0	0	0
Stand 29G	0	0	200	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	sweetscented joepyeweed	false boneset	saxifrage	twinflower	clover
stand 1G	0	0	0	0	0
Stand 2G	0	0	15	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	67	0	0	0	0

Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	42
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	1200	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	100	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	45	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	spotted geranium	panicledleaf ticktrefoil	wild bergamot	netted chainfern	greenbrier
stand 1G	0	0	0	0	0
Stand 2G	0	0	23	23	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	13	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0

Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	8	33	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	29	0	0	0	0
Stand 22G	0	0	0	0	0
Stand 23	0	0	0	0	200
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	13	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	100
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	chamomile	monk shood	common mullein	Canada lettuce	rose
stand 1G	0	0	17	0	0
Stand 2G	0	0	0	0	8
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	500	0	0	0
Stand 14G	0	0	0	0	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	0	0	0	0
Stand 19G	0	0	0	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0

Stand 22G	0	0	0	0	0
Stand 23	800	0	200	300	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0
Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	0	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

stands	brackenfern	Queen Anne's lace	swamp smartweed	pointedleaf ticktrefoil	downy rattlesnake plantain
stand 1G	0	0	0	0	0
Stand 2G	0	0	0	0	0
Stand 3G	0	0	0	0	0
Stand 4G	0	0	0	0	0
Stand 5G	0	0	0	0	0
Stand 6G	0	0	0	0	0
Stand 7G	0	0	0	0	0
Stand 8G	0	0	0	0	0
Stand 9G	0	0	0	0	0
Stand 10G	0	0	0	0	0
Stand 11G	0	0	0	0	0
Stand 12G	0	0	0	0	0
Stand 13G	0	0	0	0	0
Stand 14G	0	0	0	100	0
Stand 15G	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 17G	0	0	0	0	0
Stand 18G	0	8	0	0	0
Stand 19G	0	0	100	0	0
Stand 20 G	0	0	0	0	0
Stand 21G	0	0	0	0	0
Stand 22G	0	0	0	0	33
Stand 23	0	0	0	0	0
Stand 24G	0	0	0	0	0
Stand 25G	0	0	0	0	0
Stand 26G	0	0	0	0	0
Stand 27G	0	0	0	0	0

Stand 28G	0	0	0	0	0
Stand 29G	0	0	0	0	0
Stand 30G	9	0	0	0	0
Stand 31G	0	0	0	0	0
Stand 32G	0	0	0	0	0
Stand 33G	0	0	0	0	0

Generated: 07/29/2013 16:12
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Size Class

This report is for inventory data.

Report options: The cell values are 'Aboveground Biomass' (pounds). Display one place after the decimal point. The values come from tree observations. The values are totaled for the stand by multiplying per area values by the stand area. The tree observations include Crop, AGS. Only live trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 2. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Stand 33

Stand 33

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	357,972.3	135,953.6	0.0	144,997.7	0.0
>4.00 and <=6.00	489,230.9	0.0	0.0	0.0	246,958.4
>6.00 and <=8.00	754,536.3	208,135.5	300,478.9	0.0	0.0
>8.00 and <=10.00	1,058,232.0	343,966.2	114,655.4	0.0	296,469.0
>10.00 and <=12.00	2,750,566.6	726,201.1	859,504.2	0.0	104,963.0
>12.00 and <=14.00	1,960,961.2	530,766.3	1,040,523.8	0.0	0.0
>14.00 and <=16.00	1,622,065.4	1,246,082.8	273,453.4	0.0	0.0
>16.00 and <=18.00	1,443,042.7	436,716.2	584,706.7	0.0	125,638.8
>18.00 and <=20.00	306,423.8	154,918.0	0.0	151,505.8	0.0
>20.00 and <=22.00	797,631.6	481,161.9	316,469.7	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	11,540,662.6	4,263,901.5	3,489,792.1	296,503.6	774,029.1

Stand 33 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	157,415.5	84,856.9	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	104,067.8	141,854.1	0.0
>8.00 and <=10.00	0.0	114,655.4	109,528.4	0.0	0.0
>10.00 and <=12.00	108,351.0	372,302.8	243,600.7	0.0	0.0
>12.00 and <=14.00	0.0	261,181.4	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	102,529.1	0.0
>16.00 and <=18.00	0.0	0.0	147,990.5	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	265,766.5	832,996.5	605,187.4	244,383.2	0.0

Stand 33 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	78,957.6	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	147,990.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	147,990.5	78,957.6	0.0	0.0	0.0

Stand 33 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	77,021.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	243,600.7	0.0	0.0	0.0
>12.00 and <=14.00	0.0	128,489.8	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	449,111.5	0.0	0.0	0.0

Stand 33 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	92,043.1	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	92,043.1	0.0	0.0

Stand 33 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0

>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 32

Stand 32

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,372,584.0	203,780.6	149,657.8	0.0	295,719.2
>4.00 and <=6.00	1,513,239.5	129,083.1	129,083.1	248,341.5	339,462.8
>6.00 and <=8.00	1,361,250.9	361,524.1	0.0	0.0	187,612.5
>8.00 and <=10.00	2,127,918.7	717,912.4	153,931.8	161,137.3	630,365.0
>10.00 and <=12.00	2,220,838.0	591,043.1	516,769.9	0.0	373,550.3
>12.00 and <=14.00	2,236,980.2	1,375,020.2	93,242.7	0.0	156,792.8
>14.00 and <=16.00	3,240,887.4	771,356.2	483,121.6	192,156.4	167,171.8
>16.00 and <=18.00	1,291,637.1	517,417.5	509,770.0	0.0	86,463.4
>18.00 and <=20.00	1,284,755.8	858,901.6	425,854.2	0.0	0.0
>20.00 and <=22.00	764,419.0	111,192.1	558,229.1	0.0	0.0
>22.00 and <=24.00	1,577,553.3	235,658.9	929,691.1	0.0	0.0
>24.00 and <=26.00	487,986.2	365,989.7	0.0	0.0	0.0
>26.00 and <=28.00	125,986.0	125,986.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	19,869,393.4	6,628,222.6	3,949,351.2	601,635.3	2,237,137.9

Stand 32 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	210,542.7	47,767.5	0.0	38,025.5	0.0
>4.00 and <=6.00	228,846.5	0.0	64,541.6	42,357.5	0.0
>6.00 and <=8.00	381,473.8	0.0	0.0	106,329.2	0.0
>8.00 and <=10.00	0.0	0.0	157,534.5	0.0	0.0
>10.00 and <=12.00	0.0	174,412.1	87,206.1	126,693.2	0.0
>12.00 and <=14.00	0.0	180,580.3	183,532.9	67,231.1	0.0
>14.00 and <=16.00	0.0	395,234.7	96,078.2	220,709.7	197,617.3
>16.00 and <=18.00	0.0	0.0	0.0	76,542.2	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	94,997.9	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	231,344.1	0.0	0.0
>24.00 and <=26.00	0.0	0.0	121,996.6	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	915,860.9	797,994.5	942,233.9	677,888.4	197,617.3

Stand 32 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	108,245.7	35,694.2	0.0	0.0	0.0
>4.00 and <=6.00	0.0	213,293.2	118,230.2	0.0	0.0
>6.00 and <=8.00	146,257.4	46,730.0	131,323.8	0.0	0.0
>8.00 and <=10.00	80,568.7	110,967.5	0.0	0.0	59,221.4
>10.00 and <=12.00	174,412.1	176,751.1	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	180,580.3	0.0
>14.00 and <=16.00	194,886.9	0.0	0.0	389,773.8	0.0
>16.00 and <=18.00	101,444.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	180,859.3
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	805,814.9	583,436.0	249,554.0	570,354.1	240,080.7

Stand 32 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	245,125.4	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	132,780.8
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	245,125.4	0.0	132,780.8

Stand 32 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	38,025.5	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	56,280.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	56,280.1	38,025.5	0.0	0.0	0.0

Stand 32 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0

>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 31

Stand 31

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	380,180.2	0.0	269,281.5	0.0	0.0
>4.00 and <=6.00	793,023.3	0.0	164,082.8	0.0	0.0
>6.00 and <=8.00	526,932.7	187,825.2	91,190.9	0.0	0.0
>8.00 and <=10.00	745,055.9	212,931.5	101,704.9	0.0	90,580.1
>10.00 and <=12.00	634,045.6	115,236.6	226,200.7	0.0	100,611.6
>12.00 and <=14.00	937,699.2	238,624.0	616,068.0	0.0	0.0
>14.00 and <=16.00	1,470,322.0	518,666.3	776,195.4	0.0	0.0
>16.00 and <=18.00	793,657.7	137,419.8	271,471.0	0.0	0.0
>18.00 and <=20.00	703,419.9	422,051.9	281,368.0	0.0	0.0
>20.00 and <=22.00	299,860.8	299,860.8	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	797,882.4	319,697.4	158,487.6	158,487.6	0.0
>26.00 and <=28.00	330,354.7	330,354.7	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,412,434.4	2,782,668.1	2,956,050.7	158,487.6	191,191.7

Stand 31 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	60,650.7	0.0	0.0	0.0	0.0
>4.00 and <=6.00	229,318.5	0.0	0.0	117,103.0	0.0
>6.00 and <=8.00	247,916.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	188,264.7	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	115,236.6	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	116,664.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	842,815.1	115,236.6	0.0	117,103.0	0.0

Stand 31 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	170,574.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	73,317.8	0.0	0.0	0.0
>10.00 and <=12.00	0.0	76,760.2	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	268,102.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	438,676.5	150,077.9	0.0	0.0	0.0

Stand 31 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	50,247.9	0.0	0.0
>4.00 and <=6.00	0.0	0.0	55,972.5	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	83,007.3
>14.00 and <=16.00	0.0	0.0	0.0	0.0	175,460.4
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	161,209.7	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	161,209.7	0.0	106,220.4	0.0	258,467.7

Stand 31 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	55,972.5	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	78,256.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	134,229.3	0.0	0.0

Stand 31 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0

>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 30

Stand 30

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,511,656.5	0.0	0.0	259,092.1	390,771.9
>4.00 and <=6.00	1,965,692.9	85,287.1	170,574.1	255,861.2	453,606.5
>6.00 and <=8.00	3,626,648.1	773,074.8	279,016.1	91,190.9	764,393.0
>8.00 and <=10.00	3,758,353.6	314,636.4	832,682.6	208,170.6	278,844.9
>10.00 and <=12.00	5,854,405.9	682,874.5	1,143,820.8	226,200.7	389,862.5
>12.00 and <=14.00	6,449,876.2	485,051.1	2,548,469.3	485,051.1	627,253.7
>14.00 and <=16.00	6,533,803.5	899,547.8	1,809,919.9	645,626.8	873,212.4
>16.00 and <=18.00	3,204,672.7	814,412.9	1,082,515.3	137,419.8	116,664.6
>18.00 and <=20.00	3,070,204.2	569,072.7	994,293.1	428,388.7	242,479.5
>20.00 and <=22.00	2,152,743.0	296,862.8	590,727.5	296,862.8	125,532.9
>22.00 and <=24.00	423,155.3	0.0	155,703.2	0.0	0.0
>24.00 and <=26.00	1,210,440.8	158,487.6	0.0	316,975.3	266,855.3
>26.00 and <=28.00	240,713.9	0.0	0.0	0.0	0.0

>28.00 and <=30.00	169,037.5	0.0	169,037.5	0.0	0.0
>30.00 and <=32.00	176,419.2	0.0	176,419.2	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	40,347,823.3	5,079,307.7	9,953,178.6	3,350,839.9	4,529,477.0

Stand 30 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	187,040.4	0.0	0.0	0.0	0.0
>4.00 and <=6.00	156,232.7	0.0	0.0	111,944.9	0.0
>6.00 and <=8.00	334,684.1	0.0	0.0	201,974.9	0.0
>8.00 and <=10.00	554,137.5	0.0	101,704.9	0.0	0.0
>10.00 and <=12.00	993,532.1	0.0	456,673.8	423,821.8	110,964.1
>12.00 and <=14.00	630,095.0	0.0	0.0	88,841.1	246,427.2
>14.00 and <=16.00	548,360.2	0.0	388,097.7	95,205.6	0.0
>16.00 and <=18.00	0.0	0.0	137,419.8	0.0	134,051.2
>18.00 and <=20.00	121,239.8	0.0	143,852.4	106,733.2	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	155,703.2
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,525,321.8	0.0	1,227,748.6	1,028,521.5	647,145.7

Stand 30 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	63,121.3	500,540.2	67,367.6	0.0	0.0
>4.00 and <=6.00	0.0	659,100.7	73,085.8	0.0	0.0
>6.00 and <=8.00	0.0	942,654.8	169,406.4	0.0	0.0

>8.00 and <=10.00	0.0	1,001,067.2	467,109.6	0.0	0.0
>10.00 and <=12.00	0.0	780,735.8	295,542.8	0.0	0.0
>12.00 and <=14.00	0.0	936,219.7	313,626.9	0.0	88,841.1
>14.00 and <=16.00	0.0	718,592.1	330,057.1	126,960.5	0.0
>16.00 and <=18.00	0.0	475,920.0	0.0	0.0	205,124.2
>18.00 and <=20.00	0.0	202,221.1	121,239.8	140,684.0	0.0
>20.00 and <=22.00	0.0	316,747.5	0.0	296,862.8	229,146.7
>22.00 and <=24.00	0.0	111,748.9	0.0	0.0	0.0
>24.00 and <=26.00	0.0	346,244.3	0.0	0.0	121,878.3
>26.00 and <=28.00	0.0	240,713.9	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	63,121.3	7,232,506.1	1,837,436.0	564,507.3	644,990.3

Stand 30 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	70,253.2	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	110,964.1	0.0	0.0	170,937.1	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	101,145.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	110,964.1	0.0	0.0	342,335.4	0.0

Stand 30 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	43,723.1	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	98,223.3	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	43,723.1	0.0	98,223.3	0.0

Stand 30 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	68,475.7	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	68,475.7	0.0

Stand 30 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 29

Stand 29

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	153,554.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	134,216.4	0.0	0.0	0.0	73,085.8
>6.00 and <=8.00	483,447.9	0.0	0.0	0.0	86,767.5
>8.00 and <=10.00	195,837.3	0.0	0.0	101,704.9	0.0
>10.00 and <=12.00	768,135.6	0.0	115,236.6	0.0	194,931.2
>12.00 and <=14.00	106,436.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	844,310.5	126,960.5	0.0	0.0	218,303.1
>16.00 and <=18.00	560,254.7	134,051.2	0.0	0.0	114,255.2
>18.00 and <=20.00	490,815.8	143,852.4	0.0	0.0	121,239.8
>20.00 and <=22.00	235,443.9	0.0	0.0	0.0	123,418.8

>22.00 and <=24.00	535,612.8	0.0	152,852.3	0.0	127,586.8
>24.00 and <=26.00	264,958.3	0.0	0.0	0.0	264,958.3
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	138,854.7	0.0	0.0	0.0	138,854.7
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	147,157.3	0.0	0.0	0.0	147,157.3
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,059,036.4	404,864.1	268,088.9	101,704.9	1,610,558.5

Stand 29 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	70,253.2	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	81,947.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	109,151.6	0.0	0.0	95,205.6	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	109,151.6	0.0	0.0	247,406.3	0.0

Stand 29 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	67,367.6	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	256,173.9	0.0	0.0
>8.00 and <=10.00	0.0	0.0	94,132.4	0.0	0.0
>10.00 and <=12.00	0.0	0.0	295,542.8	0.0	0.0
>12.00 and <=14.00	0.0	0.0	106,436.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	111,754.0	0.0	95,205.6
>16.00 and <=18.00	0.0	0.0	116,664.6	0.0	101,145.0
>18.00 and <=20.00	0.0	0.0	118,990.4	0.0	106,733.2
>20.00 and <=22.00	0.0	0.0	0.0	0.0	112,025.1
>22.00 and <=24.00	0.0	0.0	255,173.6	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	1,422,235.8	0.0	415,108.9

Stand 29 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	50,247.9	0.0
>4.00 and <=6.00	0.0	0.0	0.0	61,130.6	0.0
>6.00 and <=8.00	0.0	0.0	0.0	70,253.2	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	80,477.4
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	87,730.2
>16.00 and <=18.00	0.0	0.0	0.0	0.0	94,138.7
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	181,631.8	262,346.3

Stand 29 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	35,939.4	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	35,939.4	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 28

Stand 28

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	285,208.2	0.0	71,519.5	0.0	0.0
>4.00 and <=6.00	1,547,955.4	735,126.8	249,369.8	85,287.1	0.0
>6.00 and <=8.00	1,556,464.0	933,682.7	96,634.3	96,634.3	0.0
>8.00 and <=10.00	203,409.8	0.0	101,704.9	0.0	0.0
>10.00 and <=12.00	1,062,759.4	115,236.6	563,365.5	0.0	198,077.2
>12.00 and <=14.00	710,799.6	242,525.6	119,312.0	123,213.6	0.0

>14.00 and <=16.00	479,440.3	130,568.6	130,568.6	0.0	0.0
>16.00 and <=18.00	389,094.7	0.0	137,419.8	137,419.8	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	417,283.5	146,932.4	0.0	146,932.4	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,774,293.1	2,304,072.5	1,469,894.3	589,487.1	198,077.2

Stand 28 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	87,446.1	0.0
>4.00 and <=6.00	146,171.6	0.0	0.0	111,944.9	0.0
>6.00 and <=8.00	82,638.9	0.0	0.0	281,012.9	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	100,611.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	109,151.6	0.0	0.0	0.0	0.0
>16.00 and <=18.00	114,255.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	123,418.8	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	676,247.5	0.0	0.0	480,403.9	0.0

Stand 28 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	126,242.6	0.0	0.0	0.0	0.0
>4.00 and <=6.00	164,082.8	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	101,704.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	119,312.0	0.0	106,436.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	109,151.6	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	511,342.2	0.0	215,588.0	0.0	121,878.3

Stand 28 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	55,972.5	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	55,972.5	0.0	0.0

Stand 28 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	65,860.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	85,468.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	151,329.4	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 27

Stand 27

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	821,995.2	63,121.3	71,519.5	71,519.5	180,323.5
>4.00 and <=6.00	1,447,958.2	315,182.9	170,574.1	85,287.1	224,287.9

>6.00 and <=8.00	2,090,445.1	96,634.3	289,903.0	96,634.3	338,812.7
>8.00 and <=10.00	2,080,181.8	0.0	0.0	212,931.5	376,529.5
>10.00 and <=12.00	3,147,846.0	110,964.1	682,874.5	456,673.8	198,077.2
>12.00 and <=14.00	2,633,691.6	361,837.5	1,097,217.5	119,312.0	210,031.7
>14.00 and <=16.00	3,285,651.3	515,058.2	1,030,116.4	391,705.8	111,754.0
>16.00 and <=18.00	3,697,735.5	546,310.5	1,085,883.9	542,941.9	690,349.9
>18.00 and <=20.00	2,481,600.6	709,756.7	281,368.0	281,368.0	725,189.2
>20.00 and <=22.00	1,580,935.7	893,586.4	299,860.8	149,930.4	125,532.9
>22.00 and <=24.00	617,111.1	617,111.1	0.0	0.0	0.0
>24.00 and <=26.00	319,697.4	0.0	161,209.7	158,487.6	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	24,204,849.3	4,229,563.0	5,170,527.4	2,566,791.9	3,180,888.5

Stand 27 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	52,305.2	0.0	0.0	43,723.1	0.0
>4.00 and <=6.00	78,116.4	0.0	0.0	0.0	0.0
>6.00 and <=8.00	342,941.4	96,634.3	0.0	342,481.4	0.0
>8.00 and <=10.00	644,717.6	0.0	0.0	457,880.9	0.0
>10.00 and <=12.00	499,912.0	0.0	0.0	420,300.7	0.0
>12.00 and <=14.00	425,745.8	0.0	119,312.0	180,923.2	0.0
>14.00 and <=16.00	111,754.0	0.0	130,568.6	190,411.2	518,666.3
>16.00 and <=18.00	114,255.2	0.0	137,419.8	0.0	137,419.8
>18.00 and <=20.00	0.0	0.0	0.0	109,413.4	0.0
>20.00 and <=22.00	0.0	0.0	0.0	112,025.1	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,269,747.6	96,634.3	387,300.3	1,857,158.9	656,086.0

Stand 27 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	78,795.7	0.0	78,116.4	0.0	0.0
>6.00 and <=8.00	193,268.7	0.0	86,767.5	0.0	0.0
>8.00 and <=10.00	203,409.8	0.0	184,712.5	0.0	0.0
>10.00 and <=12.00	115,236.6	0.0	499,912.0	0.0	81,947.5
>12.00 and <=14.00	119,312.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	134,051.2	0.0	0.0	0.0	205,124.2
>18.00 and <=20.00	0.0	0.0	121,239.8	143,852.4	109,413.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	844,074.0	0.0	970,748.2	143,852.4	396,485.1

Stand 27 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	267,604.4	0.0	0.0
>4.00 and <=6.00	0.0	0.0	295,336.6	0.0	0.0
>6.00 and <=8.00	0.0	0.0	65,860.8	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	95,205.6	0.0

>16.00 and <=18.00	0.0	0.0	0.0	103,979.2	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	628,801.9	199,184.8	0.0

Stand 27 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	71,878.7	0.0	0.0
>4.00 and <=6.00	122,261.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	70,253.2	70,253.2	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	81,947.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	190,411.2	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	394,619.8	70,253.2	142,132.0	0.0	0.0

Stand 27 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 26

Stand 26

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	52,931.8	0.0	0.0	0.0	0.0
>4.00 and <=6.00	85,287.1	0.0	85,287.1	0.0	0.0
>6.00 and <=8.00	397,762.4	0.0	0.0	96,634.3	86,767.5
>8.00 and <=10.00	528,572.2	0.0	101,704.9	0.0	184,712.5
>10.00 and <=12.00	1,117,962.8	226,200.7	448,128.9	0.0	0.0
>12.00 and <=14.00	725,822.0	123,213.6	246,427.2	0.0	0.0
>14.00 and <=16.00	974,467.9	130,568.6	518,666.3	0.0	0.0
>16.00 and <=18.00	372,081.7	0.0	134,051.2	0.0	0.0
>18.00 and <=20.00	521,914.2	0.0	140,684.0	0.0	0.0
>20.00 and <=22.00	746,654.0	0.0	449,791.3	0.0	0.0
>22.00 and <=24.00	767,112.5	461,407.9	305,704.7	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,449,056.2	1,099,878.4	2,430,445.5	96,634.3	271,480.0

Stand 26 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	52,931.8	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	82,638.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	90,580.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	198,077.2	0.0	0.0	85,468.6	0.0
>12.00 and <=14.00	103,595.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	109,151.6	0.0	0.0	0.0	126,960.5
>16.00 and <=18.00	0.0	0.0	134,051.2	103,979.2	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	296,862.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	584,043.0	52,931.8	134,051.2	189,447.8	423,823.3

Stand 26 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	73,317.8	0.0	0.0	0.0
>10.00 and <=12.00	0.0	160,087.4	0.0	0.0	0.0
>12.00 and <=14.00	0.0	252,585.9	0.0	0.0	0.0
>14.00 and <=16.00	0.0	89,120.9	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	140,684.0	99,862.3	0.0	140,684.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	140,684.0	674,974.4	0.0	140,684.0	0.0

Stand 26 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	78,256.8	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	78,256.8	0.0

Stand 26 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	131,721.7	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	131,721.7	0.0	0.0	0.0

Stand 26 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 25

Stand 25

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	164,947.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	449,615.9	0.0	0.0	0.0	182,714.5
>6.00 and <=8.00	191,176.6	0.0	113,988.6	0.0	0.0
>8.00 and <=10.00	1,308,580.3	127,131.1	260,213.3	0.0	0.0
>10.00 and <=12.00	1,182,962.5	426,796.6	277,410.3	0.0	0.0
>12.00 and <=14.00	1,562,899.1	0.0	1,058,610.9	0.0	133,045.5
>14.00 and <=16.00	1,091,896.4	476,101.9	476,101.9	0.0	139,692.5
>16.00 and <=18.00	502,692.1	167,564.0	335,128.0	0.0	0.0
>18.00 and <=20.00	175,855.0	175,855.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	191,065.4	191,065.4	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	208,101.8	208,101.8	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,029,792.0	1,772,615.8	2,521,453.0	0.0	455,452.6

Stand 25 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	113,225.2	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	282,750.9	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	113,225.2	0.0	282,750.9	0.0	0.0

Stand 25 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	110,293.2	0.0	0.0	0.0
>4.00 and <=6.00	0.0	196,935.9	0.0	0.0	0.0
>6.00 and <=8.00	0.0	77,188.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	715,048.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	196,004.8	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	149,140.0	222,102.8
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	1,295,469.8	0.0	149,140.0	222,102.8

Stand 25 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	54,653.8	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	69,965.6	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	92,962.7	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	54,653.8	162,928.2	0.0

Stand 25 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0

Total	0.0	0.0

Stand 24

Stand 24

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	55,028.5	0.0	0.0	0.0	0.0
>4.00 and <=6.00	376,166.2	0.0	0.0	0.0	0.0
>6.00 and <=8.00	398,729.8	0.0	112,740.1	112,740.1	0.0
>8.00 and <=10.00	86,765.2	0.0	0.0	0.0	0.0
>10.00 and <=12.00	1,141,743.5	129,458.1	129,458.1	263,900.8	113,709.9
>12.00 and <=14.00	260,058.4	0.0	0.0	139,197.3	0.0
>14.00 and <=16.00	744,812.4	300,450.6	0.0	444,361.8	0.0
>16.00 and <=18.00	629,502.3	156,393.1	160,323.0	0.0	0.0
>18.00 and <=20.00	492,393.9	328,262.6	0.0	0.0	0.0
>20.00 and <=22.00	174,918.8	174,918.8	0.0	0.0	0.0
>22.00 and <=24.00	181,653.7	181,653.7	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,541,772.7	1,271,137.0	402,521.2	960,200.0	113,709.9

Stand 24 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	255,800.3	0.0	0.0	0.0	0.0
>6.00 and <=8.00	96,412.0	0.0	0.0	76,837.6	0.0
>8.00 and <=10.00	0.0	0.0	0.0	86,765.2	0.0
>10.00 and <=12.00	0.0	0.0	0.0	95,605.4	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	156,393.1	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	164,131.3
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	352,212.3	0.0	156,393.1	259,208.2	164,131.3

Stand 24 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	55,028.5	0.0	0.0	0.0
>4.00 and <=6.00	0.0	61,268.9	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	280,153.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	120,861.1	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	396,450.5	120,861.1	0.0	0.0

Stand 24 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	129,458.1	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	156,393.1	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	285,851.2	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	59,097.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	59,097.0

Stand 24 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0

>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 23

Stand 23

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	230,473.1	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	230,473.1	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	230,473.1
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	230,473.1

Stand 23 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0

>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 22

Stand 22

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	241,440.2	71,519.5	0.0	0.0	0.0
>4.00 and <=6.00	355,604.8	85,287.1	0.0	0.0	73,085.8
>6.00 and <=8.00	1,139,154.8	182,381.8	289,903.0	0.0	173,535.0
>8.00 and <=10.00	918,569.8	106,465.7	106,465.7	0.0	278,844.9
>10.00 and <=12.00	1,077,329.8	110,964.1	0.0	0.0	194,931.2
>12.00 and <=14.00	961,072.8	123,213.6	242,525.6	0.0	210,031.7
>14.00 and <=16.00	1,853,295.5	253,921.0	652,843.0	0.0	220,905.6
>16.00 and <=18.00	1,082,515.3	676,993.1	405,522.2	0.0	0.0
>18.00 and <=20.00	284,536.4	0.0	143,852.4	0.0	0.0
>20.00 and <=22.00	420,281.6	296,862.8	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,333,801.0	1,907,608.7	1,841,111.9	0.0	1,151,334.2

Stand 22 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	52,305.2	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	85,287.1	0.0	111,944.9	0.0
>6.00 and <=8.00	0.0	0.0	0.0	70,253.2	0.0
>8.00 and <=10.00	184,712.5	0.0	0.0	78,256.8	0.0
>10.00 and <=12.00	198,077.2	115,236.6	0.0	85,468.6	115,236.6
>12.00 and <=14.00	210,031.7	0.0	0.0	92,082.1	0.0
>14.00 and <=16.00	111,754.0	0.0	130,568.6	95,205.6	257,529.1
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	140,684.0
>20.00 and <=22.00	123,418.8	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	880,299.4	200,523.6	130,568.6	533,211.2	513,449.7

Stand 22 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	67,367.6	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	187,825.2	65,850.2	169,406.4	0.0	0.0
>8.00 and <=10.00	0.0	69,691.8	94,132.4	0.0	0.0
>10.00 and <=12.00	0.0	156,803.9	100,611.6	0.0	0.0
>12.00 and <=14.00	0.0	83,188.2	0.0	0.0	0.0
>14.00 and <=16.00	130,568.6	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	318,393.8	375,534.0	431,517.9	0.0	0.0

Stand 22 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	50,247.9	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	50,247.9	0.0	0.0

Stand 22 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0

>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 21

Stand 21

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	896,990.8	277,679.7	52,931.8	187,572.6	60,650.7
>4.00 and <=6.00	1,444,930.7	85,287.1	0.0	249,369.8	156,232.7
>6.00 and <=8.00	1,735,036.2	91,190.9	0.0	279,016.1	165,277.7
>8.00 and <=10.00	1,638,798.2	106,465.7	101,704.9	314,636.4	365,872.8
>10.00 and <=12.00	1,254,030.4	221,928.2	115,236.6	110,964.1	100,611.6
>12.00 and <=14.00	1,737,730.1	365,739.2	365,739.2	361,837.5	0.0
>14.00 and <=16.00	2,811,689.7	130,568.6	518,666.3	895,939.7	332,659.6
>16.00 and <=18.00	1,840,152.8	0.0	539,573.4	268,102.4	0.0
>18.00 and <=20.00	2,097,454.5	712,925.1	140,684.0	569,072.7	121,239.8
>20.00 and <=22.00	1,293,480.1	593,725.6	146,932.4	293,864.7	0.0
>22.00 and <=24.00	269,914.8	0.0	0.0	152,852.3	0.0
>24.00 and <=26.00	161,209.7	0.0	0.0	161,209.7	0.0
>26.00 and <=28.00	166,481.5	0.0	0.0	166,481.5	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17,347,899.5	2,585,510.0	1,981,468.5	4,010,919.7	1,302,544.9

Stand 21 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	134,735.2	52,931.8	0.0	0.0	0.0
>4.00 and <=6.00	458,637.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	499,961.8	182,381.8	0.0	65,860.8	96,634.3
>8.00 and <=10.00	275,292.6	0.0	0.0	74,370.1	101,704.9
>10.00 and <=12.00	298,688.8	0.0	0.0	85,468.6	0.0
>12.00 and <=14.00	210,031.7	0.0	123,213.6	0.0	119,312.0
>14.00 and <=16.00	436,606.2	0.0	130,568.6	0.0	126,960.5
>16.00 and <=18.00	0.0	137,419.8	274,839.5	103,979.2	137,419.8
>18.00 and <=20.00	121,239.8	0.0	0.0	109,413.4	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	146,932.4
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,435,193.1	372,733.4	528,621.7	439,092.1	728,963.9

Stand 21 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	63,121.3	0.0	67,367.6	0.0	0.0
>4.00 and <=6.00	170,574.1	0.0	146,171.6	0.0	0.0
>6.00 and <=8.00	187,825.2	0.0	0.0	0.0	0.0
>8.00 and <=10.00	101,704.9	0.0	90,580.1	0.0	0.0
>10.00 and <=12.00	0.0	76,760.2	0.0	0.0	81,947.5
>12.00 and <=14.00	0.0	0.0	106,436.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	109,151.6	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	103,979.2
>18.00 and <=20.00	0.0	0.0	0.0	0.0	216,146.6

>20.00 and <=22.00	0.0	0.0	0.0	0.0	112,025.1
>22.00 and <=24.00	0.0	0.0	0.0	0.0	117,062.5
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	523,225.5	76,760.2	519,707.3	0.0	631,160.9

Stand 21 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	117,103.0	61,555.3
>6.00 and <=8.00	96,634.3	0.0	70,253.2	0.0	0.0
>8.00 and <=10.00	106,465.7	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	81,947.5	0.0	80,477.4
>12.00 and <=14.00	0.0	0.0	0.0	0.0	85,420.5
>14.00 and <=16.00	0.0	130,568.6	0.0	0.0	0.0
>16.00 and <=18.00	274,839.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	477,939.6	130,568.6	152,200.7	117,103.0	227,453.2

Stand 21 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	106,733.2	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	106,733.2	0.0

Stand 21 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 20

Stand 20

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	260,188.5	0.0	0.0	0.0	60,650.7
>4.00 and <=6.00	453,852.5	0.0	0.0	0.0	229,318.5
>6.00 and <=8.00	513,957.3	0.0	0.0	0.0	82,638.9
>8.00 and <=10.00	293,990.0	101,704.9	0.0	0.0	90,580.1
>10.00 and <=12.00	539,514.5	0.0	115,236.6	0.0	100,611.6
>12.00 and <=14.00	342,219.2	0.0	238,624.0	0.0	0.0
>14.00 and <=16.00	130,568.6	0.0	130,568.6	0.0	0.0
>16.00 and <=18.00	546,310.5	412,259.3	0.0	0.0	0.0
>18.00 and <=20.00	281,368.0	140,684.0	0.0	0.0	0.0
>20.00 and <=22.00	146,932.4	146,932.4	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	161,209.7	161,209.7	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,670,111.0	962,790.2	484,429.1	0.0	563,799.8

Stand 20 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	128,018.3	0.0	0.0	0.0	0.0
>4.00 and <=6.00	78,116.4	0.0	0.0	0.0	0.0
>6.00 and <=8.00	334,684.1	96,634.3	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	97,465.6	110,964.1	115,236.6	0.0	0.0
>12.00 and <=14.00	103,595.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	134,051.2	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	741,879.6	207,598.5	249,287.8	0.0	0.0

Stand 20 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	101,704.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	101,704.9	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	71,519.5	0.0	0.0	0.0
>4.00 and <=6.00	85,287.1	0.0	61,130.6	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	140,684.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	225,971.0	71,519.5	61,130.6	0.0	0.0

Stand 20 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	Norway maple	American witchhazel

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 19

Stand 19

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	184,888.7	134,640.8	0.0	0.0	0.0
>4.00 and <=6.00	524,166.3	170,574.1	85,287.1	0.0	151,202.2
>6.00 and <=8.00	65,860.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	203,409.8	0.0	203,409.8	0.0	0.0
>10.00 and <=12.00	660,831.1	0.0	452,401.4	0.0	0.0
>12.00 and <=14.00	731,478.3	0.0	488,952.8	0.0	0.0
>14.00 and <=16.00	130,568.6	0.0	130,568.6	0.0	0.0
>16.00 and <=18.00	137,419.8	137,419.8	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,779,307.5	442,634.6	1,360,619.6	0.0	151,202.2

Stand 19 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	117,103.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	65,860.8	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	97,465.6	0.0	110,964.1	0.0	0.0
>12.00 and <=14.00	0.0	0.0	119,312.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	97,465.6	0.0	230,276.1	182,963.9	0.0

Stand 19 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	140,684.0	0.0

Stand 19 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	123,213.6	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	123,213.6	0.0	0.0	0.0

Stand 19 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	50,247.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	50,247.9	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 18

Stand 18

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,601,858.9	643,778.6	214,592.9	0.0	73,101.0
>4.00 and <=6.00	2,765,716.4	996,869.4	171,003.5	0.0	328,140.8
>6.00 and <=8.00	3,320,578.8	1,123,910.3	302,762.2	0.0	641,143.7
>8.00 and <=10.00	5,764,329.9	1,812,264.3	562,135.2	0.0	1,002,163.6
>10.00 and <=12.00	5,473,674.3	2,102,566.6	861,399.4	245,451.8	429,869.7
>12.00 and <=14.00	3,742,745.9	1,311,596.6	263,166.0	263,166.0	343,401.6

>14.00 and <=16.00	4,403,740.0	980,020.2	1,259,466.7	275,531.3	360,971.1
>16.00 and <=18.00	3,163,690.0	1,029,184.5	1,032,839.7	0.0	0.0
>18.00 and <=20.00	2,371,800.3	624,380.6	461,409.3	152,657.1	131,558.0
>20.00 and <=22.00	1,604,132.1	959,876.7	322,127.7	0.0	0.0
>22.00 and <=24.00	292,886.3	0.0	0.0	0.0	0.0
>24.00 and <=26.00	346,905.7	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	35,167,143.3	11,762,267.6	5,450,902.5	936,806.3	3,310,349.5

Stand 18 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	146,099.5	0.0	0.0	0.0
>4.00 and <=6.00	248,835.0	448,640.0	0.0	60,736.1	0.0
>6.00 and <=8.00	183,823.9	0.0	0.0	71,466.0	413,527.4
>8.00 and <=10.00	306,430.9	456,940.6	225,887.3	80,699.5	562,135.2
>10.00 and <=12.00	327,522.9	495,539.7	120,407.9	181,664.2	0.0
>12.00 and <=14.00	337,235.5	129,466.2	129,466.2	96,402.0	0.0
>14.00 and <=16.00	360,971.1	137,765.7	141,680.8	0.0	275,531.3
>16.00 and <=18.00	250,572.5	0.0	443,689.9	112,828.5	149,115.0
>18.00 and <=20.00	0.0	0.0	305,314.2	115,816.9	308,752.2
>20.00 and <=22.00	0.0	0.0	322,127.7	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	165,861.0
>24.00 and <=26.00	0.0	0.0	174,929.7	0.0	171,975.9
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	2,015,391.7	1,814,451.7	1,863,503.7	856,878.1	2,046,898.2

Stand 18 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	146,099.5	0.0	0.0	0.0	0.0
>4.00 and <=6.00	85,501.7	0.0	79,305.9	0.0	0.0
>6.00 and <=8.00	407,620.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	572,467.2	0.0	98,289.1	0.0	0.0
>10.00 and <=12.00	370,495.7	0.0	218,348.6	120,407.9	0.0
>12.00 and <=14.00	129,466.2	0.0	112,411.8	401,099.6	96,402.0
>14.00 and <=16.00	275,531.3	0.0	0.0	137,765.7	103,308.2
>16.00 and <=18.00	0.0	0.0	0.0	145,459.8	0.0
>18.00 and <=20.00	0.0	0.0	0.0	156,095.1	115,816.9
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	127,025.2
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,987,182.5	0.0	508,355.3	960,828.1	442,552.4

Stand 18 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	378,187.4	0.0	0.0
>4.00 and <=6.00	92,545.5	0.0	254,138.5	0.0	0.0
>6.00 and <=8.00	104,858.5	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	84,917.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	129,466.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	95,196.6
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	326,870.3	0.0	717,242.8	0.0	95,196.6

Stand 18 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	71,466.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	71,466.0	0.0	0.0	0.0

Stand 18 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 17

Stand 17

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	43,723.1	0.0	0.0	0.0	0.0
>4.00 and <=6.00	337,967.9	0.0	0.0	0.0	0.0

>6.00 and <=8.00	235,267.2	0.0	0.0	0.0	82,638.9
>8.00 and <=10.00	365,872.8	0.0	0.0	0.0	275,292.6
>10.00 and <=12.00	97,465.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	207,190.4	0.0	0.0	0.0	103,595.2
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	137,419.8	137,419.8	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	146,932.4	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	158,487.6	0.0	0.0	0.0	0.0
>26.00 and <=28.00	166,481.5	0.0	0.0	0.0	0.0
>28.00 and <=30.00	340,581.6	340,581.6	0.0	0.0	0.0
>30.00 and <=32.00	137,329.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	198,529.3	198,529.3	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,573,248.1	676,530.7	0.0	0.0	461,526.7

Stand 17 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	122,261.1	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	158,487.6
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	122,261.1	158,487.6

Stand 17 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	57,333.9	73,085.8	0.0	0.0
>6.00 and <=8.00	0.0	0.0	86,767.5	0.0	0.0
>8.00 and <=10.00	0.0	0.0	90,580.1	0.0	0.0
>10.00 and <=12.00	0.0	0.0	97,465.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	103,595.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	137,329.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	57,333.9	451,494.3	0.0	137,329.0

Stand 17 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	43,723.1	0.0	0.0
>4.00 and <=6.00	0.0	85,287.1	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	146,932.4	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	166,481.5	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	398,700.9	43,723.1	0.0	0.0

Stand 17 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	65,860.8	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	65,860.8	0.0	0.0	0.0

Stand 17 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 16

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	314,964.3	71,519.5	63,121.3	0.0	112,955.9
>4.00 and <=6.00	85,287.1	85,287.1	0.0	0.0	0.0
>6.00 and <=8.00	284,459.6	284,459.6	0.0	0.0	0.0
>8.00 and <=10.00	522,807.0	106,465.7	314,636.4	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	242,525.6	0.0	119,312.0	0.0	0.0
>14.00 and <=16.00	257,529.1	0.0	257,529.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,707,572.6	547,731.8	754,598.7	0.0	112,955.9

Stand 16 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	67,367.6	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	101,704.9
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	123,213.6	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	67,367.6	0.0	123,213.6	0.0	101,704.9

Stand 16 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 15

Stand 15

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	63,121.3	0.0	0.0	0.0	0.0
>4.00 and <=6.00	213,566.6	0.0	0.0	0.0	0.0
>6.00 and <=8.00	157,041.0	91,190.9	0.0	0.0	0.0
>8.00 and <=10.00	192,285.0	0.0	0.0	101,704.9	0.0
>10.00 and <=12.00	628,784.2	110,964.1	337,164.8	0.0	0.0
>12.00 and <=14.00	596,449.6	123,213.6	246,427.2	123,213.6	103,595.2
>14.00 and <=16.00	726,735.8	126,960.5	507,842.0	0.0	0.0
>16.00 and <=18.00	405,522.2	134,051.2	0.0	0.0	0.0
>18.00 and <=20.00	390,781.3	140,684.0	140,684.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,521,219.5	727,064.3	1,379,050.4	224,918.5	103,595.2

Stand 15 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	78,116.4	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	100,611.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	271,471.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	178,728.0	0.0	0.0	0.0	271,471.0

Stand 15 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	63,121.3	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	57,333.9	78,116.4	0.0	0.0
>6.00 and <=8.00	0.0	65,850.2	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	90,580.1	0.0	0.0
>10.00 and <=12.00	0.0	80,043.7	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	91,933.3	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	109,413.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	63,121.3	295,161.0	168,696.5	0.0	109,413.4

Stand 15 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0

> 42.00	0.0	0.0
Total	0.0	0.0

Stand 14

Stand 14

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	63,121.3	0.0	0.0	63,121.3	0.0
>4.00 and <=6.00	156,232.7	0.0	0.0	0.0	78,116.4
>6.00 and <=8.00	344,550.9	96,634.3	0.0	0.0	165,277.7
>8.00 and <=10.00	392,883.1	0.0	208,170.6	0.0	90,580.1
>10.00 and <=12.00	345,709.7	115,236.6	0.0	230,473.1	0.0
>12.00 and <=14.00	361,837.5	238,624.0	123,213.6	0.0	0.0
>14.00 and <=16.00	884,341.3	642,018.7	130,568.6	0.0	0.0
>16.00 and <=18.00	254,084.3	137,419.8	0.0	0.0	116,664.6
>18.00 and <=20.00	284,536.4	0.0	284,536.4	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,087,297.4	1,229,933.3	746,489.2	293,594.4	450,638.8

Stand 14 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	78,116.4	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	94,132.4	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	111,754.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	284,002.8	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	82,638.9	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	82,638.9	0.0	0.0

Stand 14 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0

>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 13

Stand 13

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	195,970.8	52,931.8	0.0	0.0	0.0
>4.00 and <=6.00	78,795.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	284,459.6	187,825.2	0.0	0.0	0.0
>8.00 and <=10.00	309,875.6	101,704.9	0.0	0.0	0.0
>10.00 and <=12.00	110,964.1	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,099,377.7	342,462.0	0.0	0.0	0.0

Stand 13 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	143,038.9	0.0	0.0	0.0

>4.00 and <=6.00	0.0	78,795.7	0.0	0.0	0.0
>6.00 and <=8.00	0.0	96,634.3	0.0	0.0	0.0
>8.00 and <=10.00	0.0	208,170.6	0.0	0.0	0.0
>10.00 and <=12.00	0.0	110,964.1	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	756,915.7	0.0	0.0	0.0

Stand 13 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 12

Stand 12

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	237,314.5	0.0	0.0	0.0	0.0
>4.00 and <=6.00	401,588.3	0.0	0.0	94,554.9	0.0
>6.00 and <=8.00	566,741.8	225,390.3	0.0	0.0	0.0
>8.00 and <=10.00	377,563.6	249,804.8	0.0	0.0	0.0
>10.00 and <=12.00	1,201,370.2	809,195.5	0.0	0.0	0.0
>12.00 and <=14.00	434,205.1	0.0	0.0	143,174.4	0.0
>14.00 and <=16.00	770,422.5	770,422.5	0.0	0.0	0.0
>16.00 and <=18.00	486,626.6	486,626.6	0.0	0.0	0.0
>18.00 and <=20.00	675,283.1	506,462.3	0.0	168,820.8	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	193,451.7	0.0	0.0	193,451.7	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,541,215.1	3,244,549.8	0.0	600,001.7	0.0

Stand 12 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	120,733.9	133,156.9	0.0	0.0	0.0
>12.00 and <=14.00	0.0	147,856.3	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	120,733.9	281,013.2	0.0	0.0	0.0

Stand 12 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	307,033.4	0.0	0.0	0.0	0.0
>6.00 and <=8.00	109,429.1	0.0	0.0	0.0	0.0
>8.00 and <=10.00	127,758.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	138,283.9	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	682,505.2	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	237,314.5	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	231,922.4	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	143,174.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	612,411.3	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 11

Stand 11

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	138,887.1	0.0	0.0	71,519.5	67,367.6
>4.00 and <=6.00	213,012.1	78,795.7	0.0	0.0	73,085.8
>6.00 and <=8.00	500,277.1	0.0	0.0	91,190.9	165,277.7
>8.00 and <=10.00	567,749.6	0.0	305,114.7	0.0	0.0
>10.00 and <=12.00	706,037.4	341,437.3	115,236.6	0.0	0.0
>12.00 and <=14.00	837,914.8	365,739.2	123,213.6	0.0	106,436.4
>14.00 and <=16.00	638,410.6	257,529.1	253,921.0	0.0	0.0
>16.00 and <=18.00	948,464.1	676,993.1	271,471.0	0.0	0.0
>18.00 and <=20.00	422,051.9	0.0	140,684.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,119,737.1	1,867,426.7	1,209,640.9	162,710.3	412,167.5

Stand 11 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	61,130.6	0.0
>6.00 and <=8.00	86,767.5	91,190.9	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	74,370.1	0.0
>10.00 and <=12.00	0.0	0.0	0.0	249,363.6	0.0
>12.00 and <=14.00	0.0	0.0	242,525.6	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	126,960.5
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	86,767.5	91,190.9	242,525.6	384,864.3	126,960.5

Stand 11 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	65,850.2	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	188,264.7	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	140,684.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	65,850.2	188,264.7	140,684.0	0.0

Stand 11 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	140,684.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	140,684.0	0.0	0.0	0.0

Stand 11 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0

>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 10

Stand 10

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	210,406.5	71,519.5	71,519.5	0.0	0.0
>4.00 and <=6.00	701,515.5	157,591.4	0.0	0.0	151,202.2
>6.00 and <=8.00	701,106.6	0.0	91,190.9	91,190.9	0.0
>8.00 and <=10.00	738,413.8	101,704.9	0.0	0.0	0.0
>10.00 and <=12.00	413,032.2	115,236.6	115,236.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	126,960.5	0.0	126,960.5	0.0	0.0
>16.00 and <=18.00	114,255.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,287,058.4	727,420.3	404,907.4	91,190.9	151,202.2

Stand 10 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	229,318.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	86,767.5	91,190.9	91,190.9	0.0	0.0
>8.00 and <=10.00	275,292.6	0.0	0.0	0.0	0.0
>10.00 and <=12.00	100,611.6	0.0	0.0	81,947.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	114,255.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	806,245.4	91,190.9	91,190.9	81,947.5	0.0

Stand 10 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	78,116.4	0.0	0.0
>6.00 and <=8.00	187,825.2	61,750.4	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	184,712.5	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	187,825.2	61,750.4	262,828.9	0.0	0.0

Stand 10 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	85,287.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	101,704.9	0.0	0.0	0.0	74,998.8
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	186,992.0	0.0	0.0	0.0	74,998.8

Stand 10 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	67,367.6	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	67,367.6	0.0	0.0	0.0

Stand 10 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	Norway maple	American witchhazel

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 9

Stand 9

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	700,230.8	0.0	0.0	248,902.6	256,036.6
>4.00 and <=6.00	1,855,718.6	85,287.1	85,287.1	85,287.1	365,428.9
>6.00 and <=8.00	2,260,734.3	375,650.4	0.0	0.0	169,406.4
>8.00 and <=10.00	2,128,598.1	518,046.2	411,580.5	314,636.4	94,132.4
>10.00 and <=12.00	1,717,604.6	332,892.3	0.0	110,964.1	198,077.2
>12.00 and <=14.00	3,570,142.6	1,220,431.1	369,640.8	0.0	103,595.2
>14.00 and <=16.00	4,953,949.2	2,063,840.9	645,626.8	0.0	0.0
>16.00 and <=18.00	3,521,695.8	2,312,556.0	271,471.0	0.0	116,664.6
>18.00 and <=20.00	2,284,394.5	1,422,681.8	140,684.0	0.0	0.0
>20.00 and <=22.00	2,339,995.0	1,778,178.6	0.0	0.0	0.0
>22.00 and <=24.00	889,876.8	464,258.7	0.0	0.0	0.0

>24.00 and <=26.00	568,120.4	319,697.4	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	269,544.8	169,037.5	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	111,857.2	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	200,568.1	200,568.1	0.0	0.0	0.0
Total	27,373,030.7	11,263,126.2	1,924,290.1	759,790.2	1,303,341.3

Stand 9 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	60,650.7	71,519.5	0.0	0.0	0.0
>4.00 and <=6.00	756,010.8	164,082.8	0.0	167,917.4	0.0
>6.00 and <=8.00	417,322.9	91,190.9	96,634.3	70,253.2	91,190.9
>8.00 and <=10.00	94,132.4	314,636.4	106,465.7	74,370.1	106,465.7
>10.00 and <=12.00	97,465.6	0.0	221,928.2	81,947.5	448,128.9
>12.00 and <=14.00	316,468.1	246,427.2	246,427.2	453,928.5	123,213.6
>14.00 and <=16.00	111,754.0	253,921.0	518,666.3	193,428.8	642,018.7
>16.00 and <=18.00	0.0	0.0	134,051.2	101,145.0	268,102.4
>18.00 and <=20.00	0.0	0.0	140,684.0	106,733.2	281,368.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	449,791.3
>22.00 and <=24.00	0.0	0.0	0.0	0.0	308,555.5
>24.00 and <=26.00	0.0	0.0	0.0	124,211.5	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,853,804.5	1,141,777.7	1,464,857.0	1,373,935.3	2,718,835.0

Stand 9 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	63,121.3	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	85,287.1	0.0
>6.00 and <=8.00	568,919.1	0.0	169,406.4	0.0	0.0
>8.00 and <=10.00	0.0	0.0	94,132.4	0.0	0.0
>10.00 and <=12.00	226,200.7	0.0	0.0	0.0	0.0
>12.00 and <=14.00	123,213.6	0.0	0.0	119,312.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	261,137.2	0.0
>16.00 and <=18.00	0.0	0.0	0.0	134,051.2	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	112,025.1
>22.00 and <=24.00	0.0	0.0	0.0	0.0	117,062.5
>24.00 and <=26.00	0.0	0.0	0.0	0.0	124,211.5
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	981,454.7	0.0	263,538.7	599,787.4	353,299.1

Stand 9 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	88,841.1	85,420.5
>14.00 and <=16.00	0.0	0.0	0.0	0.0	87,730.2
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	88,841.1	173,150.7

Stand 9 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	61,130.6	0.0	0.0	0.0	0.0
>6.00 and <=8.00	140,506.5	70,253.2	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	73,223.7
>14.00 and <=16.00	98,223.3	0.0	0.0	0.0	77,601.9
>16.00 and <=18.00	103,979.2	0.0	0.0	0.0	79,675.1
>18.00 and <=20.00	106,733.2	0.0	0.0	0.0	85,510.3
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	510,572.8	70,253.2	0.0	0.0	316,011.1

Stand 9 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	100,507.3	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	111,857.2	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	111,857.2	0.0	100,507.3	0.0	0.0

Stand 9 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 8

Stand 8

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,007,420.7	0.0	73,623.0	119,466.5	208,047.0
>4.00 and <=6.00	1,922,757.0	87,795.5	175,591.0	256,704.2	461,769.3
>6.00 and <=8.00	2,443,001.3	99,476.5	392,302.6	679,525.0	706,055.8
>8.00 and <=10.00	2,931,329.1	104,696.2	757,377.8	852,272.4	190,145.2
>10.00 and <=12.00	3,288,944.9	347,081.4	1,173,064.5	351,479.5	307,473.8
>12.00 and <=14.00	5,490,429.6	1,137,521.3	1,367,098.2	626,154.9	213,284.3
>14.00 and <=16.00	4,708,185.6	1,452,497.9	657,187.4	395,798.1	0.0

>16.00 and <=18.00	2,843,321.5	979,827.7	279,455.4	137,993.9	0.0
>18.00 and <=20.00	2,020,534.7	875,453.6	437,726.8	0.0	124,805.6
>20.00 and <=22.00	1,140,518.2	302,507.8	0.0	305,594.0	127,048.7
>22.00 and <=24.00	435,201.5	314,696.0	0.0	0.0	0.0
>24.00 and <=26.00	780,861.2	165,951.2	163,149.0	0.0	0.0
>26.00 and <=28.00	638,983.4	168,693.0	0.0	0.0	0.0
>28.00 and <=30.00	350,598.7	350,598.7	0.0	0.0	0.0
>30.00 and <=32.00	141,368.1	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	382,274.7	191,137.3	0.0	191,137.3	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	204,368.4	204,368.4	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	30,730,098.8	6,782,302.7	5,476,575.7	3,916,125.9	2,338,629.8

Stand 8 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	170,121.8	0.0	0.0	0.0	0.0
>4.00 and <=6.00	80,413.9	87,795.5	0.0	0.0	0.0
>6.00 and <=8.00	0.0	93,873.0	0.0	0.0	0.0
>8.00 and <=10.00	193,801.9	0.0	104,696.2	80,558.5	0.0
>10.00 and <=12.00	100,332.3	0.0	114,227.8	84,357.7	118,625.9
>12.00 and <=14.00	536,135.5	126,837.5	380,512.6	91,454.1	126,837.5
>14.00 and <=16.00	684,887.4	265,103.5	130,694.6	98,005.8	526,492.8
>16.00 and <=18.00	117,615.6	141,461.5	137,993.9	107,037.4	696,904.7
>18.00 and <=20.00	0.0	292,905.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	151,253.9	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	326,298.1	0.0	0.0
>26.00 and <=28.00	0.0	0.0	168,693.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,883,308.4	1,007,976.1	1,514,370.1	461,413.5	1,468,860.9

Stand 8 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	138,600.8	0.0	53,843.6	0.0	0.0
>4.00 and <=6.00	81,113.2	0.0	0.0	0.0	0.0
>6.00 and <=8.00	93,873.0	0.0	85,069.4	0.0	0.0
>8.00 and <=10.00	647,780.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	114,227.8	0.0	103,570.8	237,251.8	0.0
>12.00 and <=14.00	253,675.0	0.0	109,566.9	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	399,512.3	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	144,821.7	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	120,505.5
>24.00 and <=26.00	0.0	0.0	0.0	0.0	125,462.9
>26.00 and <=28.00	0.0	0.0	0.0	0.0	130,219.4
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	141,368.1
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,474,092.3	0.0	352,050.7	636,764.1	517,556.0

Stand 8 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	64,977.8	51,725.8	0.0	0.0
>4.00 and <=6.00	175,591.0	337,817.5	120,547.2	0.0	0.0
>6.00 and <=8.00	0.0	292,826.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	118,625.9	0.0	0.0	0.0	0.0
>12.00 and <=14.00	249,658.7	0.0	0.0	0.0	85,448.7
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	137,993.9	0.0	0.0	0.0
>18.00 and <=20.00	0.0	144,821.7	0.0	0.0	0.0
>20.00 and <=22.00	0.0	151,253.9	0.0	0.0	102,859.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	171,378.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	543,875.5	1,301,068.8	172,273.1	0.0	188,308.6

Stand 8 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	82,005.4	0.0	0.0
>4.00 and <=6.00	0.0	57,618.7	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	91,454.1	0.0	0.0	94,790.4	0.0
>14.00 and <=16.00	0.0	98,005.8	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	107,037.4	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	91,454.1	155,624.5	82,005.4	201,827.8	0.0

Stand 8 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	45,009.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	118,625.9
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	45,009.0	0.0	0.0	0.0	118,625.9

Stand 8 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 7

Stand 7

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	754,141.0	0.0	0.0	191,170.0	65,122.0
>4.00 and <=6.00	981,540.9	0.0	0.0	152,338.4	141,299.2

>6.00 and <=8.00	2,218,997.4	0.0	461,804.0	461,804.0	483,296.4
>8.00 and <=10.00	2,945,839.3	299,546.4	402,463.2	102,916.9	360,544.7
>10.00 and <=12.00	4,719,032.7	1,307,833.9	655,982.0	536,326.5	577,465.1
>12.00 and <=14.00	3,798,355.8	703,324.2	584,217.7	468,882.8	408,807.7
>14.00 and <=16.00	3,602,475.6	1,356,989.1	501,377.4	620,618.1	316,539.5
>16.00 and <=18.00	3,352,182.4	1,448,205.0	0.0	395,261.0	110,446.7
>18.00 and <=20.00	1,481,497.3	553,166.4	0.0	275,051.8	0.0
>20.00 and <=22.00	895,909.4	142,034.6	0.0	0.0	0.0
>22.00 and <=24.00	599,296.5	150,513.1	0.0	0.0	0.0
>24.00 and <=26.00	271,020.4	153,204.7	0.0	0.0	0.0
>26.00 and <=28.00	160,932.1	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	25,781,220.8	6,114,817.4	2,605,844.3	3,204,369.5	2,463,521.2

Stand 7 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	65,122.0	138,271.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	482,115.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	363,128.8	93,413.2	203,734.4	0.0
>8.00 and <=10.00	181,989.2	608,297.0	304,148.5	71,891.1	0.0
>10.00 and <=12.00	285,691.4	429,061.2	437,321.3	79,215.9	111,395.4
>12.00 and <=14.00	203,030.6	468,882.8	119,106.5	89,012.7	119,106.5
>14.00 and <=16.00	0.0	0.0	252,432.6	92,032.1	248,944.8
>16.00 and <=18.00	220,893.3	0.0	0.0	298,800.0	262,421.9
>18.00 and <=20.00	0.0	0.0	414,109.1	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	108,290.9	286,967.4
>22.00 and <=24.00	0.0	147,757.3	150,513.1	0.0	150,513.1
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	160,932.1	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	956,726.6	2,637,513.0	1,931,976.4	942,977.1	1,179,349.0

Stand 7 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	75,512.5	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	266,116.2	0.0	75,648.3
>10.00 and <=12.00	107,265.3	0.0	191,474.6	0.0	0.0
>12.00 and <=14.00	230,669.8	0.0	403,314.7	0.0	0.0
>14.00 and <=16.00	0.0	0.0	213,542.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	220,893.3	262,421.9	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	103,175.5
>20.00 and <=22.00	0.0	0.0	0.0	142,034.6	108,290.9
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	117,815.7
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	337,935.1	0.0	1,370,853.4	404,456.5	404,930.4

Stand 7 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	120,302.9	34,741.4	0.0	0.0
>4.00 and <=6.00	0.0	76,169.2	0.0	0.0	0.0
>6.00 and <=8.00	88,151.2	0.0	0.0	0.0	0.0
>8.00 and <=10.00	98,314.7	98,314.7	0.0	75,648.3	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	132,839.1	0.0	0.0	0.0
>18.00 and <=20.00	135,994.5	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	322,460.4	427,626.0	34,741.4	75,648.3	0.0

Stand 7 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	42,265.6	0.0	0.0
>4.00 and <=6.00	0.0	0.0	54,106.7	0.0	0.0
>6.00 and <=8.00	63,665.5	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	63,665.5	0.0	96,372.3	0.0	0.0

Stand 7 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	97,146.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	97,146.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	108,290.9	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	108,290.9	0.0	0.0	0.0

Stand 7 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 6

Stand 6

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	321,674.2	0.0	0.0	78,795.7	0.0
>6.00 and <=8.00	381,093.9	96,634.3	0.0	284,459.6	0.0
>8.00 and <=10.00	515,234.5	106,465.7	0.0	0.0	94,132.4
>10.00 and <=12.00	559,093.0	110,964.1	0.0	0.0	0.0
>12.00 and <=14.00	592,548.0	0.0	0.0	0.0	103,595.2
>14.00 and <=16.00	253,921.0	126,960.5	0.0	0.0	0.0
>16.00 and <=18.00	134,051.2	134,051.2	0.0	0.0	0.0
>18.00 and <=20.00	140,684.0	140,684.0	0.0	0.0	0.0
>20.00 and <=22.00	293,864.7	293,864.7	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,356,037.7	1,009,624.6	163,873.2	363,255.3	197,727.6

Stand 6 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	85,287.1	0.0	0.0	78,795.7
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	208,170.6
>10.00 and <=12.00	0.0	110,964.1	0.0	0.0	221,928.2
>12.00 and <=14.00	0.0	119,312.0	0.0	0.0	246,427.2
>14.00 and <=16.00	0.0	0.0	0.0	0.0	126,960.5
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	315,563.1	0.0	0.0	882,282.3

Stand 6 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	78,795.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	106,465.7	0.0	0.0	0.0	0.0
>10.00 and <=12.00	115,236.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	123,213.6	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	423,711.6	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 5

Stand 5

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	96,634.3	0.0	0.0	0.0	0.0
>8.00 and <=10.00	106,465.7	0.0	0.0	106,465.7	0.0
>10.00 and <=12.00	97,465.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	103,595.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	111,754.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	103,979.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	143,852.4	0.0	0.0	143,852.4	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	117,062.5	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,049,846.5	0.0	0.0	419,355.6	0.0

Stand 5 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	103,979.2	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	117,062.5	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	221,041.7	0.0

Stand 5 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	96,634.3	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	97,465.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	103,595.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	111,754.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	96,634.3	0.0	312,814.9	0.0	0.0

Stand 5 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0

>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 4

Stand 4

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	100,495.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	85,287.1	85,287.1	0.0	0.0	0.0
>6.00 and <=8.00	152,892.1	0.0	0.0	0.0	0.0
>8.00 and <=10.00	314,636.4	0.0	0.0	212,931.5	0.0
>10.00 and <=12.00	641,252.6	0.0	115,236.6	115,236.6	198,077.2
>12.00 and <=14.00	830,111.5	119,312.0	119,312.0	365,739.2	0.0
>14.00 and <=16.00	511,450.1	126,960.5	0.0	126,960.5	0.0
>16.00 and <=18.00	405,522.2	134,051.2	137,419.8	0.0	0.0
>18.00 and <=20.00	425,220.3	140,684.0	140,684.0	0.0	0.0
>20.00 and <=22.00	299,860.8	0.0	149,930.4	149,930.4	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,925,216.6	606,294.7	821,070.3	970,798.1	198,077.2

Stand 4 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	82,638.9	0.0	0.0	70,253.2	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	97,465.6	0.0	0.0	0.0	115,236.6
>12.00 and <=14.00	106,436.4	119,312.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	130,568.6
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	286,540.9	119,312.0	0.0	70,253.2	245,805.2

Stand 4 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	101,704.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	126,960.5	0.0	0.0	0.0
>16.00 and <=18.00	0.0	134,051.2	0.0	0.0	0.0
>18.00 and <=20.00	0.0	143,852.4	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	101,704.9	404,864.1	0.0	0.0	0.0

Stand 4 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	100,495.9	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	100,495.9	0.0	0.0

Stand 4 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0

>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 3

Stand 3

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	52,931.8	0.0	0.0	52,931.8	0.0
>4.00 and <=6.00	78,795.7	78,795.7	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	180,923.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	242,322.6	0.0	0.0	130,568.6	0.0
>16.00 and <=18.00	321,788.8	0.0	0.0	0.0	116,664.6
>18.00 and <=20.00	368,657.0	0.0	0.0	140,684.0	121,239.8
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	124,211.5	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,369,630.7	78,795.7	0.0	324,184.4	237,904.3

Stand 3 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	180,923.2	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	205,124.2	0.0
>18.00 and <=20.00	0.0	0.0	0.0	106,733.2	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	492,780.7	0.0

Stand 3 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	124,211.5
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	124,211.5

Stand 3 (cont)

Species	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	111,754.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	111,754.0	0.0	0.0	0.0

Stand 3 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 2

Stand 2

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	2,190,116.4	698,735.2	74,629.0	223,887.0	0.0
>4.00 and <=6.00	2,523,366.3	253,438.4	0.0	431,428.8	544,342.6
>6.00 and <=8.00	4,603,763.5	879,121.9	587,974.6	296,827.4	526,007.4
>8.00 and <=10.00	6,029,632.8	439,410.9	1,091,075.5	222,189.3	770,973.9
>10.00 and <=12.00	5,833,481.1	703,648.3	1,189,093.9	592,317.8	311,675.3
>12.00 and <=14.00	7,399,889.9	2,140,918.2	1,261,279.5	1,000,066.9	222,128.2
>14.00 and <=16.00	8,890,947.6	2,551,014.7	1,476,110.6	938,658.6	0.0
>16.00 and <=18.00	5,604,051.0	1,839,523.8	989,701.7	702,912.6	121,736.9
>18.00 and <=20.00	4,227,442.8	1,778,138.9	1,181,017.7	440,402.0	126,511.0
>20.00 and <=22.00	2,054,758.6	619,539.7	306,641.4	309,769.9	257,569.6
>22.00 and <=24.00	968,887.8	646,916.8	162,472.9	159,498.1	0.0
>24.00 and <=26.00	807,284.3	670,035.0	0.0	0.0	137,249.3
>26.00 and <=28.00	173,719.8	173,719.8	0.0	0.0	0.0
>28.00 and <=30.00	146,696.4	0.0	0.0	0.0	146,696.4
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	159,625.3	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	51,613,663.7	13,394,161.6	8,319,997.0	5,317,958.5	3,164,890.8

Stand 2 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	181,154.8	215,123.7	65,865.7	0.0	0.0
>4.00 and <=6.00	163,025.5	506,876.8	0.0	127,576.8	0.0
>6.00 and <=8.00	357,851.9	397,663.2	100,835.8	142,032.1	100,835.8
>8.00 and <=10.00	581,937.1	1,399,520.5	323,348.4	400,185.2	0.0
>10.00 and <=12.00	104,986.0	472,071.0	587,859.6	349,390.1	240,493.7
>12.00 and <=14.00	108,099.4	373,498.4	883,709.9	96,085.7	257,141.4
>14.00 and <=16.00	0.0	404,971.5	673,697.5	608,665.3	0.0
>16.00 and <=18.00	119,222.8	423,153.6	143,394.5	425,127.9	279,759.1
>18.00 and <=20.00	0.0	0.0	146,800.7	114,170.5	146,800.7
>20.00 and <=22.00	0.0	0.0	156,449.1	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,616,277.4	4,192,878.7	3,081,961.4	2,263,233.4	1,025,030.7

Stand 2 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	171,216.8	119,653.3	0.0	0.0	0.0
>6.00 and <=8.00	593,654.8	0.0	90,540.0	0.0	0.0
>8.00 and <=10.00	530,634.3	0.0	0.0	0.0	0.0
>10.00 and <=12.00	356,282.4	0.0	104,986.0	115,788.6	0.0
>12.00 and <=14.00	0.0	0.0	330,227.6	253,070.2	0.0
>14.00 and <=16.00	681,227.5	0.0	113,897.3	809,943.0	0.0
>16.00 and <=18.00	139,879.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	146,800.7	0.0
>20.00 and <=22.00	0.0	0.0	128,784.8	0.0	119,554.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	159,625.3
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,472,895.2	119,653.3	768,435.7	1,325,602.5	279,180.1

Stand 2 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	74,629.0	149,258.0	292,856.6	98,056.7	0.0
>4.00 and <=6.00	88,995.2	0.0	58,406.0	0.0	0.0
>6.00 and <=8.00	0.0	95,155.7	0.0	361,955.2	0.0
>8.00 and <=10.00	0.0	111,094.7	0.0	77,603.6	0.0
>10.00 and <=12.00	236,035.5	115,788.6	0.0	267,553.8	0.0
>12.00 and <=14.00	0.0	0.0	0.0	377,578.9	0.0
>14.00 and <=16.00	136,245.5	268,726.0	0.0	0.0	91,544.5
>16.00 and <=18.00	419,638.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	146,800.7	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	156,449.1	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,102,344.4	896,472.2	351,262.6	1,182,748.2	91,544.5

Stand 2 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	58,406.0	0.0	0.0
>6.00 and <=8.00	73,307.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	81,659.3	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	85,510.4	0.0
>12.00 and <=14.00	0.0	0.0	0.0	96,085.7	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	154,967.0	0.0	58,406.0	181,596.1	0.0

Stand 2 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	45,624.1	70,296.6	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	136,245.5	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	45,624.1	70,296.6	0.0	136,245.5	0.0

Stand 2 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 2 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 1

Stand 1

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,164,639.4	208,748.8	0.0	350,869.6	190,341.5
>4.00 and <=6.00	231,698.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	665,537.8	96,257.0	0.0	96,257.0	91,587.9
>8.00 and <=10.00	1,207,445.6	112,380.5	112,380.5	224,761.0	0.0
>10.00 and <=12.00	1,831,066.4	477,534.8	360,406.0	477,534.8	106,201.1
>12.00 and <=14.00	1,350,929.1	130,058.8	503,761.7	125,940.4	109,350.5
>14.00 and <=16.00	1,572,499.7	402,041.6	0.0	409,658.7	0.0
>16.00 and <=18.00	1,829,636.0	428,051.2	573,105.4	286,552.7	0.0
>18.00 and <=20.00	1,175,132.6	448,843.7	148,499.8	300,343.9	125,601.0
>20.00 and <=22.00	907,983.3	310,190.5	155,095.3	0.0	132,506.9
>22.00 and <=24.00	752,969.8	164,353.4	164,353.4	161,344.1	136,784.0
>24.00 and <=26.00	167,292.5	0.0	0.0	167,292.5	0.0
>26.00 and <=28.00	172,977.3	172,977.3	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	13,346,456.5	2,951,437.6	2,017,601.9	2,600,554.8	892,373.0

Stand 1 (cont)

Species	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	55,211.1	75,492.8	0.0	0.0	0.0
>4.00 and <=6.00	77,146.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	183,175.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	95,612.4	107,355.2	112,380.5	239,608.1	0.0
>10.00 and <=12.00	205,760.8	117,128.8	0.0	86,500.1	0.0
>12.00 and <=14.00	112,349.6	0.0	260,117.6	0.0	0.0
>14.00 and <=16.00	351,140.7	271,836.3	0.0	0.0	0.0
>16.00 and <=18.00	0.0	290,108.4	0.0	106,764.2	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	155,095.3	155,095.3	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,080,396.4	1,017,016.7	527,593.3	432,872.4	0.0

Stand 1 (cont)

Species	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	55,872.5	0.0	0.0	0.0	0.0
>4.00 and <=6.00	90,025.2	0.0	0.0	0.0	0.0
>6.00 and <=8.00	102,002.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	107,355.2	0.0	95,612.4	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	109,350.5	0.0	0.0
>14.00 and <=16.00	137,822.4	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	145,054.2	0.0

>18.00 and <=20.00	151,844.2	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	126,135.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	823,350.9	0.0	204,962.9	145,054.2	264,355.6

Stand 1 (cont)

Species	shagbark hickory	American beech	serviceberry	blackgum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	96,257.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	96,257.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	37,936.0	190,167.1	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	37,936.0	190,167.1	0.0	0.0

Stand 1 (cont)

Species	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	64,526.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	64,526.7	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	Norway maple	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Management unit totals

Totals

dbh range	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	15578910.6	2633928.9	1112395.7	1985050.3	1961087.8
>4.00 and <=6.00	24535460.1	3514975.4	1486139.5	2023255.6	4273340.2
>6.00 and <=8.00	34058539.9	6391000.0	3409889.1	2774104.8	4916496.8
>8.00 and <=10.00	40558636.5	5983704.5	6243112.8	3136458.8	5470763.6
>10.00 and <=12.00	51308423.5	10331495.1	10568464.2	3717523.7	4198776.9
>12.00 and <=14.00	51216830.2	11336729.8	13236355.0	4344949.7	3154945.0
>14.00 and <=16.00	57869424.8	16357107.5	12747380.2	5467584.5	2741209.6
>16.00 and <=18.00	40117059.6	14014918.4	8801828.3	2608604.1	1715549.1
>18.00 and <=20.00	29024662.6	11128827.2	5484029.4	3052147.3	1839863.6
>20.00 and <=22.00	19008403.5	7995160.9	3442737.9	1652884.6	891609.9
>22.00 and <=24.00	8619360.2	3427635.0	1870777.6	473694.5	264370.8
>24.00 and <=26.00	7259873.4	2472760.3	641334.0	1155904.5	669062.9
>26.00 and <=28.00	3060337.6	1554300.3	163873.2	166481.5	0.0
>28.00 and <=30.00	1901000.3	860217.9	169037.5	169037.5	285551.0
>30.00 and <=32.00	718473.7	263357.3	176419.2	0.0	0.0

>32.00 and <=34.00	147157.3	0.0	0.0	0.0	147157.3
>34.00 and <=36.00	382274.7	191137.3	0.0	191137.3	0.0
>36.00 and <=38.00	111857.2	0.0	0.0	0.0	0.0
>38.00 and <=40.00	159625.3	0.0	0.0	0.0	0.0
>40.00 and <=42.00	402897.8	402897.8	0.0	0.0	0.0
> 42.00	200568.1	200568.1	0.0	0.0	0.0
Total	386239776.7	99060721.6	69553773.8	32918818.6	32529784.4

Totals (cont)

dbh range	sweet birch	mockernut hickory	white oak	white ash	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1425225.8	943176.6	65865.7	169194.6	0.0
>4.00 and <=6.00	3499637.3	2023736.9	64541.6	1152020.3	78795.7
>6.00 and <=8.00	3801699.9	1600522.4	486142.0	1980457.3	702188.5
>8.00 and <=10.00	3874259.2	3209575.7	1545694.5	1718955.8	1080181.4
>10.00 and <=12.00	4133362.9	2757038.0	2778177.0	2599161.0	1712482.5
>12.00 and <=14.00	3402849.5	2292665.9	2930449.5	1436883.7	1238465.4
>14.00 and <=16.00	3156436.4	1728832.6	2593053.6	1791398.7	3305211.0
>16.00 and <=18.00	1167734.4	992143.2	1981294.6	1745307.0	2336664.9
>18.00 and <=20.00	242479.5	292905.1	1150760.3	769013.8	1041736.2
>20.00 and <=22.00	341835.4	155095.3	784926.0	220316.0	1180553.8
>22.00 and <=24.00	0.0	147757.3	381857.2	117062.5	780632.9
>24.00 and <=26.00	0.0	0.0	623224.3	124211.5	330463.6
>26.00 and <=28.00	0.0	0.0	329625.1	137264.7	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	25045520.3	16143448.8	15715611.3	13961246.9	13787375.7

Totals (cont)

dbh range	pignut hickory	eastern hemlock	yellow birch	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	827546.3	701556.0	323314.0	0.0	0.0
>4.00 and <=6.00	1397712.8	1364919.8	799740.8	85287.1	0.0
>6.00 and <=8.00	2875135.6	1325873.6	1327500.1	0.0	0.0
>8.00 and <=10.00	2681555.3	2122367.7	2038954.5	0.0	134869.7
>10.00 and <=12.00	1717641.0	1984100.0	2004920.6	473448.3	163895.0

>12.00 and <=14.00	1098862.2	1271993.8	2025859.2	1103202.0	407345.9
>14.00 and <=16.00	1420036.7	899646.3	1099307.6	2125092.5	198513.8
>16.00 and <=18.00	791467.8	475920.0	337557.9	686987.2	615372.7
>18.00 and <=20.00	437349.9	302083.3	361469.9	1009484.1	760698.9
>20.00 and <=22.00	0.0	316747.5	128784.8	438897.4	793067.8
>22.00 and <=24.00	0.0	111748.9	255173.6	0.0	788650.0
>24.00 and <=26.00	0.0	346244.3	0.0	0.0	735458.2
>26.00 and <=28.00	0.0	240713.9	0.0	0.0	130219.4
>28.00 and <=30.00	178428.5	0.0	0.0	0.0	138220.6
>30.00 and <=32.00	0.0	0.0	0.0	0.0	278697.1
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	159625.3
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	13425736.1	11463915.3	10702583.1	5922398.5	5304634.5

Totals (cont)

dbh range	shagbark hickory	American beech	serviceberry	black gum	bigtooth aspen
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	311943.5	483079.2	1469113.7	148304.6	0.0
>4.00 and <=6.00	527705.8	499273.7	901503.8	248199.2	61555.3
>6.00 and <=8.00	617823.5	387981.7	136114.1	502461.7	0.0
>8.00 and <=10.00	408190.3	209409.4	84917.0	324471.4	74998.8
>10.00 and <=12.00	595083.6	359389.4	81947.5	438490.9	160954.8
>12.00 and <=14.00	522299.2	251703.4	0.0	466420.0	339297.1
>14.00 and <=16.00	136245.5	526255.1	0.0	95205.6	670442.6
>16.00 and <=18.00	850871.2	404884.2	0.0	205124.2	94138.7
>18.00 and <=20.00	423479.2	429358.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	454635.4	0.0	0.0	102859.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	161209.7	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	337859.4	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4554851.5	4343829.1	2673596.1	2428677.6	1504247.2

Totals (cont)

dbh range	black cherry	sassafras	hophornbeam	American elm	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	50247.9	119684.5	486812.8	0.0	0.0
>4.00 and <=6.00	183391.7	57618.7	112512.7	0.0	59097.0
>6.00 and <=8.00	343340.5	409555.0	70253.2	0.0	0.0
>8.00 and <=10.00	137939.4	0.0	0.0	0.0	0.0
>10.00 and <=12.00	167416.1	0.0	0.0	85510.4	0.0
>12.00 and <=14.00	91454.1	0.0	0.0	190876.1	73223.7
>14.00 and <=16.00	288634.4	98005.8	0.0	98223.3	77601.9
>16.00 and <=18.00	103979.2	0.0	0.0	107037.4	79675.1
>18.00 and <=20.00	106733.2	0.0	0.0	106733.2	85510.3
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1473136.6	684864.0	669578.7	588380.4	375108.1

Totals (cont)

dbh range	American hornbeam	gray birch	American basswood	pin oak	water oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	223718.5	137664.2	0.0	0.0	0.0
>4.00 and <=6.00	64526.7	0.0	55972.5	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	78256.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	92043.1	0.0	118625.9
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	111754.0	0.0	136245.5	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	288245.2	249418.3	226272.4	136245.5	118625.9

Totals (cont)

dbh range	Norway spruce	unidentified non-comm hardwood	eastern white pine	pitch pine	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	68475.7	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	108290.9	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	100507.3	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	111857.2	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	111857.2	108290.9	100507.3	68475.7	0.0

Totals (cont)

dbh range	Norway maple	American witchhazel
< 2.00	0.0	0.0

>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Generated: 07/30/2013 09:28
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Table Wizard for Comparing Stands

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The tree observations include Crop, AGS. Only live trees are included. The table columns are 'Crown Class'.

stands	open grown	dominant	codominant	intermediate	suppressed
Stand 33	0	0	92	15	3
Stand 32	1	4	47	31	18
Stand 31	0	6	49	23	19
Stand 30	0	2	78	30	10
Stand 29	0	0	105	39	3
Stand 28	0	3	44	44	0
Stand 27	0	0	59	35	11
Stand 26	0	3	108	30	3
Stand 25	0	2	58	32	15
Stand 24	0	0	50	35	8
Stand 23	0	0	0	15	0
Stand 22	0	0	65	37	10
Stand 21	0	1	66	32	12
Stand 20	0	0	39	42	27
Stand 19	0	0	38	64	4
Stand 18	0	1	54	33	11
Stand 17	0	10	55	50	5
Stand 16	0	0	25	40	25
Stand 15	0	0	78	15	3
Stand 14	0	0	53	30	23
Stand 13	0	0	5	30	25
Stand 12	0	0	99	12	12
Stand 11	0	0	56	34	11
Stand 10	0	3	43	35	13
Stand 9	0	2	64	26	10
Stand 8	0	4	70	29	17
Stand 7	0	2	71	37	12
Stand 6	0	4	53	49	8
Stand 5	0	0	38	23	15
Stand 4	0	3	38	40	5

Stand 4	0	3	38	40	3
Stand 3	0	4	34	4	8
Stand 2	0	1	60	29	10
Stand 1	0	3	64	21	9

Generated: 07/29/2013 16:22
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Carbon Storage

This report is for inventory data.

Total Live Carbon (total tons)

stand	Stand Area (ac)	Foliage	Stem Wood	Stem Bark	Aboveground
Stand 33	70	76	1,784	370	2,953
Stand 32	140	172	3,020	627	5,045
Stand 31	60	69	1,296	267	2,138
Stand 30	250	385	6,364	1,284	10,365
Stand 29	25	32	794	161	1,277
Stand 28	60	59	1,001	219	1,800
Stand 27	165	194	3,799	790	6,338
Stand 26	30	46	1,041	208	1,652
Stand 25	50	69	1,107	223	1,806
Stand 24	35	40	732	150	1,201
Stand 23	10	1	35	7	58
Stand 22	55	58	1,292	267	2,145
Stand 21	110	125	2,674	560	4,498
Stand 20	25	28	550	117	950
Stand 19	20	21	418	90	733
Stand 18	255	307	5,383	1,137	9,183
Stand 17	15	17	404	83	658
Stand 16	15	12	236	52	428
Stand 15	25	25	559	114	916
Stand 14	20	18	476	99	789
Stand 13	15	8	150	34	281
Stand 12	30	39	896	187	1,502
Stand 11	35	35	795	164	1,312
Stand 10	30	31	475	105	863
Stand 9	180	212	4,322	893	7,142
Stand 8	175	227	4,788	991	7,917
Stand 7	145	178	3,962	820	6,537
Stand 6	20	22	520	109	877
Stand 5	10	8	184	38	309
Stand 4	30	26	615	125	993
Stand 3	20	8	218	45	356
Stand 2	360	407	8,595	1,790	14,343

Stand 2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Stand 1	95	98	2,057	427	3,420
TOTALS	2,580	3,055	60,544	12,556	100,783

Total Live Carbon (total tons) (cont)

stand	Coarse Root	Total
Stand 33	563	3,516
Stand 32	970	6,015
Stand 31	409	2,547
Stand 30	2,025	12,390
Stand 29	242	1,520
Stand 28	349	2,149
Stand 27	1,213	7,551
Stand 26	317	1,970
Stand 25	353	2,159
Stand 24	232	1,434
Stand 23	11	69
Stand 22	411	2,556
Stand 21	861	5,359
Stand 20	183	1,132
Stand 19	141	874
Stand 18	1,764	10,946
Stand 17	125	783
Stand 16	83	511
Stand 15	176	1,093
Stand 14	150	939
Stand 13	55	336
Stand 12	287	1,789
Stand 11	250	1,562
Stand 10	168	1,031
Stand 9	1,367	8,509
Stand 8	1,511	9,427
Stand 7	1,246	7,782
Stand 6	168	1,045
Stand 5	59	368
Stand 4	189	1,182
Stand 3	68	424
Stand 2	2,741	17,083
Stand 1	654	4,073
TOTALS	19,339	120,122

Total Dead Carbon (total tons)

stand	Stand Area (ac)	Foliage	Stem Wood	Stem Bark	Aboveground
Stand 33	70	3	73	15	118
Stand 32	140	8	103	21	172
Stand 31	60	7	67	12	105
Stand 30	250	62	818	155	1,287
Stand 29	25	1	45	9	73
Stand 28	60	5	97	22	181
Stand 27	165	8	180	37	302
Stand 26	30	15	178	33	279
Stand 25	50	29	328	62	523
Stand 24	35	0	0	0	0
Stand 23	10	0	0	0	0
Stand 22	55	8	89	17	142
Stand 21	110	3	80	17	136
Stand 20	25	2	57	12	97
Stand 19	20	1	27	6	50
Stand 18	255	6	105	23	188
Stand 17	15	1	25	5	44
Stand 16	15	1	31	6	52
Stand 15	25	0	0	0	0
Stand 14	20	1	10	2	15
Stand 13	15	1	29	6	49
Stand 12	30	0	0	0	0
Stand 11	35	5	111	23	185
Stand 10	30	0	0	0	0
Stand 9	180	5	112	24	196
Stand 8	175	9	158	34	276
Stand 7	145	4	72	16	132
Stand 6	20	1	15	3	25
Stand 5	10	0	0	0	0
Stand 4	30	0	10	2	20
Stand 3	20	1	15	3	25
Stand 2	360	21	604	122	960
Stand 1	95	2	51	11	85
TOTALS	2,580	211	3,487	699	5,719

Total Dead Carbon (total tons) (cont)

stand	Coarse Root	Total
Stand 33	23	141

Stand 32	35	207
Stand 31	23	128
Stand 30	265	1,552
Stand 29	14	87
Stand 28	35	217
Stand 27	58	361
Stand 26	59	338
Stand 25	110	634
Stand 24	0	0
Stand 23	0	0
Stand 22	30	172
Stand 21	26	162
Stand 20	18	115
Stand 19	10	60
Stand 18	37	225
Stand 17	8	52
Stand 16	10	62
Stand 15	0	0
Stand 14	3	19
Stand 13	9	59
Stand 12	0	1
Stand 11	36	222
Stand 10	0	0
Stand 9	38	233
Stand 8	54	330
Stand 7	26	158
Stand 6	5	30
Stand 5	0	0
Stand 4	4	23
Stand 3	5	30
Stand 2	182	1,142
Stand 1	16	102
TOTALS	1,140	6,859

Total Live and Dead Carbon (total tons)

stand	Stand Area (ac)	Foliage	Stem Wood	Stem Bark	Aboveground
Stand 33	70	79	1,857	385	3,071
Stand 32	140	179	3,123	648	5,217
Stand 31	60	75	1,362	280	2,243
Stand 30	250	447	7,182	1,439	11,651

Stand 29	25	33	839	171	1,350
Stand 28	60	64	1,098	241	1,982
Stand 27	165	202	3,978	828	6,641
Stand 26	30	61	1,219	242	1,931
Stand 25	50	98	1,434	285	2,329
Stand 24	35	40	732	150	1,201
Stand 23	10	1	35	7	58
Stand 22	55	67	1,381	284	2,287
Stand 21	110	128	2,755	577	4,634
Stand 20	25	30	607	129	1,046
Stand 19	20	22	445	96	782
Stand 18	255	313	5,488	1,160	9,371
Stand 17	15	18	429	88	702
Stand 16	15	13	267	59	480
Stand 15	25	25	559	114	916
Stand 14	20	19	486	101	804
Stand 13	15	9	179	40	331
Stand 12	30	39	896	187	1,502
Stand 11	35	40	906	187	1,497
Stand 10	30	31	475	105	864
Stand 9	180	217	4,433	917	7,338
Stand 8	175	236	4,945	1,025	8,192
Stand 7	145	182	4,034	836	6,669
Stand 6	20	23	535	112	903
Stand 5	10	8	184	38	309
Stand 4	30	27	625	128	1,013
Stand 3	20	8	233	48	381
Stand 2	360	428	9,199	1,912	15,303
Stand 1	95	100	2,107	438	3,505
TOTALS	2,580	3,266	64,031	13,254	106,503

Total Live and Dead Carbon (total tons) (cont)

stand	Coarse Root	Total
Stand 33	586	3,656
Stand 32	1,005	6,222
Stand 31	432	2,674
Stand 30	2,290	13,942
Stand 29	256	1,607
Stand 28	384	2,366
Stand 27	1,271	7,912

Stand 26	376	2,307
Stand 25	464	2,793
Stand 24	232	1,434
Stand 23	11	69
Stand 22	442	2,728
Stand 21	887	5,521
Stand 20	201	1,247
Stand 19	151	933
Stand 18	1,800	11,171
Stand 17	134	836
Stand 16	93	573
Stand 15	176	1,093
Stand 14	153	958
Stand 13	64	395
Stand 12	287	1,789
Stand 11	286	1,784
Stand 10	168	1,032
Stand 9	1,404	8,742
Stand 8	1,564	9,757
Stand 7	1,271	7,940
Stand 6	172	1,075
Stand 5	59	368
Stand 4	192	1,205
Stand 3	73	454
Stand 2	2,923	18,225
Stand 1	670	4,175
TOTALS	20,478	126,981

FOREST INVENTORY STATISTICS

To interpret confidence interval values: Examine the number above for the Basal area at the 70% percent confidence interval. NED estimates with 70% confidence that the true mean lies between the upper and lower limit values. Under similar conditions, about 70% of repeated samples in this stand (using the same number of plots) will contain the true mean. If the variation between the existing sample plots is representative of the whole stand, than the amount of sample plots listed is required to ensure that the calculated mean is within 15 or 10 percent of the true mean with 70 percent confidence.

NJA utilized NED 2 to post process and evaluate the quantitative forest inventory information. A great number of Stand Visualization scenarios were produced as well as tables which aided in the preparation of this plan. NJA and NJDEP maintains the raw inventory data and can produce and supply specific reports upon request.

Stand 1: degrees of freedom = 18
alpha = 0.300
t-value = 1.067

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	81.72	2894.26	851.18	69.62	453.06
70% c.i. mean upper limit	113.28	4370.07	1219.79	96.13	813.52
70% c.i. # plots for w/in 15%	21	34	26	21	65
70% c.i. # plots for w/in 10%	48	75	58	47	146

Stand 2: degrees of freedom = 69
alpha = 0.300
t-value = 1.044

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	96.72	3873.92	966.32	79.97	268.40
70% c.i. mean upper limit	108.07	4604.03	1088.45	89.28	332.65
70% c.i. # plots for w/in 15%	10	23	11	10	36
70% c.i. # plots for w/in 10%	22	52	25	21	79

Stand 3: degrees of freedom = 3
alpha = 0.300
t-value = 1.250

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	11.75	499.52	97.90	6.72	0.00
70% c.i. mean upper limit	85.75	6159.70	610.71	52.17	452.68
70% c.i. # plots for w/in 15%	103	129	94	106	181
70% c.i. # plots for w/in 10%	231	289	210	239	406

Stand 3: degrees of freedom = 5
alpha = 0.300
t-value = 1.156

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	63.69	2992.58	640.88	50.21	79.67
70% c.i. mean upper limit	106.31	5425.14	1124.81	86.45	237.03
70% c.i. # plots for w/in 15%	17	23	21	19	66
70% c.i. # plots for w/in 10%	38	51	46	43	149

Stand 4: degrees of freedom = 1
alpha = 0.300
t-value = 1.930

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	25.14	0.00	0.00	54.00	96.37
70% c.i. mean upper limit	169.86	9764.88	1705.47	114.00	1384.59
70% c.i. # plots for w/in 15%	49	331	260	12	68
70% c.i. # plots for w/in 10%	111	745	583	26	152

Stand 5: degrees of freedom = 3
alpha = 0.300
t-value = 1.250

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	101.26	2667.45	1043.50	88.39	226.33
70% c.i. mean upper limit	138.74	5572.35	1431.90	125.77	568.20
70% c.i. # plots for w/in 15%	5	23	5	6	33
70% c.i. # plots for w/in 10%	10	50	10	13	75

Stand 6: degrees of freedom = 3
alpha = 0.300
t-value = 1.250

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	101.26	2667.45	1043.50	88.39	226.33
70% c.i. mean upper limit	138.74	5572.35	1431.90	125.77	568.20
70% c.i. # plots for w/in 15%	5	23	5	6	33
70% c.i. # plots for w/in 10%	10	50	10	13	75

Stand 7: degrees of freedom = 29
alpha = 0.300
t-value = 1.055

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	115.46	4041.12	1264.25	93.57	264.13
70% c.i. mean upper limit	129.54	4882.31	1456.53	106.50	360.53
70% c.i. # plots for w/in 15%	5	12	7	6	32
70% c.i. # plots for w/in 10%	10	27	15	13	72

Stand 8: degrees of freedom = 33
alpha = 0.300
t-value = 1.053

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	115.94	4188.99	1219.16	95.64	310.56
70% c.i. mean upper limit	125.83	4910.18	1353.23	105.61	460.67
70% c.i. # plots for w/in 15%	3	10	5	4	58
70% c.i. # plots for w/in 10%	6	22	10	9	129

Stand 9: degrees of freedom = 35
alpha = 0.300
t-value = 1.052

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	102.05	4805.79	999.11	81.94	251.26
70% c.i. mean upper limit	117.95	5957.46	1171.03	95.54	339.92
70% c.i. # plots for w/in 15%	9	19	11	10	36
70% c.i. # plots for w/in 10%	19	42	23	22	81

Stand 10: degrees of freedom = 5

alpha = 0.300
t-value = 1.156

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	78.64	968.75	704.71	64.32	312.99
70% c.i. mean upper limit	126.36	2496.17	1234.21	107.56	480.47
70% c.i. # plots for w/in 15%	15	52	20	17	12
70% c.i. # plots for w/in 10%	33	117	45	38	27

Stand 11: degrees of freedom = 6
alpha = 0.300
t-value = 1.134

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	87.35	3343.20	952.77	70.53	170.86
70% c.i. mean upper limit	126.94	5157.89	1352.73	101.97	299.92
70% c.i. # plots for w/in 15%	11	15	10	11	24
70% c.i. # plots for w/in 10%	24	32	22	24	53

Stand 12: degrees of freedom = 4
alpha = 0.300
t-value = 1.190

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	121.60	4832.02	1170.15	107.22	172.94
70% c.i. mean upper limit	142.40	8259.13	1286.22	133.59	578.72
70% c.i. # plots for w/in 15%	2	16	1	3	65
70% c.i. # plots for w/in 10%	4	35	2	6	146

Stand 13: degrees of freedom = 2
alpha = 0.300
t-value = 1.385

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	18.46	0.00	321.66	14.94	0.00
70% c.i. mean upper limit	101.54	912.85	848.85	105.07	1023.81
70% c.i. # plots for w/in 15%	64	256	28	76	182
70% c.i. # plots for w/in 10%	144	576	61	170	409

Stand 14: degrees of freedom = 3
alpha = 0.300
t-value = 1.250

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	61.04	2568.77	648.65	50.27	84.98
70% c.i. mean upper limit	148.96	7058.51	1575.30	124.86	418.83
70% c.i. # plots for w/in 15%	32	39	31	33	79
70% c.i. # plots for w/in 10%	71	87	70	73	176

Stand 15: degrees of freedom = 4
alpha = 0.300
t-value = 1.190

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	83.80	3488.28	837.58	62.11	155.64
70% c.i. mean upper limit	120.20	5523.28	1223.97	97.10	321.76
70% c.i. # plots for w/in 15%	8	12	8	11	27
70% c.i. # plots for w/in 10%	16	26	18	25	61

Stand 16: degrees of freedom = 2
alpha = 0.300
t-value = 1.385

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	58.27	811.57	707.72	52.62	114.67
70% c.i. mean upper limit	121.73	1803.75	1068.23	125.65	1261.74
70% c.i. # plots for w/in 15%	17	20	6	23	93
70% c.i. # plots for w/in 10%	38	44	13	51	209

Stand 17: degrees of freedom = 2
alpha = 0.300
t-value = 1.385

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit		260.23	1170.77	86.60	170.17
70% c.i. mean upper limit		7672.84	1459.56	99.88	559.31
70% c.i. # plots for w/in 15%		117	2	1	38

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. # plots for w/in 10%		262	4	2	86

Stand 18: degrees of freedom = 47
alpha = 0.300
t-value = 1.048

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	92.58	2588.71	1016.68	78.68	282.89
70% c.i. mean upper limit	105.93	3173.77	1185.10	90.88	389.83
70% c.i. # plots for w/in 15%	10	22	13	11	53
70% c.i. # plots for w/in 10%	22	49	28	25	119

Stand 19: degrees of freedom = 3
alpha = 0.300
t-value = 1.250

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	87.89	782.76	809.22	73.97	240.41
70% c.i. mean upper limit	122.11	2959.02	1417.20	110.28	569.59
70% c.i. # plots for w/in 15%	5	61	14	7	30
70% c.i. # plots for w/in 10%	11	136	30	16	67

Stand 20: degrees of freedom = 4
alpha = 0.300
t-value = 1.190

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	106.63	1875.98	1035.30	90.52	298.03
70% c.i. mean upper limit	115.37	4180.87	1161.38	101.24	557.24
70% c.i. # plots for w/in 15%	1	33	1	1	21
70% c.i. # plots for w/in 10%	1	73	2	2	46

Stand 21: degrees of freedom = 21
alpha = 0.300
t-value = 1.063

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	109.91	3343.07	1091.86	88.38	350.76
70% c.i. mean upper limit	128.73	4563.80	1341.23	103.49	488.09
70% c.i. # plots for w/in 15%	7	24	11	7	27
70% c.i. # plots for w/in 10%	14	53	24	14	59

Stand 22: degrees of freedom = 10
alpha = 0.300
t-value = 1.093

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	97.97	2925.55	1054.84	76.16	224.53
70% c.i. mean upper limit	128.40	4580.22	1458.65	97.09	372.98
70% c.i. # plots for w/in 15%	9	24	13	8	31
70% c.i. # plots for w/in 10%	20	54	29	17	68

Stand 23: degrees of freedom = 3
alpha = 0.300
t-value = 1.250

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	13.75	502.52	97.90	7.72	0.00
70% c.i. mean upper limit	98.75	6459.80	610.71	52.17	452.68
70% c.i. # plots for w/in 15%	107	129	104	104	181
70% c.i. # plots for w/in 10%	231	289	210	239	406

Stand 24: degrees of freedom = 6
alpha = 0.300
t-value = 1.134

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	76.62	1824.41	844.53	55.51	169.12
70% c.i. mean upper limit	128.38	5084.71	1265.75	97.91	322.06
70% c.i. # plots for w/in 15%	17	60	11	21	26
70% c.i. # plots for w/in 10%	39	134	24	46	59

Stand 25: degrees of freedom = 9
alpha = 0.300

t-value = 1.100

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	86.70	1246.10	937.98	60.11	229.29
70% c.i. mean upper limit	127.05	2743.66	1474.03	91.11	384.08
70% c.i. # plots for w/in 15%	13	51	18	15	23
70% c.i. # plots for w/in 10%	29	113	40	34	51

Stand 26: degrees of freedom = 5
alpha = 0.300
t-value = 1.156

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	137.69	5004.50	1412.84	97.10	160.89
70% c.i. mean upper limit	152.31	6943.78	1890.14	118.20	424.72
70% c.i. # plots for w/in 15%	1	8	6	3	55
70% c.i. # plots for w/in 10%	2	16	13	6	122

Stand 27: degrees of freedom = 32
alpha = 0.300
t-value = 1.054

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	98.63	3532.04	980.92	76.94	300.56
70% c.i. mean upper limit	112.28	4343.94	1146.04	87.22	421.30
70% c.i. # plots for w/in 15%	7	16	9	6	42
70% c.i. # plots for w/in 10%	14	36	20	13	93

Stand 28: degrees of freedom = 11
alpha = 0.300
t-value = 1.088

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	78.64	1204.83	660.29	69.62	295.43
70% c.i. mean upper limit	101.36	2578.50	994.04	91.55	481.91
70% c.i. # plots for w/in 15%	9	71	22	10	31
70% c.i. # plots for w/in 10%	20	159	49	23	70

Stand 29: degrees of freedom = 4
alpha = 0.300
t-value = 1.190

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	129.70	4899.60	1427.99	88.78	203.29
70% c.i. mean upper limit	164.30	7338.21	1920.53	114.70	578.04
70% c.i. # plots for w/in 15%	4	9	5	4	52
70% c.i. # plots for w/in 10%	7	20	11	9	116

Stand 30: degrees of freedom = 49
alpha = 0.300
t-value = 1.048

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	112.03	3532.74	1111.73	77.86	285.92
70% c.i. mean upper limit	127.97	4355.57	1276.08	89.43	364.95
70% c.i. # plots for w/in 15%	10	25	11	11	33
70% c.i. # plots for w/in 10%	23	55	24	24	74

Stand 31: degrees of freedom = 11
alpha = 0.300
t-value = 1.088

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	83.32	2636.76	789.23	69.29	194.38
70% c.i. mean upper limit	109.18	4552.12	1076.92	93.39	390.04
70% c.i. # plots for w/in 15%	10	38	13	12	60
70% c.i. # plots for w/in 10%	22	86	29	27	135

Stand 32: degrees of freedom = 36
alpha = 0.300
t-value = 1.052

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	95.11	3347.79	885.29	79.91	358.81
70% c.i. mean upper limit	107.60	4065.98	1032.85	90.65	558.47
70% c.i. # plots for w/in 15%	7	16	10	7	78
70% c.i. # plots for w/in	15	35	22	15	176

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
10%					

Stand 33: degrees of freedom = 12
alpha = 0.300
t-value = 1.083

70% confidence interval

	Basal area (sq.ft/ac)	Net bdft vol (bd.ft/ac/ac)	Net pulp vol (cu.ft/ac/ac)	Rel. dens. (%/ac)	Stems/area (stems/ac)
70% c.i. mean lower limit	99.65	3768.32	1039.71	83.71	210.39
70% c.i. mean upper limit	121.89	5422.89	1336.44	103.52	330.61
70% c.i. # plots for w/in 15%	6	19	10	7	29
70% c.i. # plots for w/in 10%	14	43	21	15	65

Generated: 07/30/2013 09:54
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Stand Comparison Table

This report is for inventory data.

Management Unit Table

stands	ID	Stand area (ac)	% Ground cover (% cover)	Avg. dbh (in)	Basal area (sq.ft/ac)
Stand 33	Stand 33	70.0	0.0	3.34	118.8
Stand 32	Stand 32	140.0	0.0	3.61	104.7
Stand 31	Stand 31	60.0	0.0	5.27	98.5
Stand 30	Stand 30	250.0	0.0	4.79	125.5
Stand 29	Stand 29	25.0	0.0	2.57	158.8
Stand 28	Stand 28	60.0	0.0	3.48	99.3
Stand 27	Stand 27	165.0	0.0	2.59	116.8
Stand 26	Stand 26	30.0	0.0	5.74	147.4
Stand 25	Stand 25	50.0	0.0	3.99	114.0
Stand 24	Stand 24	35.0	0.0	4.16	106.5
Stand 23	Stand 23	10.0	0.0	12.00	15.0
Stand 22	Stand 22	55.0	0.0	3.59	120.7
Stand 21	Stand 21	110.0	0.0	3.61	128.5
Stand 20	Stand 20	25.0	0.0	3.60	117.5
Stand 19	Stand 19	20.0	0.0	2.88	117.1
Stand 18	Stand 18	255.0	0.0	3.53	107.9
Stand 17	Stand 17	15.0	0.0	2.69	131.1
Stand 16	Stand 16	15.0	0.0	2.49	96.5
Stand 15	Stand 15	25.0	0.0	2.26	122.0
Stand 14	Stand 14	20.0	0.0	4.53	110.3
Stand 13	Stand 13	15.0	0.0	3.68	62.2
Stand 12	Stand 12	30.0	0.0	2.93	141.6
Stand 11	Stand 11	35.0	0.0	3.47	117.0
Stand 10	Stand 10	30.0	0.0	2.35	117.0
Stand 9	Stand 9	180.0	0.0	3.53	119.2
Stand 8	Stand 8	175.0	0.0	3.54	128.4
Stand 7	Stand 7	145.0	0.0	3.50	129.1
Stand 6	Stand 6	20.0	0.0	4.28	124.5
Stand 5	Stand 5	10.0	0.0	2.41	105.7
Stand 4	Stand 4	30.0	0.0	4.54	87.1
Stand 3	Stand 3	20.0	0.0	3.04	53.0
Stand 2	Stand 2	360.0	0.0	3.56	117.6
Stand 1	Stand 1	95.0	0.0	3.45	102.0

Management Unit Table (cont)

stands	Canopy closure (% closure)	Net cords (cords/ac)	Net bdft vol (bd.ft/ac)	Year origin	Dead cavity
Stand 33	84.2	23.07	4652.94	1935	absent
Stand 32	79.5	18.68	3731.23	1932	present
Stand 31	76.3	18.28	3629.62	1927	present
Stand 30	75.0	22.32	3933.47	1929	present
Stand 29	91.0	31.88	6053.56	1922	absent
Stand 28	75.0	13.56	1886.14	1948	present
Stand 27	77.5	20.50	3948.61	1931	present
Stand 26	94.6	31.52	6092.34	1921	present
Stand 25	69.3	19.03	2033.72	1935	present
Stand 24	67.1	19.76	3427.27	1931	absent
Stand 23	12.5	3.68	0.00	1927	absent
Stand 22	78.4	22.69	3800.48	1936	present
Stand 21	85.7	22.63	3958.41	1930	present
Stand 20	93.9	19.14	3023.27	1943	absent
Stand 19	84.1	17.36	1932.00	1941	absent
Stand 18	76.6	18.95	2897.45	1938	present
Stand 17	92.4	23.86	4070.49	1924	present
Stand 16	75.7	13.30	1351.90	1948	present
Stand 15	74.3	21.13	4610.41	1931	absent
Stand 14	75.0	22.53	4837.27	1940	absent
Stand 13	51.6	7.84	361.66	1950	present
Stand 12	98.3	26.93	6462.19	1939	absent
Stand 11	80.4	22.07	4304.37	1937	present
Stand 10	73.8	15.14	1753.34	1950	absent
Stand 9	78.6	23.27	5449.34	1929	present
Stand 8	89.8	24.52	4573.55	1922	present
Stand 7	87.8	25.20	4448.01	1933	present
Stand 6	90.6	22.65	4130.61	1931	present
Stand 5	84.0	13.82	3344.43	1910	absent
Stand 4	67.4	18.65	4289.49	1918	present
Stand 3	29.4	10.60	3395.22	1911	absent
Stand 2	78.1	20.66	4259.22	1933	present
Stand 1	68.9	19.19	4377.44	1922	absent

Management Unit Table (cont)

stands	Seedling / area (stems/ac)	BA saps (sq.ft/ac)	Live cavity	Size class
Stand 33	4661.5	16.3	present	small sawtimber
Stand 32	3910.8	19.3	present	small sawtimber
Stand 31	2166.7	15.7	present	small sawtimber

Stand 31	2100.7	15.7	present	small sawtimber
Stand 30	2910.0	16.6	present	small sawtimber
Stand 29	2540.0	19.1	present	small sawtimber
Stand 28	3283.3	29.0	absent	pole
Stand 27	4887.9	18.8	present	small sawtimber
Stand 26	866.7	4.3	present	small sawtimber
Stand 25	2775.0	22.6	present	small sawtimber
Stand 24	4666.7	17.7	absent	small sawtimber
Stand 23	0.0	0.0	absent	small sawtimber
Stand 22	2381.8	15.3	present	small sawtimber
Stand 21	2790.9	22.1	present	small sawtimber
Stand 20	3700.0	19.6	present	pole
Stand 19	5200.0	27.3	present	pole
Stand 18	4702.1	20.7	present	small sawtimber
Stand 17	3000.0	16.9	present	small sawtimber
Stand 16	1700.0	27.9	absent	pole
Stand 15	4440.0	20.4	present	small sawtimber
Stand 14	1100.0	8.4	absent	small sawtimber
Stand 13	1466.7	22.2	present	pole
Stand 12	3540.0	17.8	present	small sawtimber
Stand 11	3657.1	16.8	present	small sawtimber
Stand 10	4233.3	28.1	present	pole
Stand 9	3650.0	19.2	present	small sawtimber
Stand 8	2532.4	18.2	present	small sawtimber
Stand 7	2330.0	15.1	present	small sawtimber
Stand 6	1175.0	22.6	present	small sawtimber
Stand 5	2950.0	34.6	present	small sawtimber
Stand 4	966.7	6.2	absent	small sawtimber
Stand 3	225.0	11.5	absent	small sawtimber
Stand 2	3413.0	17.5	present	small sawtimber
Stand 1	2083.3	20.3	present	small sawtimber

Generated: 07/29/2013 16:19
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Size Class x Stand

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are 'Basal Area' (square feet per acre). Display one place after the decimal point. The tree observations include Crop, AGS. Only live trees are included. The table columns are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 2. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'.

DBH (in) X Stand ID Table for Overstory (live trees only and Crop, AGS) Basal Area (sq.ft/ac)

stands	Area	Sum	< 2.00	>=2.00 and <=4.00	>4.00 and <=6.00
Weighted Mean			0.0	7.8	9.6
Stand 33	70.0	110.8	0.0	5.8	6.9
Stand 32	140.0	101.4	0.0	13.0	10.9
Stand 31	60.0	96.3	0.0	7.5	13.8
Stand 30	250.0	119.7	0.0	8.1	8.7
Stand 29	25.0	147.0	0.0	9.0	6.0
Stand 28	60.0	90.0	0.0	6.3	25.0
Stand 27	165.0	104.5	0.0	7.3	9.1
Stand 26	30.0	142.5	0.0	2.5	2.5
Stand 25	50.0	106.9	0.0	5.6	11.3
Stand 24	35.0	92.5	0.0	2.5	12.5
Stand 23	10.0	15.0	0.0	0.0	0.0
Stand 22	55.0	111.8	0.0	5.5	6.8
Stand 21	110.0	111.8	0.0	9.5	13.0
Stand 20	25.0	108.0	0.0	12.0	18.0
Stand 19	20.0	105.0	0.0	11.3	26.3
Stand 18	255.0	98.3	0.0	8.0	10.5
Stand 17	15.0	120.0	0.0	5.0	25.0
Stand 16	15.0	90.0	0.0	25.0	5.0
Stand 15	25.0	96.0	0.0	3.0	9.0
Stand 14	20.0	105.0	0.0	3.8	7.5
Stand 13	15.0	60.0	0.0	15.0	5.0
Stand 12	30.0	123.0	0.0	9.0	12.0
Stand 11	35.0	100.7	0.0	4.3	6.4
Stand 10	30.0	92.5	0.0	7.5	22.5
Stand 9	180.0	102.1	0.0	4.6	10.4
Stand 8	175.0	119.1	0.0	7.9	10.6
Stand 7	145.0	122.0	0.0	6.5	6.5

Stand 7	145.0	122.0	0.0	6.5	6.5
Stand 6	20.0	112.5	0.0	0.0	15.0
Stand 5	10.0	75.0	0.0	7.5	0.0
Stand 4	30.0	85.0	0.0	5.0	2.5
Stand 3	20.0	48.8	0.0	3.8	3.8
Stand 2	360.0	99.1	0.0	7.6	7.2
Stand 1	95.0	97.5	0.8	15.8	2.5

DBH (in) X Stand ID Table for Overstory (live trees only and Crop, AGS) Basal Area (sq.ft/ac) (cont)

stands	>6.00 and <=8.00	>8.00 and <=10.00	>10.00 and <=12.00	>12.00 and <=14.00	>14.00 and <=16.00
Weighted Mean	11.5	12.3	14.2	13.0	13.8
Stand 33	9.2	11.5	26.5	17.3	13.8
Stand 32	8.5	11.8	11.4	10.1	14.2
Stand 31	7.5	10.0	7.5	10.0	15.0
Stand 30	13.8	12.6	17.7	17.7	16.8
Stand 29	18.0	6.0	24.0	3.0	24.0
Stand 28	22.5	2.5	12.5	7.5	5.0
Stand 27	11.4	10.5	14.1	10.5	12.3
Stand 26	12.5	15.0	27.5	17.5	20.0
Stand 25	3.8	24.4	16.9	20.6	13.1
Stand 24	10.0	2.5	25.0	5.0	12.5
Stand 23	0.0	0.0	15.0	0.0	0.0
Stand 22	17.7	13.6	15.0	12.3	23.2
Stand 21	13.6	11.6	8.9	10.2	15.7
Stand 20	18.0	9.0	15.0	9.0	3.0
Stand 19	3.8	7.5	22.5	22.5	3.8
Stand 18	10.9	16.9	14.7	9.6	10.5
Stand 17	15.0	20.0	5.0	10.0	0.0
Stand 16	15.0	25.0	0.0	10.0	10.0
Stand 15	6.0	6.0	18.0	15.0	18.0
Stand 14	15.0	15.0	11.3	11.3	26.3
Stand 13	15.0	15.0	5.0	5.0	0.0
Stand 12	15.0	9.0	27.0	9.0	15.0
Stand 11	12.9	12.9	15.0	15.0	10.7
Stand 10	20.0	20.0	12.5	0.0	2.5
Stand 9	10.8	8.8	6.7	13.3	16.7
Stand 8	11.5	12.8	12.8	20.3	16.3
Stand 7	13.0	15.5	22.5	17.0	15.0
Stand 6	15.0	18.8	18.8	18.8	7.5
Stand 5	7.5	7.5	7.5	7.5	7.5
Stand 4	5.0	7.5	15.0	17.5	10.0
Stand 3	0.0	0.0	0.0	7.5	7.5

Stand 2	10.9	12.8	11.3	13.3	14.8
Stand 1	5.8	10.0	13.3	9.2	10.0

DBH (in) X Stand ID Table for Overstory (live trees only and Crop, AGS) Basal Area (sq.ft/ac) (cont)

stands	>16.00 and <=18.00	>18.00 and <=20.00	>20.00 and <=22.00	>22.00 and <=24.00	>24.00 and <=26.00
Weighted Mean	9.0	6.2	3.9	1.7	1.4
Stand 33	11.5	2.3	5.8	0.0	0.0
Stand 32	5.3	4.9	2.8	5.7	1.6
Stand 31	7.5	6.3	2.5	0.0	6.3
Stand 30	7.8	6.9	4.8	0.9	2.7
Stand 29	15.0	12.0	6.0	12.0	6.0
Stand 28	3.8	0.0	3.8	0.0	1.3
Stand 27	13.2	8.6	5.0	1.8	0.9
Stand 26	7.5	10.0	12.5	12.5	2.5
Stand 25	5.6	1.9	0.0	1.9	0.0
Stand 24	10.0	7.5	2.5	2.5	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	10.9	2.7	4.1	0.0	0.0
Stand 21	9.5	10.9	6.1	1.4	0.7
Stand 20	12.0	6.0	3.0	0.0	3.0
Stand 19	3.8	3.8	0.0	0.0	0.0
Stand 18	7.0	5.1	3.2	0.6	0.6
Stand 17	5.0	0.0	5.0	0.0	5.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	9.0	9.0	3.0	0.0	0.0
Stand 14	7.5	7.5	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	9.0	12.0	0.0	0.0	3.0
Stand 11	15.0	6.4	2.1	0.0	0.0
Stand 10	2.5	5.0	0.0	0.0	0.0
Stand 9	11.3	7.1	6.7	2.5	1.7
Stand 8	9.3	6.2	3.5	1.3	2.2
Stand 7	13.5	5.5	3.5	2.0	1.0
Stand 6	3.8	3.8	7.5	0.0	0.0
Stand 5	7.5	7.5	0.0	7.5	0.0
Stand 4	7.5	7.5	5.0	0.0	2.5
Stand 3	11.3	11.3	0.0	0.0	3.8
Stand 2	8.9	6.3	3.0	1.3	1.1
Stand 1	10.8	6.7	5.0	4.2	0.8

DBH (in) X Stand ID Table for Overstory (live trees only and Crop, AGS) Basal Area (sq.ft/ac) (cont)

stands	>26.00 and <=28.00	>28.00 and <=30.00	>30.00 and <=32.00	>32.00 and <=34.00	>34.00 and <=36.00

Weighted Mean	0.6	0.4	0.1	0.0	0.1
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.4	0.0	0.8	0.0	0.0
Stand 31	2.5	0.0	0.0	0.0	0.0
Stand 30	0.6	0.3	0.3	0.0	0.0
Stand 29	0.0	3.0	0.0	3.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	0.0	0.0	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	1.9	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0	0.0
Stand 21	0.7	0.0	0.0	0.0	0.0
Stand 20	0.0	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0	0.0
Stand 18	0.6	0.0	0.0	0.0	0.0
Stand 17	5.0	10.0	5.0	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	3.0	0.0	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0	0.0
Stand 9	0.0	0.8	0.0	0.0	0.0
Stand 8	1.8	0.9	0.4	0.0	0.9
Stand 7	0.5	0.0	0.0	0.0	0.0
Stand 6	3.8	0.0	0.0	0.0	0.0
Stand 5	0.0	7.5	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.2	0.2	0.0	0.0	0.0
Stand 1	0.8	1.7	0.0	0.0	0.0

DBH (in) X Stand ID Table for Overstory (live trees only and Crop, AGS) Basal Area (sq.ft/ac) (cont)

stands	>36.00 and <=38.00	>38.00 and <=40.00	>40.00 and <=42.00	> 42.00
Weighted Mean	0.0	0.0	0.1	0.0
Stand 33	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0

Stand 30	0.0	0.0	0.0	0.0
Stand 29	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	0.0	0.0
Stand 26	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0
Stand 21	0.0	0.0	0.0	0.0
Stand 20	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0
Stand 18	0.0	0.0	0.0	0.0
Stand 17	0.0	0.0	5.0	0.0
Stand 16	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0
Stand 9	0.4	0.0	0.0	0.4
Stand 8	0.0	0.0	0.4	0.0
Stand 7	0.0	0.0	0.0	0.0
Stand 6	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0
Stand 2	0.0	0.2	0.0	0.0
Stand 1	0.0	0.0	0.0	0.0

Generated: 07/29/2013 16:00
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Size Class

This report is for inventory data.

Report options: The cell values are 'Net Board-foot Volume' (board feet). Display one place after the decimal point. The values come from tree logs. The values are totaled for the stand by multiplying per area values by the stand area. The tree observations include Crop, AGS. Only live trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 2. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Stand 33

Stand 33

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	61,695.2	11,426.1	12,072.9	0.0	5,099.1
>12.00 and <=14.00	78,647.0	25,150.8	41,709.8	0.0	0.0
>14.00 and <=16.00	66,960.9	53,496.9	13,464.0	0.0	0.0
>16.00 and <=18.00	63,975.9	17,456.5	27,646.3	0.0	6,406.9
>18.00 and <=20.00	13,143.8	6,684.2	0.0	6,459.7	0.0
>20.00 and <=22.00	41,283.1	21,732.4	19,550.8	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	325,706.0	135,946.8	114,443.8	6,459.7	11,505.9

Stand 33 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	4,733.7	0.0	17,165.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	11,786.5
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	6,233.1	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	10,966.8	0.0	28,951.4

Stand 33 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	11,198.4
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	6,233.1	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	6,233.1	0.0	0.0	11,198.4

Stand 33 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0

>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 32

Stand 32

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	43,705.8	11,066.5	2,884.4	0.0	11,690.9
>12.00 and <=14.00	100,734.3	58,471.3	4,666.3	0.0	8,448.7
>14.00 and <=16.00	138,941.3	35,905.0	20,568.2	8,718.3	8,772.3
>16.00 and <=18.00	58,035.1	20,034.1	22,609.4	0.0	4,460.4
>18.00 and <=20.00	38,049.3	26,544.2	11,505.1	0.0	0.0
>20.00 and <=22.00	36,315.1	6,503.6	25,305.7	0.0	0.0
>22.00 and <=24.00	70,665.8	8,890.6	37,408.2	0.0	0.0
>24.00 and <=26.00	22,176.9	17,921.5	0.0	0.0	0.0
>26.00 and <=28.00	4,541.5	4,541.5	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	522,372.0	199,085.3	124,947.3	8,718.3	33,372.3

Stand 32 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	6,002.1	0.0	0.0	0.0	8,041.2
>12.00 and <=14.00	6,181.6	0.0	8,282.4	0.0	5,501.1
>14.00 and <=16.00	6,433.4	9,572.8	4,238.6	0.0	17,168.1
>16.00 and <=18.00	6,592.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	4,505.8	0.0
>22.00 and <=24.00	0.0	0.0	8,368.1	0.0	0.0
>24.00 and <=26.00	0.0	0.0	4,255.4	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	25,209.5	9,572.8	25,144.5	4,505.8	30,710.5

Stand 32 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	4,020.6	0.0	0.0	0.0
>12.00 and <=14.00	9,182.8	0.0	0.0	0.0	0.0
>14.00 and <=16.00	19,034.0	8,530.7	0.0	0.0	0.0
>16.00 and <=18.00	0.0	4,338.8	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	28,216.8	16,890.0	0.0	0.0	0.0

Stand 32 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	15,999.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	15,999.0	0.0	0.0

Stand 32 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0

>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 31

Stand 31

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	15,974.9	5,305.0	0.0	0.0	5,356.9
>12.00 and <=14.00	30,043.6	11,483.4	18,560.3	0.0	0.0
>14.00 and <=16.00	51,317.7	23,903.3	27,414.4	0.0	0.0
>16.00 and <=18.00	32,419.2	6,112.8	12,835.8	0.0	0.0
>18.00 and <=20.00	29,337.1	18,487.0	10,850.1	0.0	0.0
>20.00 and <=22.00	14,439.2	14,439.2	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	32,261.6	11,862.3	6,247.4	5,759.1	0.0
>26.00 and <=28.00	11,983.6	11,983.6	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	217,777.0	103,576.6	75,908.0	5,759.1	5,356.9

Stand 31 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	5,313.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	5,787.9	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	5,787.9	5,313.0

Stand 31 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	7,682.7	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	7,682.7	0.0	0.0	0.0

Stand 31 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	8,392.9	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,392.9	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0

>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 30

Stand 30

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	98,550.2	25,233.6	10,528.3	5,469.1	4,734.9
>12.00 and <=14.00	187,083.3	21,265.7	48,895.4	11,348.6	22,513.0
>14.00 and <=16.00	265,973.7	37,712.5	65,303.7	27,091.0	32,718.5
>16.00 and <=18.00	116,033.4	28,477.3	38,597.6	5,949.2	5,949.2
>18.00 and <=20.00	117,787.5	20,656.3	43,471.6	18,082.5	8,347.9
>20.00 and <=22.00	94,857.1	14,404.3	36,362.0	14,490.7	8,409.0
>22.00 and <=24.00	12,401.3	0.0	3,146.6	0.0	0.0
>24.00 and <=26.00	61,645.7	5,919.7	0.0	11,518.2	14,411.5
>26.00 and <=28.00	10,845.2	0.0	0.0	0.0	0.0

>28.00 and <=30.00	9,502.8	0.0	9,502.8	0.0	0.0
>30.00 and <=32.00	3,262.3	0.0	3,262.3	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	977,942.5	153,669.4	259,070.4	93,949.3	97,083.9

Stand 30 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	15,862.6	4,923.1	8,357.9	18,568.1	0.0
>12.00 and <=14.00	5,472.9	8,262.7	0.0	25,941.0	0.0
>14.00 and <=16.00	8,501.2	0.0	15,072.6	14,954.8	0.0
>16.00 and <=18.00	0.0	6,389.4	5,787.9	0.0	0.0
>18.00 and <=20.00	8,913.8	0.0	3,939.4	3,939.4	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	9,254.7	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	38,750.6	28,829.9	33,157.8	63,403.4	0.0

Stand 30 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	8,665.0	27,459.9	0.0
>14.00 and <=16.00	4,188.3	0.0	16,873.7	37,232.4	0.0
>16.00 and <=18.00	0.0	0.0	0.0	22,933.5	0.0
>18.00 and <=20.00	6,497.1	0.0	3,939.4	0.0	0.0
>20.00 and <=22.00	15,713.8	0.0	0.0	5,477.3	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	29,796.4	0.0
>26.00 and <=28.00	0.0	0.0	0.0	10,845.2	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	26,399.2	0.0	29,478.1	133,744.7	0.0

Stand 30 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	4,872.7	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	7,258.9	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	1,949.3	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,872.7	0.0	7,258.9	1,949.3	0.0

Stand 30 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	6,324.9	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	6,324.9	0.0	0.0	0.0

Stand 30 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 29

Stand 29

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	10,247.3	0.0	5,605.3	0.0	0.0
>12.00 and <=14.00	5,400.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	43,763.3	3,967.6	0.0	0.0	11,520.6
>16.00 and <=18.00	26,537.2	6,057.0	0.0	0.0	5,894.1
>18.00 and <=20.00	9,994.9	4,158.5	0.0	0.0	0.0
>20.00 and <=22.00	8,357.5	0.0	0.0	0.0	8,357.5

>22.00 and <=24.00	23,744.8	0.0	9,211.7	0.0	8,487.1
>24.00 and <=26.00	14,388.7	0.0	0.0	0.0	14,388.7
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	5,874.2	0.0	0.0	0.0	5,874.2
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	3,030.7	0.0	0.0	0.0	3,030.7
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	151,338.9	14,183.1	14,816.9	0.0	57,552.8

Stand 29 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	8,501.2	0.0	0.0	5,601.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,501.2	0.0	0.0	5,601.0	0.0

Stand 29 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	4,642.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	5,400.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	5,671.6	0.0	0.0
>16.00 and <=18.00	0.0	0.0	5,787.9	0.0	0.0
>18.00 and <=20.00	0.0	0.0	5,836.4	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	6,046.1	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	33,384.3	0.0	0.0

Stand 29 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	8,501.2	0.0	0.0	0.0
>16.00 and <=18.00	0.0	8,798.2	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	17,299.5	0.0	0.0	0.0

Stand 29 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 28

Stand 28

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	28,409.6	3,554.3	16,133.6	0.0	4,734.9
>12.00 and <=14.00	30,366.5	11,580.3	4,065.0	5,678.0	0.0

>14.00 and <=16.00	19,585.3	5,993.9	4,237.7	0.0	0.0
>16.00 and <=18.00	16,165.7	0.0	6,446.4	3,986.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	18,641.3	8,594.1	0.0	6,081.6	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	113,168.4	29,722.5	30,882.7	15,745.6	4,734.9

Stand 28 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	5,601.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	5,733.4	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	3,965.6	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	15,300.0	0.0

Stand 28 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	5,424.9	3,618.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	3,752.7	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	5,424.9	7,370.9	0.0	0.0

Stand 28 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	3,986.8
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	3,986.8

Stand 28 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 27

Stand 27

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	53,089.0	0.0	9,360.8	15,957.0	5,356.9
>12.00 and <=14.00	86,679.2	13,468.5	20,528.8	3,740.1	0.0
>14.00 and <=16.00	126,114.9	19,875.2	37,853.8	13,646.0	3,907.2
>16.00 and <=18.00	151,923.7	20,360.9	42,826.5	23,686.6	23,727.4
>18.00 and <=20.00	96,363.6	20,671.0	12,994.2	10,017.1	28,149.0
>20.00 and <=22.00	87,288.1	48,919.9	15,248.0	8,409.0	5,634.1
>22.00 and <=24.00	32,106.0	32,106.0	0.0	0.0	0.0
>24.00 and <=26.00	17,955.3	0.0	9,359.6	8,595.7	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	651,519.8	155,401.4	148,171.7	84,051.5	66,774.6

Stand 27 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	7,931.3	0.0	0.0	4,642.0	0.0
>12.00 and <=14.00	16,490.7	0.0	5,424.9	21,601.4	0.0
>14.00 and <=16.00	8,586.2	18,988.5	5,671.6	5,671.6	0.0
>16.00 and <=18.00	0.0	6,446.4	5,787.9	5,733.4	0.0
>18.00 and <=20.00	6,017.4	0.0	0.0	0.0	0.0
>20.00 and <=22.00	9,077.1	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	48,102.8	25,434.9	16,884.4	37,648.4	0.0

Stand 27 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	5,313.0	4,528.1	0.0	0.0
>12.00 and <=14.00	0.0	5,424.9	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	3,841.4	0.0	0.0	0.0
>18.00 and <=20.00	6,542.5	0.0	3,939.4	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,542.5	14,579.2	8,467.5	0.0	0.0

Stand 27 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	5,601.0	6,313.7

>16.00 and <=18.00	0.0	0.0	15,635.5	3,877.9	0.0
>18.00 and <=20.00	0.0	0.0	8,033.1	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	23,668.6	9,478.9	6,313.7

Stand 27 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 26

Stand 26

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	31,753.0	5,838.6	12,332.4	0.0	0.0
>14.00 and <=16.00	38,355.1	5,993.9	16,813.7	0.0	0.0
>16.00 and <=18.00	18,812.5	0.0	4,280.9	0.0	0.0
>18.00 and <=20.00	14,760.5	0.0	6,497.1	0.0	0.0
>20.00 and <=22.00	30,551.5	0.0	18,352.4	0.0	0.0
>22.00 and <=24.00	35,842.8	20,459.3	15,383.5	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	178,910.7	41,127.0	73,660.0	0.0	0.0

Stand 26 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	5,046.8	0.0
>14.00 and <=16.00	0.0	6,251.2	0.0	3,752.7	0.0
>16.00 and <=18.00	8,798.2	0.0	5,733.4	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	12,199.1	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,798.2	18,450.3	5,733.4	8,799.5	0.0

Stand 26 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	8,535.3	0.0
>14.00 and <=16.00	0.0	0.0	0.0	5,543.7	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	4,353.0	3,910.4	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,353.0	3,910.4	0.0	14,079.0	0.0

Stand 26 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 25

Stand 25

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	6,631.2	6,631.2	0.0	0.0	0.0
>12.00 and <=14.00	20,046.6	0.0	12,949.0	0.0	7,097.6
>14.00 and <=16.00	32,976.3	7,402.2	18,284.6	0.0	7,289.5
>16.00 and <=18.00	20,909.1	7,571.3	13,337.9	0.0	0.0
>18.00 and <=20.00	2,619.0	2,619.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	7,307.4	7,307.4	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	11,196.5	11,196.5	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	101,686.2	42,727.6	44,571.6	0.0	14,387.1

Stand 25 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0

Total	0.0	0.0

Stand 24

Stand 24

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	12,400.4	0.0	0.0	6,512.5	0.0
>14.00 and <=16.00	31,782.7	11,621.6	0.0	20,161.0	0.0
>16.00 and <=18.00	25,757.8	7,066.5	7,520.8	0.0	0.0
>18.00 and <=20.00	21,958.7	14,378.8	0.0	0.0	0.0
>20.00 and <=22.00	10,087.3	10,087.3	0.0	0.0	0.0
>22.00 and <=24.00	10,228.6	10,228.6	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	112,215.5	53,382.8	7,520.8	26,673.6	0.0

Stand 24 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	4,481.6	0.0	0.0
>18.00 and <=20.00	0.0	7,579.9	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	7,579.9	4,481.6	0.0	0.0

Stand 24 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	5,887.9	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	5,887.9	0.0	0.0

Stand 24 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	black gum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	6,688.9	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,688.9	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0

>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 23

Stand 23

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0

>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 22

Stand 22

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	15,361.8	0.0	0.0	0.0	4,734.9
>12.00 and <=14.00	38,530.3	5,838.6	12,233.4	0.0	5,678.0
>14.00 and <=16.00	84,221.7	11,843.5	25,362.7	0.0	9,691.0
>16.00 and <=18.00	41,456.2	24,339.5	17,116.7	0.0	0.0
>18.00 and <=20.00	13,039.5	0.0	6,542.5	0.0	0.0
>20.00 and <=22.00	16,416.7	14,404.3	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	209,026.3	56,425.8	61,255.3	0.0	20,103.9

Stand 22 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5,314.0	0.0	0.0	0.0	5,313.0
>12.00 and <=14.00	5,575.8	0.0	0.0	5,400.4	0.0
>14.00 and <=16.00	5,695.8	12,576.0	5,671.6	5,671.6	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	6,497.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	2,012.4	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	16,585.6	19,073.1	5,671.6	13,084.3	5,313.0

Stand 22 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	3,804.1	0.0
>14.00 and <=16.00	0.0	5,671.6	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	5,671.6	0.0	3,804.1	0.0

Stand 22 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	2,037.9
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	2,037.9

Stand 22 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0

>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 21

Stand 21

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	12,950.2	0.0	0.0	5,018.8	0.0
>12.00 and <=14.00	59,222.4	9,653.5	18,399.6	11,260.2	0.0
>14.00 and <=16.00	114,002.4	5,993.9	21,075.7	38,540.3	11,663.3
>16.00 and <=18.00	73,694.5	0.0	25,614.6	9,843.1	0.0
>18.00 and <=20.00	81,134.7	28,911.3	6,497.1	16,103.1	8,265.2
>20.00 and <=22.00	44,183.1	25,938.1	6,081.7	6,081.6	0.0
>22.00 and <=24.00	5,686.3	0.0	0.0	5,686.3	0.0
>24.00 and <=26.00	8,629.6	0.0	0.0	8,629.6	0.0
>26.00 and <=28.00	8,716.0	0.0	0.0	8,716.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	408,219.2	70,496.7	77,668.7	109,879.2	19,928.5

Stand 21 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	6,067.2	5,519.7	0.0	0.0
>14.00 and <=16.00	0.0	4,188.3	5,671.6	16,803.1	0.0
>16.00 and <=18.00	8,798.2	4,319.1	9,665.8	0.0	3,877.9
>18.00 and <=20.00	8,981.2	0.0	0.0	5,879.7	0.0
>20.00 and <=22.00	0.0	6,081.7	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17,779.5	20,656.3	20,857.1	22,682.9	3,877.9

Stand 21 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	5,601.0	0.0	4,465.3
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	5,601.0	0.0	4,465.3

Stand 21 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	7,931.3	0.0	0.0	0.0
>12.00 and <=14.00	0.0	8,322.1	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	11,575.8	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	11,575.8	16,253.4	0.0	0.0	0.0

Stand 21 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	6,497.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	6,497.1	0.0	0.0	0.0

Stand 21 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 20

Stand 20

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5,356.9	0.0	0.0	0.0	5,356.9
>12.00 and <=14.00	17,181.2	0.0	12,134.5	0.0	0.0
>14.00 and <=16.00	4,237.7	0.0	4,237.7	0.0	0.0
>16.00 and <=18.00	22,179.6	18,338.3	0.0	0.0	0.0
>18.00 and <=20.00	11,998.7	6,162.3	0.0	0.0	0.0
>20.00 and <=22.00	5,758.0	5,758.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	8,869.7	8,869.7	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	75,581.8	39,128.3	16,372.1	0.0	5,356.9

Stand 20 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	5,046.8	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	3,841.4	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	3,841.4	5,046.8	0.0

Stand 20 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	5,836.4	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,836.4	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	American hornbeam	American basswood

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 19

Stand 19

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	25,953.7	0.0	20,528.8	0.0	0.0
>14.00 and <=16.00	4,237.7	0.0	4,237.7	0.0	0.0
>16.00 and <=18.00	4,095.6	4,095.6	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	38,639.9	4,095.6	24,766.5	0.0	0.0

Stand 19 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	5,424.9	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	5,424.9	0.0	0.0

Stand 19 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,353.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	black gum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 18

Stand 18

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	101,783.7	40,295.3	6,082.3	0.0	14,393.0
>12.00 and <=14.00	114,386.7	50,263.2	6,691.0	6,161.3	8,256.1

>14.00 and <=16.00	162,882.0	43,146.7	45,537.3	12,501.1	10,515.8
>16.00 and <=18.00	139,911.2	41,831.2	46,471.3	0.0	0.0
>18.00 and <=20.00	91,040.7	24,717.2	18,872.8	4,360.9	6,009.0
>20.00 and <=22.00	84,352.3	49,836.0	19,757.3	0.0	0.0
>22.00 and <=24.00	9,995.6	0.0	0.0	0.0	0.0
>24.00 and <=26.00	19,225.1	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	738,849.9	256,581.1	143,411.9	23,023.2	39,173.9

Stand 18 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	8,606.3	0.0	0.0	15,111.3	5,765.1
>12.00 and <=14.00	8,863.8	0.0	5,886.6	7,338.2	0.0
>14.00 and <=16.00	0.0	11,327.9	6,154.3	12,318.8	0.0
>16.00 and <=18.00	6,396.5	6,995.0	18,782.3	12,501.8	0.0
>18.00 and <=20.00	9,672.5	11,822.8	8,486.3	0.0	0.0
>20.00 and <=22.00	0.0	0.0	14,759.0	0.0	0.0
>22.00 and <=24.00	0.0	9,995.6	0.0	0.0	0.0
>24.00 and <=26.00	0.0	10,118.0	9,107.1	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	42,320.1	50,259.3	63,175.6	47,270.1	5,765.1

Stand 18 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	11,530.3	0.0	0.0	0.0
>12.00 and <=14.00	13,448.9	2,001.4	5,476.3	0.0	0.0
>14.00 and <=16.00	0.0	12,155.5	0.0	0.0	0.0
>16.00 and <=18.00	6,933.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	7,099.3	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	27,481.3	25,687.2	5,476.3	0.0	0.0

Stand 18 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	9,224.7	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	9,224.7	0.0	0.0	0.0

Stand 18 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 17

Stand 17

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	5,046.8	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	6,112.8	6,112.8	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	6,928.7	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	9,324.4	0.0	0.0	0.0	0.0
>26.00 and <=28.00	7,134.5	0.0	0.0	0.0	0.0
>28.00 and <=30.00	18,042.3	18,042.3	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	8,468.0	8,468.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	61,057.4	32,623.0	0.0	0.0	0.0

Stand 17 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	9,324.4	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	9,324.4	0.0	0.0	0.0

Stand 17 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	5,046.8	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	6,928.7
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	7,134.5
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	5,046.8	0.0	14,063.2

Stand 17 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 16

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	9,765.4	0.0	6,067.2	0.0	0.0
>14.00 and <=16.00	10,513.1	0.0	10,513.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	20,278.6	0.0	16,580.4	0.0	0.0

Stand 16 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	3,698.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	3,698.2	0.0	0.0

Stand 16 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 15

Stand 15

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	14,906.6	4,659.3	5,605.3	0.0	0.0
>12.00 and <=14.00	29,431.2	5,838.6	12,332.4	5,678.0	5,582.2
>14.00 and <=16.00	36,598.0	5,921.7	25,004.6	0.0	0.0
>16.00 and <=18.00	16,765.5	6,057.0	0.0	0.0	0.0
>18.00 and <=20.00	8,481.8	4,128.8	4,353.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	115,260.3	26,605.4	56,372.5	5,678.0	5,582.2

Stand 15 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	4,642.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	10,708.5	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	10,708.5	0.0	4,642.0	0.0

Stand 15 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	5,671.6	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	5,671.6	0.0

Stand 15 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0

> 42.00	0.0	0.0
Total	0.0	0.0

Stand 14

Stand 14

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16,243.1	5,305.0	0.0	10,938.1	0.0
>12.00 and <=14.00	15,614.7	11,483.4	4,131.4	0.0	0.0
>14.00 and <=16.00	41,749.3	29,752.9	6,324.9	0.0	0.0
>16.00 and <=18.00	10,098.7	6,112.8	0.0	0.0	3,986.0
>18.00 and <=20.00	13,039.5	0.0	13,039.5	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	96,745.4	52,654.0	23,495.8	10,938.1	3,986.0

Stand 14 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	5,671.6	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	5,671.6	0.0

Stand 14 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	black gum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0

>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 13

Stand 13

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,424.9	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	5,424.9

Stand 13 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 12

Stand 12

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	52,889.9	35,096.7	0.0	0.0	0.0
>12.00 and <=14.00	19,832.1	0.0	0.0	6,698.6	0.0
>14.00 and <=16.00	35,703.5	35,703.5	0.0	0.0	0.0
>16.00 and <=18.00	21,872.1	21,872.1	0.0	0.0	0.0
>18.00 and <=20.00	29,382.3	22,184.4	0.0	7,197.9	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	10,355.5	0.0	0.0	10,355.5	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	180,750.1	125,571.3	0.0	24,252.1	0.0

Stand 12 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	5,570.4	5,847.2
>12.00 and <=14.00	0.0	0.0	0.0	0.0	6,623.6
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	5,570.4	12,470.8

Stand 12 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	6,375.6	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	6,375.6	0.0	0.0	0.0

Stand 12 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	6,509.9	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,509.9	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 11

Stand 11

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	23,200.6	15,269.3	0.0	0.0	0.0
>12.00 and <=14.00	40,207.6	17,418.8	6,166.2	0.0	5,678.0
>14.00 and <=16.00	24,480.4	11,915.6	8,376.6	0.0	0.0
>16.00 and <=18.00	41,105.0	30,396.5	10,708.5	0.0	0.0
>18.00 and <=20.00	8,936.2	0.0	4,353.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	146,524.0	83,594.3	29,604.3	0.0	5,678.0

Stand 11 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	7,931.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	10,944.6	0.0	0.0
>14.00 and <=16.00	0.0	4,188.3	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,931.3	4,188.3	10,944.6	0.0	0.0

Stand 11 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	4,583.2
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	4,583.2

Stand 11 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0

>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 10

Stand 10

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16,720.9	5,305.0	5,605.3	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	6,251.2	0.0	6,251.2	0.0	0.0
>16.00 and <=18.00	5,733.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	41,030.2	17,629.7	11,856.4	0.0	0.0

Stand 10 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5,810.7	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	5,733.4	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,810.7	0.0	0.0	5,733.4	0.0

Stand 10 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	American hornbeam	American basswood

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 9

Stand 9

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	30,826.0	4,659.3	0.0	5,018.8	5,356.9
>12.00 and <=14.00	188,175.3	58,095.0	12,332.4	0.0	5,582.2
>14.00 and <=16.00	234,681.2	87,497.1	31,476.9	0.0	0.0
>16.00 and <=18.00	161,342.3	99,492.3	12,835.8	0.0	0.0
>18.00 and <=20.00	107,775.1	55,638.6	6,497.1	0.0	0.0
>20.00 and <=22.00	127,768.3	103,389.8	0.0	0.0	0.0
>22.00 and <=24.00	41,672.4	26,260.0	0.0	0.0	0.0

>24.00 and <=26.00	29,685.5	17,705.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	16,751.1	9,009.3	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	12,612.2	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	5,412.7	5,412.7	0.0	0.0	0.0
Total	956,702.1	467,159.0	63,142.2	5,018.8	10,939.1

Stand 9 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	5,605.3	0.0	0.0	0.0
>12.00 and <=14.00	38,607.9	4,131.4	11,039.4	15,847.5	11,039.4
>14.00 and <=16.00	17,070.0	27,277.4	22,615.9	5,671.6	11,202.1
>16.00 and <=18.00	8,711.5	10,670.3	5,733.4	0.0	0.0
>18.00 and <=20.00	8,913.8	12,994.2	5,836.4	0.0	0.0
>20.00 and <=22.00	0.0	24,378.5	0.0	0.0	0.0
>22.00 and <=24.00	0.0	15,412.3	0.0	0.0	0.0
>24.00 and <=26.00	11,980.6	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	85,283.8	100,469.4	45,225.0	21,519.1	22,241.5

Stand 9 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	10,185.6	0.0	0.0	0.0
>12.00 and <=14.00	6,067.2	5,519.7	0.0	0.0	0.0
>14.00 and <=16.00	10,562.5	0.0	0.0	0.0	0.0
>16.00 and <=18.00	6,389.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	23,019.2	15,705.3	0.0	0.0	0.0

Stand 9 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	8,322.1	0.0	5,424.9	0.0
>14.00 and <=16.00	0.0	8,501.2	0.0	0.0	4,237.7
>16.00 and <=18.00	0.0	0.0	0.0	0.0	8,798.2
>18.00 and <=20.00	0.0	0.0	0.0	0.0	8,913.8
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	16,823.4	0.0	5,424.9	21,949.7

Stand 9 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	6,166.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	8,568.8	0.0	0.0	0.0	0.0
>16.00 and <=18.00	8,711.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	8,981.2	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	7,741.8	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	12,612.2	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	32,427.7	0.0	12,612.2	7,741.8	0.0

Stand 9 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 8

Stand 8

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	34,219.4	10,257.4	1,723.1	0.0	4,874.1
>12.00 and <=14.00	209,575.6	50,026.1	46,279.7	21,352.6	11,492.7
>14.00 and <=16.00	195,646.2	65,315.7	30,127.4	9,951.8	0.0

>16.00 and <=18.00	118,656.1	39,741.5	11,042.8	6,067.4	0.0
>18.00 and <=20.00	81,269.1	33,936.0	15,697.0	0.0	8,508.3
>20.00 and <=22.00	50,950.9	14,774.2	0.0	8,656.4	5,764.2
>22.00 and <=24.00	14,999.8	14,999.8	0.0	0.0	0.0
>24.00 and <=26.00	30,086.8	6,117.5	9,598.7	0.0	0.0
>26.00 and <=28.00	22,201.6	6,158.3	0.0	0.0	0.0
>28.00 and <=30.00	18,572.9	18,572.9	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	3,230.7	3,230.7	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	8,717.0	8,717.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	788,126.2	271,847.1	114,468.6	46,028.3	30,639.4

Stand 8 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	8,408.8	6,347.6	17,046.1	17,716.0	3,807.0
>14.00 and <=16.00	8,751.3	19,420.2	5,765.8	23,208.4	9,701.5
>16.00 and <=18.00	6,068.2	28,643.6	5,902.0	3,954.3	5,958.1
>18.00 and <=20.00	0.0	0.0	0.0	0.0	10,078.0
>20.00 and <=22.00	0.0	0.0	8,363.1	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	14,370.6	0.0	0.0
>26.00 and <=28.00	0.0	0.0	8,699.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	23,228.3	54,411.4	60,146.6	44,878.7	29,544.6

Stand 8 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	6,125.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	5,682.0	3,724.7	0.0	0.0
>14.00 and <=16.00	17,308.2	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	4,642.1
>18.00 and <=20.00	0.0	6,008.0	0.0	0.0	7,041.8
>20.00 and <=22.00	0.0	0.0	0.0	0.0	7,132.5
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	7,344.4
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	23,433.7	11,690.1	3,724.7	0.0	26,160.7

Stand 8 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5,469.2	0.0	0.0	0.0	0.0
>12.00 and <=14.00	5,682.0	5,633.9	0.0	0.0	2,123.5
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	6,260.6	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	11,151.3	11,894.5	0.0	0.0	2,123.5

Stand 8 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	4,252.9	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	6,095.9
>16.00 and <=18.00	0.0	6,636.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	10,888.9	0.0	0.0	6,095.9

Stand 8 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5,770.1	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,770.1	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 7

Stand 7

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	73,764.1	23,768.3	4,759.0	4,851.6	14,933.7
>12.00 and <=14.00	153,131.1	29,888.6	27,549.3	21,769.8	10,977.5
>14.00 and <=16.00	157,572.5	61,218.1	22,367.3	27,979.3	14,867.3
>16.00 and <=18.00	133,359.7	55,051.4	0.0	17,199.5	3,817.4
>18.00 and <=20.00	52,633.5	23,956.4	0.0	11,639.0	0.0
>20.00 and <=22.00	38,080.2	5,566.1	0.0	0.0	0.0
>22.00 and <=24.00	22,388.1	5,678.3	0.0	0.0	0.0
>24.00 and <=26.00	8,540.8	8,540.8	0.0	0.0	0.0
>26.00 and <=28.00	5,491.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	644,960.9	213,668.1	54,675.5	83,439.2	44,596.0

Stand 7 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	5,418.4	9,087.0	0.0	4,710.2
>12.00 and <=14.00	5,390.0	5,960.7	5,335.7	0.0	21,159.5
>14.00 and <=16.00	8,217.9	10,139.2	9,155.9	0.0	0.0
>16.00 and <=18.00	17,038.8	8,313.3	0.0	7,426.6	0.0
>18.00 and <=20.00	0.0	0.0	13,258.0	0.0	0.0
>20.00 and <=22.00	5,879.0	14,705.1	0.0	0.0	0.0
>22.00 and <=24.00	0.0	5,994.0	5,371.2	0.0	5,344.6
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	5,491.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	36,525.6	50,530.7	47,698.8	7,426.6	31,214.4

Stand 7 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	4,710.2	1,525.7	0.0	0.0
>12.00 and <=14.00	0.0	5,244.0	19,856.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	3,627.6	0.0	0.0
>16.00 and <=18.00	12,407.9	0.0	5,542.3	0.0	6,562.5
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	6,363.9	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	18,771.8	9,954.3	30,551.5	0.0	6,562.5

Stand 7 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	black gum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	3,780.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,780.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	5,566.1	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	5,566.1	0.0	0.0	0.0

Stand 7 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 6

Stand 6

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	7,924.0	4,659.3	0.0	0.0	0.0
>12.00 and <=14.00	28,859.2	0.0	0.0	0.0	5,582.2
>14.00 and <=16.00	10,110.0	5,921.7	0.0	0.0	0.0
>16.00 and <=18.00	6,057.0	6,057.0	0.0	0.0	0.0
>18.00 and <=20.00	6,162.3	6,162.3	0.0	0.0	0.0
>20.00 and <=22.00	17,188.1	17,188.1	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	82,612.3	39,988.5	6,311.6	0.0	5,582.2

Stand 6 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	3,264.7
>12.00 and <=14.00	0.0	12,332.4	0.0	0.0	5,424.9
>14.00 and <=16.00	0.0	4,188.3	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	16,520.7	0.0	0.0	8,689.6

Stand 6 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	5,519.7	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	5,519.7	0.0	0.0	0.0

Stand 6 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 5

Stand 5

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	5,046.8	0.0	0.0	0.0	0.0
>14.00 and <=16.00	5,671.6	0.0	0.0	0.0	0.0
>16.00 and <=18.00	8,798.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	6,042.1	0.0	0.0	6,042.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	7,885.5	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	33,444.3	0.0	0.0	6,042.1	0.0

Stand 5 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	8,798.2	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	7,885.5	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	16,683.8	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	5,046.8	0.0	0.0
>14.00 and <=16.00	0.0	0.0	5,671.6	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	10,718.4	0.0	0.0

Stand 5 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	black gum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0

>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 4

Stand 4

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	11,074.3	0.0	0.0	5,469.1	0.0
>12.00 and <=14.00	37,570.2	5,741.7	4,065.0	16,938.3	0.0
>14.00 and <=16.00	24,596.2	5,921.7	0.0	5,760.3	0.0
>16.00 and <=18.00	14,885.6	6,057.0	4,319.1	0.0	0.0
>18.00 and <=20.00	19,546.4	6,162.3	6,497.1	0.0	0.0
>20.00 and <=22.00	14,764.6	0.0	9,130.5	5,634.1	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	128,684.7	23,882.8	30,259.1	33,801.7	0.0

Stand 4 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	0.0	5,605.3	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	5,400.4	5,424.9
>14.00 and <=16.00	0.0	6,324.9	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	11,930.1	0.0	5,400.4	5,424.9

Stand 4 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	6,589.3
>16.00 and <=18.00	0.0	0.0	0.0	0.0	4,509.5
>18.00 and <=20.00	0.0	0.0	0.0	0.0	6,886.9
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	17,985.8

Stand 4 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	black gum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0

>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 3

Stand 3

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	16,490.7	0.0	0.0	0.0	0.0
>14.00 and <=16.00	9,631.6	0.0	0.0	5,831.6	0.0
>16.00 and <=18.00	20,584.2	0.0	0.0	0.0	5,949.2
>18.00 and <=20.00	21,197.9	0.0	0.0	4,018.8	8,265.2
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	67,904.3	0.0	0.0	9,850.5	14,214.4

Stand 3 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	16,490.7	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	14,634.9	0.0	0.0	0.0	0.0
>18.00 and <=20.00	8,913.8	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	40,039.5	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	3,800.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	3,800.0	0.0

Stand 3 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 2

Stand 2

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	165,118.7	20,795.1	42,961.0	15,237.3	0.0
>12.00 and <=14.00	293,436.5	100,448.5	55,303.1	35,049.3	9,894.6
>14.00 and <=16.00	401,362.8	103,696.6	69,959.0	40,315.0	0.0
>16.00 and <=18.00	239,997.8	72,021.9	44,648.7	26,731.1	6,207.9
>18.00 and <=20.00	177,145.8	75,257.5	45,314.4	18,777.1	5,778.5
>20.00 and <=22.00	104,552.5	35,979.8	18,943.6	13,026.5	17,441.7
>22.00 and <=24.00	55,063.5	36,550.3	9,657.1	8,856.1	0.0
>24.00 and <=26.00	39,940.6	33,931.1	0.0	0.0	6,009.5
>26.00 and <=28.00	9,346.6	9,346.6	0.0	0.0	0.0
>28.00 and <=30.00	9,173.1	0.0	0.0	0.0	9,173.1
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	1,495,138.0	488,027.5	286,786.8	157,992.4	54,505.2

Stand 2 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16,401.0	7,837.6	10,444.6	4,843.9	19,427.5
>12.00 and <=14.00	8,683.9	12,868.6	26,699.8	3,528.3	11,321.5
>14.00 and <=16.00	44,565.7	0.0	29,443.7	0.0	15,752.2
>16.00 and <=18.00	27,270.7	11,134.2	6,039.5	5,982.6	16,030.5
>18.00 and <=20.00	6,279.0	6,779.6	6,090.1	0.0	0.0
>20.00 and <=22.00	0.0	0.0	5,715.5	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	103,200.4	38,620.0	84,433.3	14,354.9	62,531.7

Stand 2 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	7,428.9	0.0	0.0	5,134.9
>12.00 and <=14.00	12,765.3	0.0	3,528.3	0.0	0.0
>14.00 and <=16.00	37,267.4	29,591.0	0.0	0.0	11,561.2
>16.00 and <=18.00	0.0	5,982.6	0.0	0.0	0.0
>18.00 and <=20.00	6,779.6	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	6,176.1	0.0	7,269.4
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	56,812.3	43,002.5	9,704.5	0.0	23,965.4

Stand 2 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5,544.0	0.0	0.0	9,063.1	0.0
>12.00 and <=14.00	0.0	0.0	0.0	13,345.1	0.0
>14.00 and <=16.00	5,918.2	8,870.9	0.0	0.0	0.0
>16.00 and <=18.00	17,947.9	0.0	0.0	0.0	0.0
>18.00 and <=20.00	6,090.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	35,500.2	8,870.9	0.0	22,408.2	0.0

Stand 2 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 2 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	4,421.9	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	4,421.9	0.0	0.0

Stand 2 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 2 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 1

Stand 1

Species	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	59,773.3	16,117.6	9,880.8	16,843.5	5,654.5
>12.00 and <=14.00	58,408.2	6,162.9	25,617.2	0.0	3,947.8
>14.00 and <=16.00	58,763.9	18,752.1	0.0	6,191.6	0.0
>16.00 and <=18.00	80,550.2	19,239.4	22,606.8	12,501.3	0.0
>18.00 and <=20.00	51,666.1	19,560.9	6,858.0	12,709.3	6,331.5
>20.00 and <=22.00	48,430.2	15,149.4	9,581.4	0.0	8,876.2
>22.00 and <=24.00	36,984.3	9,254.4	9,768.9	8,958.6	9,002.4
>24.00 and <=26.00	9,073.2	0.0	0.0	9,073.2	0.0
>26.00 and <=28.00	3,204.5	3,204.5	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	415,856.5	107,441.3	84,313.2	66,277.4	33,812.5

Stand 1 (cont)

Species	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	6,133.5	0.0	0.0	0.0	5,143.4
>12.00 and <=14.00	0.0	0.0	11,652.7	5,700.4	0.0
>14.00 and <=16.00	0.0	0.0	0.0	15,934.6	11,898.9
>16.00 and <=18.00	9,195.4	0.0	0.0	0.0	10,202.8
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	8,575.5	0.0	6,247.6
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	15,329.0	0.0	20,228.2	21,634.9	33,492.6

Stand 1 (cont)

Species	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	5,327.1	0.0	0.0
>14.00 and <=16.00	0.0	5,986.7	0.0	0.0	0.0
>16.00 and <=18.00	6,804.5	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	6,206.4	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,804.5	21,195.8	5,327.1	0.0	0.0

Stand 1 (cont)

Species	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	American hornbeam	American basswood
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Management unit totals

Totals

dbh range	Total	northern red oak	chestnut oak	sugar maple	red maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	960416.9	249404.6	133202.0	84803.2	92277.6
>12.00 and <=14.00	1954445.0	498117.5	433538.4	152187.5	110730.7
>14.00 and <=16.00	2438684.0	698472.7	514792.0	216687.3	110945.4
>16.00 and <=18.00	1697825.6	569952.5	371466.0	105964.3	66398.5
>18.00 and <=20.00	1141184.0	433301.6	219839.6	115407.5	79654.6
>20.00 and <=22.00	918864.9	421258.7	187390.4	62379.8	54482.6
>22.00 and <=24.00	386972.3	171734.9	84575.9	23500.9	17489.5
>24.00 and <=26.00	337242.0	119702.7	31453.0	53931.3	34809.6
>26.00 and <=28.00	126959.9	63637.0	6311.6	8716.0	0.0
>28.00 and <=30.00	86919.2	45624.5	9502.8	0.0	15047.3
>30.00 and <=32.00	12469.2	9206.9	3262.3	0.0	0.0

>32.00 and <=34.00	3030.7	0.0	0.0	0.0	3030.7
>34.00 and <=36.00	3230.7	3230.7	0.0	0.0	0.0
>36.00 and <=38.00	12612.2	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	17185.0	17185.0	0.0	0.0	0.0
> 42.00	5412.7	5412.7	0.0	0.0	0.0
Total	10103454.3	3306241.9	1995334.1	823577.9	584866.5

Totals (cont)

dbh range	white ash	scarlet oak	white oak	sweet birch	mockernut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	79992.8	29389.7	32623.1	53377.8	79990.2
>12.00 and <=14.00	120166.1	55970.6	116954.9	118567.0	87513.2
>14.00 and <=16.00	116322.8	134442.8	109461.6	120860.9	65722.8
>16.00 and <=18.00	122303.2	93619.9	77988.1	52853.4	36069.3
>18.00 and <=20.00	57691.7	45673.5	37610.2	9819.2	10078.0
>20.00 and <=22.00	14956.1	57364.5	37413.1	10483.8	6247.6
>22.00 and <=24.00	7885.5	40656.7	13739.3	0.0	5344.6
>24.00 and <=26.00	11980.6	19442.4	27733.2	0.0	0.0
>26.00 and <=28.00	8781.0	0.0	14190.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	540079.9	476560.0	467713.4	365962.1	290965.8

Totals (cont)

dbh range	black oak	pignut hickory	yellow birch	eastern hemlock	American beech
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	6125.5	49564.2	10695.8	0.0	16333.3

>12.00 and <=14.00	41464.3	34816.7	71577.4	39799.3	0.0
>14.00 and <=16.00	88360.3	61935.4	41198.3	48447.8	22615.9
>16.00 and <=18.00	32535.1	28078.6	11330.1	22933.5	15714.1
>18.00 and <=20.00	35624.4	16124.8	13715.2	0.0	18511.9
>20.00 and <=22.00	22077.7	0.0	6176.1	5477.3	21330.5
>22.00 and <=24.00	0.0	0.0	6046.1	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	29796.4	0.0
>26.00 and <=28.00	0.0	0.0	0.0	10845.2	14478.9
>28.00 and <=30.00	0.0	9002.7	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	226187.3	199522.3	160739.0	157299.4	108984.6

Totals (cont)

dbh range	shagbark hickory	bigtooth aspen	tuliptree	blackgum	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	15885.9	7931.3	0.0	9063.1	3986.8
>12.00 and <=14.00	12191.9	22278.1	7258.9	18770.0	2123.5
>14.00 and <=16.00	5918.2	35098.1	0.0	5601.0	10551.3
>16.00 and <=18.00	36212.6	8798.2	15635.5	5827.2	8798.2
>18.00 and <=20.00	15706.5	0.0	8033.1	0.0	8913.8
>20.00 and <=22.00	0.0	6260.6	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	15999.0	0.0	0.0
>24.00 and <=26.00	8392.9	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	94307.9	80366.3	46926.5	39261.3	34373.8

Totals (cont)

dbh range	red pine	American elm	Norway spruce	eastern white pine	sassafras
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	6166.2	4252.9	0.0	0.0	0.0
>14.00 and <=16.00	8568.8	6324.9	0.0	0.0	6095.9
>16.00 and <=18.00	8711.5	6636.0	0.0	0.0	0.0
>18.00 and <=20.00	8981.2	6497.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	7741.8	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	12612.2	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	32427.7	23710.8	12612.2	7741.8	6095.9

Totals (cont)

dbh range	water oak	unidentified non-comm hardwood	pin oak	gray birch	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	5770.1	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	4421.9	3800.0	2037.9
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	5566.1	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5770.1	5566.1	4421.9	3800.0	2037.9

Totals (cont)

dbh range	unidentified species	serviceberry	pitch pine	hophornbeam	American witchhazel
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Totals (cont)

dbh range	American hornbeam	American basswood
< 2.00	0.0	0.0

>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Generated: 07/29/2013 16:07
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Size Class

This report is for inventory data.

Report options: The cell values are 'Net Cord Volume' (cords). Display one place after the decimal point. The values come from tree logs. The values are totaled for the stand by multiplying per area values by the stand area. The tree observations include Crop, AGS. Only live trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 2. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Stand 33

Stand 33

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.9	0.0	0.0	9.9	0.0
>6.00 and <=8.00	116.0	31.3	42.5	0.0	0.0
>8.00 and <=10.00	141.5	36.5	18.2	52.5	0.0
>10.00 and <=12.00	438.2	115.9	137.0	19.1	0.0
>12.00 and <=14.00	297.0	83.2	157.3	0.0	0.0
>14.00 and <=16.00	248.5	184.9	42.4	0.0	0.0
>16.00 and <=18.00	215.0	61.8	88.0	22.1	0.0
>18.00 and <=20.00	43.7	22.6	0.0	0.0	21.1
>20.00 and <=22.00	105.4	59.8	45.6	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,615.1	595.9	531.1	103.6	21.1

Stand 33 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	26.6	15.6	0.0	0.0
>8.00 and <=10.00	0.0	0.0	17.1	17.2	0.0
>10.00 and <=12.00	18.0	0.0	38.9	56.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	38.8	0.0
>14.00 and <=16.00	0.0	21.2	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	22.1	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	18.0	47.7	93.8	112.0	0.0

Stand 33 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	20.9	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	20.9	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	33.6	0.0	0.0	0.0
>12.00 and <=14.00	0.0	17.6	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	51.2	0.0	0.0	0.0

Stand 33 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	19.8	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	19.8	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0

>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 32

Stand 32

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	99.6	14.1	14.1	14.1	13.3
>6.00 and <=8.00	202.3	53.7	0.0	28.5	0.0
>8.00 and <=10.00	354.3	114.2	24.2	112.7	24.3
>10.00 and <=12.00	359.3	94.7	74.4	68.3	0.0
>12.00 and <=14.00	341.5	205.6	14.7	28.7	0.0
>14.00 and <=16.00	511.1	119.8	69.7	30.1	28.2
>16.00 and <=18.00	191.8	72.0	74.4	15.4	0.0
>18.00 and <=20.00	166.6	114.7	51.9	0.0	0.0
>20.00 and <=22.00	98.9	16.1	68.0	0.0	0.0
>22.00 and <=24.00	190.2	26.3	104.9	0.0	0.0
>24.00 and <=26.00	59.8	46.5	0.0	0.0	0.0
>26.00 and <=28.00	13.4	13.4	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,615.7	918.1	496.1	297.8	65.8

Stand 32 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	11.6	0.0	7.0	0.0	0.0
>6.00 and <=8.00	52.7	21.9	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	25.0	0.0	0.0
>10.00 and <=12.00	0.0	27.3	13.9	26.3	0.0
>12.00 and <=14.00	0.0	14.3	29.0	22.2	0.0
>14.00 and <=16.00	0.0	45.3	15.0	57.3	30.4
>16.00 and <=18.00	0.0	15.4	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	14.9	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	26.2	0.0	0.0
>24.00 and <=26.00	0.0	0.0	13.3	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	79.2	124.2	129.3	105.9	30.4

Stand 32 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	11.6	13.8	0.0	0.0
>6.00 and <=8.00	20.9	19.6	5.0	0.0	0.0
>8.00 and <=10.00	12.1	0.0	16.6	12.8	0.0
>10.00 and <=12.00	26.3	0.0	28.1	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	27.1
>14.00 and <=16.00	28.4	0.0	0.0	0.0	56.9
>16.00 and <=18.00	14.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	32.9	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	102.3	31.2	63.5	45.7	83.9

Stand 32 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	12.4
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	29.9	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	29.9	12.4

Stand 32 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0

>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 31

Stand 31

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	51.8	0.0	9.4	0.0	0.0
>6.00 and <=8.00	73.0	27.4	12.7	0.0	0.0
>8.00 and <=10.00	125.3	34.2	16.1	16.1	0.0
>10.00 and <=12.00	103.0	18.5	36.4	18.5	0.0
>12.00 and <=14.00	144.6	38.0	87.6	0.0	0.0
>14.00 and <=16.00	222.6	80.3	102.7	0.0	0.0
>16.00 and <=18.00	111.8	20.7	41.1	0.0	0.0
>18.00 and <=20.00	100.7	62.8	37.9	0.0	0.0
>20.00 and <=22.00	38.8	38.8	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	89.8	35.1	17.5	0.0	16.4
>26.00 and <=28.00	35.4	35.4	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,096.5	391.0	361.3	34.6	16.4

Stand 31 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	15.5	9.2	0.0	0.0	0.0
>6.00 and <=8.00	33.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	30.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	17.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	18.9	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	98.2	9.2	0.0	17.5	0.0

Stand 31 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	17.8	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	11.1	0.0	0.0
>10.00 and <=12.00	0.0	0.0	12.2	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	31.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	48.8	0.0	23.3	0.0	0.0

Stand 31 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	19.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	39.6	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	20.8	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	20.8	0.0	0.0	58.6	0.0

Stand 31 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	17.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17.1	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0

>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 30

Stand 30

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	128.4	9.4	18.9	28.3	26.7
>6.00 and <=8.00	526.8	117.6	40.1	124.3	12.0
>8.00 and <=10.00	573.6	50.3	132.7	50.3	31.3
>10.00 and <=12.00	961.9	109.8	183.9	71.5	34.4
>12.00 and <=14.00	969.5	74.0	376.0	105.3	62.7
>14.00 and <=16.00	996.7	132.7	252.6	144.6	90.9
>16.00 and <=18.00	453.2	108.4	141.9	20.7	19.5
>18.00 and <=20.00	398.4	76.2	143.2	29.9	59.6
>20.00 and <=22.00	284.3	38.7	85.5	21.5	40.4
>22.00 and <=24.00	34.9	0.0	13.1	0.0	0.0
>24.00 and <=26.00	175.7	17.5	0.0	39.6	32.7
>26.00 and <=28.00	22.2	0.0	0.0	0.0	0.0

>28.00 and <=30.00	22.4	0.0	22.4	0.0	0.0
>30.00 and <=32.00	13.2	0.0	13.2	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,561.2	734.7	1,423.5	636.0	410.3

Stand 30 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	15.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	46.1	39.6	0.0	0.0	0.0
>8.00 and <=10.00	89.4	0.0	16.1	0.0	0.0
>10.00 and <=12.00	165.5	73.2	70.7	0.0	17.9
>12.00 and <=14.00	105.1	14.6	0.0	0.0	32.5
>14.00 and <=16.00	87.7	19.8	56.6	0.0	0.0
>16.00 and <=18.00	0.0	0.0	20.7	0.0	20.5
>18.00 and <=20.00	15.9	20.9	17.1	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	21.8
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	525.1	168.2	181.2	0.0	92.6

Stand 30 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	29.5	0.0	0.0
>6.00 and <=8.00	0.0	24.0	108.4	0.0	0.0

>8.00 and <=10.00	0.0	76.0	127.5	0.0	0.0
>10.00 and <=12.00	0.0	49.1	113.5	0.0	0.0
>12.00 and <=14.00	0.0	49.4	130.9	19.0	0.0
>14.00 and <=16.00	0.0	54.6	122.9	0.0	15.2
>16.00 and <=18.00	0.0	0.0	67.6	41.1	0.0
>18.00 and <=20.00	0.0	15.9	0.0	0.0	19.7
>20.00 and <=22.00	0.0	0.0	15.0	43.0	40.4
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	63.9	21.9	0.0
>26.00 and <=28.00	0.0	0.0	22.2	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	269.1	801.4	125.0	75.3

Stand 30 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	14.7	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16.9	0.0	37.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	12.8	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	16.9	0.0	64.6	0.0	0.0

Stand 30 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	19.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	19.0	0.0	0.0

Stand 30 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	18.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	18.5	0.0

Stand 30 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 29

Stand 29

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	81.4	0.0	0.0	14.8	0.0
>8.00 and <=10.00	30.7	0.0	0.0	0.0	15.3
>10.00 and <=12.00	140.1	0.0	18.6	35.9	0.0
>12.00 and <=14.00	17.8	0.0	0.0	0.0	0.0
>14.00 and <=16.00	152.4	16.5	0.0	39.8	0.0
>16.00 and <=18.00	101.2	20.5	0.0	20.5	0.0
>18.00 and <=20.00	78.5	17.2	0.0	21.2	0.0
>20.00 and <=22.00	42.7	0.0	0.0	21.4	0.0

>22.00 and <=24.00	72.1	0.0	21.7	21.7	0.0
>24.00 and <=26.00	39.6	0.0	0.0	39.6	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	17.8	0.0	0.0	17.8	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	13.2	0.0	0.0	13.2	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	797.1	54.2	40.3	245.8	15.3

Stand 29 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	14.6	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	17.9	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	18.1	19.9	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	18.1	52.4	0.0	0.0	0.0

Stand 29 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	37.2	0.0	0.0	0.0
>8.00 and <=10.00	0.0	15.4	0.0	0.0	0.0
>10.00 and <=12.00	0.0	49.3	0.0	0.0	0.0
>12.00 and <=14.00	0.0	17.8	0.0	0.0	0.0
>14.00 and <=16.00	0.0	18.4	0.0	19.9	0.0
>16.00 and <=18.00	0.0	19.0	0.0	20.5	0.0
>18.00 and <=20.00	0.0	19.2	0.0	21.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	21.4	0.0
>22.00 and <=24.00	0.0	28.7	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	205.0	0.0	82.7	0.0

Stand 29 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	9.5	0.0	0.0
>6.00 and <=8.00	0.0	0.0	14.8	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	18.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	19.9	0.0
>16.00 and <=18.00	0.0	0.0	0.0	20.7	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	24.3	59.1	0.0

Stand 29 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 28

Stand 28

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	69.6	35.3	17.6	0.0	8.3
>6.00 and <=8.00	237.3	129.8	14.2	0.0	13.4
>8.00 and <=10.00	30.4	0.0	15.6	0.0	0.0
>10.00 and <=12.00	171.7	15.4	88.6	35.6	0.0
>12.00 and <=14.00	103.6	37.7	15.6	0.0	18.0

>14.00 and <=16.00	68.7	19.8	16.2	0.0	0.0
>16.00 and <=18.00	54.1	0.0	20.3	0.0	15.3
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	56.5	21.0	0.0	0.0	19.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	813.5	258.9	188.3	35.6	74.9

Stand 28 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	10.7	56.5	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	17.9	0.0	0.0	0.0	0.0
>16.00 and <=18.00	18.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	15.8	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	79.4	56.5	0.0	0.0	0.0

Stand 28 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.3	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	14.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	17.6	14.6	0.0	0.0	0.0
>14.00 and <=16.00	0.0	14.8	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	40.7	29.5	0.0	21.6	0.0

Stand 28 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	12.5
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	15.6
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	28.1

Stand 28 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 27

Stand 27

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	100.1	0.0	18.7	9.3	8.8

>6.00 and <=8.00	328.2	14.6	43.8	54.4	13.8
>8.00 and <=10.00	362.2	0.0	0.0	68.1	32.1
>10.00 and <=12.00	515.3	17.8	88.8	36.2	69.0
>12.00 and <=14.00	378.0	50.9	147.6	19.0	14.7
>14.00 and <=16.00	460.2	72.6	138.5	16.4	49.6
>16.00 and <=18.00	556.7	74.6	160.3	111.3	77.4
>18.00 and <=20.00	335.4	96.9	41.7	88.6	35.4
>20.00 and <=22.00	221.3	124.0	38.7	17.1	20.2
>22.00 and <=24.00	82.3	82.3	0.0	0.0	0.0
>24.00 and <=26.00	42.6	0.0	22.0	0.0	20.6
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,382.4	533.8	700.1	420.5	341.7

Stand 27 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	7.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	36.9	68.4	0.0	13.8	0.0
>8.00 and <=10.00	103.5	98.6	0.0	0.0	0.0
>10.00 and <=12.00	83.1	90.7	0.0	0.0	0.0
>12.00 and <=14.00	70.7	38.3	19.0	0.0	0.0
>14.00 and <=16.00	18.4	25.6	20.1	0.0	69.5
>16.00 and <=18.00	18.6	0.0	20.6	0.0	20.6
>18.00 and <=20.00	0.0	16.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	21.3	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	339.0	358.7	59.7	13.8	90.1

Stand 27 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	7.7	0.0	0.0	0.0
>6.00 and <=8.00	27.6	13.0	0.0	0.0	0.0
>8.00 and <=10.00	30.2	29.7	0.0	0.0	0.0
>10.00 and <=12.00	17.4	76.1	0.0	17.7	0.0
>12.00 and <=14.00	17.9	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	15.5	0.0	0.0	41.0	0.0
>18.00 and <=20.00	0.0	15.8	0.0	21.1	19.9
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	108.6	142.3	0.0	79.8	19.9

Stand 27 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	20.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	18.3
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	19.8	0.0	29.8

>16.00 and <=18.00	0.0	0.0	16.7	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	36.5	0.0	68.1

Stand 27 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	28.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	12.6	14.6	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	40.6	14.6	0.0	0.0	0.0

Stand 27 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	14.6	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	14.6	0.0

Stand 27 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 26

Stand 26

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.6	0.0	9.6	0.0	0.0
>6.00 and <=8.00	65.8	0.0	0.0	14.9	14.0
>8.00 and <=10.00	81.4	0.0	16.2	33.5	0.0
>10.00 and <=12.00	187.8	36.7	72.7	0.0	0.0
>12.00 and <=14.00	119.6	19.6	39.2	0.0	0.0
>14.00 and <=16.00	148.4	20.3	77.3	0.0	0.0
>16.00 and <=18.00	58.3	0.0	16.9	0.0	0.0
>18.00 and <=20.00	52.9	0.0	21.1	0.0	0.0
>20.00 and <=22.00	87.0	0.0	52.3	0.0	0.0
>22.00 and <=24.00	96.2	56.9	39.3	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	929.1	155.5	344.6	48.3	14.0

Stand 26 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	11.1	0.0	0.0	0.0	0.0
>8.00 and <=10.00	14.5	0.0	0.0	0.0	0.0
>10.00 and <=12.00	33.1	18.6	0.0	0.0	0.0
>12.00 and <=14.00	17.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	15.1	0.0	0.0	0.0	20.0
>16.00 and <=18.00	0.0	20.8	20.6	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	34.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	91.2	39.4	20.6	0.0	54.7

Stand 26 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	26.7	0.0	0.0
>12.00 and <=14.00	0.0	0.0	43.5	0.0	0.0
>14.00 and <=16.00	0.0	0.0	15.7	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	15.9	0.0	0.0	0.0	15.9
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	15.9	0.0	85.9	0.0	15.9

Stand 26 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	17.2	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	17.2	0.0	0.0

Stand 26 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	25.7	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	25.7	0.0	0.0	0.0

Stand 26 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 25

Stand 25

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	2.6	0.0	0.0	0.0	0.0
>6.00 and <=8.00	23.8	0.0	15.7	0.0	0.0
>8.00 and <=10.00	189.9	19.9	41.1	0.0	0.0
>10.00 and <=12.00	188.9	68.2	44.4	0.0	0.0
>12.00 and <=14.00	244.7	0.0	151.0	24.2	0.0
>14.00 and <=16.00	164.5	74.0	65.4	25.1	0.0
>16.00 and <=18.00	71.6	25.4	46.2	0.0	0.0
>18.00 and <=20.00	16.2	16.2	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	21.6	21.6	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	27.7	27.7	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	951.5	253.0	363.8	49.3	0.0

Stand 25 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	17.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	45.2	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17.9	0.0	45.2	0.0	0.0

Stand 25 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	2.6	0.0	0.0
>6.00 and <=8.00	0.0	0.0	8.1	0.0	0.0
>8.00 and <=10.00	0.0	0.0	91.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	31.2	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	47.2	22.3
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	132.9	47.2	22.3

Stand 25 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	19.9	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	19.9	0.0	0.0

Stand 25 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0

Total	0.0	0.0

Stand 24

Stand 24

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	12.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	60.5	0.0	17.1	0.0	16.1
>8.00 and <=10.00	18.6	0.0	0.0	0.0	0.0
>10.00 and <=12.00	188.3	20.8	20.8	20.8	39.9
>12.00 and <=14.00	41.0	0.0	0.0	0.0	20.9
>14.00 and <=16.00	107.9	42.5	0.0	0.0	65.3
>16.00 and <=18.00	89.8	23.8	24.1	0.0	0.0
>18.00 and <=20.00	73.1	48.7	0.0	0.0	0.0
>20.00 and <=22.00	25.0	25.0	0.0	0.0	0.0
>22.00 and <=24.00	25.4	25.4	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	641.4	186.2	61.9	20.8	142.2

Stand 24 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	12.8	14.5	0.0	0.0	0.0
>8.00 and <=10.00	0.0	18.6	0.0	0.0	0.0
>10.00 and <=12.00	0.0	20.7	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	19.5	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	24.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	12.8	53.8	19.5	0.0	24.4

Stand 24 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	1.4	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	45.6	0.0	0.0
>12.00 and <=14.00	0.0	20.1	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	20.1	47.0	0.0	0.0

Stand 24 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	19.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	22.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	42.1	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	10.6	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	10.6	0.0

Stand 24 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0

>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 23

Stand 23

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	36.8	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	36.8	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	36.8
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	36.8

Stand 23 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0

>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 22

Stand 22

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	17.8	9.2	0.0	0.0	0.0
>6.00 and <=8.00	169.2	24.9	43.5	29.0	0.0
>8.00 and <=10.00	154.9	16.9	16.9	49.7	0.0
>10.00 and <=12.00	177.1	17.7	0.0	35.4	0.0
>12.00 and <=14.00	159.0	19.3	38.2	38.2	0.0
>14.00 and <=16.00	309.0	39.4	89.3	36.2	0.0
>16.00 and <=18.00	152.7	95.3	57.4	0.0	0.0
>18.00 and <=20.00	41.8	0.0	21.0	0.0	0.0
>20.00 and <=22.00	50.7	38.4	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,232.2	261.0	266.3	188.4	0.0

Stand 22 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	8.7	0.0
>6.00 and <=8.00	0.0	14.4	0.0	0.0	0.0
>8.00 and <=10.00	29.6	16.8	0.0	0.0	0.0
>10.00 and <=12.00	32.8	14.1	0.0	17.3	18.3
>12.00 and <=14.00	34.8	14.8	0.0	0.0	0.0
>14.00 and <=16.00	18.3	15.0	20.0	0.0	39.7
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	20.8
>20.00 and <=22.00	12.3	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	127.8	75.2	20.0	26.0	78.8

Stand 22 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	25.5	23.8	8.2	0.0	0.0
>8.00 and <=10.00	0.0	15.3	9.6	0.0	0.0
>10.00 and <=12.00	0.0	16.7	24.8	0.0	0.0
>12.00 and <=14.00	0.0	0.0	13.7	0.0	0.0
>14.00 and <=16.00	18.9	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	44.3	55.8	56.3	0.0	0.0

Stand 22 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	32.3
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	32.3

Stand 22 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0

>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 21

Stand 21

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	109.6	9.4	0.0	15.6	17.7
>6.00 and <=8.00	229.7	12.6	0.0	21.1	37.7
>8.00 and <=10.00	251.7	17.0	16.0	65.1	47.3
>10.00 and <=12.00	211.5	35.7	18.5	18.5	16.8
>12.00 and <=14.00	271.1	54.6	57.8	0.0	54.1
>14.00 and <=16.00	422.1	20.1	73.2	60.0	127.7
>16.00 and <=18.00	266.8	0.0	81.9	0.0	34.7
>18.00 and <=20.00	320.3	101.1	20.9	21.1	75.2
>20.00 and <=22.00	168.6	72.9	17.2	0.0	40.1
>22.00 and <=24.00	37.8	0.0	0.0	0.0	16.2
>24.00 and <=26.00	20.7	0.0	0.0	0.0	20.7
>26.00 and <=28.00	20.9	0.0	0.0	0.0	20.9
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,331.0	323.4	285.4	201.4	509.2

Stand 21 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	30.8	0.0	0.0	0.0	0.0
>6.00 and <=8.00	67.8	12.5	0.0	23.8	14.6
>8.00 and <=10.00	28.7	15.9	0.0	0.0	16.0
>10.00 and <=12.00	49.7	18.4	0.0	0.0	0.0
>12.00 and <=14.00	35.0	0.0	19.4	0.0	19.0
>14.00 and <=16.00	72.2	0.0	20.1	0.0	16.4
>16.00 and <=18.00	0.0	20.6	37.5	15.6	16.8
>18.00 and <=20.00	19.3	21.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	17.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	303.6	88.5	77.0	39.5	100.0

Stand 21 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	17.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	25.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	15.1	14.4	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	17.8	0.0
>12.00 and <=14.00	0.0	11.9	0.0	0.0	0.0
>14.00 and <=16.00	0.0	18.1	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	20.6	0.0
>18.00 and <=20.00	0.0	0.0	0.0	42.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	21.3	0.0
>22.00 and <=24.00	0.0	0.0	0.0	21.6	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	58.5	44.3	0.0	123.2	0.0

Stand 21 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	9.4	9.1	0.0
>6.00 and <=8.00	13.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	16.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	18.4	0.0
>12.00 and <=14.00	0.0	0.0	0.0	19.4	0.0
>14.00 and <=16.00	0.0	14.3	0.0	0.0	0.0
>16.00 and <=18.00	39.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	68.9	14.3	9.4	46.9	0.0

Stand 21 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	17.8	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	19.7	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17.8	0.0	19.7	0.0	0.0

Stand 21 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 20

Stand 20

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	39.8	0.0	0.0	14.9	0.0
>6.00 and <=8.00	70.9	0.0	0.0	12.3	0.0
>8.00 and <=10.00	41.1	15.7	0.0	10.5	0.0
>10.00 and <=12.00	87.1	0.0	18.2	18.2	0.0
>12.00 and <=14.00	54.6	0.0	37.4	0.0	0.0
>14.00 and <=16.00	16.3	0.0	16.3	0.0	0.0
>16.00 and <=18.00	77.7	61.2	0.0	0.0	0.0
>18.00 and <=20.00	40.1	20.6	0.0	0.0	0.0
>20.00 and <=22.00	16.9	16.9	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	21.8	21.8	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	466.2	136.3	71.9	55.9	0.0

Stand 20 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	7.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	45.1	0.0	0.0	13.5	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16.0	0.0	18.2	16.6	0.0
>12.00 and <=14.00	17.1	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	16.4	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	85.7	0.0	34.6	30.1	0.0

Stand 20 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	14.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	14.9	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	19.5	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	27.9	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.9	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8.9	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	unidentified species	American witchhazel

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 19

Stand 19

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	44.7	18.0	9.0	9.0	0.0
>6.00 and <=8.00	12.2	0.0	0.0	0.0	0.0
>8.00 and <=10.00	31.5	0.0	31.5	0.0	0.0
>10.00 and <=12.00	105.2	0.0	71.6	0.0	0.0
>12.00 and <=14.00	105.3	0.0	70.0	0.0	0.0
>14.00 and <=16.00	16.3	0.0	16.3	0.0	0.0
>16.00 and <=18.00	16.6	16.6	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	347.3	34.6	198.4	9.0	0.0

Stand 19 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	8.8	0.0	0.0	0.0
>6.00 and <=8.00	0.0	12.2	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16.0	0.0	17.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	18.7	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	16.0	20.9	36.3	0.0	0.0

Stand 19 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	15.5

Stand 19 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	16.5	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	16.5	0.0	0.0	0.0

Stand 19 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 18

Stand 18

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	171.8	78.8	0.0	19.7	0.0
>6.00 and <=8.00	486.7	161.0	42.5	100.7	0.0
>8.00 and <=10.00	927.2	284.7	88.1	177.2	0.0
>10.00 and <=12.00	878.6	333.7	136.7	75.2	36.8
>12.00 and <=14.00	549.3	205.9	20.9	54.9	39.0

>14.00 and <=16.00	669.4	146.6	189.5	60.7	40.2
>16.00 and <=18.00	463.8	146.3	150.6	0.0	0.0
>18.00 and <=20.00	328.7	86.4	63.4	18.2	16.9
>20.00 and <=22.00	216.0	128.6	46.0	0.0	0.0
>22.00 and <=24.00	46.5	0.0	0.0	0.0	0.0
>24.00 and <=26.00	47.2	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,822.2	1,590.9	737.7	506.6	132.9

Stand 18 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	16.4	0.0	0.0	27.9	0.0
>6.00 and <=8.00	25.7	13.3	0.0	0.0	60.4
>8.00 and <=10.00	49.7	17.1	35.4	68.0	88.1
>10.00 and <=12.00	54.2	38.9	19.1	74.2	0.0
>12.00 and <=14.00	50.0	20.4	20.4	19.3	0.0
>14.00 and <=16.00	49.0	0.0	21.6	20.1	38.9
>16.00 and <=18.00	40.5	16.9	66.4	0.0	22.2
>18.00 and <=20.00	0.0	22.5	36.4	0.0	40.9
>20.00 and <=22.00	0.0	0.0	41.4	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	23.3
>24.00 and <=26.00	0.0	0.0	23.7	0.0	23.6
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	285.6	147.0	264.6	209.5	297.2

Stand 18 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	54.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	85.3	15.5	0.0	0.0	0.0
>10.00 and <=12.00	55.5	36.2	0.0	0.0	18.1
>12.00 and <=14.00	12.3	18.6	0.0	20.4	48.1
>14.00 and <=16.00	40.2	0.0	0.0	21.3	20.1
>16.00 and <=18.00	0.0	0.0	0.0	0.0	20.7
>18.00 and <=20.00	0.0	0.0	0.0	22.5	21.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	23.3	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	248.2	70.2	0.0	87.4	128.4

Stand 18 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.3	0.0	0.0	0.0	0.0
>6.00 and <=8.00	14.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	19.3	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	21.3	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	43.3	0.0	0.0	21.3	0.0

Stand 18 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	19.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	13.4	0.0	0.0	0.0
>8.00 and <=10.00	18.3	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	38.0	13.4	0.0	0.0	0.0

Stand 18 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 17

Stand 17

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	31.4	0.0	0.0	0.0	0.0

>6.00 and <=8.00	38.6	0.0	0.0	12.8	0.0
>8.00 and <=10.00	63.8	0.0	0.0	49.4	0.0
>10.00 and <=12.00	16.2	0.0	0.0	0.0	0.0
>12.00 and <=14.00	36.4	0.0	0.0	19.1	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	20.8	20.8	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	18.6	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	22.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	19.4	0.0	0.0	0.0	0.0
>28.00 and <=30.00	44.9	44.9	0.0	0.0	0.0
>30.00 and <=32.00	22.7	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	23.3	23.3	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	357.9	88.9	0.0	81.2	0.0

Stand 17 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	18.5	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	22.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	18.5	0.0	0.0	22.0

Stand 17 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	4.6	0.0	0.0
>6.00 and <=8.00	0.0	13.1	0.0	0.0	0.0
>8.00 and <=10.00	0.0	14.4	0.0	0.0	0.0
>10.00 and <=12.00	0.0	16.2	0.0	0.0	0.0
>12.00 and <=14.00	0.0	17.3	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	22.7	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	61.0	4.6	22.7	0.0

Stand 17 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	8.3	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	18.6	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	19.4	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	46.3	0.0	0.0	0.0

Stand 17 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	12.8	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	12.8	0.0	0.0	0.0

Stand 17 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 16

Stand 16

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.7	8.7	0.0	0.0	0.0
>6.00 and <=8.00	40.2	40.2	0.0	0.0	0.0
>8.00 and <=10.00	80.7	16.6	48.6	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	34.3	0.0	18.5	0.0	0.0
>14.00 and <=16.00	35.6	0.0	35.6	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	199.6	65.5	102.8	0.0	0.0

Stand 16 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	15.5
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	15.8	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	15.8	0.0	15.5

Stand 16 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 15

Stand 15

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	19.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	20.9	12.6	0.0	0.0	0.0
>8.00 and <=10.00	29.4	0.0	0.0	0.0	15.1
>10.00 and <=12.00	101.6	17.8	54.0	0.0	0.0
>12.00 and <=14.00	95.4	19.4	38.8	19.0	18.3
>14.00 and <=16.00	114.9	19.8	79.1	0.0	0.0
>16.00 and <=18.00	57.6	20.4	0.0	0.0	0.0
>18.00 and <=20.00	54.9	16.9	16.9	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	515.7	106.8	210.0	19.0	33.4

Stand 15 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	7.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	16.7	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	37.2
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	24.4	0.0	0.0	0.0	37.2

Stand 15 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	7.7	4.3	0.0	0.0
>6.00 and <=8.00	0.0	0.0	8.3	0.0	0.0
>8.00 and <=10.00	0.0	14.3	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	13.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	16.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	21.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	22.0	41.8	21.1	0.0

Stand 15 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0

> 42.00	0.0	0.0
Total	0.0	0.0

Stand 14

Stand 14

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	16.5	0.0	0.0	9.0	0.0
>6.00 and <=8.00	49.7	14.3	0.0	24.6	0.0
>8.00 and <=10.00	63.5	0.0	32.5	15.7	0.0
>10.00 and <=12.00	52.6	18.2	0.0	0.0	34.4
>12.00 and <=14.00	53.4	37.5	15.9	0.0	0.0
>14.00 and <=16.00	136.6	98.4	19.9	0.0	0.0
>16.00 and <=18.00	36.9	20.4	0.0	16.5	0.0
>18.00 and <=20.00	41.5	0.0	41.5	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	450.7	188.9	109.9	65.8	34.4

Stand 14 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	7.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	15.2	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	18.2	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	41.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	10.8	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	10.8	0.0	0.0	0.0

Stand 14 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0

>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 13

Stand 13

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	38.8	25.7	0.0	0.0	0.0
>8.00 and <=10.00	45.2	15.3	0.0	0.0	0.0
>10.00 and <=12.00	16.2	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	117.6	41.0	0.0	0.0	0.0

Stand 13 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	13.1	0.0
>8.00 and <=10.00	0.0	0.0	0.0	29.9	0.0
>10.00 and <=12.00	0.0	0.0	0.0	16.2	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	76.6	0.0

Stand 13 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 12

Stand 12

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	30.8	0.0	0.0	0.0	0.0
>6.00 and <=8.00	61.5	14.8	0.0	0.0	0.0
>8.00 and <=10.00	58.2	39.2	0.0	0.0	0.0
>10.00 and <=12.00	189.1	128.4	0.0	0.0	0.0
>12.00 and <=14.00	64.3	0.0	0.0	0.0	21.3
>14.00 and <=16.00	118.4	118.4	0.0	0.0	0.0
>16.00 and <=18.00	73.1	73.1	0.0	0.0	0.0
>18.00 and <=20.00	98.0	74.5	0.0	0.0	23.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	24.7	0.0	0.0	0.0	24.7
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	744.5	474.8	0.0	0.0	69.4

Stand 12 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	20.0	0.0	0.0	20.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	21.8	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	20.0	0.0	0.0	41.7	0.0

Stand 12 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	30.8	0.0	0.0	0.0	0.0
>6.00 and <=8.00	14.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	19.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	20.7	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	84.6	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	32.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	21.3	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	53.9	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 11

Stand 11

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.8	0.0	0.0	0.0	0.0
>6.00 and <=8.00	68.9	0.0	0.0	24.7	11.7
>8.00 and <=10.00	93.6	0.0	47.4	0.0	0.0
>10.00 and <=12.00	125.8	54.1	18.3	0.0	0.0
>12.00 and <=14.00	133.7	57.2	19.2	19.2	0.0
>14.00 and <=16.00	88.1	39.5	32.4	0.0	0.0
>16.00 and <=18.00	138.5	101.6	36.9	0.0	0.0
>18.00 and <=20.00	50.7	0.0	16.8	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	729.2	273.6	170.9	43.9	11.7

Stand 11 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	8.8	0.0	0.0	0.0
>6.00 and <=8.00	12.9	0.0	0.0	11.7	0.0
>8.00 and <=10.00	0.0	15.7	0.0	0.0	0.0
>10.00 and <=12.00	0.0	53.4	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	38.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	16.2
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	12.9	77.9	38.0	11.7	16.2

Stand 11 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	8.0	0.0	0.0
>8.00 and <=10.00	0.0	30.5	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	19.5
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	30.5	8.0	0.0	19.5

Stand 11 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	14.4	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	14.4	0.0	0.0	0.0

Stand 11 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0

>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 10

Stand 10

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	31.3	0.0	0.0	8.6	0.0
>6.00 and <=8.00	89.4	0.0	12.0	0.0	11.3
>8.00 and <=10.00	118.9	15.5	0.0	0.0	0.0
>10.00 and <=12.00	81.6	18.0	18.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	19.3	0.0	19.3	0.0	0.0
>16.00 and <=18.00	18.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	399.9	74.3	49.3	8.6	11.3

Stand 10 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	7.3	0.0	0.0	0.0	0.0
>6.00 and <=8.00	12.7	0.0	12.0	11.3	0.0
>8.00 and <=10.00	43.2	0.0	0.0	0.0	0.0
>10.00 and <=12.00	11.0	17.3	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	18.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	92.6	17.3	12.0	11.3	0.0

Stand 10 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	7.3	0.0	0.0	0.0
>6.00 and <=8.00	24.6	0.0	5.6	0.0	0.0
>8.00 and <=10.00	0.0	29.1	0.0	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	24.6	36.4	5.6	0.0	0.0

Stand 10 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	14.6	0.0	0.0	16.5	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	22.8	0.0	0.0	16.5	0.0

Stand 10 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	17.3
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	17.3

Stand 10 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	unidentified species	American witchhazel

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 9

Stand 9

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	93.9	9.4	9.4	0.0	8.8
>6.00 and <=8.00	340.3	54.5	0.0	27.3	0.0
>8.00 and <=10.00	322.7	82.2	65.1	0.0	47.3
>10.00 and <=12.00	282.4	53.5	0.0	36.3	16.8
>12.00 and <=14.00	600.2	192.9	58.3	19.0	0.0
>14.00 and <=16.00	775.8	316.1	100.0	0.0	0.0
>16.00 and <=18.00	542.8	341.8	41.1	20.7	0.0
>18.00 and <=20.00	336.3	188.8	20.9	0.0	0.0
>20.00 and <=22.00	337.6	256.2	0.0	0.0	0.0
>22.00 and <=24.00	125.7	65.1	0.0	0.0	0.0

>24.00 and <=26.00	87.9	43.9	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	39.3	22.3	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	23.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	18.3	18.3	0.0	0.0	0.0
Total	3,926.1	1,644.9	294.7	103.2	73.0

Stand 9 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	38.6	0.0	0.0	8.8	0.0
>6.00 and <=8.00	56.9	14.5	14.6	11.9	12.6
>8.00 and <=10.00	15.4	15.9	17.0	47.3	17.0
>10.00 and <=12.00	16.1	17.8	35.7	0.0	72.0
>12.00 and <=14.00	52.7	91.7	38.8	36.7	16.2
>14.00 and <=16.00	18.4	39.9	80.2	37.4	92.8
>16.00 and <=18.00	0.0	20.4	20.4	0.0	37.1
>18.00 and <=20.00	0.0	20.9	20.9	0.0	41.8
>20.00 and <=22.00	0.0	0.0	0.0	0.0	60.1
>22.00 and <=24.00	0.0	0.0	0.0	0.0	39.0
>24.00 and <=26.00	0.0	22.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	198.0	243.0	227.7	142.1	388.7

Stand 9 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	8.8
>6.00 and <=8.00	79.1	24.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	15.4	0.0	0.0	0.0
>10.00 and <=12.00	34.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	18.3	0.0	0.0	0.0	17.9
>14.00 and <=16.00	0.0	0.0	0.0	0.0	34.3
>16.00 and <=18.00	0.0	0.0	0.0	0.0	19.3
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	21.3	0.0
>22.00 and <=24.00	0.0	0.0	0.0	21.6	0.0
>24.00 and <=26.00	0.0	0.0	0.0	22.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	131.7	39.3	0.0	64.9	80.3

Stand 9 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	10.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	30.2
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	19.0	19.4	0.0
>14.00 and <=16.00	0.0	0.0	0.0	19.8	17.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	21.7
>18.00 and <=20.00	0.0	0.0	0.0	0.0	22.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	19.0	39.2	100.9

Stand 9 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	14.6	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	19.4	0.0
>14.00 and <=16.00	0.0	0.0	0.0	20.1	0.0
>16.00 and <=18.00	0.0	0.0	0.0	20.4	0.0
>18.00 and <=20.00	0.0	0.0	0.0	21.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	14.6	0.0	81.0	0.0

Stand 9 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	23.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	23.0	0.0	0.0	0.0

Stand 9 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	17.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	17.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 8

Stand 8

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	128.5	9.7	19.4	19.4	18.3
>6.00 and <=8.00	342.6	15.1	43.3	116.7	94.0
>8.00 and <=10.00	451.3	16.5	103.4	34.1	122.7
>10.00 and <=12.00	529.0	55.8	183.5	56.5	53.3
>12.00 and <=14.00	836.9	173.1	201.4	39.1	90.1
>14.00 and <=16.00	710.5	222.1	98.9	0.0	54.3

>16.00 and <=18.00	405.1	140.5	38.5	0.0	19.8
>18.00 and <=20.00	275.5	121.3	56.7	21.7	0.0
>20.00 and <=22.00	156.4	39.6	0.0	17.6	41.5
>22.00 and <=24.00	62.4	40.1	0.0	0.0	0.0
>24.00 and <=26.00	103.8	18.1	22.5	0.0	0.0
>26.00 and <=28.00	83.6	18.2	0.0	0.0	0.0
>28.00 and <=30.00	46.1	46.1	0.0	0.0	0.0
>30.00 and <=32.00	23.3	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	35.9	13.7	0.0	0.0	22.2
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	23.9	23.9	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,214.8	953.9	767.4	305.2	516.3

Stand 8 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.0	0.0	0.0	9.1	0.0
>6.00 and <=8.00	0.0	0.0	0.0	12.3	0.0
>8.00 and <=10.00	26.5	17.5	16.5	0.0	0.0
>10.00 and <=12.00	16.6	18.3	18.4	0.0	19.0
>12.00 and <=14.00	83.8	19.5	60.1	15.4	20.0
>14.00 and <=16.00	113.0	20.4	20.4	35.2	71.2
>16.00 and <=18.00	15.9	16.2	21.0	20.1	97.9
>18.00 and <=20.00	0.0	0.0	0.0	36.8	0.0
>20.00 and <=22.00	0.0	0.0	21.9	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	40.6	0.0	0.0
>26.00 and <=28.00	0.0	0.0	22.8	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	263.7	91.9	221.7	128.9	208.2

Stand 8 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	12.3	11.3	0.0	0.0	0.0
>8.00 and <=10.00	97.6	0.0	0.0	0.0	0.0
>10.00 and <=12.00	17.4	17.3	0.0	0.0	35.9
>12.00 and <=14.00	37.8	15.3	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	54.6
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	20.3	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	22.3	0.0
>24.00 and <=26.00	0.0	0.0	0.0	22.5	0.0
>26.00 and <=28.00	0.0	0.0	0.0	22.8	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	23.3	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	185.4	43.9	0.0	90.9	90.6

Stand 8 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	18.3	16.7	0.0	0.0	0.0
>6.00 and <=8.00	0.0	37.6	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	18.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	37.4	0.0	0.0	15.0	13.4
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	15.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	18.7	0.0	0.0	0.0
>20.00 and <=22.00	0.0	19.1	0.0	16.7	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	19.9	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	73.6	126.9	0.0	31.7	13.4

Stand 8 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.7	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	16.5
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	15.4	0.0	0.0
>14.00 and <=16.00	0.0	20.4	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	20.1	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	9.7	20.4	35.5	0.0	16.5

Stand 8 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	19.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	19.0	0.0	0.0

Stand 8 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 7

Stand 7

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	41.2	0.0	0.0	0.0	0.0

>6.00 and <=8.00	336.8	0.0	68.4	74.6	64.6
>8.00 and <=10.00	447.3	37.0	58.2	64.6	15.5
>10.00 and <=12.00	760.1	209.0	104.8	105.4	81.0
>12.00 and <=14.00	594.9	104.9	89.1	74.4	69.8
>14.00 and <=16.00	546.6	207.0	73.7	53.8	90.5
>16.00 and <=18.00	451.4	199.5	0.0	16.0	56.1
>18.00 and <=20.00	207.5	81.1	0.0	0.0	38.1
>20.00 and <=22.00	125.5	16.5	0.0	0.0	0.0
>22.00 and <=24.00	65.9	16.8	0.0	0.0	0.0
>24.00 and <=26.00	42.2	21.1	0.0	0.0	0.0
>26.00 and <=28.00	17.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,636.3	892.9	394.2	388.7	415.6

Stand 7 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	33.8	0.0
>6.00 and <=8.00	0.0	41.9	14.1	49.4	0.0
>8.00 and <=10.00	29.6	0.0	48.2	91.0	0.0
>10.00 and <=12.00	47.3	17.1	69.9	64.8	17.8
>12.00 and <=14.00	33.7	14.3	18.7	69.8	18.7
>14.00 and <=16.00	0.0	19.0	35.3	0.0	35.0
>16.00 and <=18.00	29.7	45.2	0.0	0.0	32.3
>18.00 and <=20.00	0.0	0.0	53.0	0.0	0.0
>20.00 and <=22.00	0.0	15.6	0.0	0.0	37.2
>22.00 and <=24.00	0.0	0.0	16.8	15.6	16.8
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	17.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	140.3	153.1	272.9	324.4	157.7

Stand 7 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	7.4	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	42.5	0.0	16.3	0.0
>10.00 and <=12.00	16.2	26.9	0.0	0.0	0.0
>12.00 and <=14.00	34.5	67.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	32.2	0.0	0.0	0.0
>16.00 and <=18.00	0.0	18.0	0.0	0.0	37.3
>18.00 and <=20.00	0.0	0.0	0.0	20.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	20.5	19.3
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	21.1	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	50.7	194.0	0.0	78.0	56.6

Stand 7 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	11.4	0.0	0.0	0.0	12.5
>8.00 and <=10.00	14.6	13.3	16.4	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	17.2	0.0	0.0	0.0
>18.00 and <=20.00	15.2	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	41.2	30.6	16.4	0.0	12.5

Stand 7 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	16.4	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	16.4	0.0	0.0

Stand 7 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 6

Stand 6

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	8.6	0.0	0.0	0.0	0.0
>6.00 and <=8.00	53.5	14.5	0.0	0.0	39.0
>8.00 and <=10.00	82.4	16.9	0.0	16.9	0.0
>10.00 and <=12.00	78.6	17.7	0.0	0.0	0.0
>12.00 and <=14.00	93.3	0.0	0.0	18.8	0.0
>14.00 and <=16.00	35.9	19.6	0.0	0.0	0.0
>16.00 and <=18.00	20.3	20.3	0.0	0.0	0.0
>18.00 and <=20.00	20.7	20.7	0.0	0.0	0.0
>20.00 and <=22.00	42.3	42.3	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	453.0	151.9	17.5	35.7	39.0

Stand 6 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	8.6	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	32.7
>10.00 and <=12.00	0.0	0.0	0.0	14.0	35.3
>12.00 and <=14.00	0.0	0.0	0.0	17.8	38.5
>14.00 and <=16.00	0.0	0.0	0.0	0.0	16.2
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	40.4	122.8

Stand 6 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	15.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	11.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	18.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	45.7	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 5

Stand 5

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	4.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	16.4	0.0	0.0	0.0	16.4
>10.00 and <=12.00	16.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	17.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	18.5	0.0	0.0	0.0	0.0
>16.00 and <=18.00	20.9	0.0	0.0	0.0	0.0
>18.00 and <=20.00	20.1	0.0	0.0	0.0	20.1
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	16.6	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	138.2	0.0	0.0	0.0	43.7

Stand 5 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	20.9	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	16.6	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	37.5	0.0	0.0	0.0

Stand 5 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	4.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	16.3	0.0	0.0	0.0
>12.00 and <=14.00	0.0	17.4	0.0	0.0	0.0
>14.00 and <=16.00	0.0	18.5	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4.8	52.2	0.0	0.0	0.0

Stand 5 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0

>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 4

Stand 4

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.5	9.5	0.0	0.0	0.0
>6.00 and <=8.00	25.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	47.6	0.0	0.0	0.0	32.4
>10.00 and <=12.00	107.3	0.0	18.5	36.5	17.5
>12.00 and <=14.00	125.7	19.1	16.1	0.0	54.8
>14.00 and <=16.00	76.2	19.9	0.0	0.0	18.8
>16.00 and <=18.00	52.0	20.5	16.9	0.0	0.0
>18.00 and <=20.00	60.4	21.0	21.0	0.0	0.0
>20.00 and <=22.00	37.7	0.0	21.5	0.0	16.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	559.4	89.9	111.6	36.5	139.6

Stand 4 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	11.0	14.6	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	16.2	0.0	0.0	0.0	18.5
>12.00 and <=14.00	17.7	0.0	0.0	18.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	20.2
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	45.0	14.6	0.0	18.0	38.7

Stand 4 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	15.2	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	17.3	0.0	0.0	0.0
>16.00 and <=18.00	0.0	14.6	0.0	0.0	0.0
>18.00 and <=20.00	0.0	18.4	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	15.2	50.4	0.0	0.0	0.0

Stand 4 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0

>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 3

Stand 3

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	38.6	0.0	0.0	0.0	0.0
>14.00 and <=16.00	35.8	0.0	0.0	0.0	19.1
>16.00 and <=18.00	57.3	0.0	0.0	20.8	0.0
>18.00 and <=20.00	58.2	0.0	0.0	21.3	15.9
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	22.1	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	212.1	0.0	0.0	42.1	35.1

Stand 3 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	38.6	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	36.5	0.0	0.0	0.0
>18.00 and <=20.00	0.0	21.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	96.2	0.0	0.0	0.0

Stand 3 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	22.1	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	22.1	0.0

Stand 3 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	16.6	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	16.6	0.0	0.0	0.0

Stand 3 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 2

Stand 2

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	147.8	9.8	0.0	19.5	27.7
>6.00 and <=8.00	686.2	126.9	85.3	83.2	41.3
>8.00 and <=10.00	957.8	70.1	173.5	132.5	33.6
>10.00 and <=12.00	919.7	112.9	181.7	57.1	86.5
>12.00 and <=14.00	1,158.5	336.0	196.7	37.0	149.9
>14.00 and <=16.00	1,320.4	360.2	225.1	0.0	133.7
>16.00 and <=18.00	832.8	270.6	145.9	21.6	92.7
>18.00 and <=20.00	602.6	258.4	163.5	17.7	61.7
>20.00 and <=22.00	295.8	89.1	44.4	44.4	37.8
>22.00 and <=24.00	134.5	90.6	22.7	0.0	21.2
>24.00 and <=26.00	105.2	87.0	0.0	18.2	0.0
>26.00 and <=28.00	23.2	23.2	0.0	0.0	0.0
>28.00 and <=30.00	23.4	0.0	0.0	23.4	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	24.1	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	7,232.0	1,834.7	1,238.9	454.5	686.0

Stand 2 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	16.1	19.0	0.0	18.4	0.0
>6.00 and <=8.00	52.1	28.1	15.3	55.7	15.3
>8.00 and <=10.00	88.8	86.3	34.5	209.2	0.0
>10.00 and <=12.00	17.5	67.2	94.3	68.4	32.8
>12.00 and <=14.00	15.2	20.2	136.6	56.1	40.5
>14.00 and <=16.00	0.0	125.1	104.3	55.4	0.0
>16.00 and <=18.00	19.5	85.3	21.6	56.6	38.7
>18.00 and <=20.00	0.0	16.7	21.8	0.0	21.8
>20.00 and <=22.00	0.0	0.0	18.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	209.1	448.1	446.3	519.7	149.1

Stand 2 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.2	0.0	9.1	0.0	0.0
>6.00 and <=8.00	68.1	13.5	0.0	0.0	0.0
>8.00 and <=10.00	78.9	0.0	0.0	0.0	0.0
>10.00 and <=12.00	47.7	17.5	0.0	0.0	17.6
>12.00 and <=14.00	0.0	46.0	0.0	0.0	37.8
>14.00 and <=16.00	99.0	12.6	0.0	0.0	114.4
>16.00 and <=18.00	20.1	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	20.6
>20.00 and <=22.00	0.0	20.3	0.0	22.4	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	24.1	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	323.0	110.0	9.1	46.5	190.3

Stand 2 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.2	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	11.4	74.3	0.0	15.7
>8.00 and <=10.00	0.0	15.5	16.7	0.0	18.3
>10.00 and <=12.00	35.7	16.2	54.8	0.0	0.0
>12.00 and <=14.00	0.0	0.0	73.6	0.0	0.0
>14.00 and <=16.00	19.8	33.0	0.0	20.6	0.0
>16.00 and <=18.00	60.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	20.6	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	19.4	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	145.6	95.4	219.3	20.6	34.0

Stand 2 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	9.8
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	11.8	0.0	0.0
>12.00 and <=14.00	0.0	0.0	12.8	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	24.6	0.0	9.8

Stand 2 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	17.3
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	17.3

Stand 2 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 2 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 1

Stand 1

Species	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	19.6	0.0	0.0	0.0	0.0
>6.00 and <=8.00	96.9	13.5	0.0	15.6	12.7
>8.00 and <=10.00	203.2	18.1	18.1	0.0	34.2
>10.00 and <=12.00	295.8	77.1	55.3	19.6	72.8
>12.00 and <=14.00	215.4	20.6	80.6	16.9	19.0
>14.00 and <=16.00	226.9	63.0	0.0	0.0	48.8
>16.00 and <=18.00	265.0	65.2	79.1	0.0	41.1
>18.00 and <=20.00	174.2	66.7	22.2	22.2	42.0
>20.00 and <=22.00	130.0	40.8	22.6	22.8	0.0
>22.00 and <=24.00	113.9	23.1	23.1	23.1	21.6
>24.00 and <=26.00	21.9	0.0	0.0	0.0	21.9
>26.00 and <=28.00	14.0	14.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,822.7	402.2	300.9	120.1	314.2

Stand 1 (cont)

Species	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	27.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	15.2	51.9	18.1	16.1	0.0
>10.00 and <=12.00	34.2	18.9	0.0	17.9	0.0
>12.00 and <=14.00	18.8	0.0	41.2	0.0	0.0
>14.00 and <=16.00	54.9	0.0	0.0	40.0	0.0
>16.00 and <=18.00	0.0	21.6	0.0	37.3	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	22.6	21.3	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	150.7	92.4	81.9	132.5	0.0

Stand 1 (cont)

Species	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9.5	0.0	0.0	0.0	0.0
>6.00 and <=8.00	14.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	16.1	15.2	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	18.3	0.0	0.0	0.0
>14.00 and <=16.00	20.1	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	20.7

>18.00 and <=20.00	21.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	23.1	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	103.9	33.5	0.0	46.7	20.7

Stand 1 (cont)

Species	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	12.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	12.7	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	10.1
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	10.1

Stand 1 (cont)

Species	unidentified species	American witchhazel
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Management unit totals

Totals

dbh range	Total	northern red oak	chestnut oak	red maple	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	1473.3	221.0	126.0	177.3	129.7
>6.00 and <=8.00	4978.3	905.1	481.0	779.3	381.6
>8.00 and <=10.00	6396.6	916.7	963.6	948.9	467.4
>10.00 and <=12.00	8323.1	1647.3	1644.6	764.5	559.3
>12.00 and <=14.00	7912.4	1749.4	1947.9	532.6	632.7
>14.00 and <=16.00	8773.8	2453.7	1833.3	466.8	767.1
>16.00 and <=18.00	5873.5	2021.4	1261.5	285.6	356.7
>18.00 and <=20.00	4053.3	1553.6	760.5	261.9	409.6
>20.00 and <=22.00	2598.4	1085.8	462.9	144.8	215.9
>22.00 and <=24.00	1126.0	448.2	224.7	44.8	59.0
>24.00 and <=26.00	987.9	313.0	79.6	97.3	137.0
>26.00 and <=28.00	357.5	177.0	17.5	0.0	20.9
>28.00 and <=30.00	247.0	113.3	22.4	41.1	7.2
>30.00 and <=32.00	86.1	26.9	13.2	0.0	0.0

>32.00 and <=34.00	13.2	0.0	0.0	13.2	0.0
>34.00 and <=36.00	35.9	13.7	0.0	0.0	22.2
>36.00 and <=38.00	23.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	24.1	0.0	0.0	0.0	0.0
>40.00 and <=42.00	47.1	47.1	0.0	0.0	0.0
> 42.00	18.3	18.3	0.0	0.0	0.0
Total	53348.8	13711.5	9838.7	4557.9	4166.4

Totals (cont)

dbh range	sweet birch	white ash	white oak	mockernut hickory	scarlet oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	190.0	64.4	7.0	115.4	0.0
>6.00 and <=8.00	515.1	393.6	71.6	216.6	102.9
>8.00 and <=10.00	598.0	354.4	228.0	478.8	169.4
>10.00 and <=12.00	680.7	529.7	441.8	409.1	268.5
>12.00 and <=14.00	552.0	286.7	455.7	333.1	185.4
>14.00 and <=16.00	501.3	351.1	393.6	245.4	466.4
>16.00 and <=18.00	180.0	319.9	286.9	129.6	323.3
>18.00 and <=20.00	35.2	139.1	149.2	36.8	149.6
>20.00 and <=22.00	42.9	36.8	103.9	21.3	149.2
>22.00 and <=24.00	0.0	16.6	43.0	15.6	100.8
>24.00 and <=26.00	0.0	22.0	77.5	0.0	45.5
>26.00 and <=28.00	0.0	18.0	39.8	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3295.3	2532.4	2298.0	2001.5	1961.1

Totals (cont)

dbh range	pignut hickory	yellow birch	eastern hemlock	tuliptree	black oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	93.4	41.7	65.5	0.0	8.8
>6.00 and <=8.00	372.3	190.3	151.6	0.0	0.0
>8.00 and <=10.00	400.0	327.8	255.8	29.1	0.0
>10.00 and <=12.00	247.0	321.5	295.1	35.5	71.6

>12.00 and <=14.00	156.6	313.8	188.1	86.5	153.2
>14.00 and <=16.00	206.6	169.3	154.7	41.1	295.5
>16.00 and <=18.00	102.0	37.0	67.6	123.2	98.0
>18.00 and <=20.00	57.3	50.8	0.0	147.6	132.6
>20.00 and <=22.00	0.0	20.3	15.0	149.7	59.7
>22.00 and <=24.00	0.0	28.7	0.0	144.6	0.0
>24.00 and <=26.00	0.0	0.0	63.9	131.3	0.0
>26.00 and <=28.00	0.0	0.0	22.2	22.8	0.0
>28.00 and <=30.00	22.3	0.0	0.0	23.7	0.0
>30.00 and <=32.00	0.0	0.0	0.0	45.9	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	24.1	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1657.6	1501.3	1279.5	1005.3	819.3

Totals (cont)

dbh range	shagbark hickory	American beech	blackgum	bigtooth aspen	black cherry
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	53.4	25.0	18.9	9.1	30.1
>6.00 and <=8.00	85.4	48.9	103.7	0.0	70.9
>8.00 and <=10.00	60.5	28.8	70.3	16.5	30.7
>10.00 and <=12.00	90.2	49.8	91.8	36.9	33.9
>12.00 and <=14.00	77.9	34.1	92.6	72.8	13.4
>14.00 and <=16.00	19.8	64.7	19.8	151.0	46.8
>16.00 and <=18.00	121.7	46.8	29.5	20.7	21.7
>18.00 and <=20.00	55.2	51.6	0.0	0.0	22.0
>20.00 and <=22.00	0.0	57.1	0.0	16.7	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	20.8	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	39.3	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	584.8	446.0	426.6	323.7	269.6

Totals (cont)

dbh range	serviceberry	sassafras	American elm	red pine	Norway maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	66.3	0.0	0.0	10.6	9.8
>6.00 and <=8.00	12.6	81.2	0.0	0.0	0.0
>8.00 and <=10.00	18.3	0.0	0.0	0.0	16.5
>10.00 and <=12.00	17.8	0.0	11.8	0.0	17.3
>12.00 and <=14.00	0.0	0.0	28.2	19.4	0.0
>14.00 and <=16.00	0.0	20.4	19.0	20.1	32.3
>16.00 and <=18.00	0.0	0.0	20.1	20.4	0.0
>18.00 and <=20.00	0.0	0.0	19.7	21.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	115.0	101.6	98.8	91.6	75.9

Totals (cont)

dbh range	American basswood	Norway spruce	water oak	pitch pine	pin oak
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	17.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	19.8	0.0	19.0	18.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	17.3
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	23.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	36.8	23.0	19.0	18.5	17.3

Totals (cont)

dbh range	eastern white pine	gray birch	unidentified non-comm hardwood	hophornbeam	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	10.1
>6.00 and <=8.00	0.0	0.0	0.0	14.6	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	16.6	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	16.4	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	17.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17.0	16.6	16.4	14.6	10.1

Totals (cont)

dbh range	unidentified species	American witchhazel
< 2.00	0.0	0.0

>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Generated: 07/29/2013 16:09
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Size Class

This report is for inventory data.

Report options: The cell values are 'Stems' (stems). Display one place after the decimal point. The values come from tree observations. The values are totaled for the stand by multiplying per area values by the stand area. The tree observations include Crop, AGS. Only live trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 2. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Stand 33

Stand 33

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	6,787.3	3,290.8	0.0	0.0	2,571.0
>4.00 and <=6.00	3,192.1	0.0	1,415.1	1,184.7	0.0
>6.00 and <=8.00	2,134.4	462.8	0.0	0.0	0.0
>8.00 and <=10.00	1,585.1	444.3	513.7	0.0	0.0
>10.00 and <=12.00	2,541.2	695.2	122.4	102.8	0.0
>12.00 and <=14.00	1,217.8	302.2	0.0	0.0	0.0
>14.00 and <=16.00	757.9	560.5	0.0	0.0	0.0
>16.00 and <=18.00	479.2	148.2	45.7	0.0	0.0
>18.00 and <=20.00	78.0	37.0	0.0	0.0	41.0
>20.00 and <=22.00	161.9	94.8	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	18,935.1	6,035.8	2,096.9	1,287.5	2,612.0

Stand 33 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	592.4	0.0	0.0
>6.00 and <=8.00	835.8	0.0	0.0	0.0	0.0
>8.00 and <=10.00	148.1	0.0	148.1	148.1	0.0
>10.00 and <=12.00	759.0	0.0	308.5	0.0	0.0
>12.00 and <=14.00	664.8	0.0	163.2	0.0	0.0
>14.00 and <=16.00	131.6	0.0	0.0	0.0	0.0
>16.00 and <=18.00	193.9	0.0	0.0	0.0	45.7
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	67.2	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,800.4	0.0	1,212.1	148.1	45.7

Stand 33 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	925.5	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	604.4	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	225.2	0.0
>12.00 and <=14.00	0.0	0.0	0.0	87.6	0.0
>14.00 and <=16.00	65.8	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	670.3	0.0	0.0	1,238.4	0.0

Stand 33 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	231.4	0.0	0.0	0.0	0.0
>8.00 and <=10.00	182.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	225.2	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	45.7	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	685.1	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	102.8	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	102.8	0.0

Stand 33 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0

>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 32

Stand 32

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	41,480.1	3,613.2	4,914.0	10,117.1	0.0
>4.00 and <=6.00	9,076.5	578.1	2,243.1	1,410.6	1,410.6
>6.00 and <=8.00	3,862.5	862.8	637.1	1,174.7	0.0
>8.00 and <=10.00	3,261.9	985.4	1,034.2	0.0	208.1
>10.00 and <=12.00	2,215.7	588.3	402.5	0.0	0.0
>12.00 and <=14.00	1,463.0	864.2	123.1	0.0	0.0
>14.00 and <=16.00	1,540.3	364.4	86.9	0.0	92.5
>16.00 and <=18.00	448.6	164.5	36.0	0.0	0.0
>18.00 and <=20.00	337.5	222.2	0.0	0.0	0.0
>20.00 and <=22.00	161.0	23.6	0.0	21.5	0.0
>22.00 and <=24.00	265.8	36.1	0.0	0.0	0.0
>24.00 and <=26.00	61.6	46.2	0.0	0.0	0.0
>26.00 and <=28.00	13.3	13.3	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	64,209.4	8,383.9	9,477.0	12,723.9	1,711.2

Stand 32 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	2,962.9	15,464.7	1,156.2	650.4	1,300.8
>4.00 and <=6.00	578.1	0.0	0.0	1,572.5	0.0
>6.00 and <=8.00	0.0	0.0	0.0	212.4	325.2
>8.00 and <=10.00	256.9	0.0	0.0	208.1	104.1
>10.00 and <=12.00	461.1	0.0	144.5	244.3	144.5
>12.00 and <=14.00	53.1	0.0	123.1	0.0	0.0
>14.00 and <=16.00	225.6	0.0	162.6	0.0	86.9
>16.00 and <=18.00	176.1	0.0	0.0	0.0	36.0
>18.00 and <=20.00	115.3	0.0	0.0	0.0	0.0
>20.00 and <=22.00	115.9	0.0	0.0	0.0	0.0
>22.00 and <=24.00	154.2	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,099.2	15,464.7	1,586.5	2,887.6	1,997.5

Stand 32 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	650.4	0.0	0.0	0.0	0.0
>4.00 and <=6.00	416.2	0.0	578.1	0.0	0.0
>6.00 and <=8.00	325.2	0.0	325.2	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	158.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	61.6	0.0	0.0	0.0	0.0
>14.00 and <=16.00	127.5	0.0	0.0	0.0	0.0
>16.00 and <=18.00	36.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,775.2	0.0	903.3	0.0	0.0

Stand 32 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	289.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	232.5	0.0	0.0	0.0	0.0
>10.00 and <=12.00	72.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	114.7	0.0	0.0	0.0	0.0
>14.00 and <=16.00	46.2	0.0	81.3	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	39.3	0.0	0.0	0.0	0.0
>24.00 and <=26.00	15.4	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	809.5	0.0	81.3	0.0	0.0

Stand 32 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	650.4	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	128.5	0.0	0.0	104.1
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	123.1	0.0
>14.00 and <=16.00	0.0	0.0	0.0	173.8	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	36.1
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	650.4	128.5	0.0	296.9	140.2

Stand 32 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	92.5	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	92.5	0.0	0.0

Stand 32 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0

>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 31

Stand 31

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	7,162.0	0.0	0.0	1,527.9	0.0
>4.00 and <=6.00	5,042.0	0.0	0.0	1,314.0	0.0
>6.00 and <=8.00	1,618.0	495.5	0.0	841.9	0.0
>8.00 and <=10.00	1,164.6	275.0	169.8	275.0	0.0
>10.00 and <=12.00	609.3	95.5	95.5	0.0	0.0
>12.00 and <=14.00	594.9	162.7	0.0	0.0	0.0
>14.00 and <=16.00	681.6	222.3	0.0	0.0	0.0
>16.00 and <=18.00	270.1	42.4	0.0	42.4	0.0
>18.00 and <=20.00	190.5	114.3	0.0	0.0	0.0
>20.00 and <=22.00	56.8	56.8	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	106.7	42.3	0.0	0.0	22.0
>26.00 and <=28.00	36.4	36.4	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	17,532.8	1,543.3	265.3	4,001.2	22.0

Stand 31 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	4,774.6	859.4	0.0	0.0	0.0
>4.00 and <=6.00	932.0	550.0	0.0	0.0	763.9
>6.00 and <=8.00	280.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	169.8	0.0	0.0	137.5	0.0
>10.00 and <=12.00	209.1	0.0	95.5	113.6	0.0
>12.00 and <=14.00	350.8	0.0	0.0	0.0	0.0
>14.00 and <=16.00	337.1	0.0	0.0	0.0	0.0
>16.00 and <=18.00	90.0	0.0	0.0	0.0	95.2
>18.00 and <=20.00	76.2	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	22.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,242.3	1,409.5	95.5	251.2	859.1

Stand 31 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	932.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	932.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	20.3	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	20.3	0.0	0.0	0.0

Stand 31 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	550.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	137.5	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	81.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	122.2	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	203.6	687.5	0.0

Stand 31 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0

>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 30

Stand 30

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	33,709.0	0.0	6,493.5	5,156.6	6,684.5
>4.00 and <=6.00	13,094.0	382.0	2,796.0	763.9	1,145.9
>6.00 and <=8.00	11,462.1	1,718.9	2,196.8	1,056.8	280.6
>8.00 and <=10.00	6,388.3	444.8	444.8	921.8	307.3
>10.00 and <=12.00	6,087.9	609.3	454.6	1,027.5	209.1
>12.00 and <=14.00	4,464.4	303.0	465.8	454.6	303.0
>14.00 and <=16.00	3,259.7	405.6	488.9	298.2	283.4
>16.00 and <=18.00	1,180.6	270.1	42.4	0.0	42.4
>18.00 and <=20.00	827.8	144.9	68.8	34.4	106.8
>20.00 and <=22.00	476.7	59.6	28.4	0.0	59.6
>22.00 and <=24.00	71.6	0.0	0.0	0.0	0.0
>24.00 and <=26.00	191.4	22.0	40.7	0.0	44.0
>26.00 and <=28.00	35.1	0.0	0.0	0.0	0.0

>28.00 and <=30.00	16.4	0.0	0.0	0.0	0.0
>30.00 and <=32.00	13.4	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	81,278.3	4,360.1	13,520.7	9,713.8	9,466.8

Stand 30 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	11,459.2	1,527.9
>4.00 and <=6.00	763.9	0.0	0.0	5,592.1	0.0
>6.00 and <=8.00	776.1	0.0	0.0	3,946.4	0.0
>8.00 and <=10.00	1,229.1	0.0	0.0	2,150.9	0.0
>10.00 and <=12.00	991.2	0.0	0.0	1,063.8	0.0
>12.00 and <=14.00	1,585.4	0.0	0.0	816.6	0.0
>14.00 and <=16.00	789.0	0.0	0.0	474.1	0.0
>16.00 and <=18.00	365.2	0.0	0.0	232.8	0.0
>18.00 and <=20.00	255.5	0.0	0.0	72.5	0.0
>20.00 and <=22.00	122.0	0.0	0.0	90.8	0.0
>22.00 and <=24.00	23.9	0.0	0.0	23.9	0.0
>24.00 and <=26.00	0.0	0.0	0.0	62.7	0.0
>26.00 and <=28.00	0.0	0.0	0.0	35.1	0.0
>28.00 and <=30.00	16.4	0.0	0.0	0.0	0.0
>30.00 and <=32.00	13.4	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,931.2	0.0	0.0	26,020.7	1,527.9

Stand 30 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	859.4	0.0	0.0
>4.00 and <=6.00	1,100.1	0.0	550.0	0.0	0.0
>6.00 and <=8.00	776.1	0.0	495.5	0.0	0.0

>8.00 and <=10.00	0.0	0.0	719.8	0.0	0.0
>10.00 and <=12.00	495.6	0.0	322.8	0.0	0.0
>12.00 and <=14.00	81.4	0.0	232.9	0.0	0.0
>14.00 and <=16.00	61.1	0.0	175.9	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	34.4	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,552.4	0.0	3,390.8	0.0	0.0

Stand 30 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	214.9	0.0
>8.00 and <=10.00	169.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	400.1	113.6	113.6	191.0	0.0
>12.00 and <=14.00	0.0	0.0	140.3	0.0	0.0
>14.00 and <=16.00	168.5	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	0.0	47.6	47.6	0.0
>18.00 and <=20.00	34.4	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	23.9	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	815.3	113.6	325.4	453.4	0.0

Stand 30 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	81.4
>14.00 and <=16.00	0.0	0.0	0.0	61.1	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	90.0
>18.00 and <=20.00	0.0	0.0	0.0	38.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	59.6	56.8
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	22.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,527.9	0.0	0.0	158.8	250.2

Stand 30 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	95.5	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	53.7	0.0	95.5	0.0	0.0

Stand 30 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 29

Stand 29

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	5,156.6	0.0	0.0	0.0	0.0
>4.00 and <=6.00	932.0	0.0	550.0	0.0	0.0
>6.00 and <=8.00	1,354.9	0.0	214.9	0.0	0.0
>8.00 and <=10.00	307.3	0.0	0.0	0.0	169.8
>10.00 and <=12.00	854.7	0.0	227.3	0.0	0.0
>12.00 and <=14.00	70.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	481.5	61.1	122.2	61.1	0.0
>16.00 and <=18.00	227.6	47.6	47.6	0.0	0.0
>18.00 and <=20.00	144.9	34.4	34.4	0.0	0.0
>20.00 and <=22.00	62.4	0.0	31.2	0.0	0.0

>22.00 and <=24.00	104.0	0.0	26.0	0.0	0.0
>24.00 and <=26.00	42.3	0.0	42.3	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	16.4	0.0	16.4	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	11.9	0.0	11.9	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	9,766.7	143.1	1,324.1	61.1	169.8

Stand 29 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	26.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	121.5	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	859.4	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	710.4	0.0	0.0
>8.00 and <=10.00	0.0	0.0	137.5	0.0	0.0
>10.00 and <=12.00	113.6	0.0	322.8	0.0	0.0
>12.00 and <=14.00	0.0	0.0	70.2	0.0	0.0
>14.00 and <=16.00	61.1	0.0	53.7	0.0	0.0
>16.00 and <=18.00	0.0	0.0	42.4	0.0	0.0
>18.00 and <=20.00	0.0	0.0	38.1	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	52.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	389.6	0.0	2,286.5	0.0	0.0

Stand 29 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	859.4	3,437.7
>4.00 and <=6.00	0.0	0.0	0.0	382.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	214.9	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	1,456.3	3,437.7

Stand 29 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	61.1
>16.00 and <=18.00	0.0	0.0	0.0	0.0	47.6
>18.00 and <=20.00	0.0	0.0	0.0	0.0	38.1
>20.00 and <=22.00	0.0	0.0	0.0	0.0	31.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	178.0

Stand 29 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	95.5	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	61.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	42.4	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	199.0	0.0	0.0

Stand 29 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 28

Stand 28

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	6,971.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	9,656.2	4,278.1	0.0	1,100.1	382.0
>6.00 and <=8.00	4,393.7	2,543.2	0.0	280.6	214.9
>8.00 and <=10.00	339.5	0.0	0.0	0.0	0.0
>10.00 and <=12.00	1,027.5	95.5	209.1	95.5	0.0
>12.00 and <=14.00	454.6	151.5	0.0	0.0	70.2

>14.00 and <=16.00	229.7	53.7	0.0	61.1	0.0
>16.00 and <=18.00	132.5	0.0	0.0	47.6	42.4
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	93.5	31.2	0.0	31.2	31.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	23,320.2	7,153.2	209.1	1,616.1	740.6

Stand 28 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	859.4	0.0	0.0	0.0	3,055.8
>4.00 and <=6.00	1,314.0	550.0	0.0	0.0	932.0
>6.00 and <=8.00	214.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	169.8	0.0	0.0	0.0	169.8
>10.00 and <=12.00	531.9	0.0	0.0	0.0	0.0
>12.00 and <=14.00	81.4	0.0	0.0	0.0	81.4
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	3,267.5	550.0	0.0	0.0	4,238.9

Stand 28 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	3,055.8	0.0	0.0	0.0	0.0
>4.00 and <=6.00	1,100.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	859.4	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	70.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	61.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,015.3	0.0	131.3	0.0	0.0

Stand 28 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	280.6	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	95.5	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	376.1	0.0	0.0	22.0

Stand 28 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 27

Stand 27

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	30,653.2	1,527.9	5,825.1	3,437.7	859.4
>4.00 and <=6.00	9,152.0	2,200.2	1,482.1	382.0	382.0

>6.00 and <=8.00	5,766.1	214.9	991.0	925.2	214.9
>8.00 and <=10.00	3,485.3	0.0	550.0	1,091.6	275.0
>10.00 and <=12.00	3,159.9	113.6	209.1	495.6	400.1
>12.00 and <=14.00	1,725.7	232.9	151.5	280.6	81.4
>14.00 and <=16.00	1,539.1	229.7	53.7	53.7	161.1
>16.00 and <=18.00	1,302.8	174.9	275.2	47.6	180.0
>18.00 and <=20.00	682.9	183.0	210.0	0.0	76.2
>20.00 and <=22.00	320.8	176.0	28.4	0.0	28.4
>22.00 and <=24.00	99.7	99.7	0.0	0.0	0.0
>24.00 and <=26.00	42.3	0.0	0.0	0.0	22.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	57,930.0	5,152.8	9,776.1	6,714.1	2,680.6

Stand 27 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	859.4	9,740.3	0.0	0.0	0.0
>4.00 and <=6.00	763.9	2,246.0	0.0	0.0	550.0
>6.00 and <=8.00	644.6	280.6	214.9	0.0	429.7
>8.00 and <=10.00	0.0	0.0	0.0	0.0	339.5
>10.00 and <=12.00	609.3	0.0	0.0	0.0	95.5
>12.00 and <=14.00	665.0	0.0	0.0	0.0	81.4
>14.00 and <=16.00	459.3	0.0	0.0	0.0	0.0
>16.00 and <=18.00	360.1	0.0	0.0	0.0	47.6
>18.00 and <=20.00	76.2	0.0	0.0	0.0	0.0
>20.00 and <=22.00	56.8	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	20.3	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,515.0	12,266.9	214.9	0.0	1,543.7

Stand 27 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	6,875.5	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	382.0	0.0	0.0
>6.00 and <=8.00	1,205.8	214.9	214.9	0.0	0.0
>8.00 and <=10.00	921.8	0.0	307.3	0.0	0.0
>10.00 and <=12.00	513.8	0.0	495.6	0.0	0.0
>12.00 and <=14.00	151.5	0.0	0.0	0.0	0.0
>14.00 and <=16.00	122.2	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	34.4	0.0	34.4	0.0	0.0
>20.00 and <=22.00	31.2	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,508.6	7,090.4	1,434.1	0.0	0.0

Stand 27 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	81.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	222.3	61.1	0.0

>16.00 and <=18.00	42.4	0.0	42.4	42.4	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	177.5	0.0	264.7	103.6	0.0

Stand 27 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	763.9	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	113.6	0.0	0.0	113.6
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	122.2	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	90.0
>18.00 and <=20.00	0.0	0.0	0.0	34.4	34.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	214.9	999.8	0.0	34.4	238.0

Stand 27 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 26

Stand 26

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	3,437.7	0.0	0.0	0.0	0.0
>4.00 and <=6.00	382.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	1,271.6	0.0	214.9	280.6	214.9
>8.00 and <=10.00	921.8	0.0	307.3	169.8	0.0
>10.00 and <=12.00	1,141.2	209.1	0.0	209.1	0.0
>12.00 and <=14.00	524.7	70.2	0.0	81.4	0.0
>14.00 and <=16.00	459.3	53.7	0.0	61.1	0.0
>16.00 and <=18.00	137.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	152.4	0.0	0.0	0.0	0.0
>20.00 and <=22.00	144.8	0.0	0.0	0.0	0.0
>22.00 and <=24.00	127.9	75.9	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,723.0	430.9	522.1	802.0	214.9

Stand 26 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	3,437.7	0.0	0.0
>4.00 and <=6.00	382.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	169.8	0.0	0.0	137.5	0.0
>10.00 and <=12.00	436.4	0.0	0.0	191.0	0.0
>12.00 and <=14.00	140.3	0.0	0.0	232.9	0.0
>14.00 and <=16.00	222.3	0.0	0.0	61.1	0.0
>16.00 and <=18.00	47.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	38.1	38.1
>20.00 and <=22.00	85.2	0.0	0.0	0.0	0.0
>22.00 and <=24.00	52.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,573.6	0.0	3,437.7	660.6	38.1

Stand 26 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	137.9	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	137.5	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	61.1	0.0	0.0
>16.00 and <=18.00	47.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	59.6	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	47.6	0.0	120.7	137.5	0.0

Stand 26 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	561.3	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	38.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	561.3	0.0	0.0	38.1	0.0

Stand 26 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 25

Stand 25

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	4,894.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	4,125.3	0.0	1,375.1	0.0	0.0
>6.00 and <=8.00	701.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	2,557.1	212.2	0.0	212.2	0.0
>10.00 and <=12.00	1,187.7	380.8	0.0	0.0	0.0
>12.00 and <=14.00	1,062.7	0.0	87.7	0.0	0.0
>14.00 and <=16.00	525.5	229.2	67.1	0.0	0.0
>16.00 and <=18.00	178.4	59.5	0.0	0.0	0.0
>18.00 and <=20.00	47.6	47.6	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	32.5	32.5	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	21.9	21.9	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	15,334.4	983.7	1,529.9	212.2	0.0

Stand 25 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	1,909.9	0.0	2,984.2	0.0
>4.00 and <=6.00	0.0	0.0	0.0	2,062.6	0.0
>6.00 and <=8.00	350.8	0.0	0.0	350.8	0.0
>8.00 and <=10.00	384.1	0.0	0.0	1,536.4	0.0
>10.00 and <=12.00	284.1	0.0	0.0	261.4	0.0
>12.00 and <=14.00	669.9	0.0	0.0	0.0	0.0
>14.00 and <=16.00	229.2	0.0	0.0	0.0	0.0
>16.00 and <=18.00	119.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,037.1	1,909.9	0.0	7,195.4	0.0

Stand 25 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	687.5	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	212.2	0.0
>10.00 and <=12.00	261.4	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	261.4	0.0	0.0	899.8	0.0

Stand 25 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	101.7	203.4
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	101.7	203.4

Stand 25 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0

Total	0.0	0.0

Stand 24

Stand 24

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,002.7	0.0	0.0	0.0	0.0
>4.00 and <=6.00	3,012.5	0.0	0.0	1,925.1	0.0
>6.00 and <=8.00	1,156.1	0.0	0.0	327.4	250.7
>8.00 and <=10.00	198.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	1,241.1	132.6	132.6	0.0	244.0
>12.00 and <=14.00	189.9	0.0	0.0	0.0	94.9
>14.00 and <=16.00	347.9	134.0	0.0	0.0	213.9
>16.00 and <=18.00	216.0	55.5	0.0	0.0	0.0
>18.00 and <=20.00	133.3	88.9	0.0	0.0	0.0
>20.00 and <=22.00	33.1	33.1	0.0	0.0	0.0
>22.00 and <=24.00	27.9	27.9	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,558.6	471.9	132.6	2,252.5	803.5

Stand 24 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	1,002.7	0.0
>4.00 and <=6.00	0.0	0.0	0.0	641.7	0.0
>6.00 and <=8.00	250.7	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	132.6	0.0	0.0	334.2	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	49.5	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	432.8	0.0	0.0	1,978.6	0.0

Stand 24 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	327.4	0.0	0.0	0.0	0.0
>8.00 and <=10.00	198.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	132.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	94.9	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	658.0	0.0	94.9	0.0	0.0

Stand 24 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	132.6	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	55.5	55.5	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	44.4	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	55.5	188.1	44.4	0.0	0.0

Stand 24 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	445.6
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	445.6

Stand 24 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0

>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 23

Stand 23

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	191.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	191.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0

>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	191.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	191.0	0.0	0.0

Stand 23 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0

>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 22

Stand 22

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	6,016.1	859.4	0.0	3,437.7	0.0
>4.00 and <=6.00	2,414.1	382.0	550.0	0.0	0.0
>6.00 and <=8.00	3,056.3	561.3	429.7	0.0	0.0
>8.00 and <=10.00	1,471.9	137.5	444.8	307.3	0.0
>10.00 and <=12.00	1,141.2	113.6	227.3	209.1	0.0
>12.00 and <=14.00	676.3	70.2	151.5	151.5	0.0
>14.00 and <=16.00	957.6	122.2	114.8	53.7	0.0
>16.00 and <=18.00	365.2	227.6	0.0	0.0	0.0
>18.00 and <=20.00	72.5	0.0	0.0	0.0	0.0
>20.00 and <=22.00	90.8	59.6	0.0	31.2	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	16,261.7	2,533.4	1,918.2	4,190.6	0.0

Stand 22 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	859.4	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	382.0	0.0	0.0
>6.00 and <=8.00	644.6	0.0	0.0	214.9	495.5
>8.00 and <=10.00	137.5	0.0	0.0	169.8	0.0
>10.00 and <=12.00	0.0	0.0	95.5	209.1	0.0
>12.00 and <=14.00	151.5	0.0	0.0	81.4	0.0
>14.00 and <=16.00	268.6	0.0	0.0	0.0	53.7
>16.00 and <=18.00	137.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	34.4	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,374.2	859.4	477.5	675.1	549.2

Stand 22 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	859.4	0.0	0.0
>4.00 and <=6.00	1,100.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	495.5	0.0	0.0
>8.00 and <=10.00	137.5	0.0	137.5	0.0	0.0
>10.00 and <=12.00	95.5	0.0	95.5	0.0	0.0
>12.00 and <=14.00	70.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	61.1	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,679.2	0.0	1,587.9	0.0	0.0

Stand 22 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	95.5	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	114.8	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	38.1	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	53.7	0.0	248.4	0.0	0.0

Stand 22 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	114.8	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	114.8	0.0	0.0	0.0

Stand 22 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0

>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 21

Stand 21

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	22,440.8	4,106.2	1,527.9	1,718.9	5,825.1
>4.00 and <=6.00	8,265.9	382.0	763.9	2,628.0	1,314.0
>6.00 and <=8.00	5,218.0	280.6	561.3	1,618.0	776.1
>8.00 and <=10.00	2,692.5	137.5	646.8	477.0	444.8
>10.00 and <=12.00	1,368.5	227.3	95.5	304.6	113.6
>12.00 and <=14.00	1,119.6	221.7	0.0	151.5	232.9
>14.00 and <=16.00	1,331.6	53.7	168.5	244.5	413.0
>16.00 and <=18.00	619.9	0.0	0.0	0.0	95.2
>18.00 and <=20.00	576.0	179.3	34.4	34.4	144.9
>20.00 and <=22.00	275.1	119.2	0.0	0.0	62.4
>22.00 and <=24.00	52.0	0.0	0.0	0.0	26.0
>24.00 and <=26.00	20.3	0.0	0.0	0.0	20.3
>26.00 and <=28.00	17.5	0.0	0.0	0.0	17.5
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	43,997.8	5,707.5	3,798.3	7,176.9	9,485.8

Stand 21 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	3,437.7	0.0	3,437.7	0.0	1,527.9
>4.00 and <=6.00	0.0	0.0	0.0	0.0	763.9
>6.00 and <=8.00	0.0	214.9	561.3	0.0	495.5
>8.00 and <=10.00	169.8	0.0	0.0	0.0	169.8
>10.00 and <=12.00	95.5	113.6	0.0	113.6	0.0
>12.00 and <=14.00	221.7	0.0	0.0	0.0	0.0
>14.00 and <=16.00	222.3	0.0	0.0	0.0	0.0
>16.00 and <=18.00	185.2	0.0	42.4	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	31.2	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,401.4	328.5	4,041.5	113.6	2,957.1

Stand 21 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	859.4	0.0	0.0
>4.00 and <=6.00	0.0	0.0	1,100.1	0.0	0.0
>6.00 and <=8.00	280.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	169.8	0.0	169.8	0.0	0.0
>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	70.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	61.1	53.7	0.0
>16.00 and <=18.00	42.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	34.4	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	622.7	0.0	2,260.6	53.7	0.0

Stand 21 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	932.0	0.0
>6.00 and <=8.00	0.0	214.9	214.9	0.0	0.0
>8.00 and <=10.00	0.0	137.5	169.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	70.2	0.0	81.4	0.0	0.0
>14.00 and <=16.00	53.7	0.0	61.1	0.0	0.0
>16.00 and <=18.00	84.9	84.9	42.4	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	31.2	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	208.8	437.3	600.7	932.0	0.0

Stand 21 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	113.6
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	42.4
>18.00 and <=20.00	0.0	0.0	0.0	0.0	72.5
>20.00 and <=22.00	0.0	0.0	0.0	0.0	31.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	26.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	285.7

Stand 21 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	382.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	95.5	0.0	0.0
>12.00 and <=14.00	0.0	0.0	70.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	547.6	0.0	0.0

Stand 21 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	38.1	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 20

Stand 20

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	4,774.6	0.0	1,527.9	2,387.3	0.0
>4.00 and <=6.00	2,459.9	0.0	1,314.0	382.0	0.0
>6.00 and <=8.00	1,552.2	0.0	280.6	1,056.8	0.0
>8.00 and <=10.00	509.3	169.8	169.8	0.0	0.0
>10.00 and <=12.00	513.8	0.0	95.5	113.6	0.0
>12.00 and <=14.00	244.1	0.0	0.0	81.4	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	174.9	127.3	0.0	0.0	0.0
>18.00 and <=20.00	76.2	38.1	0.0	0.0	0.0
>20.00 and <=22.00	31.2	31.2	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	20.3	20.3	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	10,410.3	386.7	3,387.8	4,021.1	0.0

Stand 20 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	382.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	214.9	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	169.8
>10.00 and <=12.00	95.5	0.0	113.6	0.0	0.0
>12.00 and <=14.00	162.7	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	311.9	382.0	328.5	0.0	169.8

Stand 20 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	859.4	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	859.4	0.0

Stand 20 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	382.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	47.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	38.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	143.1	420.1	0.0	0.0	0.0

Stand 20 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	eastern white pine	Norway spruce

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 19

Stand 19

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	3,246.8	2,387.3	0.0	0.0	0.0
>4.00 and <=6.00	3,009.9	763.9	932.0	0.0	0.0
>6.00 and <=8.00	280.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	339.5	0.0	0.0	0.0	0.0
>10.00 and <=12.00	645.6	0.0	0.0	113.6	0.0
>12.00 and <=14.00	443.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	42.4	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8,100.0	3,193.7	932.0	113.6	0.0

Stand 19 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	382.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	339.5	0.0	0.0	0.0	0.0
>10.00 and <=12.00	418.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	291.8	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,485.3	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	932.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	280.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	70.2	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,212.6	0.0	0.0	70.2	0.0

Stand 19 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	113.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	81.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	195.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	859.4	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	859.4	0.0	38.1	0.0

Stand 19 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 18

Stand 18

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	37,717.7	12,745.3	932.6	0.0	0.0
>4.00 and <=6.00	16,413.4	5,106.4	2,022.7	1,425.8	0.0
>6.00 and <=8.00	9,140.2	2,921.5	1,917.5	537.7	0.0
>8.00 and <=10.00	8,713.3	2,632.4	1,667.1	447.6	0.0
>10.00 and <=12.00	5,081.7	1,860.0	453.9	310.9	226.9
>12.00 and <=14.00	2,515.0	834.3	240.5	264.9	164.4

>14.00 and <=16.00	2,076.0	432.1	182.9	182.9	132.6
>16.00 and <=18.00	1,068.9	344.7	0.0	97.7	0.0
>18.00 and <=20.00	629.1	149.2	37.3	0.0	41.3
>20.00 and <=22.00	329.3	200.0	0.0	0.0	0.0
>22.00 and <=24.00	56.4	0.0	0.0	0.0	0.0
>24.00 and <=26.00	45.9	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	83,828.0	27,246.3	7,454.5	3,267.4	565.3

Stand 18 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	4,248.4	14,610.4	2,590.5	0.0	2,590.5
>4.00 and <=6.00	1,193.7	2,022.7	2,437.1	0.0	596.9
>6.00 and <=8.00	842.2	0.0	0.0	0.0	1,075.3
>8.00 and <=10.00	851.1	149.2	631.9	0.0	781.1
>10.00 and <=12.00	784.4	0.0	434.2	0.0	330.6
>12.00 and <=14.00	164.4	0.0	88.3	0.0	88.3
>14.00 and <=16.00	556.7	0.0	66.3	0.0	132.6
>16.00 and <=18.00	339.1	0.0	0.0	0.0	0.0
>18.00 and <=20.00	120.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	64.7	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	9,164.7	16,782.3	6,248.3	0.0	5,595.2

Stand 18 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	596.9	0.0	596.9	0.0	0.0
>6.00 and <=8.00	304.5	0.0	0.0	0.0	0.0
>8.00 and <=10.00	184.2	0.0	184.2	0.0	0.0
>10.00 and <=12.00	226.9	0.0	207.2	0.0	0.0
>12.00 and <=14.00	88.3	0.0	88.3	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	46.1	0.0	0.0	0.0	0.0
>18.00 and <=20.00	41.3	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,508.7	0.0	1,076.6	0.0	0.0

Stand 18 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	414.5	0.0	0.0	0.0
>6.00 and <=8.00	0.0	233.1	1,004.0	0.0	0.0
>8.00 and <=10.00	333.4	0.0	851.1	0.0	0.0
>10.00 and <=12.00	123.3	0.0	0.0	0.0	0.0
>12.00 and <=14.00	88.3	88.3	0.0	0.0	0.0
>14.00 and <=16.00	58.3	0.0	132.6	0.0	0.0
>16.00 and <=18.00	143.7	0.0	46.1	0.0	0.0
>18.00 and <=20.00	82.7	0.0	78.6	0.0	0.0
>20.00 and <=22.00	64.7	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	28.2	0.0	0.0
>24.00 and <=26.00	22.1	0.0	23.9	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	916.5	735.9	2,164.4	0.0	0.0

Stand 18 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	304.5	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	123.3	0.0
>12.00 and <=14.00	0.0	0.0	0.0	228.4	88.3
>14.00 and <=16.00	0.0	0.0	0.0	66.3	66.3
>16.00 and <=18.00	0.0	0.0	0.0	51.6	0.0
>18.00 and <=20.00	0.0	0.0	0.0	37.3	41.3
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	28.2
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	304.5	0.0	0.0	507.0	224.1

Stand 18 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	66.3	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	66.3	0.0	0.0

Stand 18 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 17

Stand 17

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	2,077.9	0.0	0.0	0.0	0.0

>6.00 and <=8.00	776.1	0.0	280.6	0.0	0.0
>8.00 and <=10.00	646.8	0.0	477.0	0.0	0.0
>10.00 and <=12.00	113.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	162.7	0.0	81.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	42.4	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	31.2	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	22.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	17.5	0.0	0.0	0.0	0.0
>28.00 and <=30.00	31.6	31.6	0.0	0.0	0.0
>30.00 and <=32.00	13.4	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	7.8	7.8	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,471.1	81.9	839.0	0.0	0.0

Stand 17 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	1,527.9	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	382.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	1,527.9	0.0	382.0	0.0

Stand 17 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	763.9	0.0	550.0	382.0	0.0
>6.00 and <=8.00	0.0	0.0	214.9	0.0	0.0
>8.00 and <=10.00	0.0	0.0	169.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	113.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	81.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	31.2	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	17.5	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	763.9	0.0	1,129.7	430.7	0.0

Stand 17 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	22.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	22.0	0.0	0.0

Stand 17 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	280.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	13.4
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	280.6	0.0	0.0	0.0	13.4

Stand 17 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 16

Stand 16

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	8,212.4	859.4	4,965.6	859.4	0.0
>4.00 and <=6.00	382.0	382.0	0.0	0.0	0.0
>6.00 and <=8.00	710.4	710.4	0.0	0.0	0.0
>8.00 and <=10.00	752.1	137.5	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	151.5	0.0	0.0	0.0	0.0
>14.00 and <=16.00	114.8	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	10,323.1	2,089.3	4,965.6	859.4	0.0

Stand 16 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	444.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	81.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	114.8	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,168.9	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	169.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	70.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	70.2	0.0	169.8	0.0	0.0

Stand 16 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 15

Stand 15

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	1,145.9	0.0	0.0	382.0	0.0
>6.00 and <=8.00	495.5	280.6	0.0	0.0	0.0
>8.00 and <=10.00	339.5	0.0	0.0	0.0	169.8
>10.00 and <=12.00	627.4	113.6	0.0	95.5	0.0
>12.00 and <=14.00	362.0	70.2	81.4	0.0	70.2
>14.00 and <=16.00	359.3	61.1	0.0	0.0	0.0
>16.00 and <=18.00	137.6	47.6	0.0	0.0	0.0
>18.00 and <=20.00	110.6	38.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,136.9	611.2	81.4	477.5	239.9

Stand 15 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	1,527.9
>4.00 and <=6.00	0.0	0.0	0.0	382.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	214.9	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	322.8	0.0	0.0	95.5	0.0
>12.00 and <=14.00	140.3	0.0	0.0	0.0	0.0
>14.00 and <=16.00	244.5	0.0	0.0	53.7	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	776.8	0.0	0.0	746.0	1,527.9

Stand 15 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	382.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	169.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	551.7	0.0	0.0

Stand 15 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	90.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	90.0	0.0	0.0

Stand 15 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	34.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	34.4

Stand 15 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0

> 42.00	0.0	0.0
Total	0.0	0.0

Stand 14

Stand 14

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	0.0	0.0	0.0	1,527.9
>4.00 and <=6.00	763.9	0.0	382.0	382.0	0.0
>6.00 and <=8.00	1,056.8	214.9	561.3	0.0	0.0
>8.00 and <=10.00	614.6	0.0	169.8	137.5	0.0
>10.00 and <=12.00	286.5	95.5	0.0	0.0	191.0
>12.00 and <=14.00	232.9	162.7	0.0	0.0	0.0
>14.00 and <=16.00	398.2	290.8	0.0	53.7	0.0
>16.00 and <=18.00	84.9	42.4	42.4	0.0	0.0
>18.00 and <=20.00	72.5	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	5,038.1	806.3	1,155.4	573.2	1,718.9

Stand 14 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	307.3	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	70.2	0.0	0.0	0.0	0.0

>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	72.5	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	503.6	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	280.6	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	280.6	0.0	0.0

Stand 14 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0

>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 13

Stand 13

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	5,156.6	3,437.7	0.0	0.0	0.0
>4.00 and <=6.00	550.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	710.4	495.5	0.0	0.0	0.0
>8.00 and <=10.00	477.0	169.8	0.0	0.0	0.0
>10.00 and <=12.00	113.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,089.1	4,103.0	0.0	0.0	0.0

Stand 13 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	1,718.9	0.0	0.0

>4.00 and <=6.00	0.0	0.0	550.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	214.9	0.0	0.0
>8.00 and <=10.00	0.0	0.0	307.3	0.0	0.0
>10.00 and <=12.00	0.0	0.0	113.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	2,986.1	0.0	0.0

Stand 13 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0

>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 12

Stand 12

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	4,698.3	0.0	0.0	0.0	0.0
>4.00 and <=6.00	2,035.1	0.0	0.0	0.0	660.0
>6.00 and <=8.00	1,447.0	594.6	0.0	0.0	0.0
>8.00 and <=10.00	533.7	368.7	0.0	0.0	0.0
>10.00 and <=12.00	1,140.2	774.7	0.0	114.6	0.0
>12.00 and <=14.00	279.5	0.0	0.0	0.0	97.6
>14.00 and <=16.00	348.9	348.9	0.0	0.0	0.0
>16.00 and <=18.00	165.1	165.1	0.0	0.0	0.0
>18.00 and <=20.00	182.8	137.1	0.0	0.0	45.7
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	24.4	0.0	0.0	0.0	24.4
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	10,877.8	2,411.8	0.0	114.6	827.8

Stand 12 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	1,375.1
>6.00 and <=8.00	0.0	0.0	0.0	0.0	336.8
>8.00 and <=10.00	0.0	0.0	0.0	0.0	165.0
>10.00 and <=12.00	0.0	0.0	136.4	0.0	114.6
>12.00 and <=14.00	0.0	0.0	84.2	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	220.6	0.0	1,991.5

Stand 12 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	4,698.3	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	515.7	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	97.6	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	5,311.6	0.0	0.0	0.0

Stand 12 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 11

Stand 11

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,718.9	0.0	859.4	0.0	859.4
>4.00 and <=6.00	1,482.1	550.0	550.0	0.0	0.0
>6.00 and <=8.00	1,552.2	0.0	561.3	214.9	280.6
>8.00 and <=10.00	954.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	722.9	304.6	0.0	0.0	0.0
>12.00 and <=14.00	513.5	221.7	70.2	0.0	0.0
>14.00 and <=16.00	298.2	114.8	0.0	0.0	0.0
>16.00 and <=18.00	317.6	227.6	0.0	0.0	0.0
>18.00 and <=20.00	114.3	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,705.0	1,450.0	2,040.9	214.9	1,140.1

Stand 11 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	280.6	214.9	0.0
>8.00 and <=10.00	509.3	0.0	0.0	0.0	0.0
>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	70.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	122.2	0.0	0.0	0.0	0.0
>16.00 and <=18.00	90.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	925.3	0.0	280.6	214.9	0.0

Stand 11 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	382.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	169.8	0.0	275.0	0.0	0.0
>10.00 and <=12.00	322.8	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	38.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	874.5	0.0	275.0	38.1	0.0

Stand 11 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	151.5	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	61.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	151.5	0.0	61.1	0.0	0.0

Stand 11 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	38.1	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	38.1	0.0

Stand 11 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0

>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 10

Stand 10

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	2,578.3	859.4	0.0	0.0	0.0
>4.00 and <=6.00	4,110.0	1,100.1	932.0	1,314.0	0.0
>6.00 and <=8.00	2,113.5	0.0	0.0	214.9	280.6
>8.00 and <=10.00	1,261.4	169.8	0.0	477.0	0.0
>10.00 and <=12.00	513.8	95.5	0.0	95.5	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	61.1	0.0	0.0	0.0	0.0
>16.00 and <=18.00	47.6	0.0	0.0	47.6	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0

>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	10,761.8	2,301.0	932.0	2,149.0	280.6

Stand 10 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	859.4	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	280.6	0.0	280.6	280.6	495.5
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	61.1	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,296.7	0.0	280.6	280.6	495.5

Stand 10 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	382.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	307.3	0.0	0.0

>10.00 and <=12.00	113.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	113.6	0.0	689.2	0.0	0.0

Stand 10 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	382.0	0.0	0.0	0.0
>6.00 and <=8.00	280.6	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	169.8	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	280.6	551.7	0.0	0.0	0.0

Stand 10 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	859.4	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	137.5	0.0	0.0
>10.00 and <=12.00	0.0	113.6	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	859.4	113.6	137.5	0.0	0.0

Stand 10 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	eastern white pine	Norway spruce

< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 9

Stand 9

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	17,284.2	0.0	4,774.6	1,527.9	8,594.4
>4.00 and <=6.00	11,902.2	382.0	2,750.2	4,660.1	382.0
>6.00 and <=8.00	6,375.6	991.0	495.5	1,337.4	0.0
>8.00 and <=10.00	3,178.0	784.3	137.5	137.5	444.8
>10.00 and <=12.00	1,763.9	340.9	209.1	113.6	113.6
>12.00 and <=14.00	2,345.9	735.2	81.4	221.7	0.0
>14.00 and <=16.00	2,274.4	911.2	0.0	53.7	0.0
>16.00 and <=18.00	1,217.9	757.5	42.4	0.0	0.0
>18.00 and <=20.00	625.3	362.3	0.0	0.0	0.0
>20.00 and <=22.00	476.7	360.3	0.0	0.0	0.0
>22.00 and <=24.00	149.6	73.7	0.0	0.0	0.0

>24.00 and <=26.00	83.0	42.3	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	32.7	16.4	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	9.5	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	7.4	7.4	0.0	0.0	0.0
Total	47,726.5	5,764.7	8,490.8	8,051.9	9,534.8

Stand 9 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	859.4	0.0	1,527.9
>4.00 and <=6.00	382.0	0.0	932.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	280.6	0.0	1,420.7
>8.00 and <=10.00	646.8	0.0	444.8	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	209.1
>12.00 and <=14.00	210.5	0.0	140.3	0.0	70.2
>14.00 and <=16.00	283.4	0.0	122.2	0.0	0.0
>16.00 and <=18.00	90.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,650.7	0.0	2,779.4	0.0	3,227.9

Stand 9 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	1,650.1	0.0	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	495.5	0.0	0.0
>8.00 and <=10.00	169.8	0.0	137.5	0.0	0.0
>10.00 and <=12.00	113.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	373.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	114.8	0.0	0.0	0.0	0.0
>16.00 and <=18.00	47.6	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	20.3	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,742.4	0.0	633.0	0.0	0.0

Stand 9 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	280.6	0.0	0.0
>8.00 and <=10.00	137.5	0.0	137.5	0.0	0.0
>10.00 and <=12.00	227.3	0.0	436.4	0.0	0.0
>12.00 and <=14.00	140.3	0.0	70.2	81.4	0.0
>14.00 and <=16.00	222.3	0.0	290.8	0.0	0.0
>16.00 and <=18.00	47.6	0.0	95.2	0.0	0.0
>18.00 and <=20.00	38.1	0.0	76.2	0.0	0.0
>20.00 and <=22.00	0.0	0.0	85.2	0.0	0.0
>22.00 and <=24.00	0.0	0.0	49.9	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,027.9	0.0	1,521.9	81.4	0.0

Stand 9 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	382.0	0.0	382.0	0.0
>6.00 and <=8.00	214.9	429.7	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	81.4	0.0
>14.00 and <=16.00	0.0	53.7	0.0	107.4	0.0
>16.00 and <=18.00	0.0	42.4	0.0	47.6	0.0
>18.00 and <=20.00	0.0	38.1	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	31.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	26.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	20.3
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	214.9	945.9	0.0	618.3	77.5

Stand 9 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	70.2	0.0	70.2

>14.00 and <=16.00	0.0	0.0	61.1	0.0	53.7
>16.00 and <=18.00	0.0	0.0	0.0	0.0	47.6
>18.00 and <=20.00	0.0	0.0	0.0	0.0	34.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	131.3	0.0	205.8

Stand 9 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	16.4	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	9.5
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	16.4	9.5

Stand 8

Stand 8

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	34,012.3	0.0	2,654.1	8,650.5	5,111.7
>4.00 and <=6.00	11,167.1	393.2	3,051.3	393.2	1,352.6
>6.00 and <=8.00	6,427.7	221.2	1,904.8	0.0	1,751.4
>8.00 and <=10.00	4,536.7	174.8	316.3	283.1	1,298.5
>10.00 and <=12.00	3,056.3	332.3	313.6	117.0	313.6
>12.00 and <=14.00	3,553.0	661.5	167.5	407.3	384.2
>14.00 and <=16.00	2,221.1	661.6	0.0	347.0	181.1

>16.00 and <=18.00	975.7	321.7	0.0	49.0	49.0
>18.00 and <=20.00	529.8	227.6	35.4	0.0	0.0
>20.00 and <=22.00	253.9	64.2	32.1	0.0	61.3
>22.00 and <=24.00	80.3	53.5	0.0	0.0	0.0
>24.00 and <=26.00	111.5	20.9	0.0	0.0	0.0
>26.00 and <=28.00	76.3	19.4	0.0	0.0	0.0
>28.00 and <=30.00	32.6	32.6	0.0	0.0	0.0
>30.00 and <=32.00	13.8	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	21.8	10.9	0.0	0.0	10.9
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	8.0	8.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	67,078.1	3,203.4	8,475.2	10,247.1	10,514.3

Stand 8 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	884.7	884.7	0.0	0.0	2,457.5
>4.00 and <=6.00	786.4	959.4	393.2	0.0	566.2
>6.00 and <=8.00	952.4	0.0	288.9	0.0	288.9
>8.00 and <=10.00	1,057.3	0.0	0.0	0.0	915.7
>10.00 and <=12.00	1,039.1	0.0	0.0	0.0	117.0
>12.00 and <=14.00	875.2	0.0	72.2	0.0	144.4
>14.00 and <=16.00	306.9	0.0	118.2	0.0	0.0
>16.00 and <=18.00	92.7	0.0	43.7	0.0	0.0
>18.00 and <=20.00	113.8	0.0	74.6	0.0	39.2
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	22.6	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	6,131.2	1,844.1	990.8	0.0	4,529.0

Stand 8 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	5,111.7	3,538.9	1,572.8	0.0
>4.00 and <=6.00	0.0	0.0	0.0	1,918.8	0.0
>6.00 and <=8.00	0.0	0.0	288.9	731.2	0.0
>8.00 and <=10.00	141.6	0.0	0.0	0.0	0.0
>10.00 and <=12.00	117.0	0.0	98.3	0.0	0.0
>12.00 and <=14.00	83.8	0.0	72.2	0.0	0.0
>14.00 and <=16.00	62.9	0.0	0.0	0.0	0.0
>16.00 and <=18.00	43.7	0.0	0.0	49.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	39.2	0.0
>20.00 and <=22.00	0.0	0.0	0.0	32.1	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	18.1	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	448.9	5,111.7	3,998.3	4,361.3	0.0

Stand 8 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	1,572.8
>4.00 and <=6.00	0.0	786.4	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	174.8	0.0	0.0	0.0	0.0
>10.00 and <=12.00	117.0	98.3	98.3	0.0	0.0
>12.00 and <=14.00	216.7	156.0	72.2	0.0	0.0
>14.00 and <=16.00	62.9	0.0	244.0	0.0	0.0
>16.00 and <=18.00	49.0	0.0	234.3	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	32.1	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	45.3	0.0	0.0	0.0	0.0
>26.00 and <=28.00	19.4	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	717.1	1,040.7	648.9	0.0	1,572.8

Stand 8 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	1,572.8	0.0	0.0
>4.00 and <=6.00	566.2	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	196.6	0.0
>12.00 and <=14.00	0.0	83.8	0.0	0.0	0.0
>14.00 and <=16.00	62.9	0.0	0.0	173.5	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	26.8
>24.00 and <=26.00	0.0	0.0	0.0	0.0	22.6
>26.00 and <=28.00	0.0	0.0	0.0	0.0	19.4
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	13.8
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	629.1	83.8	1,572.8	370.1	82.6

Stand 8 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	174.8	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	83.8	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	32.1	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	174.8	115.9	0.0	0.0

Stand 8 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	98.3	0.0	0.0	0.0
>12.00 and <=14.00	72.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	43.7	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	115.9	98.3	0.0	0.0	0.0

Stand 8 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 7

Stand 7

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	17,723.5	0.0	830.8	830.8	3,784.7
>4.00 and <=6.00	6,099.8	0.0	1,063.4	0.0	1,063.4

>6.00 and <=8.00	6,099.5	0.0	1,564.1	0.0	1,102.1
>8.00 and <=10.00	4,526.1	461.1	562.9	265.9	132.9
>10.00 and <=12.00	4,645.2	1,230.5	589.0	312.0	549.3
>12.00 and <=14.00	2,490.1	439.4	282.1	146.5	292.9
>14.00 and <=16.00	1,693.7	635.6	177.2	0.0	281.1
>16.00 and <=18.00	1,172.3	471.2	46.0	92.0	128.0
>18.00 and <=20.00	383.5	136.5	0.0	0.0	70.1
>20.00 and <=22.00	208.3	30.1	0.0	0.0	0.0
>22.00 and <=24.00	94.4	23.1	0.0	0.0	0.0
>24.00 and <=26.00	42.5	21.3	0.0	0.0	0.0
>26.00 and <=28.00	17.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	45,195.8	3,448.8	5,115.5	1,647.1	7,404.5

Stand 7 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	3,323.2	1,661.6	0.0	0.0
>4.00 and <=6.00	0.0	0.0	2,540.4	0.0	0.0
>6.00 and <=8.00	1,102.1	0.0	958.0	0.0	0.0
>8.00 and <=10.00	594.1	0.0	859.9	0.0	0.0
>10.00 and <=12.00	606.5	0.0	439.4	0.0	109.9
>12.00 and <=14.00	371.6	0.0	292.9	0.0	157.3
>14.00 and <=16.00	214.9	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	25.1	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0

>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,889.1	3,323.2	6,777.3	0.0	267.2

Stand 7 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	1,477.0	0.0	4,153.9	0.0
>4.00 and <=6.00	0.0	531.7	369.2	531.7	0.0
>6.00 and <=8.00	623.1	0.0	0.0	0.0	0.0
>8.00 and <=10.00	164.1	0.0	461.1	164.1	0.0
>10.00 and <=12.00	109.9	0.0	202.2	0.0	0.0
>12.00 and <=14.00	67.8	0.0	303.8	0.0	0.0
>14.00 and <=16.00	59.1	0.0	111.0	0.0	0.0
>16.00 and <=18.00	128.0	0.0	92.0	41.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	30.1	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,182.1	2,008.7	1,539.3	4,890.8	0.0

Stand 7 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	1,661.6
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	207.7	271.3	0.0	0.0	0.0
>8.00 and <=10.00	430.0	164.1	0.0	132.9	0.0
>10.00 and <=12.00	404.3	0.0	92.3	0.0	0.0
>12.00 and <=14.00	67.8	0.0	67.8	0.0	0.0
>14.00 and <=16.00	103.8	0.0	111.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	87.0	0.0	0.0
>18.00 and <=20.00	103.3	36.8	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	57.6	0.0	0.0
>22.00 and <=24.00	23.1	0.0	23.1	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	17.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,357.0	472.2	438.8	132.9	1,661.6

Stand 7 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	271.3	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	132.9
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	87.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	36.8
>20.00 and <=22.00	0.0	0.0	0.0	30.1	30.1
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	21.3
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	271.3	0.0	117.2	221.2

Stand 7 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	30.1
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0

>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	30.1

Stand 7 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 6

Stand 6

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	2,032.1	0.0	0.0	0.0	550.0
>6.00 and <=8.00	925.2	214.9	0.0	0.0	710.4
>8.00 and <=10.00	719.8	137.5	137.5	0.0	0.0
>10.00 and <=12.00	550.1	113.6	0.0	0.0	0.0
>12.00 and <=14.00	373.2	0.0	81.4	0.0	0.0
>14.00 and <=16.00	122.2	61.1	0.0	0.0	0.0
>16.00 and <=18.00	47.6	47.6	0.0	0.0	0.0
>18.00 and <=20.00	38.1	38.1	0.0	0.0	0.0
>20.00 and <=22.00	62.4	62.4	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,889.5	675.2	218.9	0.0	1,260.4

Stand 6 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	382.0	0.0	550.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	137.5
>10.00 and <=12.00	0.0	0.0	113.6	0.0	95.5
>12.00 and <=14.00	0.0	0.0	81.4	0.0	70.2
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	18.9	0.0	577.0	0.0	853.2

Stand 6 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	550.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	307.3	0.0	0.0
>10.00 and <=12.00	0.0	0.0	227.3	0.0	0.0
>12.00 and <=14.00	0.0	0.0	140.3	0.0	0.0
>14.00 and <=16.00	0.0	0.0	61.1	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	1,286.0	0.0	0.0

Stand 6 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0

>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 5

Stand 5

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,527.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	137.5	0.0	0.0	0.0	137.5
>10.00 and <=12.00	113.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	81.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	34.4	0.0	0.0	0.0	34.4
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	26.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	2,248.1	0.0	0.0	0.0	188.2

Stand 5 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	214.9
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	214.9

Stand 5 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	113.6	0.0	0.0
>12.00 and <=14.00	0.0	0.0	81.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	53.7	0.0	0.0
>16.00 and <=18.00	42.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	26.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	68.4	0.0	248.7	0.0	0.0

Stand 5 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	1,527.9	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	1,527.9	0.0	0.0

Stand 5 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0

>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0

>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 4

Stand 4

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,718.9	0.0	0.0	0.0	0.0
>4.00 and <=6.00	382.0	382.0	0.0	0.0	0.0
>6.00 and <=8.00	495.5	0.0	0.0	280.6	0.0
>8.00 and <=10.00	444.8	0.0	0.0	0.0	275.0
>10.00 and <=12.00	609.3	0.0	209.1	113.6	95.5
>12.00 and <=14.00	535.9	81.4	0.0	70.2	221.7
>14.00 and <=16.00	237.1	61.1	0.0	0.0	61.1
>16.00 and <=18.00	137.6	47.6	0.0	0.0	0.0
>18.00 and <=20.00	110.6	38.1	0.0	0.0	0.0
>20.00 and <=22.00	56.8	0.0	0.0	0.0	28.4
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,750.4	610.1	209.1	464.4	681.7

Stand 4 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0

>10.00 and <=12.00	95.5	0.0	0.0	0.0	0.0
>12.00 and <=14.00	81.4	0.0	81.4	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	42.4	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	28.4	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	307.8	0.0	81.4	0.0	0.0

Stand 4 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	1,718.9	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	214.9	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	61.1	0.0
>16.00 and <=18.00	0.0	0.0	0.0	47.6	0.0
>18.00 and <=20.00	0.0	0.0	0.0	34.4	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0

>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	214.9	1,718.9	0.0	143.1	0.0

Stand 4 (cont)

Species	white oak	shagbark hickory	scarlet oak	blackgum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	169.8	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	95.5	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	53.7	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	169.8	149.2	0.0	0.0

Stand 4 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0

>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood

< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0

>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 3

Stand 3

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	3,437.7	0.0	0.0	0.0	3,437.7
>4.00 and <=6.00	550.0	550.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	151.5	0.0	0.0	0.0	0.0
>14.00 and <=16.00	107.4	0.0	0.0	0.0	53.7
>16.00 and <=18.00	132.5	0.0	42.4	0.0	0.0
>18.00 and <=20.00	110.6	0.0	34.4	0.0	38.1
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	20.3	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	4,510.1	550.0	76.8	0.0	3,529.6

Stand 3 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0

>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	151.5	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	90.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0

>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	279.6	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0

>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	20.3
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	20.3

Stand 3 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	53.7	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0

>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 2

Stand 2

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	47,729.9	15,046.4	0.0	6,775.8	2,690.4
>4.00 and <=6.00	15,959.1	1,546.5	3,666.9	797.2	2,343.6
>6.00 and <=8.00	12,582.7	2,361.0	1,619.7	965.4	741.2
>8.00 and <=10.00	9,475.6	607.6	1,282.5	928.2	287.0
>10.00 and <=12.00	5,598.2	673.6	317.9	99.6	536.1
>12.00 and <=14.00	4,886.8	1,373.2	146.4	84.9	667.5
>14.00 and <=16.00	4,043.1	1,142.2	0.0	0.0	423.2
>16.00 and <=18.00	1,960.6	613.3	44.3	49.7	242.9
>18.00 and <=20.00	1,117.8	457.6	35.9	0.0	119.2
>20.00 and <=22.00	438.2	124.4	65.1	0.0	62.2
>22.00 and <=24.00	153.9	101.9	0.0	0.0	27.1
>24.00 and <=26.00	109.6	86.6	23.0	0.0	0.0
>26.00 and <=28.00	18.3	18.3	0.0	0.0	0.0
>28.00 and <=30.00	15.9	0.0	15.9	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	9.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0

Total	104,098.6	24,152.5	7,217.6	9,700.9	8,140.6

Stand 2 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	896.8	8,768.7	3,387.9	0.0	0.0
>4.00 and <=6.00	0.0	574.0	3,093.0	797.2	972.5
>6.00 and <=8.00	1,551.1	0.0	965.4	0.0	1,482.5
>8.00 and <=10.00	1,569.5	0.0	2,168.3	0.0	885.7
>10.00 and <=12.00	1,053.3	0.0	436.5	0.0	317.9
>12.00 and <=14.00	802.3	0.0	254.7	0.0	0.0
>14.00 and <=16.00	662.9	0.0	175.9	0.0	280.3
>16.00 and <=18.00	331.5	0.0	143.6	0.0	49.7
>18.00 and <=20.00	310.2	0.0	0.0	0.0	0.0
>20.00 and <=22.00	65.1	0.0	0.0	0.0	0.0
>22.00 and <=24.00	24.9	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	7,267.5	9,342.7	10,625.2	797.2	3,988.5

Stand 2 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	1,793.6	0.0
>4.00 and <=6.00	797.2	574.0	0.0	0.0	0.0
>6.00 and <=8.00	517.0	0.0	224.2	292.8	0.0
>8.00 and <=10.00	784.8	0.0	0.0	143.5	0.0
>10.00 and <=12.00	436.5	0.0	99.6	118.6	0.0
>12.00 and <=14.00	73.2	0.0	231.3	0.0	0.0
>14.00 and <=16.00	351.7	0.0	63.8	119.8	0.0
>16.00 and <=18.00	193.2	0.0	0.0	0.0	0.0
>18.00 and <=20.00	35.9	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	32.5	29.6	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0

>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,189.5	574.0	651.5	2,498.0	0.0

Stand 2 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1,594.3	896.8	0.0	2,491.1	1,594.3
>4.00 and <=6.00	0.0	398.6	0.0	0.0	0.0
>6.00 and <=8.00	224.2	0.0	224.2	1,189.6	0.0
>8.00 and <=10.00	497.8	0.0	0.0	177.1	0.0
>10.00 and <=12.00	555.0	218.2	199.3	298.9	0.0
>12.00 and <=14.00	559.2	0.0	146.4	316.2	0.0
>14.00 and <=16.00	295.7	56.1	0.0	0.0	0.0
>16.00 and <=18.00	44.3	149.0	99.3	0.0	0.0
>18.00 and <=20.00	39.7	39.7	39.7	0.0	0.0
>20.00 and <=22.00	29.6	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,840.0	1,758.4	709.0	4,473.1	1,594.3

Stand 2 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0

>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	224.2	0.0	0.0	0.0
>8.00 and <=10.00	0.0	143.5	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	118.6	0.0
>12.00 and <=14.00	0.0	0.0	0.0	158.1	0.0
>14.00 and <=16.00	0.0	0.0	0.0	351.7	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	39.7	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	29.6
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	9.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	367.7	0.0	668.2	38.6

Stand 2 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	896.8	896.8	0.0	0.0	0.0
>4.00 and <=6.00	0.0	398.6	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	63.8	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0

>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	896.8	1,295.4	63.8	0.0	0.0

Stand 2 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	118.6	0.0	0.0	0.0	0.0
>12.00 and <=14.00	73.2	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	56.1	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	191.8	0.0	0.0	56.1	0.0

Stand 2 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0

>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Stand 1

Stand 1

Species	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	14,514.9	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	35,783.3	4,132.7	6,148.7	3,628.7	6,652.7
>4.00 and <=6.00	1,387.0	0.0	0.0	580.6	0.0
>6.00 and <=8.00	1,795.9	296.2	226.8	453.6	296.2
>8.00 and <=10.00	1,946.1	145.1	0.0	179.2	290.3
>10.00 and <=12.00	1,785.2	441.5	100.8	239.9	441.5
>12.00 and <=14.00	897.4	74.1	85.9	74.1	85.9
>14.00 and <=16.00	727.3	193.5	0.0	177.9	177.9
>16.00 and <=18.00	614.9	145.2	0.0	0.0	95.0
>18.00 and <=20.00	309.9	116.7	40.2	0.0	76.5
>20.00 and <=22.00	194.6	65.8	30.0	0.0	0.0
>22.00 and <=24.00	128.2	25.2	25.2	0.0	27.4
>24.00 and <=26.00	23.2	0.0	0.0	0.0	23.2
>26.00 and <=28.00	19.9	19.9	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0

>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	60,162.4	5,656.1	6,657.6	5,334.0	8,166.7

Stand 1 (cont)

Species	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	907.2	0.0	3,628.7
>4.00 and <=6.00	0.0	0.0	0.0	0.0	403.2
>6.00 and <=8.00	0.0	0.0	0.0	0.0	226.8
>8.00 and <=10.00	145.1	0.0	179.2	0.0	179.2
>10.00 and <=12.00	321.6	0.0	120.0	0.0	0.0
>12.00 and <=14.00	343.5	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	121.2	0.0	56.7
>16.00 and <=18.00	190.0	0.0	89.6	0.0	0.0
>18.00 and <=20.00	40.2	0.0	0.0	0.0	36.3
>20.00 and <=22.00	32.9	0.0	32.9	0.0	0.0
>22.00 and <=24.00	25.2	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1,098.6	0.0	1,450.1	0.0	4,548.2

Stand 1 (cont)

Species	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	14,514.9
>=2.00 and <=4.00	0.0	7,055.9	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	503.5	0.0	179.2	0.0	0.0
>10.00 and <=12.00	120.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	85.9	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	50.2	0.0	0.0	0.0	0.0

>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	673.7	7,055.9	265.1	0.0	14,514.9

Stand 1 (cont)

Species	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	403.2
>6.00 and <=8.00	0.0	296.2	0.0	0.0	0.0
>8.00 and <=10.00	145.1	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	148.1	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	32.9	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	326.2	296.2	0.0	0.0	403.2

Stand 1 (cont)

Species	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	3,628.7	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	44.8	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	25.2
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	3,628.7	0.0	0.0	44.8	42.5

Stand 1 (cont)

Species	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0

>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	0.0	0.0	0.0	0.0	0.0
>12.00 and <=14.00	0.0	0.0	0.0	0.0	0.0
>14.00 and <=16.00	0.0	0.0	0.0	0.0	0.0
>16.00 and <=18.00	0.0	0.0	0.0	0.0	0.0
>18.00 and <=20.00	0.0	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	0.0
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	eastern white pine	Norway spruce
< 2.00	0.0	0.0
>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0

>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	0.0	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	0.0
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	0.0	0.0

Management unit totals

Totals

dbh range	Total	northern red oak	red maple	sweet birch	sugar maple
< 2.00	14514.9	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	401615.6	52865.9	41454.3	50056.5	48598.9
>4.00 and <=6.00	152254.2	19358.4	27839.9	21025.1	10986.2
>6.00 and <=8.00	96747.3	16441.5	14657.9	11566.4	7114.5
>8.00 and <=10.00	64479.0	8595.1	9031.8	6310.8	4440.7
>10.00 and <=12.00	50647.9	9637.3	4464.8	4284.0	3434.4
>12.00 and <=14.00	33864.9	7032.3	2297.8	2470.4	2766.9
>14.00 and <=16.00	27355.7	7404.1	1462.4	1648.6	2474.7
>16.00 and <=18.00	13941.6	4634.0	664.5	473.5	875.0
>18.00 and <=20.00	7803.0	2867.3	530.6	68.8	794.3
>20.00 and <=22.00	4022.0	1623.5	215.2	83.9	333.5
>22.00 and <=24.00	1470.1	549.5	51.2	0.0	80.6
>24.00 and <=26.00	1033.6	324.1	106.0	0.0	156.0
>26.00 and <=28.00	355.7	172.3	0.0	0.0	17.5
>28.00 and <=30.00	196.4	80.5	32.3	0.0	16.4
>30.00 and <=32.00	62.3	21.7	0.0	0.0	0.0

>32.00 and <=34.00	11.9	0.0	11.9	0.0	0.0
>34.00 and <=36.00	21.8	10.9	0.0	0.0	10.9
>36.00 and <=38.00	9.5	0.0	0.0	0.0	0.0
>38.00 and <=40.00	9.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	15.8	15.8	0.0	0.0	0.0
> 42.00	7.4	7.4	0.0	0.0	0.0
Total	870439.7	131641.6	102820.6	97988.0	82100.5

Totals (cont)

dbh range	chestnut oak	serviceberry	mockernut hickory	eastern hemlock	pignut hickory
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	21311.4	57948.6	19157.2	16096.4	19144.9
>4.00 and <=6.00	7478.0	7284.1	11302.0	11430.0	7473.9
>6.00 and <=8.00	8726.5	495.5	4260.0	5434.8	7287.2
>8.00 and <=10.00	9299.6	149.2	4739.4	4488.3	4017.1
>10.00 and <=12.00	9533.5	113.6	2551.4	2626.7	1534.5
>12.00 and <=14.00	8249.4	0.0	1463.1	1130.8	693.1
>14.00 and <=16.00	5667.2	0.0	766.4	589.0	610.2
>16.00 and <=18.00	2942.4	0.0	319.3	232.8	274.1
>18.00 and <=20.00	1442.8	0.0	74.6	110.6	113.6
>20.00 and <=22.00	700.5	0.0	32.9	90.8	0.0
>22.00 and <=24.00	306.1	0.0	25.1	23.9	0.0
>24.00 and <=26.00	87.0	0.0	0.0	62.7	0.0
>26.00 and <=28.00	18.9	0.0	0.0	35.1	0.0
>28.00 and <=30.00	16.4	0.0	0.0	0.0	17.3
>30.00 and <=32.00	13.4	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	75793.1	65991.1	44691.5	42351.6	41165.8

Totals (cont)

dbh range	white ash	hophornbeam	yellow birch	American beech	unidentified species
< 2.00	0.0	0.0	0.0	0.0	14514.9
>=2.00 and <=4.00	5234.0	22238.9	6976.6	9305.4	0.0
>4.00 and <=6.00	9770.5	1105.7	4890.3	2832.5	0.0
>6.00 and <=8.00	6963.8	214.9	3745.5	1024.1	0.0
>8.00 and <=10.00	3544.9	0.0	3355.7	307.6	0.0
>10.00 and <=12.00	3260.6	0.0	2071.3	343.8	0.0

>12.00 and <=14.00	1202.4	0.0	1482.5	157.8	0.0
>14.00 and <=16.00	1087.5	0.0	580.4	234.7	0.0
>16.00 and <=18.00	762.2	0.0	134.4	137.6	0.0
>18.00 and <=20.00	260.2	0.0	106.8	111.7	0.0
>20.00 and <=22.00	61.3	0.0	32.5	92.9	0.0
>22.00 and <=24.00	26.0	0.0	52.0	0.0	0.0
>24.00 and <=26.00	20.3	0.0	0.0	0.0	0.0
>26.00 and <=28.00	20.5	0.0	0.0	35.6	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	32214.4	23559.4	23428.1	14583.6	14514.9

Totals (cont)

dbh range	white oak	shagbark hickory	scarlet oak	black gum	American hornbeam
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1594.3	5595.1	0.0	3350.6	8266.5
>4.00 and <=6.00	289.1	2363.4	550.0	2001.5	403.2
>6.00 and <=8.00	1158.8	1531.2	1723.6	1619.4	0.0
>8.00 and <=10.00	2303.7	641.1	1635.4	659.8	0.0
>10.00 and <=12.00	2595.1	562.8	1549.2	489.9	0.0
>12.00 and <=14.00	1789.7	341.9	718.6	397.6	0.0
>14.00 and <=16.00	1118.9	56.1	1495.0	61.1	0.0
>16.00 and <=18.00	650.7	289.3	784.3	90.0	0.0
>18.00 and <=20.00	298.2	114.7	277.1	0.0	0.0
>20.00 and <=22.00	159.3	0.0	233.6	0.0	0.0
>22.00 and <=24.00	62.4	0.0	125.0	0.0	0.0
>24.00 and <=26.00	82.8	20.3	45.9	0.0	0.0
>26.00 and <=28.00	36.4	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0

> 42.00	0.0	0.0	0.0	0.0	0.0
Total	12139.4	11515.9	9137.9	8669.9	8669.7

Totals (cont)

dbh range	sassafras	black cherry	American witchhazel	black oak	tuliptree
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	5807.0	859.4	3100.7	0.0	0.0
>4.00 and <=6.00	566.2	1145.9	0.0	382.0	0.0
>6.00 and <=8.00	1576.1	1205.8	0.0	0.0	0.0
>8.00 and <=10.00	0.0	272.0	0.0	0.0	237.0
>10.00 and <=12.00	0.0	209.1	0.0	438.5	227.3
>12.00 and <=14.00	0.0	83.8	0.0	692.7	373.1
>14.00 and <=16.00	62.9	175.9	0.0	933.9	127.4
>16.00 and <=18.00	0.0	42.4	0.0	231.0	270.1
>18.00 and <=20.00	0.0	38.1	0.0	263.8	257.5
>20.00 and <=22.00	0.0	0.0	0.0	89.7	210.2
>22.00 and <=24.00	0.0	0.0	0.0	0.0	168.3
>24.00 and <=26.00	0.0	0.0	0.0	0.0	128.6
>26.00 and <=28.00	0.0	0.0	0.0	0.0	19.4
>28.00 and <=30.00	0.0	0.0	0.0	0.0	17.3
>30.00 and <=32.00	0.0	0.0	0.0	0.0	27.3
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	9.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	8012.3	4032.5	3100.7	3031.7	2072.3

Totals (cont)

dbh range	gray birch	Norway maple	bigtooth aspen	American basswood	red pine
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	1756.2	896.8	0.0	0.0	0.0
>4.00 and <=6.00	0.0	398.6	382.0	550.0	445.6
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	174.8	137.5	137.5	0.0
>10.00 and <=12.00	0.0	113.6	191.0	102.8	0.0
>12.00 and <=14.00	0.0	0.0	305.4	0.0	70.2
>14.00 and <=16.00	53.7	114.8	467.1	0.0	53.7
>16.00 and <=18.00	0.0	0.0	42.4	0.0	47.6
>18.00 and <=20.00	0.0	0.0	0.0	0.0	34.4
>20.00 and <=22.00	0.0	0.0	32.1	0.0	0.0

>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	1810.0	1698.6	1557.5	790.4	651.5

Totals (cont)

dbh range	American elm	water oak	pitch pine	pin oak	unidentified non-comm hardwood
< 2.00	0.0	0.0	0.0	0.0	0.0
>=2.00 and <=4.00	0.0	0.0	0.0	0.0	0.0
>4.00 and <=6.00	0.0	0.0	0.0	0.0	0.0
>6.00 and <=8.00	0.0	0.0	0.0	0.0	0.0
>8.00 and <=10.00	0.0	0.0	0.0	0.0	0.0
>10.00 and <=12.00	118.6	98.3	95.5	0.0	0.0
>12.00 and <=14.00	145.4	0.0	0.0	0.0	0.0
>14.00 and <=16.00	53.7	0.0	0.0	56.1	0.0
>16.00 and <=18.00	43.7	0.0	0.0	0.0	0.0
>18.00 and <=20.00	38.1	0.0	0.0	0.0	0.0
>20.00 and <=22.00	0.0	0.0	0.0	0.0	30.1
>22.00 and <=24.00	0.0	0.0	0.0	0.0	0.0
>24.00 and <=26.00	0.0	0.0	0.0	0.0	0.0
>26.00 and <=28.00	0.0	0.0	0.0	0.0	0.0
>28.00 and <=30.00	0.0	0.0	0.0	0.0	0.0
>30.00 and <=32.00	0.0	0.0	0.0	0.0	0.0
>32.00 and <=34.00	0.0	0.0	0.0	0.0	0.0
>34.00 and <=36.00	0.0	0.0	0.0	0.0	0.0
>36.00 and <=38.00	0.0	0.0	0.0	0.0	0.0
>38.00 and <=40.00	0.0	0.0	0.0	0.0	0.0
>40.00 and <=42.00	0.0	0.0	0.0	0.0	0.0
> 42.00	0.0	0.0	0.0	0.0	0.0
Total	399.5	98.3	95.5	56.1	30.1

Totals (cont)

dbh range	eastern white pine	Norway spruce
< 2.00	0.0	0.0

>=2.00 and <=4.00	0.0	0.0
>4.00 and <=6.00	0.0	0.0
>6.00 and <=8.00	0.0	0.0
>8.00 and <=10.00	0.0	0.0
>10.00 and <=12.00	0.0	0.0
>12.00 and <=14.00	0.0	0.0
>14.00 and <=16.00	0.0	0.0
>16.00 and <=18.00	0.0	0.0
>18.00 and <=20.00	0.0	0.0
>20.00 and <=22.00	0.0	0.0
>22.00 and <=24.00	0.0	0.0
>24.00 and <=26.00	0.0	0.0
>26.00 and <=28.00	0.0	0.0
>28.00 and <=30.00	16.4	0.0
>30.00 and <=32.00	0.0	0.0
>32.00 and <=34.00	0.0	0.0
>34.00 and <=36.00	0.0	0.0
>36.00 and <=38.00	0.0	9.5
>38.00 and <=40.00	0.0	0.0
>40.00 and <=42.00	0.0	0.0
> 42.00	0.0	0.0
Total	16.4	9.5

Generated: 07/30/2013 09:13
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Timber Narrative

This report is for inventory data.

Sustainability

The distribution of size classes within the management unit is not balanced, meaning that some size classes are under-represented or over-represented. This condition does not allow for sustainable timber harvesting. This implies that under any circumstances, the relative proportions of different size classes within the management unit will change, and so will the characteristics of the forest that vary with tree sizes. The distribution of area in the various size classes across the entire management unit is detailed in the following table:

Balanced size classes

Size class	Balanced range	Actual % area	Difference
Regeneration	5 to 10	0.00	-5.00
Saplings + Poles	35 to 45	6.40	-28.60
Small sawtimber	25 to 35	93.60	+58.60
Large sawtimber	10 to 15	0.00	-10.00

Stocking: Basal area and Relative density

Stocking is a measure of how well the growing space available for trees is being occupied. It is most useful when determined on a stand-by-stand basis. There are several different measures that estimate how ‘crowded’ a forest stand is, generally based on how many tree there are and what size and species they are. This report addresses basal area and relative density as measures of stocking.

These figures include live overstory trees only. This management unit contains stands that range in basal area from 15.0 to 147.0 with a weighted average of 107.9 sq.ft/ac. The species present are listed in the table below by overall relative dominance for the entire management unit.

Relative density is a measure of tree crowding that accounts both for the size of each tree and the amount of space typically occupied by a tree of that size and species, so it is an especially useful measure in mixed species stands. A relative density of 100 percent implies that the growing space is fully occupied and trees must either slow their growth to survive or some trees will be crowded out and die, making room for more vigorous ones. On most stocking charts, 100% relative density is represented as the A-line. If relative density is at least 60% and below 100%, trees can fully occupy the growing site. At 60% (the B-line), maximum stand growth occurs near this level, and enough trees occupy the site to discourage detrimental effects on growth form. At 40% (the C-line), this is the lower limit of stocking necessary to reach 60% (B-line) stocking in ten years on average sites. This management unit contains stands that range in relative density from 12.5 to 120.4 with a weighted average of 87.1 percent relative density. These figures include live overstory trees only.

Basal area and Relative density - Overstory, Live Trees

Species	Basal Area (sq.ft/ac)	Relative Dominance (%)	Relative Density (%)	proportion of overall relative density

northern red oak	23.72	21.98	21.38	24.54
chestnut oak	16.80	15.57	14.12	16.21
red maple	10.21	9.46	7.52	8.63
sugar maple	8.46	7.84	7.31	8.39
sweet birch	7.99	7.40	6.00	6.88
white ash	4.94	4.58	2.61	2.99
eastern hemlock	4.60	4.26	1.95	2.24
mockernut hickory	4.56	4.22	4.24	4.87
pignut hickory	3.81	3.53	3.60	4.14
white oak	3.69	3.42	3.03	3.47
yellow birch	3.28	3.04	2.79	3.20
scarlet oak	3.18	2.95	2.59	2.97
Norway maple	2.11	1.96	1.48	1.70
serviceberry	1.65	1.53	1.85	2.13
tuliptree	1.40	1.30	0.46	0.53
black oak	1.33	1.24	1.07	1.22
shagbark hickory	1.26	1.17	1.17	1.34
American beech	1.16	1.07	1.04	1.19
blackgum	0.93	0.87	0.69	0.79
black cherry	0.55	0.51	0.31	0.35
bigtooth aspen	0.51	0.48	0.32	0.36
hophornbeam	0.45	0.42	0.52	0.59
sassafras	0.32	0.30	0.29	0.33
American elm	0.18	0.17	0.15	0.17
American hornbeam	0.18	0.16	0.21	0.24
red pine	0.15	0.14	0.07	0.08
American basswood	0.09	0.08	0.05	0.05
gray birch	0.09	0.08	0.08	0.09
American witchhazel	0.06	0.05	0.07	0.09
apple	0.06	0.05	0.06	0.07
unidentified species	0.03	0.03	0.03	0.03
pin oak	0.03	0.03	0.02	0.03
water oak	0.03	0.03	0.02	0.03
pitch pine	0.03	0.03	0.02	0.02
Norway spruce	0.03	0.03	0.00	0.01
eastern white pine	0.03	0.03	0.01	0.01
unidentified non-comm hardwood	0.03	0.03	0.01	0.01

Timber volume

Timber volume is a good estimate of the productivity of forested sites. These figures refer to net volume which is calculated or estimated by deducting from gross volume the loss of sound wood to insects, diseases, or other damage. If the field inventories for this management unit did not specifically record timber defect on trees, a default of 0 percent was used. The trees included in these figures include live trees of acceptable and unacceptable growing stock. Total timber volume on the entire management unit is 10,251,105.2 board feet of sawtimber, or 1,395,021.2 cubic feet of sawtimber, plus 2,954,253.5 cubic feet of pulp. The net board foot volume per acre of stands within the management unit ranges from 0.0 to 6,462.2, with an area-weighted average of 3,973.3. Net cubic foot sawlog volume per acre of the stands ranges from 0.0 to 897.6 with an area-weighted average of 540.7. Net pulp volume per acre of the stands ranges from 294.5 to 1,741.9 with an area-weighted average of 1,145.1. Total cubic volume peracre of the stands ranges from 294.5 to 2,550.6 with an area-weighted average of 1,685.8. Total volumes by species across the entire management unit are presented in the following table, sorted by net board foot volume.

Timber volumes

Species	Total Net Board-foot Volume	% total	Total Net Pulpwood Volume	% total	Total Net Sawtimber Cubic Volume
northern red oak	3,319,745.4	32.4	647,278.8	21.9	453,263.2
chestnut oak	1,995,334.1	19.5	526,699.1	17.8	260,396.9
sugar maple	823,577.9	8.0	214,407.5	7.3	118,903.9
red maple	588,725.9	5.7	284,986.2	9.6	80,963.2
white ash	540,079.9	5.3	131,035.5	4.4	71,559.5
scarlet oak	476,560.0	4.6	95,033.5	3.2	61,858.0
white oak	467,713.4	4.6	116,299.4	3.9	67,540.6
sweet birch	365,962.1	3.6	214,945.2	7.3	48,679.4
mockernut hickory	296,390.7	2.9	119,238.7	4.0	43,664.9
black oak	226,187.3	2.2	34,279.4	1.2	31,268.4
pignut hickory	199,522.3	1.9	102,938.9	3.5	29,668.1
yellow birch	160,739.0	1.6	98,588.7	3.3	21,511.8
eastern hemlock	157,299.4	1.5	81,487.7	2.8	20,868.6
Norway maple	126,901.0	1.2	59,998.7	2.0	16,925.9
American beech	108,984.6	1.1	22,644.1	0.8	13,039.8
shagbark hickory	94,307.9	0.9	33,964.2	1.1	14,256.7
bigtooth aspen	80,366.3	0.8	15,282.8	0.5	10,611.0
tuliptree	46,926.5	0.5	73,848.1	2.5	6,577.1
blackgum	39,261.3	0.4	28,445.7	1.0	5,682.7
black cherry	34,373.8	0.3	17,115.3	0.6	4,451.8
red pine	32,427.7	0.3	3,013.7	0.1	4,312.3
American elm	23,710.8	0.2	4,539.1	0.2	3,365.3
Norway spruce	12,612.2	0.1	481.6	0.0	1,357.3
eastern white pine	7,741.8	0.1	494.2	0.0	865.2
sassafras	6,095.9	0.1	7,246.9	0.2	880.2
water oak	5,770.1	0.1	839.3	0.0	683.6
unidentified non-comm hardwood	5,566.1	0.1	653.0	0.0	661.4
pin oak	4,421.9	0.0	774.2	0.0	606.4

gray birch	3,800.0	0.0	730.7	0.0	598.1
unidentified species	0.0	0.0	0.0	0.0	0.0
serviceberry	0.0	0.0	9,199.2	0.3	0.0
pitch pine	0.0	0.0	1,476.6	0.0	0.0
hophornbeam	0.0	0.0	2,534.1	0.1	0.0
apple	0.0	0.0	0.0	0.0	0.0
American witchhazel	0.0	0.0	0.0	0.0	0.0
American hornbeam	0.0	0.0	805.9	0.0	0.0
American basswood	0.0	0.0	2,947.7	0.1	0.0
Total	10,251,105.2	100.0	2,954,253.5	100.0	1,395,021.2

Timber volumes (cont)

Species	% total	Total Net Cubic Volume	% total
northern red oak	32.5	1,100,542.1	25.3
chestnut oak	18.7	787,095.9	18.1
sugar maple	8.5	333,311.5	7.7
red maple	5.8	365,949.4	8.4
white ash	5.1	202,595.0	4.7
scarlet oak	4.4	156,891.5	3.6
white oak	4.8	183,839.9	4.2
sweet birch	3.5	263,624.6	6.1
mockernut hickory	3.1	162,903.7	3.7
black oak	2.2	65,547.8	1.5
pignut hickory	2.1	132,607.0	3.0
yellow birch	1.5	120,100.5	2.8
eastern hemlock	1.5	102,356.3	2.4
Norway maple	1.2	76,924.6	1.8
American beech	0.9	35,683.9	0.8
shagbark hickory	1.0	48,220.9	1.1
bigtooth aspen	0.8	25,893.8	0.6
tuliptree	0.5	80,425.2	1.8
blackgum	0.4	34,128.3	0.8
black cherry	0.3	21,567.1	0.5
red pine	0.3	7,326.0	0.2
American elm	0.2	7,904.3	0.2
Norway spruce	0.1	1,838.9	0.0
eastern white pine	0.1	1,359.4	0.0
sassafras	0.1	8,127.1	0.2
water oak	0.0	1,522.9	0.0
unidentified non-comm hardwood	0.0	1,314.3	0.0
pin oak	0.0	1,380.6	0.0

gray birch	0.0	1,328.8	0.0
unidentified species	0.0	0.0	0.0
serviceberry	0.0	9,199.2	0.2
pitch pine	0.0	1,476.6	0.0
hophornbeam	0.0	2,534.1	0.1
apple	0.0	0.0	0.0
American witchhazel	0.0	0.0	0.0
American hornbeam	0.0	805.9	0.0
American basswood	0.0	2,947.7	0.1
Total	100.0	4,349,274.7	100.0

Timber value

Timber value is an estimate of the total dollar value of the wood products currently in the trees. It includes the prices of the trees where they are standing, before they are cut and transported to market. If specific product codes were entered during inventory, values are determined using those products and prices, otherwise a default product mix is used in calculations. These figures include live trees of acceptable and unacceptable growing stock. The total value of standing timber presently on the entire management unit is $0.00 dollars. Per acre values for stands within the management unit range from $0.00 to $0.00, with an area-weighted average of $0.00 dollars per acre. Total values by species across the entire management unit are presented in the following table, sorted by total value.

Timber values

Species	Total Board-foot Value	% total	Total Pulpwood Value	% total	Total value
yellow birch	0.00	0.00	0.00	0.00	0.00
white oak	0.00	0.00	0.00	0.00	0.00
white ash	0.00	0.00	0.00	0.00	0.00
water oak	0.00	0.00	0.00	0.00	0.00
unidentified species	0.00	0.00	0.00	0.00	0.00
unidentified non-comm hardwood	0.00	0.00	0.00	0.00	0.00
tuliptree	0.00	0.00	0.00	0.00	0.00
sweet birch	0.00	0.00	0.00	0.00	0.00
sugar maple	0.00	0.00	0.00	0.00	0.00
shagbark hickory	0.00	0.00	0.00	0.00	0.00
serviceberry	0.00	0.00	0.00	0.00	0.00
scarlet oak	0.00	0.00	0.00	0.00	0.00
sassafras	0.00	0.00	0.00	0.00	0.00
red pine	0.00	0.00	0.00	0.00	0.00
red maple	0.00	0.00	0.00	0.00	0.00
pitch pine	0.00	0.00	0.00	0.00	0.00
pin oak	0.00	0.00	0.00	0.00	0.00
pignut hickory	0.00	0.00	0.00	0.00	0.00
northern red oak	0.00	0.00	0.00	0.00	0.00

mockernut hickory	0.00	0.00	0.00	0.00	0.00
hophornbeam	0.00	0.00	0.00	0.00	0.00
gray birch	0.00	0.00	0.00	0.00	0.00
eastern white pine	0.00	0.00	0.00	0.00	0.00
eastern hemlock	0.00	0.00	0.00	0.00	0.00
chestnut oak	0.00	0.00	0.00	0.00	0.00
blackgum	0.00	0.00	0.00	0.00	0.00
black oak	0.00	0.00	0.00	0.00	0.00
black cherry	0.00	0.00	0.00	0.00	0.00
bigtooth aspen	0.00	0.00	0.00	0.00	0.00
apple	0.00	0.00	0.00	0.00	0.00
Norway spruce	0.00	0.00	0.00	0.00	0.00
Norway maple	0.00	0.00	0.00	0.00	0.00
American witchhazel	0.00	0.00	0.00	0.00	0.00
American hornbeam	0.00	0.00	0.00	0.00	0.00
American elm	0.00	0.00	0.00	0.00	0.00
American beech	0.00	0.00	0.00	0.00	0.00
American basswood	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00

Timber values (cont)

Species	% total
yellow birch	0.00
white oak	0.00
white ash	0.00
water oak	0.00
unidentified species	0.00
unidentified non-comm hardwood	0.00
tuliptree	0.00
sweet birch	0.00
sugar maple	0.00
shagbark hickory	0.00
serviceberry	0.00
scarlet oak	0.00
sassafras	0.00
red pine	0.00
red maple	0.00
pitch pine	0.00
pin oak	0.00
pignut hickory	0.00
northern red oak	0.00

mockernut hickory	0.00
hophornbeam	0.00
gray birch	0.00
eastern white pine	0.00
eastern hemlock	0.00
chestnut oak	0.00
blackgum	0.00
black oak	0.00
black cherry	0.00
bigtooth aspen	0.00
apple	0.00
Norway spruce	0.00
Norway maple	0.00
American witchhazel	0.00
American hornbeam	0.00
American elm	0.00
American beech	0.00
American basswood	0.00
Total	0.00

Regeneration issues

The deer impact as observed in the inventory is unknown. Because browse pressure is unknown, establishment of a new stand may or may not be limited by deer.

Generated: 07/29/2013 16:28
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Stand

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are percent 'Percent Cover' of the stand. Round to the nearest integer. Only live understory observations are included. The table columns are 'Species (Common Name)'.

stands	Area	highbush blueberry	American witchhazel	mountain laurel	sugar maple
Weighted Percent					
Stand 33	70.0	33	21	15	4
Stand 32	140.0	22	12	2	2
Stand 31	60.0	8	8	2	22
Stand 30	250.0	17	6	8	3
Stand 29	25.0	14	34	4	1
Stand 28	60.0	24	8	1	3
Stand 27	165.0	22	21	1	3
Stand 26	30.0	0	0	0	0
Stand 25	50.0	23	1	8	0
Stand 24	35.0	15	14	15	2
Stand 23	10.0	0	0	0	0
Stand 22	55.0	11	11	5	1
Stand 21	110.0	9	18	1	5
Stand 20	25.0	24	2	0	0
Stand 19	20.0	14	2	35	0
Stand 18	255.0	23	11	5	2
Stand 17	15.0	14	0	8	0
Stand 16	15.0	9	0	66	0
Stand 15	25.0	11	17	38	0
Stand 14	20.0	18	27	9	0
Stand 13	15.0	0	0	0	0
Stand 12	30.0	5	26	0	36
Stand 11	35.0	23	14	30	3
Stand 10	30.0	8	0	47	5
Stand 9	180.0	19	4	0	5
Stand 8	175.0	5	20	1	14
Stand 7	145.0	3	23	1	5
Stand 6	20.0	4	0	0	40
Stand 5	10.0	19	19	0	6

Stand 5	10.0	19	19	0	6
Stand 4	30.0	3	7	0	14
Stand 3	20.0	0	0	0	33
Stand 2	360.0	24	8	6	5
Stand 1	95.0	16	17	0	9

stands	sweet birch	huckleberry	northern red oak	chestnut oak	red maple
Weighted Percent					
Stand 33	1	0	6	5	5
Stand 32	5	13	16	10	6
Stand 31	19	5	6	13	4
Stand 30	10	5	4	9	5
Stand 29	0	0	1	1	7
Stand 28	8	6	3	8	20
Stand 27	3	5	6	5	4
Stand 26	33	4	0	8	4
Stand 25	19	7	1	1	4
Stand 24	3	17	7	3	2
Stand 23	0	0	0	0	0
Stand 22	8	11	6	4	3
Stand 21	10	9	7	8	4
Stand 20	10	8	26	0	10
Stand 19	1	1	9	2	6
Stand 18	3	6	10	8	6
Stand 17	0	0	8	0	3
Stand 16	2	4	0	8	0
Stand 15	4	5	6	1	2
Stand 14	14	0	0	18	14
Stand 13	4	30	4	11	0
Stand 12	3	8	3	0	3
Stand 11	6	0	0	0	6
Stand 10	7	6	3	2	4
Stand 9	4	8	6	1	13
Stand 8	6	7	3	7	4
Stand 7	6	3	3	5	5
Stand 6	0	12	8	4	0
Stand 5	3	6	0	9	6
Stand 4	14	0	0	10	7
Stand 3	0	22	11	0	0
Stand 2	7	2	8	2	9
Stand 1	8	8	8	12	3

stands	northern spicebush	serviceberry	hophornbeam	eastern hemlock	lowbush blueberry
Weighted Percent					
Stand 33	0	5	2	0	0
Stand 32	0	1	1	1	0
Stand 31	0	1	0	1	0
Stand 30	5	1	0	18	1
Stand 29	17	0	0	0	0
Stand 28	0	2	3	0	0
Stand 27	3	16	3	0	0
Stand 26	0	0	0	46	0
Stand 25	0	0	0	23	0
Stand 24	0	0	0	8	0
Stand 23	0	0	0	0	0
Stand 22	1	8	0	0	0
Stand 21	8	2	4	0	0
Stand 20	0	10	0	0	0
Stand 19	1	4	0	0	0
Stand 18	1	13	2	0	0
Stand 17	43	5	0	0	0
Stand 16	0	0	0	0	11
Stand 15	0	1	0	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	52
Stand 12	0	5	6	0	0
Stand 11	6	4	6	0	0
Stand 10	0	1	6	0	0
Stand 9	9	11	2	0	0
Stand 8	2	3	11	0	1
Stand 7	10	7	15	0	2
Stand 6	0	4	12	0	8
Stand 5	25	6	0	0	0
Stand 4	0	7	17	0	7
Stand 3	11	2	0	0	0
Stand 2	3	5	5	0	0
Stand 1	0	6	7	0	0

stands	American hornbeam	American beech	pink azalea	pignut hickory	white ash
Weighted Percent					
Stand 33	0	4	0	0	0
Stand 32	0	0	0	0	0

Stand 31	0	0	0	0	4
Stand 30	2	0	0	0	1
Stand 29	8	0	0	0	2
Stand 28	0	0	0	7	5
Stand 27	0	0	0	1	0
Stand 26	0	0	0	0	4
Stand 25	0	0	7	0	0
Stand 24	3	0	0	0	0
Stand 23	0	0	0	0	0
Stand 22	0	0	3	0	0
Stand 21	5	0	0	2	1
Stand 20	2	4	0	0	0
Stand 19	0	7	11	0	0
Stand 18	2	0	0	1	1
Stand 17	5	5	0	0	0
Stand 16	0	0	0	0	0
Stand 15	0	1	8	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	2	0
Stand 11	0	0	0	0	2
Stand 10	0	1	0	1	2
Stand 9	2	0	0	1	0
Stand 8	7	4	0	1	1
Stand 7	1	6	0	0	0
Stand 6	0	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	7	0	7	0
Stand 3	22	0	0	0	0
Stand 2	1	2	1	2	1
Stand 1	0	0	0	2	0

stands	white oak	rhododendron	yellow birch	mockernut hickory	sassafras
Weighted Percent					
Stand 33	0	0	0	1	0
Stand 32	2	0	0	2	4
Stand 31	0	0	1	0	2
Stand 30	1	0	1	0	1
Stand 29	0	5	4	0	0
Stand 28	0	0	0	1	0
Stand 27	1	0	0	0	0

Stand 26	0	0	0	0	0
Stand 25	0	0	0	0	1
Stand 24	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 22	1	15	0	4	1
Stand 21	0	0	2	1	1
Stand 20	0	0	0	2	0
Stand 19	0	0	0	0	0
Stand 18	2	0	0	2	0
Stand 17	5	0	3	0	0
Stand 16	0	0	0	0	0
Stand 15	0	0	1	0	3
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	0	0
Stand 11	0	0	0	1	0
Stand 10	0	0	2	0	0
Stand 9	0	0	0	2	2
Stand 8	0	0	3	1	0
Stand 7	0	0	1	1	0
Stand 6	8	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	0	0	0	0
Stand 3	0	0	0	0	0
Stand 2	0	0	0	1	2
Stand 1	2	0	0	0	0

stands	black cherry	shagbark hickory	black gum	common winterberry	gray dogwood
Weighted Percent					
Stand 33	0	0	0	0	0
Stand 32	1	0	0	0	0
Stand 31	2	0	0	0	0
Stand 30	0	0	0	0	0
Stand 29	0	0	1	0	0
Stand 28	1	0	0	0	0
Stand 27	3	0	0	0	0
Stand 26	0	0	0	0	0
Stand 25	0	0	3	0	0
Stand 24	0	8	2	0	0
Stand 23	0	0	0	0	0
Stand 22	3	0	0	0	0

Stand 21	0	0	1	0	0
Stand 20	0	0	0	0	0
Stand 19	0	0	0	6	0
Stand 18	2	0	0	0	0
Stand 17	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 15	0	0	0	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	0	0
Stand 11	0	0	0	0	0
Stand 10	0	2	0	0	0
Stand 9	1	0	0	0	0
Stand 8	0	0	0	0	0
Stand 7	0	0	0	0	2
Stand 6	0	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	0	0	0	0
Stand 3	0	0	0	0	0
Stand 2	0	0	0	0	4
Stand 1	0	0	0	0	0

stands	American hazelnut	unidentified non-comm hardwood	Norway maple	speckled alder	sweetgum
Weighted Percent					
Stand 33	0	0	0	0	0
Stand 32	0	0	0	0	0
Stand 31	0	0	0	0	0
Stand 30	0	0	0	0	0
Stand 29	0	0	0	0	0
Stand 28	0	0	0	0	0
Stand 27	0	0	0	0	0
Stand 26	0	0	0	0	0
Stand 25	0	0	0	0	0
Stand 24	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 22	2	0	0	2	0
Stand 21	0	0	3	0	0
Stand 20	0	2	0	0	0
Stand 19	0	0	0	0	0
Stand 18	0	0	0	0	0
Stand 17	0	0	0	0	0

Stand 16	0	0	0	0	0
Stand 15	0	0	1	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	0	3
Stand 11	0	0	0	0	0
Stand 10	0	0	0	0	0
Stand 9	2	0	0	1	0
Stand 8	0	0	0	0	0
Stand 7	1	0	0	0	0
Stand 6	0	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	0	0	0	0
Stand 3	0	0	0	0	0
Stand 2	0	0	0	0	0
Stand 1	0	2	0	0	0

stands	blackhaw	bigtooth aspen	smooth sumac	hawthorn	swamp azalea
Weighted Percent					
Stand 33	0	0	0	0	0
Stand 32	0	0	0	0	0
Stand 31	0	0	1	0	0
Stand 30	0	0	1	0	0
Stand 29	0	0	0	0	0
Stand 28	0	0	0	0	0
Stand 27	0	0	0	0	1
Stand 26	0	0	0	0	0
Stand 25	0	0	0	0	0
Stand 24	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 22	0	0	0	0	0
Stand 21	0	0	0	0	0
Stand 20	0	0	0	0	0
Stand 19	0	0	0	0	0
Stand 18	0	0	0	0	0
Stand 17	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 15	0	0	0	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	2	0

Stand 11	0	0	0	0	0
Stand 10	0	0	0	0	0
Stand 9	3	1	0	0	0
Stand 8	0	0	0	0	0
Stand 7	0	1	0	0	0
Stand 6	0	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	0	0	0	0
Stand 3	0	0	0	0	0
Stand 2	0	0	0	0	0
Stand 1	0	0	0	0	0

stands	unidentified species	black oak	blueberry	Siebold burningbush	eastern white pine
Weighted Percent					
Stand 33	0	0	0	0	0
Stand 32	0	0	0	0	0
Stand 31	0	0	0	0	0
Stand 30	0	0	0	0	0
Stand 29	0	0	0	0	0
Stand 28	0	0	0	0	0
Stand 27	0	0	0	0	0
Stand 26	0	0	0	0	0
Stand 25	0	0	0	0	0
Stand 24	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 22	0	0	1	0	0
Stand 21	0	0	0	0	0
Stand 20	0	0	0	0	0
Stand 19	0	0	0	0	0
Stand 18	0	0	0	0	0
Stand 17	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 15	0	0	0	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	0	0
Stand 11	0	1	0	0	0
Stand 10	1	0	0	0	0
Stand 9	0	0	0	0	0
Stand 8	0	0	0	0	0
Stand 7	0	0	0	1	0

Stand 6	0	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	0	0	0	0
Stand 3	0	0	0	0	0
Stand 2	0	0	0	0	0
Stand 1	0	0	0	0	0

stands	flowering dogwood	ailanthus	scarlet oak	American elm	water oak
Weighted Percent					
Stand 33	0	0	0	0	0
Stand 32	0	0	0	0	0
Stand 31	0	0	0	0	0
Stand 30	0	0	0	0	0
Stand 29	0	0	0	0	0
Stand 28	0	0	0	0	0
Stand 27	1	0	0	0	0
Stand 26	0	0	0	0	0
Stand 25	0	0	0	0	0
Stand 24	0	0	0	0	0
Stand 23	0	0	0	0	0
Stand 22	0	0	0	0	0
Stand 21	0	0	0	0	0
Stand 20	0	0	0	0	0
Stand 19	0	0	0	0	0
Stand 18	0	0	0	0	0
Stand 17	0	0	0	0	0
Stand 16	0	0	0	0	0
Stand 15	0	0	0	0	0
Stand 14	0	0	0	0	0
Stand 13	0	0	0	0	0
Stand 12	0	0	0	0	0
Stand 11	0	0	0	0	0
Stand 10	0	0	0	0	0
Stand 9	0	0	0	0	0
Stand 8	0	0	0	0	0
Stand 7	0	0	0	0	0
Stand 6	0	0	0	0	0
Stand 5	0	0	0	0	0
Stand 4	0	0	0	0	0
Stand 3	0	0	0	0	0
Stand 2	0	0	0	0	0

Stand 1	0	0	0	0	0

stands	eastern redcedar	gray birch
Weighted Percent		
Stand 33	0	0
Stand 32	0	0
Stand 31	0	0
Stand 30	0	0
Stand 29	0	0
Stand 28	0	0
Stand 27	0	0
Stand 26	0	0
Stand 25	0	0
Stand 24	0	0
Stand 23	0	0
Stand 22	0	0
Stand 21	0	0
Stand 20	0	0
Stand 19	0	0
Stand 18	0	0
Stand 17	0	0
Stand 16	0	0
Stand 15	0	0
Stand 14	0	0
Stand 13	0	0
Stand 12	0	0
Stand 11	0	0
Stand 10	0	0
Stand 9	0	0
Stand 8	0	0
Stand 7	0	0
Stand 6	0	0
Stand 5	0	0
Stand 4	0	0
Stand 3	0	0
Stand 2	0	0
Stand 1	0	0

Generated: 07/29/2013 16:31
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Stand

This report is for inventory data.

Report options: The stand variable is Stand ID. The stands are listed in rows. The cell values are percent 'Basal Area' of the stand. Display one place after the decimal point. Only live understory observations are included. The table columns are 'Species (Common Name)'.

stands	Area	sugar maple	American witchhazel	red maple	mountain laurel
Weighted Percent					
Stand 33	70.0	5.9	34.0	20.7	7.4
Stand 32	140.0	4.8	40.4	15.2	2.0
Stand 31	60.0	20.4	4.1	18.4	2.0
Stand 30	250.0	3.8	3.1	8.3	1.3
Stand 29	25.0	0.9	53.9	7.8	1.7
Stand 28	60.0	4.5	3.2	35.9	0.0
Stand 27	165.0	7.5	16.5	7.7	1.6
Stand 26	30.0	0.0	0.0	0.0	0.0
Stand 25	50.0	0.0	0.6	7.6	1.8
Stand 24	35.0	20.5	22.7	0.0	0.0
Stand 23	10.0	0.0	0.0	0.0	0.0
Stand 22	55.0	7.9	7.9	15.8	1.2
Stand 21	110.0	8.5	18.8	7.5	0.3
Stand 20	25.0	0.0	1.3	19.5	0.0
Stand 19	20.0	0.0	1.0	14.4	5.2
Stand 18	255.0	7.3	10.6	11.0	3.0
Stand 17	15.0	0.0	0.0	13.6	13.6
Stand 16	15.0	0.0	0.0	0.0	97.2
Stand 15	25.0	0.0	27.3	2.2	35.0
Stand 14	20.0	0.0	15.4	43.6	5.1
Stand 13	15.0	0.0	0.0	0.0	0.0
Stand 12	30.0	64.0	15.7	1.1	0.0
Stand 11	35.0	6.3	10.2	10.2	35.4
Stand 10	30.0	12.5	0.0	6.3	48.7
Stand 9	180.0	11.2	3.7	24.3	0.0
Stand 8	175.0	14.4	24.1	18.8	1.6
Stand 7	145.0	7.5	46.9	3.9	0.0
Stand 6	20.0	72.7	0.0	0.0	0.0
Stand 5	10.0	26.7	3.3	33.3	0.0

Stand 5	10.0	26.7	3.3	33.3	0.0
Stand 4	30.0	8.7	4.3	4.3	0.0
Stand 3	20.0	54.8	0.0	0.0	0.0
Stand 2	360.0	54.6	6.9	9.1	2.6
Stand 1	95.0	3.8	15.8	2.5	0.0

stands	northern red oak	eastern hemlock	serviceberry	sweet birch	chestnut oak
Weighted Percent					
Stand 33	4.4	0.0	5.9	6.4	0.0
Stand 32	1.6	12.8	2.4	10.8	4.4
Stand 31	0.0	8.2	0.0	12.2	0.0
Stand 30	7.1	57.9	1.8	1.3	3.1
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	9.5	0.0	1.8	12.7	2.7
Stand 27	7.6	0.0	29.0	7.7	2.0
Stand 26	0.0	95.4	0.0	4.6	0.0
Stand 25	9.4	39.4	0.0	0.0	5.3
Stand 24	18.2	22.7	0.0	2.3	6.8
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	10.9	0.0	22.4	4.2	0.0
Stand 21	11.9	0.0	0.0	15.7	6.7
Stand 20	18.2	0.0	13.0	3.9	0.0
Stand 19	35.1	0.0	4.1	1.0	0.0
Stand 18	17.4	0.0	20.0	2.3	4.7
Stand 17	7.6	0.0	6.1	0.0	0.0
Stand 16	0.0	0.0	0.0	2.8	0.0
Stand 15	13.7	0.0	0.5	8.2	0.0
Stand 14	0.0	0.0	0.0	23.1	12.8
Stand 13	66.7	0.0	0.0	0.0	33.3
Stand 12	0.0	0.0	1.1	5.6	0.0
Stand 11	0.0	0.0	23.6	1.6	0.0
Stand 10	0.0	0.0	0.6	0.6	3.1
Stand 9	0.2	0.0	17.2	14.4	0.6
Stand 8	0.0	0.0	1.0	2.3	0.2
Stand 7	2.1	0.0	9.1	7.3	0.0
Stand 6	0.0	0.0	12.1	0.0	0.0
Stand 5	0.0	0.0	16.7	3.3	6.7
Stand 4	0.0	0.0	21.7	8.7	0.0
Stand 3	3.2	0.0	12.9	0.0	0.0
Stand 2	3.6	0.0	3.4	3.7	0.2
Stand 1	13.9	0.0	3.8	36.7	1.3

stands	American beech	northern spicebush	American hornbeam	white ash	highbush blueberry
Weighted Percent					
Stand 33	14.3	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	32.7	0.0
Stand 30	0.0	0.0	2.4	0.0	2.7
Stand 29	0.0	13.0	6.1	7.8	7.8
Stand 28	0.0	0.0	0.0	14.5	0.5
Stand 27	0.0	2.8	1.6	2.2	3.8
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	12.4
Stand 24	0.0	0.0	4.5	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0	10.9
Stand 21	0.0	0.5	3.6	1.3	0.0
Stand 20	0.0	0.0	2.6	0.0	0.0
Stand 19	21.6	4.1	0.0	0.0	3.1
Stand 18	0.0	0.0	3.4	1.8	2.0
Stand 17	0.0	34.8	7.6	0.0	3.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0	0.0
Stand 11	0.0	5.5	0.0	1.6	0.8
Stand 10	0.0	0.0	0.0	5.6	1.9
Stand 9	0.0	2.9	2.1	0.0	1.8
Stand 8	8.3	0.0	9.1	1.7	0.4
Stand 7	5.7	5.4	0.3	0.0	0.0
Stand 6	0.0	0.0	0.0	0.0	0.0
Stand 5	0.0	10.0	0.0	0.0	0.0
Stand 4	39.1	0.0	0.0	0.0	13.0
Stand 3	0.0	0.0	29.0	0.0	0.0
Stand 2	1.7	1.7	0.6	0.8	0.9
Stand 1	0.0	0.0	0.0	0.0	0.0

stands	hophornbeam	mockernut hickory	yellow birch	pignut hickory	sassafras
Weighted Percent					
Stand 33	0.5	0.5	0.0	0.0	0.0
Stand 32	0.0	3.6	0.0	1.6	0.0

Stand 31	0.0	0.0	2.0	0.0	0.0
Stand 30	0.0	0.7	4.7	0.0	0.7
Stand 29	0.0	0.0	0.9	0.0	0.0
Stand 28	2.3	0.5	0.0	11.8	0.0
Stand 27	3.9	0.0	0.0	0.9	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	9.4
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	15.8	0.0	0.0	0.0
Stand 21	3.1	1.0	10.8	1.3	6.2
Stand 20	0.0	20.8	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0	0.0
Stand 18	2.3	1.8	0.8	7.0	0.0
Stand 17	0.0	0.0	13.6	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	4.9	0.0	7.7
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	3.4	0.0	0.0	4.5	0.0
Stand 11	1.6	3.1	0.0	0.0	0.0
Stand 10	10.6	0.0	5.0	2.5	0.0
Stand 9	5.2	4.4	0.0	0.3	2.9
Stand 8	11.7	0.2	5.4	0.8	0.0
Stand 7	9.3	0.0	0.3	0.0	0.0
Stand 6	3.0	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.6	2.0	2.0	2.1	1.8
Stand 1	7.0	0.0	0.0	15.2	0.0

stands	unidentified non-comm hardwood	white oak	black gum	pink azalea	black cherry
Weighted Percent					
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.0	0.4	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0	0.0
Stand 30	0.0	0.0	0.2	0.0	0.0
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.1	0.0	0.0	3.5

Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	10.6	3.5	0.0
Stand 24	0.0	0.0	2.3	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0	0.6
Stand 21	0.0	0.0	1.0	0.0	0.0
Stand 20	20.8	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	4.1	0.0
Stand 18	0.0	2.8	0.0	0.0	0.1
Stand 17	0.0	0.0	0.0	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0	0.0
Stand 9	2.9	0.0	0.0	0.3	3.5
Stand 8	0.0	0.0	0.0	0.0	0.0
Stand 7	0.0	0.0	0.0	0.0	0.0
Stand 6	0.0	12.1	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.0	0.0	0.6	0.2	0.0
Stand 1	0.0	0.0	0.0	0.0	0.0

stands	common winterberry	sweetgum	speckled alder	shagbark hickory	Norway maple
Weighted Percent					
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0	0.0
Stand 30	0.0	0.0	0.0	0.0	0.0
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	0.0	0.0	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	1.8	0.0	0.0

Stand 21	0.0	0.0	0.0	0.0	1.8
Stand 20	0.0	0.0	0.0	0.0	0.0
Stand 19	6.2	0.0	0.0	0.0	0.0
Stand 18	0.0	0.0	0.0	0.0	0.0
Stand 17	0.0	0.0	0.0	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.5
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	4.5	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	2.5	0.0
Stand 9	0.0	0.0	1.1	0.0	0.0
Stand 8	0.0	0.0	0.0	0.0	0.0
Stand 7	0.0	0.0	0.0	0.0	0.0
Stand 6	0.0	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.0	0.0	0.0	0.2	0.2
Stand 1	0.0	0.0	0.0	0.0	0.0

stands	bigtooth aspen	scarlet oak	flowering dogwood	smooth sumac	blackhaw
Weighted Percent					
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0	0.0
Stand 30	0.0	0.0	0.0	0.9	0.0
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	1.2	0.0	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0	0.0
Stand 21	0.0	0.0	0.0	0.0	0.0
Stand 20	0.0	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0	0.0
Stand 18	0.0	2.0	0.0	0.0	0.0
Stand 17	0.0	0.0	0.0	0.0	0.0

Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0	0.0
Stand 9	0.2	0.0	0.0	0.0	0.8
Stand 8	0.0	0.0	0.0	0.0	0.0
Stand 7	2.3	0.0	0.0	0.0	0.0
Stand 6	0.0	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.0	0.0	0.0	0.0	0.0
Stand 1	0.0	0.0	0.0	0.0	0.0

stands	American hazelnut	black oak	gray birch	swamp azalea	water oak
Weighted Percent					
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0	0.0
Stand 30	0.0	0.0	0.0	0.0	0.0
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	0.0	0.1	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.6	0.0	0.0	0.0	0.0
Stand 21	0.0	0.0	0.0	0.0	0.0
Stand 20	0.0	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0	0.0
Stand 18	0.0	0.0	0.0	0.0	0.0
Stand 17	0.0	0.0	0.0	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0	0.0

Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0	0.0
Stand 9	0.0	0.0	0.0	0.0	0.0
Stand 8	0.0	0.0	0.0	0.0	0.0
Stand 7	0.0	0.0	0.0	0.0	0.0
Stand 6	0.0	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.0	0.5	0.2	0.0	0.0
Stand 1	0.0	0.0	0.0	0.0	0.0

stands	unidentified species	Siebold burningbush	rhododendron	lowbush blueberry	huckleberry
Weighted Percent					
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0	0.0
Stand 30	0.0	0.0	0.0	0.0	0.0
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	0.0	0.0	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0	0.0
Stand 21	0.0	0.0	0.0	0.0	0.0
Stand 20	0.0	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0	0.0
Stand 18	0.0	0.0	0.0	0.0	0.0
Stand 17	0.0	0.0	0.0	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0	0.0
Stand 9	0.0	0.0	0.0	0.0	0.0
Stand 8	0.0	0.0	0.0	0.0	0.0
Stand 7	0.0	0.0	0.0	0.0	0.0

Stand 6	0.0	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.0	0.0	0.0	0.0	0.0
Stand 1	0.0	0.0	0.0	0.0	0.0

stands	hawthorn	gray dogwood	eastern white pine	eastern redcedar	blueberry
Weighted Percent					
Stand 33	0.0	0.0	0.0	0.0	0.0
Stand 32	0.0	0.0	0.0	0.0	0.0
Stand 31	0.0	0.0	0.0	0.0	0.0
Stand 30	0.0	0.0	0.0	0.0	0.0
Stand 29	0.0	0.0	0.0	0.0	0.0
Stand 28	0.0	0.0	0.0	0.0	0.0
Stand 27	0.0	0.0	0.0	0.0	0.0
Stand 26	0.0	0.0	0.0	0.0	0.0
Stand 25	0.0	0.0	0.0	0.0	0.0
Stand 24	0.0	0.0	0.0	0.0	0.0
Stand 23	0.0	0.0	0.0	0.0	0.0
Stand 22	0.0	0.0	0.0	0.0	0.0
Stand 21	0.0	0.0	0.0	0.0	0.0
Stand 20	0.0	0.0	0.0	0.0	0.0
Stand 19	0.0	0.0	0.0	0.0	0.0
Stand 18	0.0	0.0	0.0	0.0	0.0
Stand 17	0.0	0.0	0.0	0.0	0.0
Stand 16	0.0	0.0	0.0	0.0	0.0
Stand 15	0.0	0.0	0.0	0.0	0.0
Stand 14	0.0	0.0	0.0	0.0	0.0
Stand 13	0.0	0.0	0.0	0.0	0.0
Stand 12	0.0	0.0	0.0	0.0	0.0
Stand 11	0.0	0.0	0.0	0.0	0.0
Stand 10	0.0	0.0	0.0	0.0	0.0
Stand 9	0.0	0.0	0.0	0.0	0.0
Stand 8	0.0	0.0	0.0	0.0	0.0
Stand 7	0.0	0.0	0.0	0.0	0.0
Stand 6	0.0	0.0	0.0	0.0	0.0
Stand 5	0.0	0.0	0.0	0.0	0.0
Stand 4	0.0	0.0	0.0	0.0	0.0
Stand 3	0.0	0.0	0.0	0.0	0.0
Stand 2	0.0	0.0	0.0	0.0	0.0

Stand 1	0.0	0.0	0.0	0.0	0.0

stands	American elm	ailanthus
Weighted Percent		
Stand 33	0.0	0.0
Stand 32	0.0	0.0
Stand 31	0.0	0.0
Stand 30	0.0	0.0
Stand 29	0.0	0.0
Stand 28	0.0	0.0
Stand 27	0.0	0.0
Stand 26	0.0	0.0
Stand 25	0.0	0.0
Stand 24	0.0	0.0
Stand 23	0.0	0.0
Stand 22	0.0	0.0
Stand 21	0.0	0.0
Stand 20	0.0	0.0
Stand 19	0.0	0.0
Stand 18	0.0	0.0
Stand 17	0.0	0.0
Stand 16	0.0	0.0
Stand 15	0.0	0.0
Stand 14	0.0	0.0
Stand 13	0.0	0.0
Stand 12	0.0	0.0
Stand 11	0.0	0.0
Stand 10	0.0	0.0
Stand 9	0.0	0.0
Stand 8	0.0	0.0
Stand 7	0.0	0.0
Stand 6	0.0	0.0
Stand 5	0.0	0.0
Stand 4	0.0	0.0
Stand 3	0.0	0.0
Stand 2	0.0	0.0
Stand 1	0.0	0.0

Generated: 07/29/2013 16:36
File name: C:\Users\NJA Forestry1\Desktop\Audubon\Inventories\Sparta Mountain WMA, Sparta\NED Post Processing\Mngt Unit\SMWMA All.mdb

Species x Size Class

This report is for inventory data.

Report options: The cell values are 'Stems' (stems). Display one place after the decimal point. The values come from understory observations. The values are totaled for the stand by multiplying per area values by the stand area. Only live understory observations are included. The table rows are 'DBH'. The first row contains dbh's less than 0.5. The interval between rows is 1. The last row contains dbh's greater than or equal to 2. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Stand 33

Stand 33

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	352,692.3	200,307.7	0.0	49,538.5	21,538.5
> 1.50	14,538.5	0.0	0.0	5,384.6	0.0
Total	367,230.8	200,307.7	0.0	54,923.1	21,538.5

Stand 33 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	12,923.1	2,153.8	0.0	40,923.1	1,076.9
> 1.50	1,076.9	3,230.8	538.5	0.0	1,615.4
Total	14,000.0	5,384.6	538.5	40,923.1	2,692.3

Stand 33 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	11,307.7	7,538.5	0.0	0.0
> 1.50	0.0	1,076.9	0.0	0.0	0.0
Total	0.0	12,384.6	7,538.5	0.0	0.0

Stand 33 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	3,769.2
> 1.50	0.0	0.0	0.0	0.0	1,615.4
Total	0.0	0.0	0.0	0.0	5,384.6

Stand 33 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	1,615.4	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	1,615.4	0.0	0.0	0.0

Stand 33 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 33 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0

>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 32

Stand 32

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	575,135.1	180,486.5	88,162.2	41,621.6	100,270.3
> 1.50	10,594.6	0.0	0.0	4,540.5	378.4
Total	585,729.7	180,486.5	88,162.2	46,162.2	100,648.6

Stand 32 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	76,810.8	15,135.1	15,891.9	7,945.9	7,945.9
> 1.50	0.0	1,513.5	1,135.1	0.0	1,135.1
Total	76,810.8	16,648.6	17,027.0	7,945.9	9,081.1

Stand 32 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	756.8	3,027.0	2,648.6	0.0
> 1.50	0.0	378.4	0.0	0.0	0.0
Total	0.0	1,135.1	3,027.0	2,648.6	0.0

Stand 32 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	378.4
> 1.50	0.0	0.0	0.0	756.8	0.0
Total	0.0	0.0	0.0	756.8	378.4

Stand 32 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	7,189.2	8,324.3	2,270.3	0.0	378.4
> 1.50	0.0	378.4	0.0	0.0	378.4
Total	7,189.2	8,702.7	2,270.3	0.0	756.8

Stand 32 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	summer azalea	rhododendron

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	15,891.9	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	15,891.9	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 32 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 31

Stand 31

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	133,500.0	17,500.0	7,500.0	9,000.0	20,500.0
> 1.50	2,500.0	0.0	0.0	0.0	0.0
Total	136,000.0	17,500.0	7,500.0	9,000.0	20,500.0

Stand 31 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	7,000.0	2,000.0	26,000.0	1,500.0	34,500.0
> 1.50	0.0	500.0	500.0	0.0	500.0
Total	7,000.0	2,500.0	26,500.0	1,500.0	35,000.0

Stand 31 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	2,000.0	0.0	2,000.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	2,000.0	0.0	2,000.0	0.0

Stand 31 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	500.0	0.0
Total	0.0	0.0	0.0	500.0	0.0

Stand 31 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	500.0	1,500.0	0.0
> 1.50	0.0	0.0	0.0	500.0	0.0
Total	0.0	0.0	500.0	2,000.0	0.0

Stand 31 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,500.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	1,500.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum

< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	500.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	500.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 31 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 30

Stand 30

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	762,500.0	166,000.0	62,500.0	32,500.0	141,000.0
> 1.50	34,000.0	1,000.0	0.0	1,000.0	500.0
Total	796,500.0	167,000.0	62,500.0	33,500.0	141,500.0

Stand 30 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	31,000.0	39,500.0	83,000.0	58,500.0	22,000.0
> 1.50	1,500.0	3,500.0	500.0	0.0	1,500.0
Total	32,500.0	43,000.0	83,500.0	58,500.0	23,500.0

Stand 30 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	44,500.0	3,000.0	0.0	2,000.0	6,000.0
> 1.50	0.0	500.0	0.0	0.0	1,000.0
Total	44,500.0	3,500.0	0.0	2,000.0	7,000.0

Stand 30 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	10,000.0	27,000.0	0.0
> 1.50	0.0	0.0	0.0	21,500.0	0.0
Total	0.0	0.0	10,000.0	48,500.0	0.0

Stand 30 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	5,000.0	0.0	10,500.0	2,500.0	0.0
> 1.50	0.0	500.0	500.0	0.0	0.0
Total	5,000.0	500.0	11,000.0	2,500.0	0.0

Stand 30 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	4,000.0	0.0	0.0	0.0	0.0
> 1.50	500.0	0.0	0.0	0.0	0.0
Total	4,500.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	500.0

Stand 30 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	5,500.0	5,000.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	5,500.0	5,000.0	0.0	0.0	0.0

Stand 30 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 30 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	500.0

Stand 30 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	500.0
> 1.50	0.0	0.0
Total	0.0	500.0

Stand 29

Stand 29

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	85,500.0	10,500.0	0.0	19,000.0	1,000.0
> 1.50	8,000.0	0.0	0.0	5,500.0	0.0
Total	93,500.0	10,500.0	0.0	24,500.0	1,000.0

Stand 29 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	2,500.0	3,000.0	0.0	7,500.0	500.0
> 1.50	0.0	500.0	0.0	0.0	0.0

Total	2,500.0	3,500.0	0.0	7,500.0	500.0

Stand 29 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	14,500.0	0.0	0.0	0.0	10,000.0
> 1.50	1,000.0	0.0	0.0	0.0	0.0
Total	15,500.0	0.0	0.0	0.0	10,000.0

Stand 29 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	8,500.0	7,500.0	0.0
> 1.50	0.0	0.0	0.0	500.0	0.0
Total	0.0	0.0	8,500.0	8,000.0	0.0

Stand 29 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	500.0
Total	0.0	0.0	0.0	0.0	1,000.0

Stand 29 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	500.0

Stand 29 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 29 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 28

Stand 28

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	214,000.0	85,000.0	34,000.0	11,000.0	19,000.0
> 1.50	12,500.0	0.0	0.0	0.0	500.0
Total	226,500.0	85,000.0	34,000.0	11,000.0	19,500.0

Stand 28 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,000.0	23,500.0	15,000.0	1,000.0	8,500.0
> 1.50	1,000.0	5,500.0	1,000.0	0.0	500.0
Total	2,000.0	29,000.0	16,000.0	1,000.0	9,000.0

Stand 28 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	2,000.0	4,000.0	3,000.0	0.0
> 1.50	0.0	0.0	500.0	0.0	0.0
Total	0.0	2,000.0	4,500.0	3,000.0	0.0

Stand 28 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	500.0	0.0	2,500.0	4,000.0
> 1.50	0.0	0.0	0.0	2,500.0	1,000.0
Total	0.0	500.0	0.0	5,000.0	5,000.0

Stand 28 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 28 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 27

Stand 27

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	920,500.0	346,500.0	89,500.0	107,500.0	95,500.0
> 1.50	37,000.0	0.0	0.0	4,500.0	1,500.0
Total	957,500.0	346,500.0	89,500.0	112,000.0	97,000.0

Stand 27 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	34,500.0	13,000.0	5,500.0	6,000.0	20,500.0
> 1.50	3,500.0	3,000.0	2,000.0	500.0	3,500.0
Total	38,000.0	16,000.0	7,500.0	6,500.0	24,000.0

Stand 27 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	38,000.0	71,500.0	27,000.0	42,000.0	0.0
> 1.50	0.0	12,500.0	2,500.0	500.0	1,500.0
Total	38,000.0	84,000.0	29,500.0	42,500.0	1,500.0

Stand 27 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	7,000.0	0.0	0.0	0.0	3,000.0
> 1.50	0.0	0.0	0.0	500.0	500.0
Total	7,000.0	0.0	0.0	500.0	3,500.0

Stand 27 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	11,000.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	11,000.0	0.0

Stand 27 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	2,500.0	0.0
> 1.50	0.0	0.0	0.0	500.0	0.0
Total	0.0	0.0	0.0	3,000.0	0.0

Stand 27 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 27 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 26

Stand 26

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	29,000.0	0.0	4,000.0	0.0	2,000.0
> 1.50	1,000.0	0.0	0.0	0.0	0.0
Total	30,000.0	0.0	4,000.0	0.0	2,000.0

Stand 26 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	1,000.0	19,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	1,000.0	19,500.0	0.0	0.0

Stand 26 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	1,500.0	0.0
> 1.50	0.0	0.0	0.0	1,000.0	0.0
Total	0.0	0.0	0.0	2,500.0	0.0

Stand 26 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	1,000.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	1,000.0	0.0

Stand 26 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 26 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 25

Stand 25

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	151,250.0	40,000.0	21,875.0	625.0	0.0
> 1.50	6,250.0	1,875.0	0.0	0.0	0.0
Total	157,500.0	41,875.0	21,875.0	625.0	0.0

Stand 25 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	6,250.0	53,125.0	9,375.0	0.0
> 1.50	625.0	0.0	0.0	0.0	0.0
Total	625.0	6,250.0	53,125.0	9,375.0	0.0

Stand 25 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	9,375.0	0.0	10,625.0	0.0
> 1.50	0.0	0.0	0.0	2,500.0	0.0
Total	0.0	9,375.0	0.0	13,125.0	0.0

Stand 25 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	1,250.0
Total	0.0	0.0	0.0	0.0	1,250.0

Stand 25 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 25 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 24

Stand 24

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	171,500.0	36,166.7	49,583.3	9,916.7	4,666.7

> 1.50	2,916.7	0.0	0.0	583.3	0.0
Total	174,416.7	36,166.7	49,583.3	10,500.0	4,666.7

Stand 24 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	4,083.3	17,500.0	3,500.0	29,750.0	0.0
> 1.50	1,166.7	0.0	0.0	0.0	583.3
Total	5,250.0	17,500.0	3,500.0	29,750.0	583.3

Stand 24 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	2,333.3
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	2,333.3

Stand 24 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	6,416.7	0.0
> 1.50	0.0	0.0	0.0	583.3	0.0
Total	0.0	0.0	0.0	7,000.0	0.0

Stand 24 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	7,000.0	0.0	583.3
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	7,000.0	0.0	583.3

Stand 24 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 24 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 23

Stand 23

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 23 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 22

Stand 22

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	156,000.0	27,500.0	40,500.0	15,500.0	10,000.0
> 1.50	11,500.0	1,500.0	0.0	500.0	0.0
Total	167,500.0	29,000.0	40,500.0	16,000.0	10,000.0

Stand 22 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	10,500.0	1,500.0	10,500.0	10,500.0	0.0
> 1.50	1,000.0	500.0	0.0	0.0	1,000.0
Total	11,500.0	2,000.0	10,500.0	10,500.0	1,000.0

Stand 22 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	500.0	2,500.0	0.0	2,000.0	0.0

> 1.50	0.0	3,000.0	0.0	0.0	0.0
Total	500.0	5,500.0	0.0	2,000.0	0.0

Stand 22 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	7,500.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	7,500.0	0.0	0.0	0.0

Stand 22 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,500.0	1,000.0	0.0	0.0	0.0
> 1.50	0.0	1,500.0	0.0	0.0	0.0
Total	1,500.0	2,500.0	0.0	0.0	0.0

Stand 22 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,000.0	1,500.0	0.0	0.0	7,000.0
> 1.50	0.0	0.0	0.0	0.0	2,500.0
Total	1,000.0	1,500.0	0.0	0.0	9,500.0

Stand 22 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	2,000.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	2,000.0	0.0	0.0

Stand 22 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	3,000.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	3,000.0

Stand 22 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 22 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 21

Stand 21

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	336,000.0	64,500.0	70,000.0	39,500.0	36,000.0
> 1.50	24,000.0	0.0	0.0	5,000.0	1,000.0
Total	360,000.0	64,500.0	70,000.0	44,500.0	37,000.0

Stand 21 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	26,000.0	6,000.0	16,500.0	1,000.0	6,500.0
> 1.50	3,000.0	2,000.0	4,000.0	0.0	2,000.0
Total	29,000.0	8,000.0	20,500.0	1,000.0	8,500.0

Stand 21 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	21,500.0	8,000.0	12,500.0	0.0	13,000.0
> 1.50	0.0	0.0	1,000.0	0.0	500.0
Total	21,500.0	8,000.0	13,500.0	0.0	13,500.0

Stand 21 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	2,000.0	500.0	500.0	3,000.0
> 1.50	0.0	500.0	1,500.0	500.0	500.0
Total	0.0	2,500.0	2,000.0	1,000.0	3,500.0

Stand 21 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	1,500.0	0.0	0.0	0.0	0.0
Total	1,500.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	7,500.0	1,500.0
> 1.50	0.0	0.0	0.0	500.0	500.0
Total	0.0	0.0	0.0	8,000.0	2,000.0

Stand 21 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 21 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 20

Stand 20

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	101,500.0	40,000.0	25,000.0	500.0	0.0
> 1.50	2,500.0	0.0	0.0	0.0	0.0
Total	104,000.0	40,000.0	25,000.0	500.0	0.0

Stand 20 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	24,500.0	2,500.0	4,000.0	0.0	0.0
> 1.50	1,000.0	500.0	0.0	0.0	0.0
Total	25,500.0	3,000.0	4,000.0	0.0	0.0

Stand 20 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	1,500.0	0.0	0.0	1,000.0
> 1.50	0.0	500.0	0.0	0.0	0.0
Total	0.0	2,000.0	0.0	0.0	1,000.0

Stand 20 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	2,500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	2,500.0

Stand 20 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	500.0	0.0	0.0	0.0
Total	0.0	500.0	0.0	0.0	0.0

Stand 20 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 20 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 19

Stand 19

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	117,000.0	39,000.0	5,000.0	3,000.0	6,000.0
> 1.50	4,500.0	0.0	0.0	0.0	0.0
Total	121,500.0	39,000.0	5,000.0	3,000.0	6,000.0

Stand 19 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	3,000.0	8,000.0	500.0	28,000.0	0.0
> 1.50	2,000.0	500.0	0.0	0.0	0.0
Total	5,000.0	8,500.0	500.0	28,000.0	0.0

Stand 19 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	2,000.0	0.0	0.0	0.0
> 1.50	500.0	0.0	0.0	0.0	0.0
Total	500.0	2,000.0	0.0	0.0	0.0

Stand 19 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	17,000.0	0.0	0.0	1,500.0
> 1.50	0.0	0.0	0.0	0.0	1,500.0
Total	0.0	17,000.0	0.0	0.0	3,000.0

Stand 19 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	black haw	ailanthus	shagbark hickory	Norway maple	black gum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	4,000.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	4,000.0

Stand 19 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 19 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 18

Stand 18

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	1,265,234.0	447,063.8	162,766.0	77,585.1	118,819.1
> 1.50	54,797.9	542.6	0.0	4,883.0	3,797.9
Total	1,320,031.9	447,606.4	162,766.0	82,468.1	122,617.0

Stand 18 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	97,659.6	67,276.6	31,468.1	39,063.8	8,680.9
> 1.50	9,766.0	5,968.1	1,627.7	1,627.7	3,255.3
Total	107,425.5	73,244.7	33,095.7	40,691.5	11,936.2

Stand 18 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	14,648.9	83,010.6	9,766.0	34,723.4	9,223.4
> 1.50	0.0	12,478.7	1,085.1	0.0	2,170.2
Total	14,648.9	95,489.4	10,851.1	34,723.4	11,393.6

Stand 18 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	29,840.4	14,648.9	1,085.1	5,425.5	2,712.8
> 1.50	1,085.1	1,627.7	542.6	1,085.1	2,712.8
Total	30,925.5	16,276.6	1,627.7	6,510.6	5,425.5

Stand 18 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	9,766.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	9,766.0	0.0	0.0	0.0

Stand 18 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	542.6	0.0	0.0	0.0	0.0
Total	542.6	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 18 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 17

Stand 17

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	56,500.0	15,000.0	0.0	0.0	0.0
> 1.50	3,500.0	0.0	0.0	0.0	0.0
Total	60,000.0	15,000.0	0.0	0.0	0.0

Stand 17 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	500.0	0.0	0.0	0.0	0.0
> 1.50	0.0	500.0	0.0	1,000.0	0.0
Total	500.0	500.0	0.0	1,000.0	0.0

Stand 17 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	29,500.0	500.0	0.0	0.0	500.0
> 1.50	500.0	500.0	0.0	0.0	500.0
Total	30,000.0	1,000.0	0.0	0.0	1,000.0

Stand 17 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	3,000.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	3,000.0

Stand 17 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	7,500.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	500.0	0.0	0.0
Total	7,500.0	0.0	500.0	0.0	0.0

Stand 17 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 17 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 16

Stand 16

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	43,000.0	4,500.0	4,000.0	0.0	5,500.0
> 1.50	2,000.0	0.0	0.0	0.0	0.0
Total	45,000.0	4,500.0	4,000.0	0.0	5,500.0

Stand 16 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	500.0	21,000.0	0.0
> 1.50	0.0	0.0	0.0	2,000.0	0.0
Total	0.0	0.0	500.0	23,000.0	0.0

Stand 16 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	7,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	7,500.0	0.0	0.0

Stand 16 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 16 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 15

Stand 15

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	136,500.0	20,000.0	15,000.0	22,000.0	1,500.0
> 1.50	12,500.0	0.0	0.0	4,000.0	0.0
Total	149,000.0	20,000.0	15,000.0	26,000.0	1,500.0

Stand 15 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	5,500.0	1,500.0	3,000.0	40,500.0	0.0
> 1.50	1,000.0	500.0	500.0	5,000.0	0.0
Total	6,500.0	2,000.0	3,500.0	45,500.0	0.0

Stand 15 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	500.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	500.0	0.0	0.0	0.0

Stand 15 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	25,500.0	0.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	25,500.0	0.0	0.0	500.0

Stand 15 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	500.0	0.0	0.0
Total	0.0	0.0	500.0	0.0	0.0

Stand 15 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	500.0	0.0	0.0	0.0	0.0
> 1.50	1,000.0	0.0	0.0	0.0	0.0
Total	1,500.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	500.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	500.0	0.0

Stand 15 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 15 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 14

Stand 14

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	24,500.0	13,000.0	0.0	3,500.0	3,500.0
> 1.50	3,000.0	0.0	0.0	500.0	500.0
Total	27,500.0	13,000.0	0.0	4,000.0	4,000.0

Stand 14 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	3,500.0	1,000.0	0.0
> 1.50	0.0	1,500.0	500.0	0.0	0.0
Total	0.0	1,500.0	4,000.0	1,000.0	0.0

Stand 14 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 14 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 13

Stand 13

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	44,500.0	0.0	17,500.0	0.0	3,500.0
> 1.50	1,500.0	0.0	0.0	0.0	500.0
Total	46,000.0	0.0	17,500.0	0.0	4,000.0

Stand 13 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	1,000.0	0.0	0.0
> 1.50	1,000.0	0.0	0.0	0.0	0.0
Total	1,000.0	0.0	1,000.0	0.0	0.0

Stand 13 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	22,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	22,500.0	0.0	0.0

Stand 13 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	black haw	ailanthus	shagbark hickory	Norway maple	black gum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 13 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 12

Stand 12

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	127,200.0	16,800.0	39,000.0	31,800.0	0.0
> 1.50	5,400.0	0.0	0.0	0.0	0.0
Total	132,600.0	16,800.0	39,000.0	31,800.0	0.0

Stand 12 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	6,000.0	3,600.0	600.0	0.0	17,400.0
> 1.50	0.0	0.0	600.0	0.0	3,600.0
Total	6,000.0	3,600.0	1,200.0	0.0	21,000.0

Stand 12 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	2,400.0	6,000.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	2,400.0	6,000.0	0.0	0.0

Stand 12 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	600.0
Total	0.0	0.0	0.0	0.0	600.0

Stand 12 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 12 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	3,000.0	0.0	0.0	0.0
> 1.50	0.0	600.0	0.0	0.0	0.0
Total	0.0	3,600.0	0.0	0.0	0.0

Stand 12 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	600.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	600.0	0.0	0.0	0.0

Stand 12 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 11

Stand 11

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	138,500.0	73,500.0	0.0	13,500.0	0.0
> 1.50	10,000.0	0.0	0.0	1,000.0	0.0
Total	148,500.0	73,500.0	0.0	14,500.0	0.0

Stand 11 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	8,500.0	6,500.0	15,000.0	3,000.0
> 1.50	0.0	1,000.0	0.0	5,000.0	1,000.0
Total	0.0	9,500.0	6,500.0	20,000.0	4,000.0

Stand 11 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	6,000.0	1,500.0	7,500.0	0.0	0.0
> 1.50	500.0	1,000.0	0.0	0.0	0.0
Total	6,500.0	2,500.0	7,500.0	0.0	0.0

Stand 11 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	1,000.0	0.0
> 1.50	0.0	500.0	0.0	0.0	0.0
Total	0.0	500.0	0.0	1,000.0	0.0

Stand 11 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	2,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	2,500.0	0.0	0.0

Stand 11 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 11 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 10

Stand 10

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	163,500.0	18,500.0	25,000.0	0.0	500.0
> 1.50	8,000.0	0.0	0.0	0.0	500.0
Total	171,500.0	18,500.0	25,000.0	0.0	1,000.0

Stand 10 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	11,000.0	5,500.0	8,500.0	67,000.0	5,500.0
> 1.50	0.0	500.0	0.0	2,500.0	1,000.0
Total	11,000.0	6,000.0	8,500.0	69,500.0	6,500.0

Stand 10 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	500.0	17,500.0	0.0	0.0
> 1.50	0.0	0.0	1,000.0	0.0	0.0
Total	0.0	500.0	18,500.0	0.0	0.0

Stand 10 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	500.0

Stand 10 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	1,000.0	0.0
> 1.50	0.0	0.0	1,000.0	500.0	500.0
Total	0.0	0.0	1,000.0	1,500.0	500.0

Stand 10 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	1,000.0	0.0	0.0
> 1.50	0.0	0.0	500.0	0.0	0.0
Total	0.0	0.0	1,500.0	0.0	0.0

Stand 10 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 10 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	1,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	1,500.0	0.0	0.0

Stand 10 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 9

Stand 9

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	713,500.0	246,500.0	116,500.0	15,000.0	1,000.0
> 1.50	34,500.0	0.0	0.0	1,000.0	500.0
Total	748,000.0	246,500.0	116,500.0	16,000.0	1,500.0

Stand 9 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	59,000.0	104,500.0	8,000.0	0.0	16,500.0
> 1.50	0.0	7,000.0	5,500.0	0.0	5,500.0
Total	59,000.0	111,500.0	13,500.0	0.0	22,000.0

Stand 9 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	39,000.0	33,000.0	8,500.0	7,000.0	6,500.0
> 1.50	500.0	8,000.0	1,000.0	1,000.0	1,000.0
Total	39,500.0	41,000.0	9,500.0	8,000.0	7,500.0

Stand 9 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	1,000.0	0.0	0.0	1,500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	1,000.0	0.0	0.0	1,500.0

Stand 9 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	2,500.0	0.0	1,000.0	5,500.0
> 1.50	0.0	2,000.0	0.0	0.0	0.0
Total	0.0	4,500.0	0.0	1,000.0	5,500.0

Stand 9 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	2,500.0	13,500.0	10,500.0	0.0	0.0
> 1.50	1,500.0	0.0	0.0	0.0	0.0
Total	4,000.0	13,500.0	10,500.0	0.0	0.0

Stand 9 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	10,000.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	10,000.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	3,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	3,500.0	0.0	0.0

Stand 9 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 9 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	1,000.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	1,000.0	0.0	0.0

Stand 9 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 8

Stand 8

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	503,897.1	40,147.1	64,338.2	79,779.4	45,294.1
> 1.50	29,852.9	0.0	0.0	7,720.6	0.0
Total	533,750.0	40,147.1	64,338.2	87,500.0	45,294.1

Stand 8 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	24,705.9	11,323.5	32,426.5	0.0	74,117.6
> 1.50	0.0	3,602.9	514.7	1,029.4	3,602.9
Total	24,705.9	14,926.5	32,941.2	1,029.4	77,720.6

Stand 8 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	16,470.6	7,205.9	37,573.5	0.0	28,308.8
> 1.50	0.0	0.0	5,147.1	0.0	3,088.2
Total	16,470.6	7,205.9	42,720.6	0.0	31,397.1

Stand 8 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	7,720.6	514.7	11,323.5
> 1.50	0.0	0.0	0.0	0.0	2,573.5
Total	0.0	0.0	7,720.6	514.7	13,897.1

Stand 8 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	3,088.2	10,294.1	3,602.9	2,058.8

> 1.50	0.0	0.0	2,058.8	0.0	514.7
Total	0.0	3,088.2	12,352.9	3,602.9	2,573.5

Stand 8 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	3,088.2	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	3,088.2	0.0	0.0	0.0

Stand 8 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	514.7	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	514.7	0.0	0.0

Stand 8 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 8 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 7

Stand 7

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	408,900.0	18,850.0	20,300.0	66,700.0	40,600.0
> 1.50	25,133.3	0.0	0.0	12,083.3	0.0
Total	434,033.3	18,850.0	20,300.0	78,783.3	40,600.0

Stand 7 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	16,433.3	28,516.7	8,700.0	1,933.3	19,333.3
> 1.50	966.7	966.7	1,933.3	0.0	1,450.0
Total	17,400.0	29,483.3	10,633.3	1,933.3	20,783.3

Stand 7 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	48,333.3	14,500.0	56,066.7	483.3	3,383.3
> 1.50	966.7	1,933.3	1,933.3	0.0	0.0
Total	49,300.0	16,433.3	58,000.0	483.3	3,383.3

Stand 7 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	12,083.3	0.0	18,366.7	0.0	11,116.7
> 1.50	0.0	0.0	0.0	0.0	1,933.3
Total	12,083.3	0.0	18,366.7	0.0	13,050.0

Stand 7 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	4,833.3	3,383.3	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	4,833.3	3,383.3	0.0	0.0

Stand 7 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	6,766.7	483.3	0.0	0.0

> 1.50	0.0	0.0	966.7	0.0	0.0
Total	0.0	6,766.7	1,450.0	0.0	0.0

Stand 7 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 7 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	2,900.0	1,933.3	0.0	2,416.7	483.3
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	2,900.0	1,933.3	0.0	2,416.7	483.3

Stand 7 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 6

Stand 6

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	30,500.0	1,000.0	7,500.0	0.0	500.0
> 1.50	3,500.0	0.0	0.0	0.0	0.0
Total	34,000.0	1,000.0	7,500.0	0.0	500.0

Stand 6 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	4,500.0	0.0	0.0	0.0	6,000.0
> 1.50	0.0	0.0	0.0	0.0	2,500.0
Total	4,500.0	0.0	0.0	0.0	8,500.0

Stand 6 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	5,000.0	0.0	0.0
> 1.50	0.0	500.0	0.0	0.0	0.0
Total	0.0	500.0	5,000.0	0.0	0.0

Stand 6 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	4,500.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	4,500.0	0.0	0.0

Stand 6 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,500.0	0.0	0.0	0.0	0.0
> 1.50	500.0	0.0	0.0	0.0	0.0
Total	2,000.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 6 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 5

Stand 5

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	36,000.0	5,000.0	4,500.0	4,000.0	5,000.0
> 1.50	1,500.0	0.0	0.0	0.0	0.0
Total	37,500.0	5,000.0	4,500.0	4,000.0	5,000.0

Stand 5 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	500.0	500.0	0.0	0.0
> 1.50	0.0	500.0	0.0	0.0	1,000.0
Total	0.0	1,000.0	500.0	0.0	1,000.0

Stand 5 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	14,000.0	2,500.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	14,000.0	2,500.0	0.0	0.0	0.0

Stand 5 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 5 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 4

Stand 4

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	38,500.0	1,500.0	0.0	2,000.0	4,500.0
> 1.50	1,000.0	0.0	0.0	0.0	0.0
Total	39,500.0	1,500.0	0.0	2,000.0	4,500.0

Stand 4 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	1,000.0	7,000.0	0.0	6,000.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	1,000.0	7,000.0	0.0	6,000.0

Stand 4 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	500.0	8,500.0	0.0	0.0
> 1.50	0.0	500.0	0.0	0.0	0.0
Total	0.0	1,000.0	8,500.0	0.0	0.0

Stand 4 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	4,500.0	0.0	500.0
> 1.50	0.0	0.0	0.0	0.0	500.0
Total	0.0	0.0	4,500.0	0.0	1,000.0

Stand 4 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	2,500.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	2,500.0

Stand 4 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0

> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 4 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 3

Stand 3

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	5,500.0	0.0	4,000.0	0.0	0.0
> 1.50	3,000.0	0.0	0.0	0.0	0.0
Total	8,500.0	0.0	4,000.0	0.0	0.0

Stand 3 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	500.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	1,500.0
Total	500.0	0.0	0.0	0.0	1,500.0

Stand 3 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	500.0	0.0	0.0	0.0	500.0
> 1.50	0.0	500.0	0.0	0.0	1,000.0
Total	500.0	500.0	0.0	0.0	1,500.0

Stand 3 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0

Total	0.0	0.0	0.0	0.0	0.0

Stand 3 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Stand 2

Stand 2

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,332,521.7	534,260.9	68,347.8	40,695.7	14,608.7
> 1.50	76,695.7	0.0	0.0	9,913.0	0.0
Total	1,409,217.4	534,260.9	68,347.8	50,608.7	14,608.7

Stand 2 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	88,173.9	87,652.2	70,956.5	37,565.2	42,260.9
> 1.50	4,173.9	12,000.0	6,260.9	4,695.7	13,043.5
Total	92,347.8	99,652.2	77,217.4	42,260.9	55,304.3

Stand 2 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	50,087.0	30,260.9	75,130.4	4,695.7	7,826.1
> 1.50	2,608.7	5,739.1	1,043.5	0.0	521.7
Total	52,695.7	36,000.0	76,173.9	4,695.7	8,347.8

Stand 2 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	87,130.4	19,304.3	0.0	521.7	24,521.7
> 1.50	0.0	0.0	0.0	0.0	2,608.7
Total	87,130.4	19,304.3	0.0	521.7	27,130.4

Stand 2 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	7,826.1	2,087.0	13,565.2	14,087.0
> 1.50	0.0	2,087.0	2,087.0	521.7	2,608.7
Total	0.0	9,913.0	4,173.9	14,087.0	16,695.7

Stand 2 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	2,608.7	0.0	3,130.4	0.0	0.0
> 1.50	3,130.4	0.0	0.0	0.0	0.0
Total	5,739.1	0.0	3,130.4	0.0	0.0

Stand 2 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	1,043.5
> 1.50	0.0	0.0	521.7	521.7	1,565.2
Total	0.0	0.0	521.7	521.7	2,608.7

Stand 2 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	521.7	0.0	521.7	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	521.7	0.0	521.7	0.0

Stand 2 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	3,130.4	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	521.7	0.0	0.0
Total	3,130.4	0.0	521.7	0.0	0.0

Stand 2 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 2 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	521.7	0.0

Total	521.7	0.0

Stand 1

Stand 1

Species	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	214,277.8	50,666.7	29,555.6	16,888.9	26,916.7
> 1.50	8,444.4	0.0	0.0	1,583.3	0.0
Total	222,722.2	50,666.7	29,555.6	18,472.2	26,916.7

Stand 1 (cont)

Species	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	16,361.1	3,694.4	12,666.7	0.0	27,444.4
> 1.50	1,583.3	527.8	2,111.1	0.0	527.8
Total	17,944.4	4,222.2	14,777.8	0.0	27,972.2

Stand 1 (cont)

Species	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	8,972.2	15,305.6	0.0	0.0
> 1.50	0.0	0.0	1,055.6	0.0	0.0
Total	0.0	8,972.2	16,361.1	0.0	0.0

Stand 1 (cont)

Species	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	1,583.3	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	1,055.6
Total	1,583.3	0.0	0.0	0.0	1,055.6

Stand 1 (cont)

Species	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	4,222.2	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	4,222.2	0.0

Stand 1 (cont)

Species	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	0.0	0.0	0.0	0.0	0.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	0.0	0.0	0.0	0.0	0.0

Stand 1 (cont)

Species	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	0.0
> 1.50	0.0	0.0
Total	0.0	0.0

Management unit totals

Totals

dbh range	Total	highbush blueberry	huckleberry	American witchhazel	chestnut oak
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	9389108.1	2759749.3	1075928.1	712650.8	729214.0
> 1.50	456124.0	4917.6	0.0	69691.8	9676.3
Total	9845232.0	2764666.8	1075928.1	782342.6	738890.3

Totals (cont)

dbh range	northern red oak	red maple	sweet birch	mountain laurel	sugar maple
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	564151.0	464602.4	448334.6	425056.4	327760.0
> 1.50	34358.5	55809.8	29221.3	23352.7	50313.4
Total	598509.5	520412.1	477555.9	448409.1	378073.4

Totals (cont)

dbh range	northern spicebush	serviceberry	hophornbeam	black cherry	American hornbeam
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	337539.8	289914.1	300907.6	100551.0	88575.0
> 1.50	6575.4	49106.5	16264.5	1500.0	11280.2
Total	344115.2	339020.6	317172.2	102051.0	99855.2

Totals (cont)

dbh range	gray dogwood	pink azalea	lowbush blueberry	eastern hemlock	American beech
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	99213.8	79679.3	75087.3	46578.1	61109.5
> 1.50	0.0	0.0	0.0	26840.1	10730.9
Total	99213.8	79679.3	75087.3	73418.2	71840.5

Totals (cont)

dbh range	white oak	mockernut hickory	yellow birch	white ash	pignut hickory
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	61112.9	46336.3	39119.8	41093.7	37236.9
> 1.50	1585.1	9593.0	8688.3	6606.8	10370.1
Total	62698.1	55929.3	47808.1	47700.5	47607.0

Totals (cont)

dbh range	sassafras	American hazelnut	bigtooth aspen	swamp azalea	rhododendron
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	28000.6	24854.9	14113.8	11000.0	7500.0
> 1.50	7630.4	0.0	966.7	0.0	3000.0
Total	35631.0	24854.9	15080.4	11000.0	10500.0

Totals (cont)

dbh range	blackhaw	ailanthus	shagbark hickory	Norway maple	blackgum
< 0.50	0.0	0.0	0.0	0.0	0.0

>=0.50 and <=1.50	10000.0	9766.0	8514.7	8000.0	4126.8
> 1.50	0.0	0.0	1021.7	1021.7	3315.2
Total	10000.0	9766.0	9536.4	9021.7	7442.0

Totals (cont)

dbh range	smooth sumac	American elm	speckled alder	unidentified non-comm hardwood	common winterberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	6000.0	5521.7	5500.0	4744.0	4000.0
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	6000.0	5521.7	5500.0	4744.0	4000.0

Totals (cont)

dbh range	scarlet oak	sweetgum	black oak	flowering dogwood	blueberry
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	3130.4	3000.0	2500.0	2500.0	3000.0
> 1.50	542.6	600.0	521.7	500.0	0.0
Total	3673.0	3600.0	3021.7	3000.0	3000.0

Totals (cont)

dbh range	Siebold burningbush	hawthorn	unidentified species	water oak	eastern white pine
< 0.50	0.0	0.0	0.0	0.0	0.0
>=0.50 and <=1.50	2900.0	2533.3	2500.0	2416.7	983.3
> 1.50	0.0	0.0	0.0	0.0	0.0
Total	2900.0	2533.3	2500.0	2416.7	983.3

Totals (cont)

dbh range	gray birch	eastern redcedar
< 0.50	0.0	0.0
>=0.50 and <=1.50	0.0	500.0
> 1.50	521.7	0.0
Total	521.7	500.0

Generated: 10/30/2013 14:15
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 1.mdb

Vegetation Table Wizard

This report is for the stand 'stand 1' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	sugar maple	chestnut oak	sweet birch	red maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	4	7	2	4	3
>10.00 and <=18.00	10	8	9	5	2
>18.00 and <=26.00	5	3	3	0	3
> 26.00	1	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	mockernut hickory	pignut hickory	white ash	white oak	hophornbeam
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	3	3	1	3
>10.00 and <=18.00	4	1	2	2	0
>18.00 and <=26.00	1	1	0	1	0
> 26.00	0	1	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	yellow birch	tuliptree	American hornbeam	unidentified species	unidentified non-comm hardwood
< 2.00	0	0	0	1	0
>=2.00 and <=10.00	1	0	1	0	1
>10.00 and <=18.00	1	0	0	0	0
>18.00 and <=26.00	0	1	0	0	0
> 26.00	0	1	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	shagbark hickory	sassafras	black oak
< 2.00	0	0	0
>=2.00 and <=10.00	1	1	0
>10.00 and <=18.00	0	0	1
>18.00 and <=26.00	0	0	0
> 26.00	0	0	0

Generated: 10/30/2013 15:14
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 10.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 10' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	sweet birch	northern red oak	Norway maple	chestnut oak	yellow birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	18	10	5	5	8
>10.00 and <=18.00	5	3	8	5	0
> 18.00	0	5	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	shagbark hickory	red maple	pignut hickory	white oak	white ash
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	5	5	5	3	0
>10.00 and <=18.00	0	0	0	0	3
> 18.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sugar maple	mockernut hickory	gray birch	eastern hemlock	bigtooth aspen
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	3	3	3	3
>10.00 and <=18.00	0	0	0	0	0
> 18.00	0	0	0	0	0

Generated: 10/30/2013 15:15
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 11.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 11' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	red maple	white ash	Norway maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	4	11	9	4	2
>10.00 and <=18.00	30	13	4	6	2
> 18.00	2	2	0	0	2

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	eastern hemlock	white oak	yellow birch	sweet birch	sugar maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	6	0	4	2	4
>10.00 and <=18.00	0	4	0	2	0
> 18.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	scarlet oak	mockernut hickory	black oak	American beech
< 2.00	0	0	0	0
>=2.00 and <=10.00	0	2	0	0
>10.00 and <=18.00	2	0	0	0
> 18.00	0	0	2	2

Generated: 10/30/2013 15:18
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 12.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 12' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	shagbark hickory	pignut hickory	sugar maple	mockernut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	12	18	15	3	0
>10.00 and <=18.00	45	3	3	3	6
>18.00 and <=26.00	9	0	0	6	0
> 26.00	3	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sweet birch	Norway maple
< 2.00	0	0
>=2.00 and <=10.00	0	0
>10.00 and <=18.00	3	3
>18.00 and <=26.00	0	0
> 26.00	0	0

Generated: 10/30/2013 15:21
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 13.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 13' inventory (2007) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	mockernut hickory	northern red oak	sweet birch	chestnut oak
< 2.00	0	0	0	0
>=2.00 and <=10.00	30	20	5	0
> 10.00	10	0	0	5

Generated: 10/30/2013 15:22
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 14.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 14' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	red maple	sugar maple	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	4	8	15	4	8
>10.00 and <=18.00	34	8	4	8	4
> 18.00	0	8	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	yellow birch	eastern hemlock
< 2.00	0	0
>=2.00 and <=10.00	4	4
>10.00 and <=18.00	0	0
> 18.00	0	0

Generated: 10/30/2013 15:24
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 15.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 15' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	chestnut oak	northern red oak	eastern hemlock	sweet birch	yellow birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	3	6	3	6
>10.00 and <=18.00	27	12	6	3	0
> 18.00	6	3	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sugar maple	scarlet oak	Norway maple	red maple	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	0	6	0	3
>10.00 and <=18.00	3	6	0	3	0
> 18.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	tuliptree
< 2.00	0
>=2.00 and <=10.00	0
>10.00 and <=18.00	0
> 18.00	3

Generated: 10/30/2013 15:26
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 16.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 16' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	chestnut oak	northern red oak	red maple	white oak	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	30	30	10	0	5
> 10.00	15	0	0	5	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	scarlet oak
< 2.00	0
>=2.00 and <=10.00	5
> 10.00	0

Generated: 10/30/2013 15:28
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 17.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 17' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	red maple	yellow birch	northern red oak	American beech	white ash
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	20	15	0	5	10
>10.00 and <=18.00	10	10	5	0	0
>18.00 and <=26.00	0	0	0	5	0
>26.00 and <=34.00	0	0	10	5	0
>34.00 and <=42.00	0	0	5	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	serviceberry	eastern hemlock	unidentified non-comm hardwood	tuliptree	scarlet oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	5	5	5	0	0
>10.00 and <=18.00	0	0	0	0	0
>18.00 and	0	0	0	0	5

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	serviceberry	eastern hemlock	unidentified non-comm hardwood	tuliptree	scarlet oak
<=26.00					
>26.00 and <=34.00	0	0	0	5	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sassafras
< 2.00	0
>=2.00 and <=10.00	5
>10.00 and <=18.00	0
>18.00 and <=26.00	0
>26.00 and <=34.00	0
>34.00 and <=42.00	0
> 42.00	0

Generated: 10/30/2013 14:00
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 18.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 18' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS) Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	red maple	sweet birch	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	15	4	7	3	4
>10.00 and <=18.00	13	8	4	4	2
>18.00 and <=26.00	3	2	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS) Basal Area (total sq.ft/ac) (cont)

dbh range	mockernut hickory	scarlet oak	serviceberry	white oak	white ash
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	4	3	4	1	1
>10.00 and <=18.00	2	1	0	2	1
>18.00 and <=26.00	0	1	0	2	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	black oak	sugar maple	yellow birch	tuliptree	shagbark hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	1	0	1
>10.00 and <=18.00	2	2	1	1	0
>18.00 and <=26.00	0	0	0	1	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	Norway maple	unidentified non-comm hardwood	sassafras	black cherry	bigtooth aspen
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	0	0	0	0
>10.00 and <=18.00	0	0	0	0	0
>18.00 and <=26.00	0	0	0	0	0
> 26.00	0	0	0	0	0

Generated: 10/31/2013 17:09
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 19.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 19' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	chestnut oak	northern red oak	white ash	red maple	white oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	11	15	11	11	0
>10.00 and <=18.00	38	4	0	0	8
> 18.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sweet birch	black oak	black cherry	American beech
< 2.00	0	0	0	0
>=2.00 and <=10.00	0	0	4	0
>10.00 and <=18.00	4	0	0	4
> 18.00	0	4	0	0

Generated: 10/30/2013 14:41
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 2.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 2' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	sugar maple	mockernut hickory	red maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	6	4	3	6	5
>10.00 and <=18.00	12	9	5	3	1
>18.00 and <=26.00	5	2	1	0	1
>26.00 and <=34.00	0	0	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	white ash	unidentified non-comm hardwood	pignut hickory	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	2	0	3	3
>10.00 and <=18.00	4	3	1	2	1
>18.00 and <=26.00	0	0	4	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	white ash	unidentified non-comm hardwood	pignut hickory	sweet birch
>26.00 and <=34.00	0	0	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	Norway maple	blackgum	black oak	shagbark hickory	scarlet oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	2	0	0	0
>10.00 and <=18.00	1	2	2	1	1
>18.00 and <=26.00	0	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American beech	serviceberry	yellow birch	eastern hemlock	tuliptree
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	2	0	1	0
>10.00 and <=18.00	1	0	1	0	0
>18.00 and <=26.00	0	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	black cherry	American elm	American witchhazel	American hornbeam	sassafras

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	black cherry	American elm	American witchhazel	American hornbeam	sassafras
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	0	0	0
>10.00 and <=18.00	0	0	0	0	0
>18.00 and <=26.00	0	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	pin oak	hophornbeam	gray birch	bigtooth aspen
< 2.00	0	0	0	0
>=2.00 and <=10.00	0	0	0	0
>10.00 and <=18.00	0	0	0	0
>18.00 and <=26.00	0	0	0	0
>26.00 and <=34.00	0	0	0	0
> 34.00	0	0	0	0

Generated: 10/31/2013 17:13
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 20.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 20' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	sweet birch	northern red oak	red maple	chestnut oak	unidentified non-comm hardwood
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	21	6	18	0	3
>10.00 and <=18.00	6	9	3	12	6
>18.00 and <=26.00	0	9	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	shagbark hickory	mockernut hickory	serviceberry	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	3	3	3	3
>10.00 and <=18.00	6	0	3	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	shagbark hickory	mockernut hickory	serviceberry	pignut hickory
>18.00 and <=26.00	0	3	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	Norway maple	American beech
< 2.00	0	0
>=2.00 and <=10.00	3	3
>10.00 and <=18.00	0	0
>18.00 and <=26.00	0	0
> 26.00	0	0

Generated: 10/31/2013 17:25
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 21.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 21' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	sugar maple	sweet birch	northern red oak	chestnut oak	red maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	8	12	5	2	6
>10.00 and <=18.00	9	6	5	9	3
>18.00 and <=26.00	5	1	6	1	1
> 26.00	1	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	Norway maple	yellow birch	tuliptree	scarlet oak	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	3	0	1	4
>10.00 and <=18.00	3	2	1	2	0
>18.00 and <=26.00	0	0	3	1	0
> 26.00	1	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white ash	white oak	shagbark hickory	mockernut hickory	bigtooth aspen
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	0	1	2	1
>10.00 and <=18.00	1	3	1	1	1
>18.00 and <=26.00	1	0	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	blackgum	serviceberry	unidentified non-comm hardwood	eastern hemlock	American elm
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	1	0	0	0
>10.00 and <=18.00	0	1	1	1	0
>18.00 and <=26.00	0	0	0	0	1
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American beech
< 2.00	0
>=2.00 and <=10.00	0
>10.00 and <=18.00	1
>18.00 and <=26.00	0
> 26.00	0

Generated: 10/31/2013 17:52
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 22.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 22' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	red maple	eastern hemlock	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	7	5	8	5	4
>10.00 and <=18.00	12	14	8	11	7
> 18.00	3	1	0	0	1

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white ash	yellow birch	scarlet oak	pignut hickory	Norway maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	5	5	0	3	1
>10.00 and <=18.00	4	1	4	1	3
> 18.00	0	0	1	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	mockernut hickory	white oak	serviceberry
< 2.00	0	0	0
>=2.00 and <=10.00	1	0	1
>10.00 and <=18.00	1	1	0
> 18.00	0	0	0

Generated: 10/31/2013 17:53
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 23.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 23' inventory (2007) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	scarlet oak
< 2.00	0
>=2.00 and <=10.00	0
> 10.00	15

Generated: 10/31/2013 17:55
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 24.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 24' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	sugar maple	eastern hemlock	sweet birch	white ash
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	3	5	10	5
>10.00 and <=18.00	10	15	8	0	3
> 18.00	10	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	chestnut oak	shagbark hickory	Norway maple	yellow birch	red pine
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	0	0	0	3
>10.00 and <=18.00	5	5	3	3	0
> 18.00	0	0	3	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	scarlet oak	red maple	hophornbeam
< 2.00	0	0	0	0
>=2.00 and <=10.00	0	0	0	3
>10.00 and <=18.00	3	0	3	0
> 18.00	0	3	0	0

Generated: 10/31/2013 17:56
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 25.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 25' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	eastern hemlock	chestnut oak	northern red oak	red maple	tuliptree
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	41	6	2	4	0
>10.00 and <=18.00	17	30	13	4	4
>18.00 and <=26.00	4	0	4	0	0
> 26.00	0	0	2	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	blackgum	serviceberry	black oak	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	4	2	0	2
>10.00 and <=18.00	4	0	0	2	0
>18.00 and <=26.00	0	0	0	0	0
> 26.00	0	0	0	0	0

Generated: 10/31/2013 17:58
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 26.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 26' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	chestnut oak	eastern hemlock	northern red oak	sweet birch	red maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	10	3	0	5	8
>10.00 and <=18.00	28	30	10	10	3
> 18.00	15	10	10	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	scarlet oak	white ash	sassafras	white oak	sugar maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	5	0	3
>10.00 and <=18.00	3	5	0	3	0
> 18.00	5	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	pignut hickory	mockernut hickory	blackgum	black oak
< 2.00	0	0	0	0
>=2.00 and <=10.00	0	3	3	0
>10.00 and <=18.00	0	0	0	0
> 18.00	3	0	0	3

Generated: 10/31/2013 18:00
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 27.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 27' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	chestnut oak	northern red oak	red maple	sweet birch	white ash
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	5	3	6	6	5
>10.00 and <=18.00	15	5	5	5	4
>18.00 and <=26.00	2	7	3	0	1
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sugar maple	serviceberry	yellow birch	pignut hickory	scarlet oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	6	2	2	0
>10.00 and <=18.00	5	0	3	1	2
>18.00 and <=26.00	2	0	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	black cherry	tuliptree	white oak	hophornbeam	blackgum
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	0	0	1	0
>10.00 and <=18.00	1	1	1	0	1
>18.00 and <=26.00	0	0	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	eastern hemlock	unidentified non-comm hardwood	sassafras	mockernut hickory	black oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	0	0	0
>10.00 and <=18.00	0	0	0	0	0
>18.00 and <=26.00	0	0	0	0	0
> 26.00	0	0	0	0	0

Generated: 10/31/2013 18:01
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 28.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 28' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	sweet birch	white ash	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	28	8	6	11	6
>10.00 and <=18.00	5	11	4	0	1
>18.00 and <=26.00	1	0	1	0	0
> 26.00	0	0	1	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sugar maple	yellow birch	red maple	black cherry	tuliptree
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	0	0	1	0
>10.00 and <=18.00	3	3	3	1	0
>18.00 and <=26.00	1	0	0	0	1
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	serviceberry
< 2.00	0
>=2.00 and <=10.00	1
>10.00 and <=18.00	0
>18.00 and <=26.00	0
> 26.00	0

Generated: 10/31/2013 18:02
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 29.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 29' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	yellow birch	red maple	tuliptree	white ash	northern red oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	15	6	0	3	0
>10.00 and <=18.00	24	15	9	6	6
>18.00 and <=26.00	9	15	6	0	3
>26.00 and <=34.00	0	6	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	blackgum	bigtooth aspen	chestnut oak	sweet birch	sugar maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	9	0	0	0	3
>10.00 and <=18.00	0	9	3	3	0
>18.00 and <=26.00	0	0	3	0	0
>26.00 and <=34.00	0	0	0	0	0
> 34.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American hornbeam
< 2.00	0
>=2.00 and <=10.00	3
>10.00 and <=18.00	0
>18.00 and <=26.00	0
>26.00 and <=34.00	0
> 34.00	0

Generated: 10/30/2013 15:00
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 3.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 3' inventory (2007) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	white ash	sugar maple	red maple	tuliptree	northern red oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	8	0	0	4
>10.00 and <=18.00	15	4	4	0	0
>18.00 and <=26.00	4	4	4	4	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	gray birch
< 2.00	0
>=2.00 and <=10.00	0
>10.00 and <=18.00	4
>18.00 and <=26.00	0
> 26.00	0

Generated: 10/31/2013 18:06
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 30.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 30' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	eastern hemlock	chestnut oak	red maple	northern red oak	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	19	5	7	4	5
>10.00 and <=18.00	14	17	6	7	7
>18.00 and <=26.00	7	4	2	2	0
> 26.00	1	1	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sugar maple	yellow birch	white ash	white oak	tuliptree
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	3	2	0	0
>10.00 and <=18.00	4	3	2	2	1
>18.00 and <=26.00	2	0	0	0	1
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	scarlet oak	blackgum	black oak	sassafras	pitch pine
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	0	0	0
>10.00 and <=18.00	1	1	0	0	0
>18.00 and <=26.00	0	0	1	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	pignut hickory	mockernut hickory	shagbark hickory	American elm
< 2.00	0	0	0	0
>=2.00 and <=10.00	0	0	0	0
>10.00 and <=18.00	0	0	0	0
>18.00 and <=26.00	0	0	0	0
> 26.00	0	0	0	0

Generated: 10/31/2013 18:04
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 31.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 31' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	chestnut oak	northern red oak	sweet birch	eastern hemlock	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	10	5	11	6	3
>10.00 and <=18.00	19	10	1	4	3
>18.00 and <=26.00	4	9	0	0	0
> 26.00	0	3	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	bigtooth aspen	white ash	serviceberry	red maple	American basswood
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	3	3	1	3
>10.00 and <=18.00	4	0	0	1	0
>18.00 and <=26.00	0	0	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	shagbark hickory	mockernut hickory	sugar maple
< 2.00	0	0	0
>=2.00 and <=10.00	0	0	0
>10.00 and <=18.00	0	1	0
>18.00 and <=26.00	1	0	1
> 26.00	0	0	0

Generated: 10/31/2013 18:09
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 32.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 32' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	red maple	eastern hemlock	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	8	3	11	5	6
>10.00 and <=18.00	14	7	4	1	0
>18.00 and <=26.00	6	7	0	1	0
> 26.00	1	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white ash	white oak	pignut hickory	mockernut hickory	sugar maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	1	2	0	2
>10.00 and <=18.00	3	2	2	3	1
>18.00 and <=26.00	0	1	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	serviceberry	black oak	yellow birch	bigtooth aspen	tuliptree
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	3	0	2	0	0
>10.00 and <=18.00	0	2	0	2	0
>18.00 and <=26.00	0	0	0	0	1
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	scarlet oak	sassafras	black cherry
< 2.00	0	0	0
>=2.00 and <=10.00	0	0	0
>10.00 and <=18.00	1	0	0
>18.00 and <=26.00	0	0	0
> 26.00	0	0	0

Generated: 10/31/2013 18:10
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 33.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 33' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	red maple	mockernut hickory	white oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	8	5	7	2	2
>10.00 and <=18.00	25	27	2	6	3
> 18.00	5	2	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	sweet birch	American beech	white ash	sugar maple	eastern hemlock
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	1	2	2	1
>10.00 and <=18.00	2	3	1	0	1
> 18.00	0	0	0	1	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American basswood	pignut hickory
< 2.00	0	0
>=2.00 and <=10.00	0	0
>10.00 and <=18.00	1	1
> 18.00	0	0

Generated: 10/30/2013 15:04
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 4.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 4' inventory (2007) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	sugar maple	chestnut oak	northern red oak	sweet birch	red maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	5	0	3	3	3
>10.00 and <=18.00	13	8	8	5	5
> 18.00	3	8	3	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American beech	scarlet oak	hophornbeam	mockernut hickory	white ash
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	5	0	3
>10.00 and <=18.00	5	5	0	3	0
> 18.00	3	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	shagbark hickory
< 2.00	0
>=2.00 and <=10.00	3
>10.00 and <=18.00	0
> 18.00	0

Generated: 10/30/2013 15:06
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 5.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 5' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	yellow birch	sugar maple	white ash	apple	American witchhazel
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	8	0	15	8
>10.00 and <=18.00	23	0	8	0	0
>18.00 and <=26.00	0	8	8	0	0
> 26.00	0	8	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	serviceberry	pignut hickory
< 2.00	0	0
>=2.00 and <=10.00	8	8
>10.00 and <=18.00	0	0
>18.00 and <=26.00	0	0
> 26.00	0	0

Generated: 10/30/2013 15:08
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 6.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 6' inventory (2007) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	scarlet oak	sugar maple	pignut hickory	mockernut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	11	11	15	8	4
>10.00 and <=18.00	11	19	0	8	8
>18.00 and <=26.00	11	0	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	serviceberry	red maple	chestnut oak
< 2.00	0	0	0
>=2.00 and <=10.00	8	4	0
>10.00 and <=18.00	0	4	0
>18.00 and <=26.00	0	0	0
> 26.00	0	0	4

Generated: 10/30/2013 15:09
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 7.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 7' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	sugar maple	red maple	mockernut hickory	chestnut oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	6	7	9	6
>10.00 and <=18.00	21	9	7	4	8
>18.00 and <=26.00	4	1	0	1	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white oak	yellow birch	white ash	sweet birch	scarlet oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	3	2	2	0
>10.00 and <=18.00	4	5	3	4	3
>18.00 and <=26.00	2	0	1	0	2
> 26.00	1	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American beech	tuliptree	pignut hickory	shagbark hickory	black oak
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	1	0	1	0
>10.00 and <=18.00	1	0	2	0	1
>18.00 and <=26.00	0	2	0	1	1
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	unidentified non-comm hardwood	hophornbeam	American hornbeam	Norway maple	serviceberry
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	1	1	0	1
>10.00 and <=18.00	1	0	0	1	0
>18.00 and <=26.00	1	0	0	0	0
> 26.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	blackgum	black cherry
< 2.00	0	0
>=2.00 and <=10.00	1	1
>10.00 and <=18.00	0	0
>18.00 and <=26.00	0	0
> 26.00	0	0

Generated: 10/30/2013 15:11
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 8.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 8' inventory (2007) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	chestnut oak	sugar maple	red maple	sweet birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	7	9	9	3
>10.00 and <=18.00	14	13	6	2	6
>18.00 and <=26.00	5	2	1	1	0
>26.00 and <=34.00	1	0	0	0	0
>34.00 and <=42.00	1	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	pignut hickory	American beech	scarlet oak	white oak	mockernut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	4	4	0	0	1
>10.00 and <=18.00	1	0	5	3	2
>18.00 and <=26.00	0	1	0	1	1

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	pignut hickory	American beech	scarlet oak	white oak	mockernut hickory
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white ash	shagbark hickory	Norway maple	black oak	yellow birch
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	1	1	0	1
>10.00 and <=18.00	2	1	1	2	1
>18.00 and <=26.00	0	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	tuliptree	bigtooth aspen	serviceberry	sassafras	hophornbeam
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	1	0	1
>10.00 and <=18.00	0	1	0	0	0
>18.00 and <=26.00	1	0	0	0	0
>26.00 and <=34.00	1	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	eastern hemlock	American elm	water oak	black cherry	American witchhazel
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	0	0	0	0	0
>10.00 and <=18.00	0	1	0	0	0
>18.00 and <=26.00	0	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	American hornbeam
< 2.00	0
>=2.00 and <=10.00	0
>10.00 and <=18.00	0
>18.00 and <=26.00	0
>26.00 and <=34.00	0
>34.00 and <=42.00	0
> 42.00	0

Generated: 10/30/2013 15:13
File name: C:\Users\GIS\Desktop\Sparta Mountain WMA, Sparta\Stratified Stands\Over&Understory\Stand 9.mdb

Vegetation Table Wizard

This report is for the stand 'Stand 9' inventory (2012) data.
Basal Area for Overstory (live and dead trees, Crop, AGS and UGS)

Report options: The cell values are 'Basal Area' (square feet per acre). Round to the nearest integer. The values come from tree observations. The tree observations include Crop, AGS and UGS. Both live and dead trees are included. The table rows are 'DBH'. The first row contains dbh's less than 2. The interval between rows is 8. The last row is adjusted to include the maximum dbh found. The diameter display is 'Entire range'. The table columns are 'Species (Common Name)'.

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac)

dbh range	northern red oak	sweet birch	scarlet oak	Norway maple	red maple
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	5	8	1	5	5
>10.00 and <=18.00	20	3	5	3	2
>18.00 and <=26.00	11	0	3	0	0
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white ash	chestnut oak	white oak	mockernut hickory	pignut hickory
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	2	1	3	3
>10.00 and <=18.00	4	4	4	2	1
>18.00 and <=26.00	1	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	white ash	chestnut oak	white oak	mockernut hickory	pignut hickory
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	black cherry	sugar maple	black oak	red pine	tuliptree
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	2	3	0	0	0
>10.00 and <=18.00	1	0	2	1	0
>18.00 and <=26.00	1	0	0	0	1
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	yellow birch	bigtooth aspen	blackgum	sassafras	Norway spruce
< 2.00	0	0	0	0	0
>=2.00 and <=10.00	1	0	0	0	0
>10.00 and <=18.00	0	1	0	0	0
>18.00 and <=26.00	0	0	0	0	0
>26.00 and <=34.00	0	0	0	0	0
>34.00 and <=42.00	0	0	0	0	0
> 42.00	0	0	0	0	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	eastern white pine
< 2.00	0

Species (Common Name) X DBH (in) Table for Overstory (live and dead trees, Crop, AGS and UGS)
Basal Area (total sq.ft/ac) (cont)

dbh range	eastern white pine
>=2.00 and <=10.00	0
>10.00 and <=18.00	0
>18.00 and <=26.00	0
>26.00 and <=34.00	0
>34.00 and <=42.00	0
> 42.00	0